Sadržaj

UVC	DD Korišćeni programski jezici	3
0	pis funkcionalnosti	4
Tem	plate	5
Di	izajn baze	6
Site	map	7
Stra	nice	8
In	ndex.php	8
ac	dmin.php	11
Stru	ktura foldera	13
Kod	ovi	15
In	ndex.php	15
	Style.css - moj deo	17
	mojJs.js	19
	Config/ .env	30
	Config.php	31
	Connection.php	32
M	1odels/	33
	contactReservationPrice/Functions.php	33
	contactReservationPrice/getContactInfo.php	37
	contactReservationPrice/insertForm.php	38
	Events/countOnMe.php	40
	Events/functions.php	41
	exportWord/exportWord.php	43
	filterAndSort/fitlerAndSort.php	44
	foodMenu/functions.php	47
	Navbar/functions.php	49
	recommonded Food/functions.php	50
	Statistcs/functions.php - PREKOPIRANO	51
	User/changeProfilePic.php	54
	User/deleteImageFromDb.php	56
	User/functions.php	57
	User/gerUserPic.php	59

	User/insertImageIntoDb.php	60
	functions.php	61
	Login.php	62
	Logout.php	65
	Register.php	66
V	iews/	69
	Fixed/footer.php	69
	Fixed/head.php	70
	Fixed/nav.php	72
	Fixed/script.php	74
	About.php	76
	changeProfilePic.php	77
	Events.php	79
	foodMenu.php	81
	Login.php	84
	Overlay.php	86
	Recommended.php	87
	Register.php	89
	Reservation.php	91
V	iews/admin/models/	95
0	ontactReservationPrice/functions.php	95
	contactReservationPrice/getContactInfo.php	99
	Delete/delete.php	100
	Events/activateCurrentEvent.php	101
	Events/activationForm.php	102
	Events/addAnotherEvent.php	104
	Events/addNewEvent.php	105
	Events/countOnMe.php	106
	Events/deleteSpecificEvent.php	107
	Events/functions.php	108
	Events/updateForm.php	111
	exportExcel/exportExcel.php	
	foodMenu/functions.php	
	foodMenu/insert.php	

	foodMenu/update.php	116
	Navbar/functions.php	117
	recommendedFood/functions.php	118
	Reservation/insertNewOccasion.php	119
	Reservation/updateContactInfo.php	120
	Reservation/updateDiscount.php	121
	Reservation/updateOccasion.php	123
	Reservation/updatePricePerPerson.php	124
	Statistics/functions.php	125
	User/	128
V	liews/admin/views/	129
	events/addNewEvent.php	129
	Events/addOrArctivate.php	131
	Events/events.php	133
	Events/updateAndAcitavionForm.php	135
	Fixed/	138
	foodMenu/foodMenu.php	139
	foodMenu/insertForm.php	142
	foodMenu/updateForm.php	145
	Reservation/reservation.php	148
	reservationDetails/reservationDetails.php	152
	Statistcs/statistics.php	155
	Admin.php	156

UVOD

Korišćeni programski jezici

- HTML5
- CSS3
- JavaScript
- XML
- Bootstrap
- jQuery
- PHP
- Ajax
- SQL

Opis funkcionalnosti


- Responsive dizajn
- Dropdown liste I hamburger meni
- Dinamički ispisan sadržaj
- Forma validirana regularnim izrazima sa klijentske I serverske strane
- Linkovi u meniju koji filtriraju sadrzaj
- Rad sa bazom podataka
- Filtriranje i sortiranje
- Pamćenje odgovora i prikaz svih odgovora sa adminske strane
- Insert/Update/Delete/Select

Napomena: Ne radi mi download excel i word fajla iz nekog razloga, pa sam ih sklonio, mučenički rade i na localhostu. Ne radi mi ni slanje mejla.

Template

Template je preuzet sa sajta: https://www.free-css.com/

Dizajn baze



U tabeli **food** je naknadno dodata kolona **currentPrice**,pa sam stavio konacan izgled te tabele ovde.Bukvalno je ista kao I gore samo što je dodata još jedna kolona za koju sam kasnije shvatio da je potrebna.


Site map

xml version="1.0" encoding="UTF-8"?
- <urlset 0.9="" http:="" schemas="" sitemap="" sitemap.xsd"="" www.sitemaps.org="" xmlns="http://www.sitemaps.org/schemas/sitemap/0.9" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemalocation="http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd"></urlset>
created with Free Online Sitemap Generator www.xml-sitemaps.com
- <url></url>
<loc>http://brckey.epizy.com/foodee/index.php</loc>
<lastmod>2020-06-14T17:44:24+00:00</lastmod>

Stranice


Index.php

.container-fluid




U ovom delu stranice nalazi se,dinamicki ispisan meni dohvaćen iz baze podataka,klikom na neki od njih,prikazuje se sadržaj u skladu sam stavkom koja je izabrana.

Ovde se nalazi i hrana koju nudi taj rej restoran koja može da se filtrira i sortira,takođe je urađena paginacija.




U ovom delu stranice nalaze se informacije o autoru. Footer se nalazi svuda pa je samo ovde screenshotovan.


#fh5co-featured




U ovom delu stranice nalaze se informacije o obrocima koje preporučuje taj restoran.



U ovom delu stranice nalaze se događaji koji su najavljeni i za koje koirsnik može da najavi svoj dolazak.




U ovom delu stranice korisnik može da rezerviše svoj dolazak,pod uslovom da je korisnik ulogovan.



Ukoliko je korsinik ulogovan, pojaviće se slika u navigacionom meniju koja ukazuje na to da korisnik može u bilo kom trenutku da je promeni i da stavi svoju sliku. Ukoliko klikne na tu sliku, prebaciće se na ovu formu.


admin.php




U ovom delu sajta admin može da dodaje, menja i briše obroke.



U ovom delu sajta admin ima pregled svih rezervacija.




U ovom delu sajta admin ima pregled svih događaja,može da ih dodaje i menja.



U ovom delu sajta admin ima pregled pristupa stranicama u procentama na 24h i koliko ima ulogovanih korisnika.

(KOD JE PREKOPIRAN OD IVANA PETRIĆA 21/17 JER NISAM ZNAO DA URADIM OVO !!!)

Struktura foldera



∨ user changeProfilePic.php 🖛 deletelmageFromDb.php m functions.php <code-block> getUserPic.php</code> 🖛 insertImageIntoDb.php m functions.php m logout.php √ views ∨ events addNewEvent.php * addOrActivate.php events.php updateAndActivationFor. √ fixed m footer.php m head.php nav.php er script.php \vee foodMenu 🖛 foodMenu.php m insertForm.php 💝 updateForm.php √ reservation m reservation.php $\lor \ reservation Details$ reservationDetails.php √ statistics 🖛 statistics.php changeProfilePic.php en overlay.php 💝 admin.php √ fixed footer.php nead.php nav.php e script.php > Portfolio 💝 about.php n changeProfilePic.php events.php 🐃 foodMenu.php 🖛 login.php overlay.php reservation.php recommended.php m index.php

🖛 register.php

14

Kodovi

Index.php

```
<?php
    ob start();
   session_start();
   require_once "config/connection.php";
    require_once "views/fixed/head.php";
    if(!isset($_GET['str']) && !isset($_GET['page'])){
        require once "views/overlay.php";
    require once "views/fixed/nav.php";
    if(isset($ SESSION['user']) && $ SESSION['user']-
>roleName == "admin"){
        header("Location: views/admin/admin.php");
    if(isset($_GET['page'])){
        $page = $_GET['page'];
        switch ($page) {
            case 'home':
            require_once "views/foodMenu.php";
            break;
            case 'about':
            require_once "views/about.php";
            break;
            case 'recommended':
            require_once "views/recommended.php";
            break;
            case 'events':
            require_once "views/events.php";
            break;
```

```
case 'reservation':
        require_once "views/reservation.php";
        break;
        case 'register':
        require_once "views/register.php";
        break;
        case 'login':
        require_once "views/login.php";
        break;
        case 'changeProfilePic':
        require_once "views/changeProfilePic.php";
        break;
        case 'logout':
        header("Location:models/logout.php");
        break;
        case 'admin':
        header("Location: views/admin/admin.php");
        break;
        default:
        require_once "views/foodMenu.php";
        break;
}else{
    require_once "views/foodMenu.php";
require_once "views/fixed/footer.php";
require_once "views/fixed/script.php";
```

Style.css - moj deo

```
.H2::before{
  content:"";
  display: none;
.oldPrice{
  font-size: 16px;
  color:#f00;
#userDetails{
 padding:10px;
 background:#f00;
.error{
  color:#f00;
.btn-primary.btn-outline.activeStrLink{
  background: #fb6e14;
  color: #fff;
.countedPpl{
 font-weight: bold;
  font-size: 1.2em;
input[type='date']:invalid {
  color: #999;
.table th,td {
  text-align: center !important;
 vertical-align: middle !important;
.pricePerPerson{
 font-weight: bold;
 text-decoration: underline;
  color: #f00;
.linkUserPic{
 width: 82px;
```

```
height: auto;
margin: 0px auto;
}
.navLink{
  margin: 20px auto;
}
```

mojJs.js

```
$(document).ready(function () {
    $("#btnRegister").on("click", validateAndRegister);
    $(".countOnMe").on("click", reserveEvent);
    $("#btnReserve").on("click", reserveTable);
    $(".ddls").on("change", getFilterAndSortInfo);
    $("#ddlCategories").on("change", filterByCategory);
    $("#ddlPrice").on("change", filterByPrice);
    var idCategory;
    var sort;
    var str;
    function getFilterAndSortInfo() {
        idCategory = Number($("#ddlCategories").val());
        sort = Number($("#ddlPrice").val());
        str = $(this).find(":selected").data("str");
    function filterByPrice() {
        let sort = $(this).val();
        let idCategoryValue = idCategory;
        let GETstr = str;
        $.ajax({
            url: "models/filterAndSort/filterAndSort.php",
            method: "POST",
            data: {
                idCategory: idCategoryValue,
                sortValue: sort,
                str: _GETstr,
                sent: true
            },
            dataType: "json",
            success: function (data) {
                console.log(data);
                printFood(data);
            },
            error: function (xhr, error, status) {
                let code = xhr.status;
```

```
switch (code) {
                     case 404:
                         alert("You need to be logged in.");
                         break;
                    case 409:
                         alert("There is already someone who has rese
rved the same date");
                         break;
                     case 422:
                         alert("Invalid data, please check your enter
ed data.");
                         break;
                    case 500:
                         alert("Server error, please try again");
                         break;
                     default:
                         alert("Error: " + code + ", " + error)
                         break;
                }
        });
    }
    function printFood(data) {
        let print = `<div class="row row-</pre>
padded" id="foodMenuAndCategories">`;
        for (catItem of data.category) {
            print += `
            <div class="col-md-6">
            <div class="fh5co-food-menu">
                <div class="category">
                     <img src="assets/images/${catItem.src}" alt="${c</pre>
atItem.alt}">
                    <h2 class="">${catItem.name}</h2>
                     <div class="cistac"></div>
                </div>
```

```
<u1>
            for (let foodItem of data.food) {
                if (foodItem.catName == catItem.name) {
                    print += `
                    <
                        <div class="fh5co-food-desc">
                            <figure>
                                <img src="assets/images/${foodItem.s</pre>
rc}" class="img-responsive" alt="${foodItem.alt}">
                            </figure>
                            <div>
                                <h3>${foodItem.name}</h3>
                                 ${foodItem.description}
                            </div>
                        </div>
                        <div class="fh5co-food-pricing">
                        ${foodItem.newPrice == "0.00" || foodItem.n
ewPrice == null ? foodItem.oldPrice : foodItem.currentPrice }
                        </div>
                    }
            }
            print += ` 
            </div>
        </div>
        print += `</div>
                <div class="row">
                    <div class="col-md-12 col-lg-8 col-md-offset-</pre>
2 text-center">
        for (let i = 1; i <= data.numOfPages; i++) {</pre>
            let active = data.str == i ? "activeStrLink" : "";
            print += `
                        <a href="index.php?page=home&str=${i}" class</pre>
="btn btn-primary btn-outline ${active}">${i}</a>
```

```
print += '
                    </div>
                </div>
        document.getElementById("together").innerHTML = print;
    }
    function filterByCategory() {
        let idCategory = $(this).val();
        let sortValue = sort;
        let GETstr = str;
        console.log(_GETstr);
        $.ajax({
            url: "models/filterAndSort/filterAndSort.php",
            method: "POST",
            data: {
                idCategory: idCategory,
                sortValue: sortValue,
                str: GETstr,
                sent: true
            },
            dataType: "json",
            success: function (data) {
                console.log(data);
                printFood(data);
            },
            error: function (xhr, error, status) {
                let code = xhr.status;
                switch (code) {
                    case 404:
                        alert("You need to be logged in.");
                        break;
                    case 409:
                        alert("There is already someone who has rese
rved the same date");
                        break;
                    case 422:
```

```
alert("Invalid data, please check your enter
ed data.");
                        break;
                    case 500:
                        alert("Server error, please try again");
                        break;
                    default:
                        alert("Error: " + code + ", " + error)
                        break;
                }
            }
        });
    function reserveTable() {
        let time = $("#timeOfReservation").val();
        let date = $("#dateOfReservation").val();
        let numOfPpl = $("#number").val();
        let msg = $("#message").val();
        let idOccasion = $("#occation").val();
        $.ajax({
            url: "models/contactReservationPrice/insertForm.php",
            method: "POST",
            data: {
                time: time,
                date: date,
                numOfPpl: numOfPpl,
                msg: msg,
                idOccasion: idOccasion,
                sent: true
            },
            dataType: "json",
            success: function (data) {
                alert("You successfuly reserved!");
            },
            error: function (xhr, error, status) {
                let code = xhr.status;
                switch (code) {
                    case 404:
                        alert("You need to be logged in.");
                        break:
```

```
case 409:
                         alert("There is already someone who has rese
rved the same date");
                         break;
                    case 422:
                         alert("Invalid data, please check your enter
ed data.");
                         break;
                    case 500:
                         alert("Server error, please try again");
                         break;
                    default:
                         alert("Error: " + code + ", " + error)
                         break;
                }
            }
        });
    $(function () {
        var date = new Date();
        let monthNow = date.getMonth() + 1;
        let monthNext = date.getMonth() + 4;
        let day = date.getDate();
        let year = date.getFullYear();
        if (monthNow < 10) {</pre>
            monthNow = '0' + monthNow.toString();
        if (monthNext < 10) {</pre>
            monthNext = '0' + monthNext.toString();
        }
        if (day < 10) {
            day = '0' + day.toString();
        let minDate = year + '-' + monthNow + '-' + day;
        let maxDate = year + '-' + monthNext + '-' + day;
        $("#dateOfReservation").attr("min", minDate);
        $("#dateOfReservation").attr("max", maxDate);
```

```
function reserveEvent(e) {
        e.preventDefault();
        let idDOE = $(this).data('iddoe');
        let idEvent = $(this).data('idevent');
        $.ajax({
            url: "models/events/countOnMe.php",
            method: "POST",
            data: {
                idDOE: idDOE,
                idEvent: idEvent,
                sent: true
            },
            dataType: "json",
            success: function (data) {
                alert("Thanks, we count on you!");
                $("[data-
iddoespan=" + "'" + idDOE + "']").html(data);
            },
            error: function (xhr, error, status) {
                let code = xhr.status;
                switch (code) {
                    case 404:
                        alert("You need to be logged in.");
                        break;
                    case 409:
                        alert("You have already voted.");
                        break:
                    case 422:
                        alert("Invalid data.");
                        break;
                    case 500:
                        alert("Server error, please try again");
                        break;
                    default:
                        alert("Error: " + code + ", " + error)
```

```
break;
                }
            }
        });
    function validateAndRegister() {
        let valid = true;
        let name = $("#nameReg").val().trim();
        let surname = $("#surnameReg").val().trim();
        let email = $("#emailReg").val().trim();
        let pass = $("#passwordReg").val().trim();
        let confPass = $("#ConfPasswordReg").val().trim();
        let nameSurnameRegex = /^[A-ZŽŠČĆŠĐ][a-zčćžđšč]{1,29}(\s[A-
ZŽŠČĆŠĐ][a-zčćžđšč])?$/;
        let emailRegex = /^[\wčćžđšč][\w\ \-
\.\d]+\@[\w]+(\.[\w]+)?(\.[a-z]{2,3})$/;
        let passRegex = /^[\w\-\!\@\#\$\%\^\&\*\(\)\ \+\d]{6,}$/;
        if (name == "") {
            $("#nameErr").html("Name mustn't be blank.");
            $("#nameErr").addClass("error");
            valid = false;
        } else if (!nameSurnameRegex.test(name)) {
            $("#nameErr").html("Name can contain maximum 2 words,wit
h first letter uppercase");
            $("#nameErr").addClass("error");
            valid = false;
        } else {
            $("#nameErr").removeClass("error");
            $("#nameErr").html("");
        }
        if (surname == "") {
            $("#surnameErr").html("Surname mustn't be blank.");
            $("#surnameErr").addClass("error");
            valid = false;
        } else if (!nameSurnameRegex.test(surname)) {
            $("#surnameErr").html("Surname can contain maximum 2 wor
ds, with first letter uppercase");
```

```
$("#surnameErr").addClass("error");
            valid = false;
        } else {
            $("#surnameErr").removeClass("error");
            $("#surnameErr").html("");
        if (email == "") {
            $("#emailErr").html("Email mustn't be blank.");
            $("#emailErr").addClass("error");
            valid = false;
        } else if (!emailRegex.test(email)) {
            $("#emailErr").html("Email isn't in good format.");
            $("#emailErr").addClass("error");
            valid = false:
        } else {
            $("#emailErr").removeClass("error");
            $("#emailErr").html("");
        if (pass == "") {
            $("#passwordErr").html("Password mustn't be blank.");
            $("#passwordErr").addClass("error");
            valid = false;
        } else if (!passRegex.test(pass)) {
            $("#passwordErr").html("Password should contains at leas
t 6 characters.");
            $("#passwordErr").addClass("error");
            valid = false;
        } else {
            $("#passwordErr").removeClass("error");
            $("#passwordErr").html("");
        if (confPass == "") {
            $("#ConfPasswordErr").html("This filed mustn't be blank.
");
            $("#ConfPasswordErr").addClass("error");
            valid = false;
        } else if (confPass != pass) {
            $("#ConfPasswordErr").html("Passwords do not match.");
            $("#ConfPasswordErr").addClass("error");
```

```
valid = false;
} else {
    $("#ConfPasswordErr").removeClass("error");
    $("#ConfPasswordErr").html("");
let registerData = {
    name: name,
    surname: surname,
    email: email,
    pass: pass,
    confPass: confPass,
    sent: true
if (valid) {
    $.ajax({
        url: "models/register.php",
        method: "POST",
        dataType: "json",
        data: registerData,
        success: function (data) {
            console.log(data);
            alert("You have successfuly registered!");
            location.replace("index.php?page=login");
        },
        error: function (xhr, error, status) {
            let code = xhr.status;
            let errorsJson = xhr.responseJSON;
            let errors = "";
            for (let item of errorsJson) {
                errors += item + "<br/>";
            $("#errorsReg").html(errors);
            let msg = "Error occured";
            switch (code) {
                case 404:
                    msg = "Page not found";
```

Config/ .env

DBNAME=?

SERVER=?

USERNAME=?

PASSWORD=?

Config.php

```
<?php
    define('ABSOLUTE_PATH', $_SERVER['DOCUMENT_ROOT']."/foodee/");
   define('BASE_PATH',"http://brckey.epizy.com/foodee/");
   define('ENV_FILE',ABSOLUTE_PATH."views/admin/config/.env");
   define('LOG_FILE',ABSOLUTE_PATH."views/admin/data/log.txt");
   define('ERROR FILE',ABSOLUTE PATH."views/admin/data/errors.txt")
   define('LOGIN FILE',ABSOLUTE PATH."views/admin/data/login.txt");
   define("DBNAME", env("DBNAME"));
   define("SERVER", env("SERVER"));
   define("USERNAME", env("USERNAME"));
   define("PASSWORD", env("PASSWORD"));
   function env($name){
       fopen(ENV FILE, "r");
       $data = file(ENV FILE);
       foreach ($data as $item) {
            $arrayFile = explode("=",trim($item));
            $nameFile = $arrayFile[0];
           $valueFile = $arrayFile[1];
           if($name == $nameFile){
               return $valueFile;
            }
       }
```

Connection.php

```
<?php
    require_once "config.php";
    noteNumberOfAccess();
    try {
        $conn = new PDO("mysql:host=".SERVER.";dbname=".DBNAME,USERN
AME, PASSWORD);
        $conn-
>setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE,PDO::FETCH_OBJ);
>setAttribute(PDO::ATTR_ERRMODE,PDO::ERRMODE_EXCEPTION);
    } catch (PDOException $e) {
        echo $e->getMessage();
        noteErrorInFile($e->getMessage());
    function noteNumberOfAccess()
        $open = fopen(LOG FILE, 'a');
        if($open){
            $dateOfAccess = date("Y-m-d H:i:s");
            fwrite($open,$ SERVER['REQUEST URI']." ".$ SERVER['REMO
TE_ADDR']."__".$dateOfAccess."\n");
            fclose($open);
        }
    }
```

Models/

contactReservationPrice/Functions.php

```
<?php
    require_once ABSOLUTE_PATH."models/functions.php";
    function getNumberOfPersonsDiscount(){
        $query = "SELECT * FROM numberofpersonsdiscount";
        return getAll($query);
    }
    function getOccasion(){
        $query = "SELECT * FROM occasion ORDER BY idOccasion";
        return getAll($query);
    function getPricePerPerson(){
        global $conn;
        $query = "SELECT price FROM price_per_person";
        return $conn->query($query)->fetch()->price;
    }
    function insertIfNotNull(){
        global $conn;
        global $idOccasion;
        global $date;
        global $time;
        global $numOfPpl;
        global $msg;
        global $idUser;
        global $code;
        global $idNOP;
        global $discount;
        $pricePerPerson = getPricePerPerson();
        $price = $pricePerPerson * $numOfPpl * ((100 -
 $discount) / 100);
        $query1 = "INSERT INTO reservationform(idOccasion,date,time,
message,NOP) VALUES(?,?,?,?,?)";
```

```
$query2 = "INSERT INTO reservationformdiscount(idReservation
Form,idNOP) VALUES(?,?)";
        $query3 = "INSERT INTO reservationform user(idReservationFor
m,idUser) VALUES(?,?)";
        $query4 = "INSERT INTO reservationfinal(idRFU,price) VALUES(
?,?)";
        $stmt1 = $conn->prepare($query1);
        $stmt2 = $conn->prepare($query2);
        $stmt3 = $conn->prepare($query3);
        $stmt4 = $conn->prepare($query4);
        try {
            $conn->beginTransaction();
            $stmt1-
>execute([$idOccasion,$date,$time,$msg,$numOfPpl]);
            $idReservationForm = $conn->lastInsertId();
            $stmt2->execute([$idReservationForm,$idNOP]);
            $stmt3->execute([$idReservationForm,$idUser]);
            $idRFU = $conn->lastInsertId();
            $stmt4->execute([$idRFU,$price]);
            $conn->commit();
            code = 201;
        } catch (PDOException $e) {
            code = 409;
            $conn->rollBack();
            if($e->errorInfo[1] == 1048){
                code = 422;
            }else{
                $code = 500;
            // var dump($e->errorInfo);
            // echo $e->getMessage();
    }
    function insertIfNull(){
```

```
global $conn;
        global $idOccasion;
        global $date;
        global $time;
        global $numOfPpl;
        global $msg;
        global $idUser;
        global $code;
        $pricePerPerson = getPricePerPerson();
        $price = $pricePerPerson * $numOfPpl;
        $query1 = "INSERT INTO reservationform(idOccasion,date,time,
message,NOP) VALUES(?,?,?,?,?)";
        $query2 = "INSERT INTO reservationform user(idReservationFor
m,idUser) VALUES(?,?)";
        $query3 = "INSERT INTO reservationfinal(idRFU,price) VALUES(
?,?)";
        $stmt1 = $conn->prepare($query1);
        $stmt2 = $conn->prepare($query2);
        $stmt3 = $conn->prepare($query3);
        try {
            $conn->beginTransaction();
            $stmt1-
>execute([$idOccasion,$date,$time,$msg,$numOfPpl]);
            $idReservationForm = $conn->lastInsertId();
            $stmt2->execute([$idReservationForm,$idUser]);
            $idRFU = $conn->lastInsertId();
            $stmt3->execute([$idRFU,$price]);
            $conn->commit();
            code = 201;
        } catch (PDOException $e) {
            code = 409;
            $conn->rollBack();
```

```
if($e->errorInfo[1] == 1048){
        $code = 422;
}else{
        $code = 500;
}
    // var_dump($e->errorInfo);
        // echo $e->getMessage();
}
}
```

contact Reservation Price/get Contact Info. php

```
<?php
    require_once ABSOLUTE_PATH."config/connection.php";

$query = "SELECT * FROM contactinfo";

$info = $conn->query($query)->fetch();
?>
```

contactReservationPrice/insertForm.php

```
<?php
    ob_start();
    require once "../../config/connection.php";
    require_once "functions.php";
    header("Content-type: application/json");
    session start();
    $data = null;
    code = 404;
    if(isset($ POST['sent'])){
        $idUser = $ SESSION['user']->idUser;
        $idOccasion = !empty($ POST['idOccasion']) ? $ POST['idOccas
ion'] : null ;
        $date = !empty($ POST['date']) ? $ POST['date'] : null;
        $time = !empty($ POST['time']) ? $ POST['time'] : null;
        $numOfPp1 = !empty($ POST['numOfPp1']) ? $ POST['numOfPp1']
: null;
        $msg = $ POST['msg'];
        $numberOfPplDiscount = getNumberOfPersonsDiscount();
        foreach ($numberOfPplDiscount as $item) {
            if(strpos($item->name,'-') !== false) {
                $itemArr = explode("-",$item->name);
                list($firstNum,$secondNum) = $itemArr;
                if($numOfPpl < $firstNum){</pre>
                    $idNOP = null;
                    $discount = 0;
                    break;
                if($numOfPpl >= $firstNum && $numOfPpl <= $secondNum</pre>
){
                    $idNOP = $item->idNOP;
                    $discount = $item->discount;
                    break;
                }
            } else {
                $lastNum = explode("-",$item->name)[0];
                if($numOfPpl == $lastNum || $numOfPpl > $lastNum){
                    $idNOP = $item->idNOP;
                    $discount = $item->discount;
```

```
break;
}
}

if($idNOP == null){
    insertIfNull();
}else{
    insertIfNotNull();
}

echo json_encode($data);
http_response_code($code);

?>
```

Events/countOnMe.php

```
<?php
   header("Content-type: application/json");
    session start();
   require_once "../../config/connection.php";
   require_once ABSOLUTE_PATH. "models/events/functions.php";
   $data = null;
   code = 404;
   if(isset($_POST['sent']) && isset($_SESSION['user'])){
       $idDOE = $ POST['idDOE'];
      $idEvent = $_POST['idEvent'];
      $idUser = $ SESSION['user']->idUser;
      $votes = numberOfVotes();
      if($votes == 0){
            try {
                $insert = insertPeople();
                if($insert){
                    code = 202;
                    $data = peopleWhoPressedCountOnLink($idDOE);
                }else{
                    code = 422;
            } catch (PDOException $e) {
                echo $e->getMessage();
                noteErrorInFile($e->getMessage());
                code = 500;
            }
        }else{
            code = 409;
        }
   echo json encode($data);
   http response code($code);
```

Events/functions.php

```
<?php
    require_once ABSOLUTE_PATH."models/functions.php";
    function getEvents(){
        $query = "SELECT * FROM event e INNER JOIN dateofevent d ON
e.idEvent = d.idEvent WHERE active = 1";
        return getAll($query);
    function modifyDate($datetime){
        $datetime = substr($datetime,0,-3);
        $datetimeArr = explode(" ",$datetime);
        list($date,$time) = $datetimeArr;
        $dateTextArr = ["January", "February", "March", "April", "May", "
June","July","August","September","October","November","December"];
        $dateArr = explode("-",$date);
        list($year,$month,$day) = $dateArr;
        if(substr($month,0,1)=="0"){
            $month = substr($month,1,1);
        $monthText = $dateTextArr[$month-1];
        $dateText = $monthText." ".$day."th, ".$year;
        $modified = "Date: ".$dateText."<br/>"."Time: ".$time;
        return $modified;
    function peopleWhoPressedCountOnLink($id){
        global $conn;
        $query = "SELECT COUNT(*) as numOfPpl FROM user dateofevent
ud INNER JOIN dateofevent d ON ud.idDateOfEvent = d.idDateOfEvent WH
ERE d.idDateOfEvent = $id":
        return $conn->query($query)->fetch()->numOfPpl;
    function insertPeople(){
        global $conn;
```

```
global $idUser;
        global $idDOE;
        $query = "INSERT INTO user_dateofevent VALUES(NULL,?,?)";
        $stmt = $conn->prepare($query);
        return $stmt->execute([$idDOE,$idUser]);
    }
    function numberOfVotes(){
        global $conn;
        global $idDOE;
        global $idUser;
        $query = "SELECT COUNT(*) as numOfPpl FROM user dateofevent
WHERE idDateOfEvent = ? AND idUser = ?";
        $stmt = $conn->prepare($query);
        $stmt->execute([$idDOE,$idUser]);
        $number = $stmt->fetch()->numOfPpl;
        return $number;
    }
```

exportWord/exportWord.php

```
<?php
    $word = new COM("word.application") or die("Fail to make word in
stance");
    $word->Visible = 0;
    $word->Selection->Font->Name="Arial";
    $word->Selection->Font->Size=16;
    $word->Selection-
>TypeText("\t Name: Stefan Vaskovic 124/18 \n");
    $file = tempnam("../../data","CV");
    $word->Documents[1]->SaveAs($file);
    $word->Quit();
    unset($word);
    header("Content-Type: application/octet-stream");
    header("Content-
Disposition: attachment; filename=download.docx");
    readfile($file);
    unlink($file);
```

filterAndSort/fitlerAndSort.php

```
<?php
header("Content-Type: application/json");
require once "../../config/connection.php";
require_once "../functions.php";
require_once "../foodMenu/functions.php";
data = null;
code = 404;
if (isset($_POST['sent'])) {
    $idCategory = $ POST['idCategory'];
    $sortValue = $ POST['sortValue'];
    $queryFood = "SELECT f.*,c.name as catName,p.* FROM food f INNER
 JOIN category c ON f.idCategory = c.idCategory INNER JOIN picture p
 ON f.idPicture = p.idPicture";
    if ($idCategory != 0) {
        $queryCount = "SELECT COUNT(*) as total FROM category WHERE
idCategory = $idCategory";
    } else {
        $queryCount = "SELECT COUNT(*) as total FROM category";
    $str = isset($_POST['str']) ? (int) $_POST['str'] : 1;
    $stmt = $conn->query($queryCount)->fetch();
    $totalNum = $stmt->total;
    $numOfPages = ceil($totalNum / $perPage);
    $offset = ($str - 1) * $perPage;
    $test = [];
    $queryCategory = "SELECT * FROM category c INNER JOIN picture p
ON c.idPicture = p.idPicture ";
    if ($idCategory != 0 || $sortValue != 0) {
        $test[] = "prvi if";
        if ($idCategory == 0 && $sortValue != 0) {
            $queryCategory .= " LIMIT $perPage OFFSET $offset";
            $test[] = "Prvi if u ifu";
        } else {
            $queryFood .= " WHERE f.idCategory = ?";
```

```
$queryCategory .= " WHERE idCategory = ? ";
            $test[] = "Prvi else";
    if ($sortValue == 1) {
        $test[] = "drugi if";
        $queryFood .= " ORDER BY currentPrice";
    } elseif ($sortValue == 2) {
        $test[] = "prvi elseif";
        $queryFood .= " ORDER BY currentPrice DESC";
    $stmt = $conn->prepare($queryFood);
    $stmt2 = $conn->prepare($queryCategory);
    try {
        if ($idCategory != 0 || $sortValue != 0) {
            $test[] = "treci if";
            if ($idCategory == 0 && $sortValue != 0) {
                $test[] = "drugi if u ifu";
                $success = $stmt->execute();
                $success2 = $stmt2->execute([$idCategory]);
            } else {
                $test[] = "drugi else";
                $success = $stmt->execute([$idCategory]);
                $success2 = $stmt2->execute([$idCategory]);
        } else {
            $test[] = "treci else";
            $success = $stmt->execute();
        if($idCategory == 0 && $sortValue == 0){
           $getCategoriesAndNumOfPages = getCategoriesAndNumOfPagesP
OST();
           $getFoodMenu = getFoodMenu();
           $test[] = "cetvrti if";
           $data = ["food" => $getFoodMenu, "category" => $getCatego
riesAndNumOfPages['categories'], "numOfPages" => $getCategoriesAndNu
mOfPages['numOfPages'], "str" => $str,"test"=>$test];
```

```
else{
            if ($success) {
                $data = ["food" => $stmt-
>fetchAll(), "category" => $stmt2-
>fetchAll(), "numOfPages" => $numOfPages, "str" => $str,"test"=>$tes
t];
                $code = 201;
            } else {
                code = 409;
            }
    } catch (PDOException $e) {
        $code = 500;
        echo $e->getMessage();
        noteErrorInFile($e->getMessage());
    }
echo json_encode($data);
http_response_code($code);
```

foodMenu/functions.php

```
<?php
function getFoodMenu(){
    global $conn;
    $query = "SELECT f.*,c.name as catName,p.* FROM food f INNER JOI
N category c ON f.idCategory = c.idCategory INNER JOIN picture p ON
f.idPicture = p.idPicture";
    $result = $conn->query($query)->fetchAll();
    return $result;
function getCategoriesAndNumOfPages(){
    global $conn;
    $queryCount = "SELECT COUNT(*) as total FROM category";
    $str = isset($ GET['str']) ? $ GET['str'] : 1;
    $perPage = 2;
    $stmt = $conn->query($queryCount)->fetch();
    $totalNum = $stmt->total;
    $numOfPages = ceil($totalNum/$perPage);
    $offset = ($str- 1) * $perPage;
    $query = "SELECT * FROM category c INNER JOIN picture p ON c.idP
icture = p.idPicture LIMIT $perPage OFFSET $offset";
    $result = $conn->query($query)->fetchAll();
    return ["categories"=>$result,"numOfPages"=>$numOfPages];
function getCategoriesAndNumOfPagesPOST(){
    global $conn;
    $queryCount = "SELECT COUNT(*) as total FROM category";
    $str = isset($ POST['str']) ? $ POST['str'] : 1;
    $perPage = 2;
```

```
$stmt = $conn->query($queryCount)->fetch();
$totalNum = $stmt->total;
$numOfPages = ceil($totalNum/$perPage);
$offset = ($str- 1) * $perPage;

$query = "SELECT * FROM category c INNER JOIN picture p ON c.idP
icture = p.idPicture LIMIT $perPage OFFSET $offset";

$result = $conn->query($query)->fetchAll();

return ["categories"=>$result,"numOfPages"=>$numOfPages];
}

function getAllCategories(){
   global $conn;

   $query = "SELECT * FROM category";

   return getAll($query);
}
```

Navbar/functions.php

```
<?php
  function getNav(){
    global $conn;

    $query = "SELECT * FROM navbar";
    $result = $conn->query($query)->fetchAll();
    return $result;
  }
}
```

recommonded Food/functions.php

```
<?php
    require_once ABSOLUTE_PATH."/models/functions.php";
    function getRecommendedFood(){
        $query = "SELECT * FROM food f INNER JOIN picture p ON f.idP
icture = p.idPicture WHERE recommended = 1";
    return getAll($query);
    }
}</pre>
```

Statistcs/functions.php - PREKOPIRANO

```
<?php
    require_once "../config/connection.php";
    function allPages()
    {
        return
            ["Home", "About", "Reservation", "Register", "Login", "F
ood", "Profile Picture"];
    function accessToPagesPercentage()
        $array = [];
        sum = 0;
        home = 0;
        author = 0;
        $contact = 0;
        $registration = 0;
        login = 0;
        food = 0;
        $profilePicture = 0;
        $oneDayAgo = strtotime("1 day ago");
        @$file = file(LOG FILE);
        if (count($file)) {
            foreach ($file as $item) {
                $delovi = explode("__", $item);
                $url = explode(".php", $delovi[0]);
                if(strpos(@$url[1],"&")){
                    $strana = explode("&",$url[1])[0];
                else{
                    @$strana = $url[1];
                if (strtotime(@$delovi[2]) >= $oneDayAgo) {
                    switch ($strana) {
                        case "":
                            $home++;
                            $sum++;;
                            break;
                        case "?page=home":
```

```
$home++;
                $sum++;;
                break;
            case "?page=about":
                $author++;
                $sum++;;
                break;
            case "?page=reservation":
                $contact++;
                $sum++;;
                break;
            case "?page=register":
                $registration++;
                $sum++;;
                break;
            case "?page=login":
                $login++;
                $sum++;;
                break;
            case "?page=foodMenu":
                $food++;
                $sum++;;
                break;
            case "?page=changeProfilePic":
                $profilePicture++;
                $sum++;;
                break;
            default:
                $home++;
                $sum++;;
                break;
        }
    }
if ($sum > 0) {
    $array[] = round($home * 100 / $sum, 2);
    $array[] = round($author * 100 / $sum, 2);
    $array[] = round($contact * 100 / $sum, 2);
    $array[] = round($registration * 100 / $sum, 2);
    $array[] = round($login * 100 / $sum, 2);
    $array[] = round($food * 100 / $sum, 2);
    $array[] = round($profilePicture * 100 / $sum, 2);
```

```
}
    return $array;
function noteLogin($id)
   @$file = fopen(LOGIN_FILE, "a");
   $input = $id . "\n";
   @fwrite($file, $input);
   @fclose($file);
function numberOfLoggedInUsers()
{
    return count(file(LOGIN FILE));
}
function deleteLoggedInUsers($id)
{
    $id = (int) $id;
   $input = "";
   @$file = file(LOGIN FILE);
   if (count($file)) {
        foreach ($file as $item) {
            $idInFile = trim((int) $item);
            if ($idInFile != $id) {
                $input .= $idInFile . "\n";
            }
        }
    @$file = fopen(LOGIN FILE, "w");
   @fwrite($file, $input);
   @fclose($file);
}
```

User/changeProfilePic.php

```
<?php
require_once "../../config/connection.php";
session start();
if(isset($_POST['btnUpload'])){
    $file = $ FILES['uplPic'];
    $name =time()."_".$file["name"];
    $type = $file["type"];
    $tmpPath = $file["tmp name"];
    $size = $file["size"];
    $allowedTypes = ["image/jpg","image/jpeg","image/png"];
    if(!in array($type,$allowedTypes)){
        $ SESSION['errors'] = ["Allowed types are jpg, jpeg and png"]
        header("Location: ../../index.php?page=changeProfilePic");
    else{
        $newPath = "../../assets/img/$name";
        $uploaded = move uploaded file($tmpPath,$newPath);
        if($uploaded){
            $extension = pathinfo($newPath,PATHINFO EXTENSION);
            $dimensions = getimagesize($newPath);
            list($width,$height) = $dimensions;
            newWidth = 100;
            $newHeight = $height * $newWidth / $width;
            $image = imagecreatetruecolor($newWidth,$newHeight);
            switch ($extension) {
                case 'jpg':
                    $uploadedImage = imagecreatefromjpeg($newPath);
                    break;
                case 'jpeg':
                    $uploadedImage = imagecreatefromjpeg($newPath);
                    break;
```

```
case 'png':
                    $uploadedImage = imagecreatefrompng($newPath);
                    break;
            }
            imagecopyresampled($image,$uploadedImage,0,0,0,0,$newWid
th,$newHeight,$width,$height);
            $resizedImagePath = "../../assets/img/";
            $namePic = time()."_"."resizedImage.".$extension;
            switch ($extension) {
                case 'jpg':
                    imagejpeg($image,$resizedImagePath.$namePic);
                    break;
                case 'jpeg':
                    imagejpeg($image,$resizedImagePath.$namePic);
                    break;
                case 'png':
                    imagepng($image,$resizedImagePath.$namePic);
                    break;
            }
            require_once "insertImageIntoDb.php";
           try {
             $insert = insert();
             if($insert){
                header("Location: ../../index.php?page=changeProfile
Pic");
           } catch (PDOException $e) {
               echo $e->getMessage();
           }
    }
```

User/deleteImageFromDb.php

```
<?php
    require_once "functions.php";
    require_once "../../config/connection.php";

$exists = checkIfExists();

if($exists){
    deletePic();
    header("Location: ../../index.php?page=changeProfilePic");
}else{
    $_SESSION['errors'] = ["You don't have profile picture already."];
    header("Location: ../../index.php?page=changeProfilePic");
}

header("Location: ../../index.php?page=changeProfilePic");
}
</pre>
```

User/functions.php

```
<?php
    @session_start();
    @$idUser = $_SESSION['user']->idUser;
    function insert(){
        global $conn;
        global $namePic;
        global $idUser;
        $alt = "uploadedAndResizedImage";
        $exists = checkIfExists();
        if($exists){
            deletePic();
        $query = "INSERT INTO uploadedpicture(idUser,src,alt) VALUES
(?,?,?)";
        $stmt = $conn->prepare($query);
        $success = $stmt->execute([$idUser,$namePic,$alt]);
        return $success ? true : false;
    function checkIfExists(){
        require once "../../config/connection.php";
        global $idUser;
        global $conn;
        $queryCheck = "SELECT * FROM uploadedpicture WHERE idUser =
?";
        try {
            $stmtCheck = $conn->prepare($queryCheck);
            $stmtCheck->execute([$idUser]);
        } catch (PDOException $e) {
            echo $e->getMessage();
```

```
return ($stmtCheck->rowCount() == 1) ? true : false;
   }
   function deletePic(){
           require_once "../../config/connection.php";
           global $idUser;
           global $conn;
           $queryDelete = "DELETE FROM uploadedpicture WHERE idUser
= ?";
           $stmtDelete = $conn->prepare($queryDelete);
           $stmtDelete->execute([$idUser]);
   }
   function getPic(){
      global $conn;
      global $idUser;
      $query = "SELECT * FROM uploadedpicture WHERE idUser = ?";
       $stmt = $conn->prepare($query);
       $stmt->execute([$idUser]);
       $pic = $stmt->fetch();
       return $pic;
```

User/gerUserPic.php

```
<?php
    require_once "functions.php";

$picture = getPic();
?>
```

User/insertImageIntoDb.php

```
<?php
    require_once "functions.php";
?>
```

functions.php

```
function getAll($query){
    global $conn;
    $result = $conn->query($query)->fetchAll();

    return $result;
}

function getOne($query){
    global $conn;
    $result = $conn->query($query)->fetch();

    return $result;
}

function noteErrorInFile($msg){
    $file = fopen(ERROR_FILE,"a");

    if($file){
        fwrite($file,$msg."\n");
        fclose($file);
    }
}
```

Login.php

```
<?php
   ob_start();
    session start();
   require "../config/connection.php";
    require "statistics/functions.php";
   if(isset($ POST['btnLogin'])){
        $email = $_POST['emailLogin'];
       $pass = $ POST['passLogin'];
       $errors = [];
       = ''/[w][w]-\.d]+(0[w]+(\.[w]+)?(\.[a-
z]{2,3})$/";
       passRegex = "/^[\w\-\!\@\#\$\%\^\&\'\) \ +\d]{6,}$/";
       if(\$email == ""){}
            $errors[] = "Email should not be empty.";
        }elseif(!preg match($emailregex,$email)){
            $errors[] = "Wrong email.";
       if($pass == ""){
            $errors[] = "Password should not be empty.";
        }elseif(!preg_match($passRegex,$pass)){
            $errors[] = "Wrong password.";
            $query2 = "SELECT u.*,r.name as roleName FROM user u INN
ER JOIN role r ON u.idRole = r.idRole WHERE email = ? AND active = 1
";
            try {
               $result = $conn->prepare($query2);
               $result->execute([$email]);
               $user2 = $result->fetch();
               if($result->rowCount() == 1){
                   $to = $user2->email;
                   $subject = 'Login failed';
                   $message = 'Somebody tried to login and failed!'
```

```
$headers = 'From: admin@gmail.com' . "\r\n" .
                        'Reply-To:'.$user2->email . "\r\n" .
                        'X-Mailer: PHP/' . phpversion();
                    mail($to, $subject, $message, $headers);
                }
                } catch (PDOException $e) {
                    echo $e->getMessage();
                    noteErrorInFile($e->getMessage());
        if(count($errors)!=0){
            $ SESSION['errors'] = $errors;
            header("Location: ../index.php?page=login");
        }else{
            $pass = md5($pass);
            $query = "SELECT u.*,r.name as roleName FROM user u INNE
R JOIN role r ON u.idRole = r.idRole WHERE email = ? AND password =
? AND active = 1";
            try {
                $stmt = $conn->prepare($query);
                $stmt->execute([$email,$pass]);
                $user = $stmt->fetch();
                if($user){
                    $_SESSION['user'] = $user;
                    noteLogin($user->idUser);
                    if($user->roleName == "user"){
                        header("Location: ../index.php?page=home");
                    }else{
                        header("Location: ../index.php?page=admin&ad
min=true");
                }else{
```

Logout.php

```
    require_once "statistics/functions.php";
    session_start();
    if(isset($_SESSION['user'])){
        deleteLoggedInUsers($_SESSION['user']->idUser);
        unset($_SESSION['user']);

        header("Location: ../index.php?page=home");
    }
}
```

Register.php

```
<?php
    require_once "../config/connection.php";
    require once "functions.php";
    session start();
    ob start();
    header("Content-type:application/json");
    $data = null;
    code = 404;
    if(isset($_POST['sent'])){
        $name = $ POST['name'];
        $surname = $_POST['surname'];
        $email = $ POST['email'];
        $pass = $ POST['pass'];
        $confPass = $ POST['confPass'];
        nameSurnameRegex="/^[A-Z][a-z]{1,29}(\s[A-Z][a-z])?$/";
        = ''/^[\w] - ..d] + @[\w] + (..[\w] +)?(..[a-
z]{2,3})$/";
        passRegex = "/^[\w\-\!\@\#\$\%\^\&\'\) \ +\d]{6,}$/";
        $errors = [];
        if($name == ""){
            $errors[] = "Name mustn't be blank.";
        }elseif(!preg match($nameSurnameRegex,$name)){
            $errors[] = "Name can contain maximum 2 words, with first
letter uppercase";
        }
        if($surname == ""){
            $errors[] = "Surname mustn't be blank.";
        }elseif(!preg match($nameSurnameRegex,$surname)){
            $errors[] = "Surname can contain maximum 2 words, with fi
rst letter uppercase";
        if($email == ""){
            $errors[] = "Email mustn't be blank.";
        }elseif(!preg match($emailRegex,$email)){
            $errors[] = "Email isn't in good format.";
```

```
if($pass == ""){
            $errors[] = "Password mustn't be blank.";
        }elseif(!preg match($passRegex,$pass)){
            $errors[] = "Password should contains at least 6 charact
ers.";
        }
        if($confPass == ""){
            $errors[] = "You need to confirm password.";
        }elseif($confPass != $pass){
            $errors[] = "Passwords do not match.";
        if(count($errors) != 0){
            code = 422;
            $data = $errors;
        }else{
            $pass = md5($pass);
            $query = "INSERT INTO user(name, surname, password, email)
VALUES(?,?,?,?)";
            try {
                $result = $conn->prepare($query);
                $success = $result-
>execute([$name,$surname,$pass,$email]);
                $code = $success ? 201 : 500;
            } catch (PDOException $e) {
                code = 409;
                echo $e->getMessage();
                noteErrorInFile($e->getMessage());
            }
    }
    echo json_encode($data);
```

```
http_response_code($code);
```

?:

Views/

Fixed/footer.php

```
</body>
<div id="fh5co-footer">
      <div class="container">
         <div class="row row-padded">
            <div class="col-md-12 text-center">
                animate">© 2016 Foodee Free HTML5 Template. <br> Designed by <a</pre>
href="http://freehtml5.co/" target="_blank">FREEHTML5.co</a>
               animate"><a href="#">Documentation</a>
               animate"><a href="#" class="js-gotop">Go To Top</a>
            </div>
         </div>
         <div class="row">
            <div class="col-md-12 text-center">
                2"><a href="#"><i class="icon-facebook"></i></a>
                  2"><a href="#"><i class="icon-twitter"></i></a>
                  class="to-animate-
2"><a href="#"><i class="icon-instagram"></i></i>
               </div>
         </div>
      </div>
   </div>
```

Fixed/head.php

```
<!DOCTYPE html>
<!--[if lt IE 7]>
                      <html class="no-js lt-ie9 lt-ie8 lt-</pre>
ie7"> <![endif]-->
<!--[if IE 7]>
                      <html class="no-js lt-ie9 lt-ie8"> <![endif]-</pre>
<!--[if IE 8]> <html class="no-js lt-ie9"> <![endif]-->
<!--[if gt IE 8]><!--> <html class="no-js"> <!--<![endif]-->
    <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Brckey's restaurant</title>
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
    <meta name="description" content="Free HTML5 Template by FREEHTM</pre>
L5.CO" />
    <meta name="keywords" content="free html5, free template, free b</pre>
ootstrap, html5, css3, mobile first, responsive" />
    <meta name="author" content="FREEHTML5.CO" />
   FREE HTML5 TEMPLATE
    DESIGNED & DEVELOPED by FREEHTML5.CO
                    http://freehtml5.co/
    Website:
    Email:
                    info@freehtml5.co
    Twitter:
                    http://twitter.com/fh5co
                    https://www.facebook.com/fh5co
    Facebook:
    <!-- Facebook and Twitter integration -->
    <meta property="og:title" content=""/>
    <meta property="og:image" content=""/>
    <meta property="og:url" content=""/>
    <meta property="og:site name" content=""/>
    <meta property="og:description" content=""/>
```

```
<meta name="twitter:title" content="" />
    <meta name="twitter:image" content="" />
    <meta name="twitter:url" content="" />
    <meta name="twitter:card" content="" />
    <!-- Place favicon.ico and apple-touch-
icon.png in the root directory -->
    <link rel="shortcut icon" href="assets/images/favicon.ico?v1">
    <link href='https://fonts.googleapis.com/css?family=Playfair+Dis</pre>
play:400,700,400italic,700italic|Merriweather:300,400italic,300itali
c,400,700italic' rel='stylesheet' type='text/css'>
    <!-- Animate.css -->
    <link rel="stylesheet" href="assets/css/animate.css">
    <!-- Icomoon Icon Fonts-->
    <link rel="stylesheet" href="assets/css/icomoon.css">
    <!-- Simple Line Icons -->
    <link rel="stylesheet" href="assets/css/simple-line-icons.css">
    <!-- Datetimepicker -->
    <link rel="stylesheet" href="assets/css/bootstrap-</pre>
datetimepicker.min.css">
    <!-- Flexslider -->
    <link rel="stylesheet" href="assets/css/flexslider.css">
    <!-- Bootstrap -->
    <link rel="stylesheet" href="assets/css/bootstrap.css">
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/</pre>
bootstrap/4.5.0/css/bootstrap.min.css" integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYxFfc+NcPb1dKGj7Sk" cr
ossorigin="anonymous">
    <link rel="stylesheet" href="assets/css/style.css">
    <!-- Modernizr JS -->
    <script src="assets/js/modernizr-2.6.2.min.js"></script>
    <!-- FOR IE9 below -->
    <!--[if lt IE 9]>
    <script src="js/respond.min.js"></script>
    <![endif]-->
    </head>
    <body>
```

Fixed/nav.php

```
<?php
    require_once "config/connection.php";
    require_once "models/navbar/functions.php";
    require_once "models/user/getUserPic.php";
?>
<div class="js-sticky">
             <div class="fh5co-main-nav">
                 <div class="container-fluid">
                     <div class="fh5co-menu-1 text-center">
                         <?php
                              $navbar = getNav();
                              $previousValue = null;
                              foreach ($navbar as $item):
                         ?>
                         <a href="<?= $item-</pre>
>href?>" class="navLink"><?= $item->name?></a>
                         <?php
                              endforeach;
                          ?>
                         <?php
                              if(isset($_SESSION['user'])):
                          ?>
                         <a href="index.php?page=logout" class="navLi</pre>
nk">Logout</a>
                         <a href="index.php?page=reservation" class="</pre>
navLink">Reservation</a>
                         <?php
                              elseif(!isset($_SESSION['user'])):
                          ?>
                         <a href="index.php?page=register" class="nav</pre>
Link">Register</a>
                         <a href="index.php?page=login" class="navLin"</pre>
k">Login</a>
                         <?php
                              endif;
                          ?>
                         <?php
```

```
if(isset($ SESSION['user']) && !empty($pict
ure)):
?>
        <a href="index.php?page=changeProfilePic" class="linkUserPic"</pre>
        <img src="<?= "assets/img/".$picture-</pre>
>src?>" alt="<?= $picture->alt?>" class="userPic img-responsive img-
circle"/></a>
    <?php
        elseif(isset($_SESSION['user'])):
    ?>
        <a href="index.php?page=changeProfilePic" class="linkUserPic"</pre>
        <img src="assets/images/profilePicDefault.png" alt="default"</pre>
 class="userPic img-responsive img-circle"/>
        </a>
        <?php endif;?>
                     </div>
                     <div class="fh5co-logo d-flex justify-content-</pre>
center align-items-center">
                          <a href="index.php?page=home" class="navLink")</pre>
">Brckey</a>
                     </div>
                 </div>
             </div>
        </div>
```

Fixed/script.php

```
<script src="https://code.jquery.com/jquery-</pre>
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" cr
ossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/</pre>
popper.min.js" integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo" cr
ossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/b</pre>
ootstrap.min.js" integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI" cr
ossorigin="anonymous"></script>
<!-- jQuery -->
<script src="assets/js/jquery.min.js"></script>
    <!-- jQuery Easing -->
    <script src="assets/js/jquery.easing.1.3.js"></script>
    <!-- Bootstrap -->
    <script src="assets/js/bootstrap.min.js"></script>
    <!-- Bootstrap DateTimePicker -->
    <script src="assets/js/moment.js"></script>
    <script src="assets/js/bootstrap-</pre>
datetimepicker.min.js"></script>
    <!-- Waypoints -->
    <script src="assets/js/jquery.waypoints.min.js"></script>
    <!-- Stellar Parallax -->
    <script src="assets/js/jquery.stellar.min.js"></script>
    <!-- Flexslider -->
    <script src="assets/js/jquery.flexslider-min.js"></script>
    <script>
        $(function () {
           $('#date').datetimepicker();
       });
    </script>
    <!-- Main JS -->
    <script src="assets/js/main.js"></script>
    <script src="assets/js/mojJs.js"></script>
    <?php
        if(isset($ GET['page']) && $ GET['page']=="reservation"):
```

About.php

```
<?php
       // require once "models/about/about.php";
    <div id="fh5co-about" data-section="about">
           <div class="fh5co-2col fh5co-bg to-animate-</pre>
2" style="background-image: url(assets/images/moje5.jpg);
           background-size:cover;"></div>
           <div class="fh5co-2col fh5co-text">
               <h2 class="heading to-animate">About Us</h2>
               animate">Brckey's restaurant was built in 2015 and got very popular
in 2019 thanks to events that got introduced. Our cooks are pretty go
od in what they do.Our waiters are kind and very polite to our custo
mers.Portfolio to our website designer is down here.Click to check i
t out!
              animate"><a href="views/Portfolio/index.html" class="btn btn-</pre>
primary btn-outline">Portfolio</a>
               <a class="btn btn-primary btn-</pre>
outline " href="models/exportWord/exportWord.php">Download word</a>
              </div>
       </div>
```

changeProfilePic.php

```
<?php
    if (!isset($_SESSION['user'])) {
        header("Location: index.php?page=home");
    }
?>
<div class="login" id="fh5co-contact" data-section="reservation">
            <div class="container">
                 <div class="row text-center fh5co-heading row-</pre>
padded">
                     <div class="col-md-12">
                         <h2 class="heading to-
animate H2">Upload/Change picture</h2>
                     </div>
                </div>
                <div class="row">
                 <div class="col-lg-12 text-center errors">
                 <?php
                     if(isset($_SESSION['errors'])){
                     foreach($_SESSION['errors'] as $err){
                         echo $err ."<br/>";
                     unset($ SESSION['errors']);
                     }
                 ?>
                 </div>
                     <div class="col-md-12 col-lg-8 text-center col-</pre>
md-offset-2 to-animate-2">
                             <form action="models/user/changeProfileP"</pre>
ic.php" method="POST" enctype="multipart/form-data">
                             <div class="form-group ">
                                  <input id="uplPic"</pre>
                                 name="uplPic" class="form-
control" type="file">
                             </div>
                             <div class="form-group ">
```

Events.php

```
<?php
        require_once "models/events/functions.php";
    <div id="fh5co-events" data-section="events" style="background-</pre>
image: url(assets/images/eventsMoje.jpg);" data-stellar-background-
ratio="0.5">
            <div class="fh5co-overlay"></div>
            <div class="container">
                <div class="row text-center fh5co-heading row-</pre>
padded">
                    <div class="col-md-12 to-animate">
                        <h2 class="heading">Upcoming Events</h2>
                        heading">Far far away, behind the word mountains, far from the count
ries Vokalia and Consonantia, there live the blind texts.
                    </div>
                </div>
                <div class="row">
                    <?php
                        $events = getEvents();
                        foreach ($events as $item) :
                    25
                    <div class="col-md-6">
                        <div class="fh5co-event to-animate-2">
                            <h3><?= $item->name?></h3>
                            <span class="fh5co-event-</pre>
meta"><?= modifyDate($item->date);?></span>
                            <?= $item->description?>
                            <a href="#" class="btn btn-
primary btn-outline countOnMe" data-idevent="<?= $item-</pre>
>idEvent?>" data-iddoe="<?= $item-</pre>
>idDateOfEvent?>">Count on me!</a>
                            People that we can count on: <span da</p>
ta-iddoespan="<?= $item-
>idDateOfEvent?>" class="countedPpl"><?= peopleWhoPressedCountOnLink</pre>
($item->idDateOfEvent)?></span>
                        </div>
                    </div>
                    <?php
                        endforeach;
```

foodMenu.php

```
<?php
require_once "models/functions.php";
require once "models/foodMenu/functions.php";
?>
<div id="fh5co-menus" data-section="menu">
    <div class="container">
        <div class="row text-center fh5co-heading row-padded">
            <div class="col-lg-12">
                <h2 class="heading to-animate">Food Menu</h2>
                animate">Take a look at what food we offer.
            </div>
        </div>
        <div class="row text-center fh5co-heading row-padded">
            <div class="col-lg-6 to-animate-2">
                <select id="ddlCategories" name="ddlCategories" clas</pre>
s="form-control ddls">
                    <option value="0" data-</pre>
str="<?= isset($_GET['str']) ? $_GET['str'] : 1;?>" >Choose category
</option>
                    <?php
                    $allCategories = getAllCategories();
                    foreach ($allCategories as $item) :
                    ?>
                        <option value="<?= $item-</pre>
>idCategory ?>" data-
str="<?= isset($_GET['str']) ? $_GET['str'] : 1;?>"><?= $item-
>name ?></option>
                    <?php endforeach; ?>
                </select>
            </div>
            <div class="col-lg-6 to-animate-2">
                <select id="ddlPrice" name="ddlPrice" class="form-</pre>
control ddls">
                    <option value="0" data-</pre>
str="<?= isset($ GET['str']) ? $ GET['str'] : 1;?>">Sort by price</o
ption>
                    <option value="1" data-</pre>
str="<?= isset($_GET['str']) ? $_GET['str'] : 1;?>">Ascending</optio</pre>
```

```
<option value="2"data-</pre>
str="<?= isset($ GET['str']) ? $ GET['str'] : 1;?>">Descending</opti</pre>
on>
                 </select>
            </div>
        </div>
        <div id="together">
            <div class="row row-padded" id="foodMenuAndCategories">
                 <?php
                $categoriesAndNumOfPages = getCategoriesAndNumOfPage
s();
                $food = getFoodMenu();
                foreach ($categoriesAndNumOfPages["categories"] as $
catItem) :
                 ?>
                     <div class="col-md-6">
                         <div class="fh5co-food-menu to-animate-2">
                             <div class="category">
                                  <img src="<?= "assets/images/" . $ca</pre>
tItem->src ?>" alt="">
                                 <h2 class=""><?= $catItem-
>name ?></h2>
                                 <div class="cistac"></div>
                             </div>
                             <u1>
                                 foreach ($food as $foodItem) :
                                      if ($foodItem-
>catName == $catItem->name) :
                                  ?>
                                          <1i>>
                                              <div class="fh5co-food-
desc">
                                                   <figure>
                                                       <img src="<?= "a</pre>
ssets/images/" . $foodItem->src ?>" class="img-
responsive" alt="<?= $foodItem->alt ?>">
                                                  </figure>
                                                  <div>
```

```
<h3><?= $foodIte
m->name ?></h3>
                                                    <?= $foodItem
->description ?>
                                                </div>
                                            </div>
                                            <div class="fh5co-food-
pricing">
                                                <?= "$" . $foodItem-
>oldPrice ?>
                                            </div>
                                        <?php endif; ?>
                                <?php
                                endforeach;
                                ?>
                            </div>
                    </div>
                <?php endforeach; ?>
            </div>
            <div class="row">
                <div class="col-md-12 col-lg-8 col-md-offset-2 text-</pre>
center to-animate-2">
                    <?php
                    $str = isset($_GET['str']) ? $_GET['str'] : 1;
                    for ($i = 1; $i <= $categoriesAndNumOfPages["num</pre>
OfPages"]; $i++):
                    ?>
                        <a href="index.php?page=home&str=<?= $i ?>"
class="btn btn-primary btn-
outline <?= ($str == $i) ? "activeStrLink" : "" ?>"><?= $i ?></a>
                    <?php
                    endfor;
                    ?>
                </div>
            </div>
        </div>
    </div>
</div>
```

Login.php

```
<?php
    if(isset($_SESSION['user'])){
        header("Location: index.php?page=home");
    }
?>
<div class="login" id="fh5co-contact" data-section="reservation">
            <div class="container">
                 <div class="row text-center fh5co-heading row-</pre>
padded">
                     <div class="col-md-12">
                         <h2 class="heading to-animate H2">Login</h2>
                     </div>
                 </div>
                 <div class="row">
                 <div class="col-lg-12 text-center errors">
                 <?php
                     if(isset($ SESSION['errors'])){
                     foreach($ SESSION['errors'] as $err){
                         echo $err ."<br/>";
                     unset($_SESSION['errors']);
                     }
                 ?>
                 </div>
                     <div class="col-md-12 col-lg-8 text-center col-</pre>
md-offset-2 to-animate-2">
                             <form action="models/login.php" method="</pre>
POST">
                             <div class="form-group ">
                                  <label for="emailLogin" class="sr-</pre>
only">Email</label>
                                  <input id="emailLogin"</pre>
                                  name="emailLogin" class="form-
control" placeholder="Email" type="email">
                             </div>
```

```
<div class="form-group ">
                                  <label for="passLogin" class="sr-</pre>
only">Password</label>
                                  <input id="passLogin"</pre>
                                  name="passLogin"
                                  class="form-
control" placeholder="Password" type="password">
                              </div>
                              <div class="form-group ">
                                  <input class="btn btn-primary"</pre>
                                  id="btnLogin" name="btnLogin"
                                  value="Login" type="submit">
                              </div>
                              </form>
                         </div>
                 </div>
             </div>
        </div>
    </div>
```

Overlay.php

```
<body>
   <div id="fh5co-container">
       <div id="fh5co-home" class="js-fullheight" data-</pre>
section="home">
          <div class="flexslider">
              <div class="fh5co-overlay"></div>
              <div class="fh5co-text">
                  <div class="container">
                     <div class="row">
                         <div class="col-lg-12">
                             <h1 id="brkcey" class="to-
animate">Brckey's</h1>
                             <h2 class="to-animate text-
center">Restaurant</h2>
                         </div>
                     </div>
                  </div>
              </div>
              style="background-"
image: url(assets/images/sliderMoje1.jpg);" data-stellar-background-
ratio="0.5">
              image: url(assets/images/sliderMoje2.jpg);" data-stellar-background-
ratio="0.5">
              image: url(assets/images/sliderMoje3.jpg);" data-stellar-background-
ratio="0.5">
              </div>
      </div>
```

Recommended.php

```
<?php
    require_once "models/recommendedFood/functions.php";
?>
<div id="fh5co-featured" data-section="features">
            <div class="container">
                <div class="row text-center fh5co-heading row-</pre>
padded">
                    <div class="col-md-12">
                        <h2 class="heading to-
animate">Recommended meals</h2>
                        animate">Here is what we recommend you to try,according to our opini
on.
                    </div>
                </div>
                <div class="row">
                    <div class="fh5co-grid">
                        <?php
                            $recommendedFood = getRecommendedFood();
                            foreach ($recommendedFood as $item) :
                        ?>
                        <div class="fh5co-v-half">
                            <div class="fh5co-h-row-2 to-animate-2">
                                <div class="fh5co-v-col-2 fh5co-bg-</pre>
img" style="background-image: url(assets/images/<?= $item-</pre>
>src?>)"></div>
                                <div class="fh5co-v-col-2 fh5co-</pre>
text arrow-left">
                                    <h2><?= $item->name?></h2>
                                    <del><?= $item-
>newPrice != null ? "$".$item->oldPrice : ""?></del>
                                    <span class="pricing"><?= $item-</pre>
>newPrice == null ? "$".$item->oldPrice : "$".$item-
>newPrice ?></span>
                                    <?= $item->description?>
                                </div>
                            </div>
                        </div>
                        <?php
                            endforeach;
```

Register.php

```
<?php
    if(isset($_SESSION['user'])){
        header("Location: index.php?page=home");
?>
<div class="register" id="fh5co-contact" data-section="reservation">
            <div class="container">
                 <div class="row text-center fh5co-heading row-</pre>
padded">
                     <div class="col-md-12">
                         <h2 class="heading to-
animate H2">Make an account</h2>
                     </div>
                 </div>
                 <div class="row text-center">
                     <div class="col-md-offset-2 col-md-8 mx-auto to-</pre>
animate-2">
                         <h3>Registration Form</h3>
                         <form>
                         <div class="form-group ">
                              <label for="nameReg" class="sr-</pre>
only">Name</label>
                              <input id="nameReg" name="nameReg" class</pre>
="form-control" placeholder="Name" type="text">
                              <span id="nameErr"></span>
                         </div>
                         <div class="form-group">
                              <label for="surnameReg" class="sr-</pre>
only">Surname</label>
                              <input id="surnameReg" name="surnameReg"</pre>
                              class="form-
control" placeholder="Surname" type="text">
                              <span id="surnameErr"></span>
                         </div>
                         <div class="form-group ">
                              <label for="emailReg" class="sr-</pre>
only">Email</label>
                              <input id="emailReg"</pre>
                              name="emailReg"
                              class="form-
control" placeholder="Email" type="email">
```

```
<span id="emailErr"></span>
                         </div>
                         <div class="form-group ">
                             <label for="passwordReg" class="sr-</pre>
only">Password</label>
                             <input id="passwordReg" name="passwordRe</pre>
g" class="form-control" placeholder="Password" type="password">
                              <span id="passwordErr"></span>
                         </div>
                         <div class="form-group ">
                             <label for="passwordReg" class="sr-</pre>
only">Confirm Password</label>
                             <input id="ConfPasswordReg" name="ConfPa</pre>
sswordReg" class="form-
control" placeholder="Confirm Password" type="password">
                             <span id="ConfPasswordErr"></span>
                         </div>
                         <div class="form-group ">
                             <input class="btn btn-</pre>
primary" id="btnRegister" name="btnRegister"
                             value="Register" type="button">
                         </div>
                         <span>Already have an account? </span><a hre</pre>
f="index.php?page=login">Login</a>
                         <div id="errorsReg"></div>
                         </form>
                         </div>
                 </div>
            </div>
        </div>
    </div>
```

Reservation.php

```
<?php
   require_once ABSOLUTE_PATH."models/contactReservationPrice/getCo
ntactInfo.php";
    require once ABSOLUTE PATH. "models/contactReservationPrice/funct
ions.php";
   if(!isset($_SESSION['user'])){
       header("Location: index.php?page=register");
   }
?>
<div id="fh5co-contact" data-section="reservation">
           <div class="container">
               <div class="row text-center fh5co-heading row-</pre>
padded">
                  <div class="col-md-12">
                      <h2 class="heading to-
animate">Reserve a Table</h2>
                      animate">Call us, send email or fill in form down below and get table
s for you and your friends.
                  </div>
                  <div class="col-md-12 table-responsive">
                      <?php
                          $price = getPricePerPerson();
                      ?>
                      <h3 class="pricePerPerson">Price for one per
son is <span id="priceNumber"><?=$price?></span>$</h3>
                      <table class="table table-striped table-
bordered">
                          <thead>
                              Number of People
Discount
                              </thead>
                          <?php
                                 $price = getNumberOfPersonsDisco
unt();
                                 foreach ($price as $item):
                              ?>
```

```
<?= $item->name?>
                               <?= $item-
>discount."%"?>
                           <?php
                               endforeach;
                            ?>
                        </div>
             </div>
              <div class="row">
                 <div class="col-md-6 to-animate-2">
                     <h3>Contact Information</h3>
                     <i class="icon-home"></i></i>
                           <?= $info->address?>
                        <i class="icon-phone"></i><?= $info-
>phone?>
                        <i class="icon-</li>
envelope"></i><?= $info->email?>
                     </div>
                 <div class="col-md-6 to-animate-2">
                     <h3>Reservation Form</h3>
                     <form action="#" method="POST">
                        <div class="form-group">
                            <label for="occation" class="sr-</pre>
only">Occation</label>
                           <select class="form-</pre>
control" name="occasion" id="occation">
                               <option value="0">Choose an Occa
sion</option>
                               <?php
                                  $occasions = getOccasion();
                                  foreach ($occasions as $item
):
                               ?>
```

```
<option value="<?= $item-</pre>
>idOccasion?>"><?= $item->name?></option>
                                      <?php endforeach;?>
                                  </select>
                              </div>
                              <div class="form-group ">
                                  <label for="date" class="sr-</pre>
only">Date</label>
                                  <input id="dateOfReservation" name="</pre>
dateOfReservation" class="form-
control" placeholder="Date" type="date">
                              </div>
                              <div class="form-group ">
                                  <label for="date" class="sr-</pre>
only">Time</label>
                                  <input id="timeOfReservation" name="</pre>
timeOfReservation" class="form-
control" min="12:00" placeholder="Time" type="time">
                              </div>
                              <div class="form-group ">
                                  <label for="date" class="sr-</pre>
only">Number Of People</label>
                                  <input id="number" name="numberOfPpl</pre>
" class="form-
control" min="1" placeholder="Number of People" type="number">
                                  <span id="sumPrice"></span>
                              </div>
                              <div class="form-group ">
                                  <label for="message" class="sr-</pre>
only">Message</label>
                                  <textarea id="message" name="message
" cols="30" rows="5" class="form-
control" placeholder="Message (Optional)"></textarea>
                              </div>
                              <div class="form-group ">
                                  <input id="btnReserve" name="btnRese</pre>
rve" class="btn btn-primary" value="Reserve" type="button">
                              </div>
                         </form>
                     </div>
                 </div>
            </div>
```

</div>

Views/admin/models/

contactReservationPrice/functions.php

```
<?php
    require once ABSOLUTE PATH."views/admin/models/functions.php";
    function getReservationInfo(){
        $query = "SELECT u.idUser,u.name as userName,u.surname as us
erSurname, u.email, o.name as occasionName, rfu.*, rfi.*, rfo.* FROM user
u INNER JOIN reservationform user rfu ON u.idUser = rfu.idUser INNE
R JOIN reservationfinal rfi ON rfu.idRFU = rfi.idRFU INNER JOIN rese
rvationform rfo ON rfu.idReservationForm = rfo.idReservationForm INN
ER JOIN occasion o ON o.idOccasion = rfo.idOccasion";
        return getAll($query);
    }
    function getNumberOfPersonsDiscount(){
        $query = "SELECT * FROM numberofpersonsdiscount";
        return getAll($query);
    }
    function getOccasion(){
        $query = "SELECT * FROM occasion ORDER BY idOccasion";
        return getAll($query);
    }
    function getPricePerPerson(){
        global $conn;
        $query = "SELECT price FROM price per person";
        return $conn->query($query)->fetch()->price;
    }
    function insertIfNotNull(){
        global $conn;
        global $idOccasion;
        global $date;
        global $time:
```

```
global $numOfPpl;
        global $msg;
        global $idUser;
        global $code;
        global $idNOP;
        global $discount;
        $pricePerPerson = getPricePerPerson();
        $price = $pricePerPerson * $numOfPpl * ((100 -
 $discount) / 100);
        $query1 = "INSERT INTO reservationform(idOccasion,date,time,
message,NOP) VALUES(?,?,?,?,?)";
        $query2 = "INSERT INTO reservationformdiscount(idReservation
Form,idNOP) VALUES(?,?)";
        $query3 = "INSERT INTO reservationform user(idReservationFor
m,idUser) VALUES(?,?)";
        $query4 = "INSERT INTO reservationfinal(idRFU,price) VALUES(
?,?)";
        $stmt1 = $conn->prepare($query1);
        $stmt2 = $conn->prepare($query2);
        $stmt3 = $conn->prepare($query3);
        $stmt4 = $conn->prepare($query4);
        try {
            $conn->beginTransaction();
            $stmt1-
>execute([$idOccasion,$date,$time,$msg,$numOfPpl]);
            $idReservationForm = $conn->lastInsertId();
            $stmt2->execute([$idReservationForm,$idNOP]);
            $stmt3->execute([$idReservationForm,$idUser]);
            $idRFU = $conn->lastInsertId();
            $stmt4->execute([$idRFU,$price]);
            $conn->commit();
            code = 201;
        } catch (PDOException $e) {
            code = 409;
            $conn->rollBack();
```

```
if($e->errorInfo[1] == 1048){
                code = 422;
            }else{
                $code = 500;
            // var_dump($e->errorInfo);
            // echo $e->getMessage();
    }
    function insertIfNull(){
        global $conn;
        global $idOccasion;
        global $date;
        global $time;
        global $numOfPpl;
        global $msg;
        global $idUser;
        global $code;
        $pricePerPerson = getPricePerPerson();
        $price = $pricePerPerson * $numOfPpl;
        $query1 = "INSERT INTO reservationform(idOccasion,date,time,
message,NOP) VALUES(?,?,?,?,?)";
        $query2 = "INSERT INTO reservationform_user(idReservationFor
m,idUser) VALUES(?,?)";
        $query3 = "INSERT INTO reservationfinal(idRFU,price) VALUES(
?,?)";
        $stmt1 = $conn->prepare($query1);
        $stmt2 = $conn->prepare($query2);
        $stmt3 = $conn->prepare($query3);
        try {
            $conn->beginTransaction();
            $stmt1-
>execute([$idOccasion,$date,$time,$msg,$numOfPpl]);
            $idReservationForm = $conn->lastInsertId();
            $stmt2->execute([$idReservationForm,$idUser]);
            $idRFU = $conn->lastInsertId();
```

```
$stmt3->execute([$idRFU,$price]);
$conn->commit();

$code = 201;

} catch (PDOException $e) {

$code = 409;

$conn->rollBack();

if($e->errorInfo[1] == 1048){
    $code = 422;
}else{
    $code = 500;
}
    // var_dump($e->errorInfo);
    // echo $e->getMessage();
}

}
```

contactReservationPrice/getContactInfo.php

```
<?php
    require_once ABSOLUTE_PATH."views/admin/config/connection.php";

$query = "SELECT * FROM contactinfo";

$info = $conn->query($query)->fetch();
}>
```

Delete/delete.php

```
<?php
    require_once "../../config/connection.php";
   if(isset($_GET['id'])){
        $idFood = $_GET['id'];
       $query = "DELETE FROM food WHERE idFood = ?";
       $stmt = $conn->prepare($query);
        try {
            $success = $stmt->execute([$idFood]);
            if($success){
                header("Location: ../../admin.php");
            }
        } catch (PDOException $e) {
            echo $e->getMessage();
            noteErrorInFile($e->getMessage());
        }
   }
```

Events/activateCurrentEvent.php

```
<?php
    session_start();
    require_once "../../config/connection.php";
    require_once "functions.php";
    list($idEvent,$active,$datetime) = $_SESSION['eventData'];
    $query1 = "UPDATE event SET active=? WHERE idEvent = ?";
    $query2 = "UPDATE dateofevent SET idEvent = ?, date = ? WHERE id
Event = ?";
    $stmt1 = $conn->prepare($query1);
    $stmt2 = $conn->prepare($query2);
    try {
        $conn->beginTransaction();
        $stmt1->execute([$active,$idEvent]);
        $stmt2->execute([$idEvent,$datetime,$idEvent]);
        $conn->commit();
        header("Location: ../../admin.php?page=events");
    } catch (PDOException $e) {
        $conn->rollBack();
        echo $e->getMessage();
        noteErrorInFile($e->getMessage());
    }
```

Events/activationForm.php

```
<?php
    session_start();
    require once "../../config/connection.php";
    require_once "functions.php";
    if (isset($ POST['btnUpdate'])) {
        $idEvent = $_POST['idEvent'];
        $active = $ POST['ddlEventIsActive'];
        $date = $ POST['eventDateUpdate'];
        $time = $ POST['eventTimeUpdate'];
        $datetime = $date." ".$time;
        $query1 = "UPDATE event SET active=? WHERE idEvent = ?";
        $query2 = "INSERT INTO dateofevent VALUES(NULL,?,?)";
        $query3 = "UPDATE dateofevent SET idEvent = ?, date = ? WHER
E idEvent = ?";
        $query4 = "SELECT COUNT(*) as number, date FROM dateofevent W
HERE idEvent = ?";
        $ SESSION['eventData'] = [$idEvent,$active,$datetime];
        $currentDateTimestamp = time();
        $stmt1 = $conn->prepare($query1);
        try {
            $stmt1->execute([$active,$idEvent]);
            if($active){
                $stmt4 = $conn->prepare($query4);
                $stmt4->execute([$idEvent]);
                $obj = $stmt4->fetch();
                $dbDate = $obj->date;
                $count = $obj->number;
                $datetimeTimestamp = strtotime($datetime);
                $dbDateTimestamp = strtotime($dbDate);
                $oneDayInSeconds = 86400;
                if($currentDateTimestamp + $oneDayInSeconds< $dateti</pre>
meTimestamp && $count>=1 && $dbDateTimestamp + $oneDayInSeconds < $d</pre>
atetimeTimestamp){
```

```
header("Location: ../../admin.php?page=addOrActi
vate&id=$idEvent");
                }elseif($currentDateTimestamp + $oneDayInSeconds >=
$datetimeTimestamp && $dbDateTimestamp + $oneDayInSeconds >= $dateti
meTimestamp){
                    $_SESSION['errorEvent'] = "Date you entered may
be equal to current date, or you tried to add another event before 2
4h distinction.";
                    header("Location: ../../admin.php?page=updateFor
mEvent&id=$idEvent");
                }else {
                    if(strtotime($date) == 0 || strtotime($time) ==
0){
                        header("Location: ../../admin.php?page=updat
eFormEvent&id=$idEvent");
                    }else{
                        header("Location: ../../admin.php?page=addOr
Activate&id=$idEvent&confirm=true");
                    }
                }
            }
        } catch (PDOException $e) {
            echo $e->getMessage();
            noteErrorInFile($e->getMessage());
    }
```

Events/addAnotherEvent.php

```
<?php
    session_start();
    require_once "../../config/connection.php";
    require_once "functions.php";

list($idEvent,$active,$datetime) = $_SESSION['eventData'];

$query2 = "INSERT INTO dateofevent VALUES(NULL,?,?)";

$stmt2 = $conn->prepare($query2);

try {
    $success = $stmt2->execute([$idEvent,$datetime]);
    if($success){
        header("Location: ../../admin.php?page=events");
    }

} catch (PDOException $e) {
    echo $e->getMessage();
    noteErrorInFile($e->getMessage());
}

?>
```

Events/addNewEvent.php

Events/countOnMe.php

```
<?php
    header("Content-type: application/json");
    session start();
    require_once "../../config/connection.php";
    require_once ABSOLUTE_PATH. "models/events/functions.php";
    $data = null;
    code = 404;
    if(isset($_POST['sent']) && isset($_SESSION['user'])){
       $idDOE = $ POST['idDOE'];
      $idEvent = $_POST['idEvent'];
       $idUser = $ SESSION['user']->idUser;
       $votes = numberOfVotes();
       if($votes == 0){
            try {
                $insert = insertPeople();
                if($insert){
                    code = 202;
                    $data = peopleWhoPressedCountOnLink($idDOE);
                }else{
                    code = 422;
            } catch (PDOException $e) {
                echo $e->getMessage();
                noteErrorInFile($e->getMessage());
                code = 500;
            }
        }else{
            code = 409;
        }
    echo json encode($data);
    http response code($code);
```

Events/deleteSpecificEvent.php

```
<?php
    require_once "../../config/connection.php";
    if(isset($ GET['idDateOfEvent'])){
        $idDateOfEvent = $_GET['idDateOfEvent'];
        $idEvent = $ GET['idEvent'];
        $query1 = "SELECT COUNT(*) as number FROM dateofevent WHERE
idEvent = ?";
        $query2 = "DELETE FROM dateofevent WHERE idDateOfEvent = ?";
        $query3 = "UPDATE event SET active = 0 WHERE idEvent = ?";
        $stmt1 = $conn->prepare($query1);
        $stmt2 = $conn->prepare($query2);
        try {
            $conn->beginTransaction();
            $stmt2->execute([$idDateOfEvent]);
            $stmt1->execute([$idEvent]);
            $number = $stmt1->fetch()->number;
            if(\text{number} < 1)
                $stmt3 = $conn->prepare($query3);
                $stmt3->execute([$idEvent]);
            }
            $conn->commit();
            header("Location: ../../admin.php?page=events");
        } catch (PDOException $e) {
            $conn->rollBack();
            echo $e->getMessage();
            noteErrorInFile($e->getMessage());
    }
```

Events/functions.php

```
<?php
    require_once ABSOLUTE_PATH."models/functions.php";
    function getDateEvent($datetime){
        $datetime = substr($datetime,0,-3);
        $datetimeArr = explode(" ",$datetime);
        list($date,$time) = $datetimeArr;
        $dateArr = explode("-",$date);
        list($year,$month,$day) = $dateArr;
        return $year."-".$month."-".$day;
    function getTimeEvent($datetime){
        $datetime = substr($datetime,0,-3);
        $datetimeArr = explode(" ",$datetime);
        list($date,$time) = $datetimeArr;
        return $time;
    function getOneEvent($id){
        global $conn;
        $query = "SELECT * FROM event WHERE idEvent = ?";
        $stmt = $conn->prepare($query);
        $stmt->execute([$id]);
        return $stmt->fetch();
    function getActiveEvent($id){
        global $conn;
        $query = "SELECT * FROM event e INNER JOIN dateofevent doe 0
N e.idEvent=doe.idEvent WHERE e.idEvent = ? AND e.active = 1";
        $stmt = $conn->prepare($query);
        $stmt->execute([$id]);
        return $stmt->fetch();
```

```
function getEvents(){
        $query = "SELECT * FROM event e INNER JOIN dateofevent d ON
e.idEvent = d.idEvent WHERE active = 1";
        return getAll($query);
    function getAllEvents(){
        $query = "SELECT * FROM event";
        return getAll($query);
    function modifyDate($datetime){
        $datetime = substr($datetime,0,-3);
        $datetimeArr = explode(" ",$datetime);
        list($date,$time) = $datetimeArr;
        $dateTextArr = ["January", "February", "March", "April", "May", "
June","July","August","September","October","November","December"];
        $dateArr = explode("-",$date);
        list($year,$month,$day) = $dateArr;
        if(substr($month,0,1)=="0"){
            $month = substr($month,1,1);
        $monthText = $dateTextArr[$month-1];
        $dateText = $monthText." ".$day."th, ".$year;
        $modified = "Date: ".$dateText."<br/>"."Time: ".$time;
        return $modified;
    }
    function peopleWhoPressedCountOnLink($id){
        global $conn;
        $query = "SELECT COUNT(*) as numOfPpl FROM user_dateofevent
ud INNER JOIN dateofevent d ON ud.idDateOfEvent = d.idDateOfEvent WH
ERE d.idDateOfEvent = $id";
        return $conn->query($query)->fetch()->numOfPpl;
```

```
}
    function insertPeople(){
        global $conn;
        global $idUser;
        global $idDOE;
        $query = "INSERT INTO user_dateofevent VALUES(NULL,?,?)";
        $stmt = $conn->prepare($query);
        return $stmt->execute([$idDOE,$idUser]);
    }
    function numberOfVotes(){
        global $conn;
        global $idDOE;
        global $idUser;
        $query = "SELECT COUNT(*) as numOfPpl FROM user dateofevent
WHERE idDateOfEvent = ? AND idUser = ?";
        $stmt = $conn->prepare($query);
        $stmt->execute([$idDOE,$idUser]);
        $number = $stmt->fetch()->numOfPpl;
        return $number;
```

Events/updateForm.php

```
<?php
    require_once "../../config/connection.php";
    require once "functions.php";
    if (isset($_POST['btnUpdate'])) {
        $idEvent = $_POST['idEvent'];
        $name = $_POST['nameUpdate'];
        $description = $ POST['descUpdate'];
        $query1 = "UPDATE event SET name=?,description=? WHERE idEve
nt = ?";
        $currentDateTimestamp = time();
        $stmt1 = $conn->prepare($query1);
        try {
            $success = $stmt1-
>execute([$name,$description,$idEvent]);
            if($success){
                header("Location: ../../admin.php?page=events");
            }
        } catch (PDOException $e) {
            echo $e->getMessage();
            noteErrorInFile($e->getMessage());
    }
```

exportExcel/exportExcel.php

```
<?php
require_once "../../config/connection.php";
include "../recommendedFood/functions.php";
$food = getRecommendedFood();
$putanja = ABSOLUTE_PATH . "views/admin/data/food.xlsx";
try {
    $excel = new COM("Excel.Application");
    $excel->Visible = 1;
    $excel->DisplayAlerts = 1;
    $workbook = $excel->Workbooks-
>Open($putanja) or die('File could not be opened!');
    $sheet = $workbook->Worksheets('Sheet1');
    $sheet->activate;
    $field = $sheet->Range("A1");
    $field->activate;
    $field->Value = "Name of Food:";
    $field = $sheet->Range("B1");
    $field->activate;
    $field->Value = "Description:";
    br = 2:
    foreach ($food as $i) {
        $field = $sheet->Range("A{$br}");
        $field->activate;
        $field->value = $i->name;
        $field = $sheet->Range("B{$br}");
        $field->activate;
        $field->value = $i->description;
        $br++;
    $field = $sheet->Range("C1");
    $field->activate;
    $field->value = $br - 1;
    $workbook->SaveAs(
        ABSOLUTE PATH . "modules/users/users.xlsx",
        -4143
```

```
$workbook->Save();
$workbook->Saved = true;
$workbook->Close;
$excel->Workbooks->Close();
$excel->Quit();
unset($sheet);
unset($workbook);
unset($excel);
} catch (Exception $e) {
   echo $e;
}
ob_clean();
header("Content-Type: application/octet-stream");
header("Content-Disposition: attachment; filename=download.xlsx");
readfile($putanja);
```

foodMenu/functions.php

```
<?php
function getFoodMenu(){
    global $conn;
    $query = "SELECT f.*,c.name as catName,p.* FROM food f INNER JOI
N category c ON f.idCategory = c.idCategory INNER JOIN picture p ON
f.idPicture = p.idPicture";
    $result = $conn->query($query)->fetchAll();
    return $result;
function getOneFood($id){
    global $conn;
    $query = "SELECT f.*,c.name as catName,p.* FROM food f INNER JOI
N category c ON f.idCategory = c.idCategory INNER JOIN picture p ON
f.idPicture = p.idPicture WHERE idFood = ?";
    $result = $conn->prepare($query);
    $result->execute([$id]);
    $food = $result->fetch();
    return $food;
function getCategories(){
    $query = "SELECT * FROM category";
    return getAll($query);
```

foodMenu/insert.php

```
<?php
    require_once "../../config/connection.php";
    if(isset($ POST['btnInsert'])){
        $name = $_POST['nameInsert'];
        $description = $ POST['descInsert'];
        $oldPrice = $_POST['oldPriceInsert'];
        $newPrice = $ POST['newPriceInsert'];
        $src = $_POST['srcInsert'];
        $alt = $ POST['altInsert'];
        $recommended = $_POST['recommendedUpd'];
        $idCategory = $ POST['ddlCategory'];
        $query1 = "INSERT INTO picture VALUES(NULL,?,?)";
        $query2 = "INSERT INTO food VALUES(NULL,?,?,?,?,?,?,?)";
        $stmt1 = $conn->prepare($query1);
        $stmt2 = $conn->prepare($query2);
        try {
            $conn->beginTransaction();
            $successPicture = $stmt1->execute([$src,$alt]);
            $idPicture = $conn->lastInsertId();
            $successFood = $stmt2-
>execute([$name,$description,$oldPrice,$newPrice,$idCategory,$idPict
ure,$recommended]);
            $conn->commit();
            header("Location: ../../admin.php?page=insertForm");
        } catch (PDOException $e) {
            $conn->rollBack();
            echo $e->getMessage();
            noteErrorInFile($e->getMessage());
```

foodMenu/update.php

```
<?php
    require_once "../../config/connection.php";
    if(isset($ POST['btnUpdate'])){
        $idFood = $_POST['idFood'];
        $name = $ POST['nameUpdate'];
        $description = $_POST['descUpdate'];
        $oldPrice = $ POST['oldPriceUpdate'];
        $newPrice = $ POST['newPriceUpdate'];
        $src = $ POST['srcUpdate'];
        $alt = $ POST['altUpdate'];
        $recommended = $ POST['recommendedUpd'];
        $idCategory = $_POST['ddlCategory'];
        $idPicture = $ POST['idPicture'];
        $query1 = "UPDATE food SET name=?,description=?,oldPrice=?,n
ewPrice=?,recommended=?,idCategory=? WHERE idFood=?";
        $query2 = "UPDATE picture SET src=?,alt=? WHERE idPicture=?"
        $stmt1 = $conn->prepare($query1);
        $stmt2 = $conn->prepare($query2);
        try {
            $conn->beginTransaction();
            $successFood = $stmt1-
>execute([$name,$description,$oldPrice,$newPrice,$recommended,$idCat
egory,$idFood]);
            $successPicture = $stmt2-
>execute([$src,$alt,$idPicture]);
            $conn->commit();
            header("Location: ../../admin.php?page=updateFormFood&id
=$idFood");
        } catch (PDOException $e) {
            $conn->rollBack();
            echo $e->getMessage();
            noteErrorInFile($e->getMessage());
```

Navbar/functions.php

```
<?php
function getNav(){
    global $conn;

    $query = "SELECT * FROM navbar_admin";
    $result = $conn->query($query)->fetchAll();
    return $result;
   }
}
```

recommended Food/functions. php

```
<?php
    require_once ABSOLUTE_PATH."/models/functions.php";
    function getRecommendedFood(){
        $query = "SELECT * FROM food f INNER JOIN picture p ON f.idP
icture = p.idPicture WHERE recommended = 1";
        return getAll($query);
    }
}</pre>
```

Reservation/insertNewOccasion.php

```
<?php
    ob_start();
    require_once "../../config/connection.php";
    if(isset($_POST['btnInsert'])){
        $newOccasion = $ POST['newOccasion'];
        $query = "INSERT INTO occasion VALUES(NULL,?)";
        $stmt = $conn->prepare($query);
        try {
            if($newOccasion == ""){
                header("Location: ../../admin.php?page=reservation")
            }else{
                $success = $stmt->execute([$newOccasion]);
                if($success){
                    header("Location: ../../admin.php?page=reservati
on");
                }
        } catch (PDOException $e) {
            echo $e->getMessage();
            noteErrorInFile($e->getMessage());
        }
    }
```

Reservation/updateContactInfo.php

```
<?php
    require_once "../../config/connection.php";
    if(isset($_POST['btnUpdate'])){
        $address = $_POST['address'];
        $phone = $_POST['phone'];
        $email = $_POST['email'];
        $query = "UPDATE contactinfo SET address=?,phone=?,email=?";
       $stmt = $conn->prepare($query);
        try {
            $success = $stmt->execute([$address,$phone,$email]);
            if($success){
                header("Location: ../../admin.php?page=reservation")
        } catch (PDOException $e) {
            echo $e->getMessage();
            noteErrorInFile($e->getMessage());
        }
```

Reservation/updateDiscount.php

```
<?php
    require_once "../../config/connection.php";
    if(isset($ POST['btnUpdate'])){
        $idNOP = $_POST['idNOP'];
        $numOfPersons = $_POST['numOfPersons'];
        $discount = $_POST['discount'];
        $query = "UPDATE numberofpersonsdiscount SET name = ?,discou
nt = ? WHERE idNOP = ?";
        $i = 0;
        $lastElement = end($numOfPersons);
        $beforeLastElement = prev($numOfPersons);
        for ($i=0;$i<count($discount);$i++) {</pre>
           if(($discount[$i] == 0)){
               header("Location: ../../admin.php?page=reservation&gr
eska=da");
           }
        for ($j=0;$i<count($numOfPersons);$j++) {</pre>
            if($numOfPersons[$j]!=$lastElement){
                $names[] = $numOfPersons[$i] . "-
  . $numOfPersons[$j+1];
            }
            else{
                $names[] = $numOfPersons[$j] . "+";
                break;
            }
        foreach ($names as $i => $item) {
            if($i \% 2 == 0){
                $neededNames[] = $item;
        foreach ($neededNames as $i => $item) {
            if($item==0 || $item==null){
                $item = "0+";
            $stmt = $conn->prepare($query);
            try {
```

Reservation/updateOccasion.php

```
<?php
    require_once "../../config/connection.php";
   if(isset($_POST['btnUpdate'])){
        $names = $_POST['nameOccasion'];
        $ids = $_POST['idsOccasion'];
        $query1 = "UPDATE occasion SET name = ? WHERE idOccasion = ?
        $query2 = "DELETE FROM occasion WHERE idOccasion=?";
        $stmt1 = $conn->prepare($query1);
        $stmt2 = $conn->prepare($query2);
        try {
            foreach ($names as $i => $name) {
                if($name == ""){
                    $success1 = $stmt2->execute([$ids[$i]]);
                $success = $stmt1->execute([$name,$ids[$i]]);
            if($success){
                header("Location: ../../admin.php?page=reservation")
            }
        } catch (PDOException $e) {
            echo $e->getMessage();
            noteErrorInFile($e->getMessage());
    }
```

Reservation/updatePricePerPerson.php

Statistics/functions.php

```
<?php
    function allPages()
    {
        return
            ["Home", "About", "Reservation", "Register", "Login", "F
ood", "Profile Picture"];
    function accessToPagesPercentage()
    {
        $array = [];
        sum = 0;
        home = 0;
        author = 0;
        $contact = 0;
        $registration = 0;
        login = 0;
        food = 0;
        $profilePicture = 0;
        $oneDayAgo = strtotime("1 day ago");
        @$file = file(LOG FILE);
        if (count($file)) {
            foreach ($file as $item) {
                $delovi = explode("__", $item);
                $url = explode(".php", $delovi[0]);
                if(strpos(@$url[1],"&")){
                    $strana = explode("&",$url[1])[0];
                else{
                    @$strana = $url[1];
                if (strtotime(@$delovi[2]) >= $oneDayAgo) {
                    switch ($strana) {
                        case "":
                            $home++;
                            $sum++;;
                            break;
                        case "?page=home":
                            $home++;
```

```
$sum++;;
                break;
            case "?page=about":
                $author++;
                $sum++;;
                break;
            case "?page=reservation":
                $contact++;
                $sum++;;
                break;
            case "?page=register":
                $registration++;
                $sum++;;
                break;
            case "?page=login":
                $login++;
                $sum++;;
                break;
            case "?page=foodMenu":
                $food++;
                $sum++;;
                break;
            case "?page=changeProfilePic":
                $profilePicture++;
                $sum++;;
                break;
            default:
                $home++;
                $sum++;;
                break;
    }
if ($sum > 0) {
    $array[] = round($home * 100 / $sum, 2);
    $array[] = round($author * 100 / $sum, 2);
    $array[] = round($contact * 100 / $sum, 2);
    $array[] = round($registration * 100 / $sum, 2);
    $array[] = round($login * 100 / $sum, 2);
    $array[] = round($food * 100 / $sum, 2);
    $array[] = round($profilePicture * 100 / $sum, 2);
```

```
return $array;
function noteLogin($id)
{
    @$file = fopen(LOGIN FILE, "a");
    $input = $id . "\n";
   @fwrite($file, $input);
    @fclose($file);
function numberOfLoggedInUsers()
    return count(file(LOGIN_FILE));
function deleteLoggedInUsers($id)
{
    $id = (int) $id;
    $input = "";
    @$file = file(LOGIN FILE);
    if (count($file)) {
        foreach ($file as $item) {
            $itemId = trim((int) $item);
            if ($itemId != $id) {
                $input .= $itemId . "\n";
            }
        }
    @$file = fopen(LOGIN_FILE, "w");
   @fwrite($file, $input);
    @fclose($file);
}
```

User/

Isto kao I za index.php,samo što su ovde putanje izmenjene obzirom da se ovde glavna stranica admin.php.

Views/admin/views/

events/addNewEvent.php

```
<?php
    require once "models/events/functions.php";
    if(isset($_SESSION['user']) && $_SESSION['user']-
>roleName=="user"){
        header("Location: ../../index.php?page=home");
?>
<div class="register" id="fh5co-contact" data-section="reservation">
            <div class="container">
                 <div class="row text-center fh5co-heading row-</pre>
padded">
                     <div class="col-md-8 col-md-offset-2">
                         <h2 class="heading to-
animate H2">Insert Event</h2>
                     </div>
                 </div>
                 <div class="row text-center">
                     <div class="col-md-offset-2 col-md-8 mx-auto to-</pre>
animate-2">
                     <h3>Insert Form</h3>
                         <form action="models/events/addNewEvent.php"</pre>
 method="POST">
                             <div class="form-group">
                                  <input id="idEvent" name="idEvent" c</pre>
lass="form-
control" placeholder="idEvent" type="hidden" value="<?= $event-</pre>
>idEvent?>">
                             </div>
                             <div class="form-group">
                                  <label for="nameUpdate" class="sr-</pre>
only">Name</label>
                                  <input id="nameInsert" name="nameIns</pre>
ert" class="form-control" placeholder="Name" type="text" >
                             </div>
                             <div class="form-group">
                                  <label for="descUpdate" class="sr-</pre>
only">Description
```

Events/addOrArctivate.php

```
<?php
    require_once "models/events/functions.php";
    if(isset($ SESSION['user']) && $ SESSION['user']-
>roleName=="user"){
        header("Location: ../../index.php?page=home");
?>
<?php
    if(!isset($ GET['confirm'])):
?>
    <div class="register" id="fh5co-contact" data-</pre>
section="reservation">
            <div class="container">
                 <div class="row text-center fh5co-heading row-</pre>
padded">
                     <div class="col-md-8 col-md-offset-2">
                         <h2 class="heading to-
animate H2">Update Event</h2>
                     </div>
                </div>
                 <div class="row text-center">
                     <div class="col-md-offset-2 col-md-8 mx-auto to-</pre>
animate-2">
                         This is/was activated event already.Do yo
u want to add another one, or just to activate the same one again wi
th datetime you specified?
                         <a href="models/events/addAnotherEvent.php"</pre>
class="btn btn-primary">Add Another One</a>
                         <a href="models/events/activateCurrentEvent.</pre>
php" class="btn btn-primary">Active/Update The Current One</a>
                     </div>
                 </div>
            </div>
        </div>
    </div>
<?php else:?>
    <div class="register" id="fh5co-contact" data-</pre>
section="reservation">
            <div class="container">
                <div class="row text-center fh5co-heading row-</pre>
padded">
```

```
<div class="col-md-8 col-md-offset-2">
                        <h2 class="heading to-
animate H2">Update Event</h2>
                    </div>
                </div>
                <div class="row text-center">
                    <div class="col-md-offset-2 col-md-8 mx-auto to-</pre>
animate-2">
                        Confirm activating new event.
                        <a href="models/events/addAnotherEvent.php"</pre>
class="btn btn-primary">Confirm</a>
                    </div>
                </div>
        </div>
    </div>
<?php endif;?>
```

Events/events.php

```
<?php
         require_once "models/events/functions.php";
    <div id="fh5co-events" data-section="events" data-stellar-</pre>
background-ratio="0.5">
             <!-- <div class="fh5co-overlay"></div> -->
             <div class="container">
                  <div class="row text-center fh5co-heading row-</pre>
padded">
                      <div class="col-md-12 to-animate">
                           <h2 class="heading">Events</h2>
                      </div>
                  </div>
                  <div class="row">
                      <?php
                           $events = getAllEvents();
                           foreach ($events as $item) :
                      ?>
                      <div class="col-md-4">
                           <div class="fh5co-event to-animate-2">
                               <h3><?= $item->name?></h3>
                               <a href="admin.php?page=updateFormEvent&">
<a href="admin.php?page=updateFormEvent&"
</pre>
id=<?= $item->idEvent?>">Modify</a>
                           </div>
                      </div>
                      <?php
                           endforeach;
                      ?>
                      <div class="fh5co-event to-animate-</pre>
2 addNewEvent">
                           <h3>ADD NEW EVENT</h3>
                           <a href="admin.php?page=addNewEvent">
                               <i class="fa fa-plus-square fa-3x"></i></i>
                           </a>
                      </div>
                 </div>
             </div>
             <div class="container">
                  <div class="row text-center fh5co-heading row-</pre>
padded">
```

```
<div class="col-md-8 col-md-offset-2 to-</pre>
animate">
                                                                                              <h1>Current Events</h1>
                                                                              </div>
                                                              </div>
                                                               <div class="row">
                                                                              <?php
                                                                                             $events = getEvents();
                                                                                             foreach ($events as $item) :
                                                                              ?>
                                                                              <div class="col-md-4">
                                                                                             <div class="fh5co-event to-animate-2">
                                                                                                             <h3><?= $item->name?></h3>
                                                                                                             <span class="fh5co-event-</pre>
meta"><?= modifyDate($item->date);?></span>
                                                                                                             <?= $item->description?>
                                                                                                             People that we can count on: <span da</p>
ta-iddoespan="<?= $item-
>idDateOfEvent?>" class="countedPpl"><?= peopleWhoPressedCountOnLink</pre>
($item->idDateOfEvent)?></span>
                                                                                                             <a href="models/events/deleteSpecificEve">talente<a href="models/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/events/
nt.php?idDateOfEvent=<?= $item->idDateOfEvent?>&idEvent=<?= $item-</pre>
>idEvent?>">Delete</a>
                                                                                             </div>
                                                                              </div>
                                                                              <?php
                                                                                             endforeach;
                                                                              ?>
                                                              </div>
                                              </div>
                              </div>
```

Events/updateAndAcitavionForm.php

```
<?php
    require_once "models/events/functions.php";
    if(isset($ SESSION['user']) && $ SESSION['user']-
>roleName=="user"){
        header("Location: ../../index.php?page=home");
    $id = $ GET['id'];
    $event = getOneEvent($id);
    if($event->active == 1){
        $event = getActiveEvent($id);
?>
<div class="register" id="fh5co-contact" data-section="reservation">
            <div class="container">
                 <div class="row text-center fh5co-heading row-</pre>
padded">
                     <div class="col-md-8 col-md-offset-2">
                         <h2 class="heading to-
animate H2">Update food</h2>
                     </div>
                 </div>
                 <div class="row text-center">
                     <div class="col-md-offset-2 col-md-8 mx-auto to-</pre>
animate-2">
                     <h3>Update Form</h3>
                         <form action="models/events/updateForm.php"</pre>
method="POST">
                              <div class="form-group">
                                  <input id="idEvent" name="idEvent" c</pre>
lass="form-
control" placeholder="idEvent" type="hidden" value="<?= $event-</pre>
>idEvent?>">
                             </div>
                              <div class="form-group">
                                  <label for="nameUpdate" class="sr-</pre>
only">Name</label>
                                 <input id="nameUpdate" name="nameUpd</pre>
ate" class="form-
control" placeholder="Name" type="text" value="<?= $event->name?>">
                             </div>
```

```
<div class="form-group">
                                  <label for="descUpdate" class="sr-</pre>
only">Description</label>
                                  <textarea id="descUpdate" name="desc
Update"
                                  class="form-
control" placeholder="Description"><?= $event-</pre>
>description?></textarea>
                              </div>
                              <div class="form-group ">
                                  <input class="btn btn-</pre>
primary" id="btnUpdate" name="btnUpdate"
                                  value="Update" type="submit">
                              </div>
                          </form>
                          <h3>Activation Form</h3>
                          <form action="models/events/activationForm.p</pre>
hp" method="POST">
                          <div class="form-group">
                              <input id="idEvent" name="idEvent" class</pre>
="form-
control" placeholder="idEvent" type="hidden" value="<?= $event-</pre>
>idEvent?>">
                          </div>
                          <div class="form-group">
                              <select id="ddlEventIsActive" name="ddlE</pre>
ventIsActive" class="form-control">
                                  <option value="1" <?= $event-</pre>
>active == 1 ? "selected":""?>>Active</option>
                                  <option value="0" <?= $event-</pre>
>active == 0 ? "selected":""?>>Inactive</option>
                              </select>
                          </div>
                          <div class="form-group" id="eventDate">
                              <label for="nameUpdate" class="sr-</pre>
only">Date</label>
                              <input id="eventDateUpdate" name="eventD</pre>
ateUpdate" class="form-
control" placeholder="Date" type="date" value="<?= getDateEvent($eve</pre>
nt->date)?>">
                          </div>
                          <div class="form-group" id="eventTime">
```

```
<label for="eventTimeUpdate" class="sr-</pre>
only">Time</label>
                              <input id="eventTimeUpdate" name="eventT</pre>
imeUpdate" class="form-
control" placeholder="Time" type="time" value="<?= getTimeEvent($eve</pre>
nt->date)?>">
                         </div>
                         <div class="form-group ">
                              <input class="btn btn-</pre>
primary" id="btnUpdate" name="btnUpdate"
                             value="Update" type="submit">
                         </div>
                         <?php
                              if(isset($_SESSION['errorEvent'])){
                                  echo $ SESSION['errorEvent'];
                                  unset($_SESSION['errorEvent']);
                              }
                          ?>
                         </form>
                         </div>
                 </div>
            </div>
        </div>
    </div>
```

Fixed/ Isto kao I za index.php

foodMenu/foodMenu.php

```
<?php
   require_once "models/foodMenu/functions.php";
?>
<div id="fh5co-menus" data-section="menu">
         <div class="container">
            <div class="row text-center fh5co-heading row-</pre>
padded">
               <div class="col-md-12">
                  <h2 class="heading to-
animate">Food Menu</h2>
               </div>
            </div>
            <div class="row row-padded text-center">
               <div class="col-lg-12">
               <h1><a href="admin.php?page=insertFormFood" >Ins
ert new food</a></h1>
               </div>
               <div class="col-lg-12 table-responsive mt-5">
                  <table class="table table-striped table-
bordered table-hover">
                     <thead class="thead-light">
                         Name
                            Description
                            OldPrice
                            NewPrice
                            Src
                            Alt
                            Category
                            Recommended
                            Update
                            Delete
                        </thead>
                     <?php
                  $food = getFoodMenu();
                  foreach ($food as $item):
               ?>
```

```
<?= $item->name?>
                                 <?= $item-
<?= $item-
>oldPrice?>
                                 <?= $item-
>newPrice?>
                                 <?= $item->src?>
                                 <?= $item->alt?>
                                 <?= $item-
>catName?>
                                 <?= $item-
>recommended?>
                                 <a href="admin.php?page="
<a href="models/delete/d">
elete.php?id=<?= $item->idFood?>">Delete</a>
                              <?php endforeach;?>
                       </div>
             </div>
             <!-- <div class="row">
                <div class="col-md-4 col-md-offset-4 text-</pre>
center to-animate-2">
                    <?php
                       $str = isset($_GET['str'])?$_GET['str']:
1;
                       for($i=1;$i<=$categoriesAndNumOfPages["n</pre>
umOfPages"];$i++):
                    <a href="index.php?page=admin&admin=true&str"</pre>
=<?= $i?>" class="btn btn-primary btn-
outline <?= ($str == $i)? "activeStrLink" : ""?>"><?= $i?></a>
                    <?php
                       endfor;
                </div>
             </div> -->
```

</div>

foodMenu/insertForm.php

```
<?php
    require_once "models/functions.php";
    require once "models/foodMenu/functions.php";
    if(isset($_SESSION['user']) && $_SESSION['user']-
>roleName=="user"){
        header("Location: ../../index.php?page=home");
    $categories = getCategories();
?>
<div class="register" id="fh5co-contact" data-section="reservation">
            <div class="container">
                 <div class="row text-center fh5co-heading row-</pre>
padded">
                     <div class="col-md-8 col-md-offset-2">
                         <h2 class="heading to-
animate H2">Insert food</h2>
                     </div>
                 </div>
                 <div class="row text-center">
                     <div class="col-md-offset-2 col-md-8 mx-auto to-</pre>
animate-2">
                         <h3>Insert Form</h3>
                         <form action="models/foodMenu/insert.php" me</pre>
thod="POST">
                         <div class="form-group">
                             <label for="nameInsert" class="sr-</pre>
only">Name</label>
                             <input id="nameInsert" name="nameInsert"</pre>
 class="form-control" placeholder="Name" type="text" >
                         </div>
                         <div class="form-group">
                             <label for="descInsert" class="sr-</pre>
only">Description</label>
                             <textarea id="descInsert" name="descInse</pre>
rt"
                             class="form-
control" placeholder="Description"></textarea>
                         </div>
                         <div class="form-group ">
```

```
<label for="oldPriceInsert" class="sr-</pre>
only">OldPrice</label>
                              <input id="oldPriceInsert"</pre>
                              name="oldPriceInsert"
                              class="form-
control updNumber" placeholder="Old Price" type="number">
                          </div>
                          <div class="form-group ">
                              <label for="newPriceInsert" class="sr-</pre>
only">NewPrice</label>
                              <input id="newPriceInsert" name="newPric</pre>
eInsert" class="form-
control updNumber" placeholder="New Price" type="number" step=".01">
                          </div>
                          <div class="form-group ">
                              <label for="srcInsert" class="sr-</pre>
only">Src</label>
                              <input id="srcInsert" name="srcInsert" c</pre>
lass="form-control" placeholder="Src" type="text" >
                          </div>
                          <div class="form-group ">
                              <label for="altInsert" class="sr-</pre>
only">Alt</label>
                              <input id="altInsert" name="altInsert" c</pre>
lass="form-control" placeholder="Alt" type="text" >
                          </div>
                          <div class="form-group ">
                              <label for="altInsert" class="sr-</pre>
only">Recommended</label>
                              <input id="recommendedUpd" name="recomme</pre>
ndedUpd" class="form-
control" placeholder="Recommended" type="number">
                          </div>
                          <div class="form-group ">
                              <label for="catInsert" class="sr-</pre>
only">Category</label>
                              <select id="ddlCategory" name="ddlCatego</pre>
ry" class="form-control">
                                  <?php
                                       foreach ($categories as $item) :
                                  ?>
```

```
<option value="<?= $item-</pre>
>idCategory?>"><?= $item->name?></option>
                                 <?php endforeach;?>
                             </select>
                         </div>
                         <div class="form-group ">
                             <input class="btn btn-</pre>
primary" id="btnInsert" name="btnInsert"
                             value="Insert" type="submit">
                         </div>
                         <div id="errorsInsert"></div>
                         </form>
                         </div>
                </div>
            </div>
        </div>
    </div>
```

foodMenu/updateForm.php

```
<?php
    require_once "models/functions.php";
    require once "models/foodMenu/functions.php";
    if(isset($_SESSION['user']) && $_SESSION['user']-
>roleName=="user"){
        header("Location: ../../index.php?page=home");
    $id = $ GET['id'];
    $food = getOneFood($id);
    $categories = getCategories();
?>
<div class="register" id="fh5co-contact" data-section="reservation">
            <div class="container">
                 <div class="row text-center fh5co-heading row-</pre>
padded">
                     <div class="col-md-8 col-md-offset-2">
                         <h2 class="heading to-
animate H2">Update food</h2>
                     </div>
                 </div>
                 <div class="row text-center">
                     <div class="col-md-offset-2 col-md-8 mx-auto to-</pre>
animate-2">
                         <h3>Update Form</h3>
                         <form action="models/foodMenu/update.php" me</pre>
thod="POST">
                         <div class="form-group">
                              <input id="idFood" name="idFood" class="</pre>
form-control" placeholder="idFood" type="hidden" value="<?= $food-</pre>
>idFood?>">
                              <input id="idPicture" name="idPicture" c</pre>
lass="form-
control" placeholder="idPicture" type="hidden" value="<?= $food-</pre>
>idPicture?>">
                         </div>
                         <div class="form-group">
                              <label for="nameUpdate" class="sr-</pre>
only">Name</label>
```

```
<input id="nameUpdate" name="nameUpdate"</pre>
 class="form-
control" placeholder="Name" type="text" value="<?= $food->name?>">
                          </div>
                          <div class="form-group">
                              <label for="descUpdate" class="sr-</pre>
only">Description</label>
                              <textarea id="descUpdate" name="descUpda
te"
                              class="form-
control" placeholder="Description"><?= $food-</pre>
>description?></textarea>
                          </div>
                          <div class="form-group ">
                              <label for="oldPriceUpdate" class="sr-</pre>
only">OldPrice</label>
                              <input id="oldPriceUpdate"</pre>
                              name="oldPriceUpdate"
                              class="form-
control updNumber" placeholder="Old Price" type="number" value="<?=</pre>
$food->oldPrice?>">
                          </div>
                          <div class="form-group ">
                              <label for="newPriceUpdate" class="sr-</pre>
only">NewPrice</label>
                              <input id="newPriceUpdate" name="newPric</pre>
eUpdate" class="form-
control updNumber" placeholder="New Price" type="number" step=".01"
value="<?= $food->newPrice?>">
                          </div>
                          <div class="form-group ">
                              <label for="srcUpdate" class="sr-</pre>
only">Src</label>
                              <input id="srcUpdate" name="srcUpdate" c</pre>
lass="form-control" placeholder="Src" type="text" value="<?= $food-</pre>
>src?>">
                          </div>
                          <div class="form-group ">
                              <label for="altUpdate" class="sr-</pre>
only">Alt</label>
```

```
<input id="altUpdate" name="altUpdate" c</pre>
lass="form-control" placeholder="Alt" type="text" value="<?= $food-</pre>
>alt?>">
                          </div>
                          <div class="form-group ">
                              <label for="altUpdate" class="sr-</pre>
only">Recommended</label>
                              <input id="recommendedUpd" name="recomme</pre>
ndedUpd" class="form-
control" placeholder="Recommended" type="number" value="<?= $food-</pre>
>recommended?>">
                          </div>
                          <div class="form-group ">
                              <label for="catUpdate" class="sr-</pre>
only">Category</label>
                              <select id="ddlCategory" name="ddlCatego</pre>
ry" class="form-control">
                                  <?php
                                       foreach ($categories as $item) :
                                  ?>
                                  <option value="<?= $item-</pre>
>idCategory?>" <?= $food->catName == $item-
>name ? "selected" : "" ?>><?= $item->name?></option>
                                  <?php endforeach;?>
                              </select>
                          </div>
                          <div class="form-group ">
                              <input class="btn btn-</pre>
primary" id="btnUpdate" name="btnUpdate"
                              value="Update" type="submit">
                          <div id="errorsUpdate"></div>
                          </form>
                          </div>
                 </div>
             </div>
        </div>
    </div>
```

Reservation/reservation.php

```
<?php
    require_once ABSOLUTE_PATH."views/admin/models/contactReservatio
nPrice/getContactInfo.php";
    require_once ABSOLUTE_PATH."views/admin/models/contactReservatio
nPrice/functions.php";
    if(isset($_SESSION['user']) && $_SESSION['user']-
>roleName == "user"){
       header("Location: ".ABSOLUTE_PATH."index.php?page=register")
   }
?>
<div id="fh5co-contact" data-section="reservation">
           <div class="container">
               <div class="row text-center fh5co-heading row-</pre>
padded">
                   <div class="col-md-12">
                       <h2 class="heading to-
animate">Reserve a Table</h2>
                       animate">Call us, send email or fill in form down below and get table
s for you and your friends.
                   <div class="col-md-12 table-responsive">
                       <?php
                           $price = getPricePerPerson();
                       <form action="models/reservation/updatePrice"</pre>
PerPerson.php" method="POST">
                           <h3 class="">Change price per person: <i</pre>
nput type="number" name="priceNumber" id="priceNumber" class="inputs
Width updNumber" value="<?= $price?>"/>$
                           <input type="submit" class="btn btn-</pre>
primary" name="btnUpdate" id="btnUpdate" value="Update"/></h3>
                       </form>
                       <form action="models/reservation/updateDisco"</pre>
unt.php" method="POST">
                          bordered">
                               <thead>
```

```
Number of Pe
ople
                                      Discount</th
                                  </thead>
                              <?php
                                      $price = getNumberOfPersonsD
iscount();
                                      foreach ($price as $item):
                                      if(strpos($item->name, '-
') !== false) {
                                         $name = explode("-
",$item->name);
                                         } else {
                                         $name = explode("+",$ite
m->name);
                                  >
                                          <input type="hidden" nam</pre>
e="idNOP[]" value="<?= $item->idNOP?>"/>
                                          <input type="number" cla</pre>
ss="inputsWidth updNumber" name="numOfPersons[]" value="<?= $name[0]</pre>
?>">
                                          <?php
                                             if($name[1] !== ""):
                                          ?>
<input type="number" class="inputsWidth updNumber" name="numOfPerso</pre>
ns[]"
                                         value="<?= $name[1]?>">
                                      <?php
                                             else:
                                         +
```

```
<?php endif;?>
                                     <input type="number" nam
e="discount[]" id="discount" class="inputsWidth" value="<?= $item-
>discount?>"/>%
                                 <?php
                                     endforeach;
                              <input type="submit" class="btn btn-</pre>
primary" name="btnUpdate" id="btnUpdate" value="Update"/>
                      </form>
                  </div>
               </div>
               <div class="row">
                   <div class="col-md-6 to-animate-2">
                      <h3>Contact Information</h3>
                      <form action="models/reservation/updateConta"</pre>
ctInfo.php" method="POST">
                      <i class="icon-home"></i></i>
                              <input type="text" class="form-</pre>
control" name="address" value="<?= $info->address?>"/>
                          <i class="icon-phone"></i>
                          <input type="text" class="form-</pre>
control" name="phone" value="<?= $info->phone?>"/>
                          <i class="icon-
envelope"></i><input type="email" name="email" class="form-
control" value="<?= $info->email?>"/>
                      <input type="submit" class="btn btn-</pre>
primary" name="btnUpdate" id="btnUpdate" value="Update"/>
                      </form>
                   </div>
                   <div class="col-md-6 to-animate-2">
                      <h3>Occasion Form</h3>
                      <form action="models/reservation/updateOccas"</pre>
ion.php" method="POST">
```

```
<div class="form-group">
                               <label for="occation" class="sr-</pre>
only">Occation</label>
                               <?php
                                       $occasions = getOccasion();
                                       foreach ($occasions as $item
):
                                   ?>
                           <input type="hidden" name="idsOccasi</pre>
on[]" value="<?= $item->idOccasion?>"/>
                               <input type="text" class="form-</pre>
control" name="nameOccasion[]" value="<?= $item->name?>"/>
                           <?php endforeach;?>
                                   </div>
                           <input type="submit" class="btn btn-</pre>
primary" name="btnUpdate" id="btnUpdate" value="Update"/>
                       </form>
                       <form action="models/reservation/insertNewOc</pre>
casion.php" method="POST">
                       <div class="form-group mt-5">
                               <label for="tb0ccasion" class="sr-</pre>
only">Occasion</label>
                               <input id="newOccasion" name="newOcc</pre>
asion" class="form-control" placeholder="New Occasion" type="text">
                           </div>
                           <input type="submit" class="btn btn-</pre>
primary" name="btnInsert" id="btnInsert" value="Insert"/>
                       </form>
                   </div>
               </div>
           </div>
       </div>
    </div>
```

reservationDetails/reservationDetails.php

```
<?php
   require_once ABSOLUTE_PATH."views/admin/models/contactReservatio
nPrice/getContactInfo.php";
   require_once ABSOLUTE_PATH."views/admin/models/contactReservatio
nPrice/functions.php";
   if(isset($_SESSION['user']) && $_SESSION['user']-
>roleName == "user"){
      header("Location: ".ABSOLUTE_PATH."index.php?page=register")
   }
?>
<div id="fh5co-contact" data-section="reservation">
         <div class="container">
            <div class="row text-center fh5co-heading row-</pre>
padded">
                <div class="col-md-12">
                   <h2 class="heading to-
animate">Reservation Details</h2>
                </div>
                <div class="col-md-12 table-responsive">
                      <table class="table table-striped table-
bordered">
                         <thead>
                             Id
                                Name
                                Surname
                                Email
                                Number of Pe
ople
                                Price
                                Occasion Nam
e
                                Date
                                Time
                             </thead>
                         <?php
```

```
$info = getReservationInfo()
                foreach ($info as $item):
                <?= $item->idUser?>
                <?= $item->userName?>
                <?= $item->userSurname?>
                <?=$item->email?>
                <?=$item->NOP?>
                <?=$item->price."$"?>
                <?=$item->occasionName?>
                <?=$item->date?>
                <?=$item->time?>
                <?php
                endforeach;
           </div>
</div>
```

Statistics/statistics.php

```
<?php
require_once "models/statistics/functions.php";
require once "config/connection.php";
if (isset($_SESSION['user']) && $_SESSION['user']-
>roleName == 'admin') : ?>
   <div class="container table-responsive">
   <div class="row">
       <div class="col-lg-12 text-center">
          <h1>24h Statistics</h1>
       </div>
   </div>
       <?php
          $allPages = allPages();
          $numOfPages = count($allPages);
          ?>
          <thead class="thead-light">
              <?php foreach ($allPages as $item) : ?>
                     <?= $item; ?>
                  <?php endforeach; ?>
              <?php foreach (accessToPagesPercentage() as $ite</pre>
m) : ?>
                     <?= $item; ?>%
                  <?php endforeach; ?>
              </thead>
       <div class="row">
          <div class="col-lg-12 text-center">
               Number Of Logged In Users: <?= numberOfLoggedInUser</pre>
s(); ?>
          </div>
       </div>
   </div>
<?php endif; ?>
```

Admin.php

```
<?php
   ob_start();
   session start();
   require_once "config/connection.php";
    require once "views/fixed/head.php";
   if(!isset($_GET['str']) && !isset($_GET['page'])){
        require_once "../../views/overlay.php";
   require_once "views/fixed/nav.php";
   if(isset($_GET['page'])){
   $page = $ GET['page'];
   switch ($page) {
        case 'updateFormFood':
        require once "views/foodMenu/updateForm.php";
        break;
        case 'updateFormEvent':
        require_once "views/events/updateAndActivationForm.php";
        break;
        case 'addNewEvent':
        require_once "views/events/addNewEvent.php";
        break;
        case 'insertFormFood':
        require_once "views/foodMenu/insertForm.php";
        break;
        case 'reservation':
        require once "views/reservation/reservation.php";
        break;
        case 'events':
        require once "views/events/events.php";
        break;
        case 'addOrActivate':
        require once "views/events/addOrActivate.php";
        break;
```

```
case 'reservationDetails':
    require once "views/reservationDetails/reservationDetails.ph
    break;
    case 'changeProfilePic':
    require_once "views/changeProfilePic.php";
    break;
    case 'statistics':
   require_once "views/statistics/statistics.php";
   break;
    default:
    require_once "views/foodMenu/foodMenu.php";
   break;
}else{
    require_once "views/foodMenu/foodMenu.php";
require_once "views/fixed/footer.php";
require_once "views/fixed/script.php";
```