TABELLA DI PARSING PER G1

Id	\$ let	in	end	letrec	var	=	and	lambda	()	if
Prog	1.1			1.2							
Bind					2.1						
X		3.2					3.1				
Ехр	4.1			4.1	4.3			4.2	4.3		4.5
ЕхрА					5.1				5.1		
E1		6.2	6.2				6.2			6.2	
Т					7.1				7.1		
T1		8.2	8.2				8.2			8.2	
F					9.1				9.3		
Υ		10.2	10.2				10.2		10.1	10.2	
ОРА											
ОРМ											
OPP											
Seq_Exp	14.1			14.1	14.1			14.1	14.1	14.2	14.1
Seq_Var					15.1						
Sep_Exp										16.2	

ld	then	else	exp_const	+	-	*	1	cons	car	cdr	eq	leq	atom	,
Prog														
Bind														
Х														
Ехр			4.3					4.4	4.4	4.4	4.4	4.4	4.4	
ExpA			5.1											
E1	6.2	6.2		6.1	6.1									6.2
Т			7.1											
T1	8.2	8.2		8.2	8.2	8.1	8.1							8.2
F			9.2											
Υ	10.2	10.2		10.2	10.2	10.2	10.2							10.2
OPA				11.1	11.2									
ОРМ						12.1	12.2							
OPP								13.1	13.2	13.3	13.4	13.5	13.6	
Seq_Exp			14.1					14.1	14.1	14.1	14.1	14.1	14.1	
Seq_Var														15.2
Sep_Exp														16.1