



UNIVERSITY
OF TRENTO - Italy



Dipartimento di Ingegneria e Scienza dell'Informazione

– KnowDive Group –

KGE 2024 - Trentino Tourist Facilities

Document Data:

November 13, 2024


Reference Persons:

Dongili Lorenzo, Grotto Giulia, Sacchet Stefano

© 2024 University of Trento

Trento, Italy

KnowDive (internal) reports are for internal only use within the KnowDive Group. They describe preliminary or instrumental work which should not be disclosed outside the group. KnowDive reports cannot be mentioned or cited by documents which are not KnowDive reports. KnowDive reports are the result of the collaborative work of members of the KnowDive group. The people whose names are in this page cannot be taken to be the authors of this report, but only the people who can better provide detailed information about its contents. Official, citable material produced by the KnowDive group may take any of the official Academic forms, for instance: Master and PhD theses, DISI technical reports, papers in conferences and journals, or books.



Index:

1	Introduction	1
2	Purpose Definition	2
2.1	Informal Purpose	2
2.2	Domain Of Interest (Dol)	2
2.3	Scenarios Definition	2
2.4	Personas	3
2.5	Competency Questions (CQs)	4
2.6	Concepts identification	5
2.7	ER model definition	5
2.8	Report	5
3	Information Gathering	7
3.1	Knowledge Sources	7
3.2	Climbing Routes Resource	7
3.3	Hotel Resource	8
3.4	Ski Slopes Resources	10
3.5	Hiking Trails Resources	11
3.6	Rent Shops Resources	12
3.7	Restaurants Resources	13
3.8	Cycle routes Resources	14
3.9	View Points Resources	15
3.10	Location Resources	15
3.11	Activity Resources	16
3.12	Building resources	16
3.13	Report	17
4	Language Definition	18
5	Knowledge Definition	19
6	Entity Definition	20
7	Evaluation	21
8	Metadata Definition	22
9	Open Issues	23

Revision History:

Revision	Date	Author	Description of Changes
0.1	October 16, 2024	Dongili Lorenzo	Document created
0.2	October 28, 2024	Sacchet Stefano	Phase 1 completed

1 Introduction

Reusability is one of the main principles in the Knowledge Graph Engineering (KGE) process defined by iTelos. The KGE project documentation plays an important role to enhance the reusability of the resources handled and produced during the process. A clear description of the resources as well as of the process (and single activities) developed, provides a clear understanding of the project, thus serving such an information to external readers for the future exploitation of the project's outcomes.

The current document aims to provide a detailed report of the project developed following the iTelos methodology. The report is structured as follows:

- Section 2: Definition of the project's purpose and its domain of interest.
- Section 3: High level description of the project development, based on the Produce role's objectives.
- Sections 4, 5, 6, 7 and 8: The description of the iTelos process phases and their activities, divided by knowledge and data layer activities.
- Section 9: The description of the evaluation criteria and metrics applied to the project final outcome.
- Section 10: The description of the metadata produced for all (and all kind of) the resources handled and generated by the iTelos process, while executing the project.
- Section 11: Conclusions and open issues summary.

2 Purpose Definition

The iTelos methodology provides a structured approach aimed at reducing the effort in building Knowledge Graphs (KGs) for the purpose expressed by the final user. This section delves into the first phase of the methodology.

2.1 Informal Purpose

The goal of this project is to build a Knowledge Graph (KG) that stores, organizes, and provides easy access to information about tourist facilities in the Trentino region, with a specific focus on outdoor activities. The KG will serve as a centralized knowledge hub, connecting tourists, travel planners, and local businesses to the wealth of outdoor opportunities the region has to offer, such as hiking trails, walks, climbing spots, cycle routes and so on.

2.2 Domain Of Interest (DoI)

The Domain of Interest (DoI) for this project is the Trentino region in the year 2024, with a particular focus on outdoor activities. The Trentino region is renowned for its diverse landscapes, ranging from the Dolomite Mountains to lakes and lush valleys. The geographical scope of the project spans the entire region, encompassing its natural landscapes and alpine terrains, providing tourists with a rich selection of outdoor activities. Key features of domain include:

- *Mountain Adventure*: Activities include climbing, via ferrata, skiing, and trekking, offering experiences for all skill levels across Trentino alpine landscapes.
- *Sustainable Tourism and Ecotourism*: Eco-friendly options like wildlife observation, botanical walks, and guided tours focused on local flora and fauna designed to minimize environmental impact.

2.3 Scenarios Definition

In this section, a set of usage scenarios, describing the multiple aspects considered by the project purpose, are presented.

1. **Matteo Rossi** and his friends are planning a winter trip to Trentino. They want a ski resort with several black slopes and a snowpark for freestyle activities, as well as easy access to restaurants or cafes for relaxation after skiing. Since some friends aren't skiers, they're also looking for nearby winter activities, like hiking or sledding. Additionally, they hope to try traditional Trentino cuisine, ideally at or near the resort.

-
2. **Vincent Baguette** and his family are planning a summer trip in Trentino. They're looking for a scenic bike trail suitable for families, ideally near a lake where they can cool off with a swim afterward. Since they have young children, they need a safe route with rest areas along the way. They're also hoping to find an hotel where to stay for some nights in order to visit more than one landscape.
 3. **Asja Bak** and her friends plan a trekking adventure in Trentino. They're looking for a scenic trail that leads to a mountain refuge where they can enjoy a hearty local meal. Since they prefer moderate difficulty, they want a route that's challenging but accessible, with view-points along the way for photo stops. A cozy refuge with traditional Trentino dishes at the end of the trek is a must for their experience.
 4. **Karl Schneider**, an FBK employee, is planning a rock climbing trip in Trentino with his friends. They're looking for a climbing crag with routes suited to various skill levels so everyone in the group can participate. Ideally, they'd like a location that offers clear difficulty ratings and safe conditions, with nearby rest spots to take breaks and enjoy the scenery.
 5. **Alex Megos** and his fiancée are planning a summer road trip to Trentino in their van. They seek challenging climbing routes from grade 7 and above, that offer thrilling experiences. Marco is focused on finding crags with medium-high difficulty levels. They are also interested in exploring local cuisine by visiting nearby restaurants. The family plans to use their knowledge graph to locate ideal climbing, and cultural experiences during their trip.

2.4 Personas

In this section a set of real users acting within the scenarios defined above are defined.

1. **Matteo Rossi** is a 24 years old guy studying Computer Science in Trento. He loves snowboarding especially on long slopes and practicing at the snow park.
2. **Vincent Baguette** is a 47 years old with a family with kids respectively of 7 and 9 years old. who loves nature mountains and bike rides. He is always looking for beautiful trails and landscapes.
3. **Asja Bak** is a 21 years old Erasmus student from Poland studying in Trento. She loves the adrenaline and seeks out unique experiences.
4. **Karl Schneider** is a 27 years old guy from Austria, currently working in FBK. He would like to start climbing.
5. **Alex Megos** is a 30 years old man. He is a pro climber who loves nature and traveling with

his fiance around the world in search of beautiful climbing routes. He likes climbing and constantly challenging himself by attempting increasingly difficult routes.

2.5 Competency Questions (CQs)

In Table 1, a list of Competency Questions (CQs) is created, taking into account the personas defined in the scenarios.

Person	No.	Question
Matteo Rossi	1.1	Which skiing infrastructures are available in the Trentino Region?
Matteo Rossi	1.2	Where can they rent ski equipment?
Matteo Rossi	1.3	Which restaurant can they choose to go?
Matteo Rossi	1.5	Where can they find a hotel near the skiing resort?
Matteo Rossi	1.6	Which ski area has the longest extension?
Matteo Rossi	1.7	Which natural attraction is the closest to the skiing site that he choose?
Matteo Rossi	1.8	Which ski resort has black slopes?
Vincent Baguette	2.1	Are there family-friendly bike trails in Trentino that are close to a lake?
Vincent Baguette	2.2	Which bike trails in Trentino offer nearby swimming spots?
Vincent Baguette	2.3	Where can families find scenic bike trails with picnic spots or cafes nearby?
Vincent Baguette	2.4	Where can they rent the bikes?
Vincent Baguette	2.5	Which bicycle stop is near to the restaurant they chose to eat?
Vincent Baguette	2.6	Where is an hotel in which the family can stay for some nights?
Asja Bak	3.1	What scenic trekking trails in Trentino lead to a mountain refuge?
Asja Bak	3.2	Which trekking routes in Trentino offer moderate difficulty and are suitable for hikers seeking a challenge?
Asja Bak	3.3	Which trekking trails end at a refuge offering traditional Trentino cuisine
Karl Schneider	4.1	What rock climbing crags in Trentino offer routes suitable for various skill levels?
Karl Schneider	4.2	Where can climbers find routes with different difficulty levels within the same location?
Karl Schneider	4.3	Where can they rent climbing equipment?
Karl Schneider	4.4	Where can they eat or drink something?
Alex Megos	5.1	Which climbing crags in Trentino offer grades from 7a and above?
Alex Megos	5.2	Are there challenging climbing locations in Trentino with nearby designated camping spots for vans or tents?
Alex Megos	5.3	Which climbing areas have scenic viewpoints or cultural landmarks nearby for added exploration?
Alex Megos	5.4	What markets or restaurants near climbing locations in Trentino offer authentic local dishes?

Table 1: Competency Questions

2.6 Concepts identification

In this section, the key concepts representing entities and their associated properties within the Knowledge Graph are outlined. In Fig. 1 there is the Purpose Formalization sheet which details the formal objectives and scope of the knowledge graph.

Scenarios	Personas	Competency Questions	Entities	Properties	Focus
1	Matteo Rossi	1.1, 1.8	Slope	SlopeID, OSMid, Resort, Difficulty	Contextual
1, 3	Matteo Rossi, Asja Bak	3.1, 3.2, 3.3	Hiking trail	HikingID, OSMid, Length, Elevation gain	Contextual
7	Alex Megos	7.1	Climbing route	ClimbRouteID, Crag, Country, Sector, trail_recommended_sum, grade_mean, cluster, rating_total	Contextual
2	Vincent Baguette	2.1, 2.2, 2.3	Cycle routes	CycleRouteID, OSMid, Length, Elevation gain, Surface, Difficulty	Contextual
*	*	*	Activity	ActivityID, Type, Name, Path	Common
*	*	*	Location	LocationID, OSMid, LocationName, Position	Common
3, 4	Asja Bak	3.1	View point	ViewPointID, Elevation	Core
2	Vincent Baguette	2.5	Hotel	HotelID, star_rating, e-mail, website, Altitude, ServiceType, Services, Price, nBeds	Core
1, 2, 4, 7	Matteo Rossi, Vincent Baguette, Karl Schneider, Alex Megos	2.5, 2.3, 4.4, 7.2, 1.1, 2.4, 4.3	Building	BuildingID, Type, Phone, Municipality, PostalCode, Address	Common
*	*	*	Coordinate	Latitude, Longitude	Common

Figure 1: Purpose Formalization

2.7 ER model definition

The KG purpose is defined as providing to tourists easy access to information about outdoor activities, such as the trails where to go hiking and if there is some rest area or rent shop nearby. So, the ER is thought reflecting a need for the user to find this information easily, centering the ER on two entities: *Activity* and *Location*, seen respectively as the input and the output of the user request. These two entities are colored as common entities cause they store main information for all the other entities. We set also another common entity: *Coordinate*, which will be an object property in the final KG and contain longitude and latitude.

Connected to *Activity*, there is a set of entities, defined as contextual, containing specific properties about climbing routes, cycleways, ski slopes and hiking trails.

Instead, connected directly to *Location*, there are some entities which are satisfying some second needs for the tourists, such as *View Point* defined as core, and the common entity *Building*, which contain information about restaurants, rent shops and hotels.

2.8 Report

In this chapter, we set up a solid base by defining our main purpose, creating realistic scenarios, and developing specific competency questions. This helps make sure the Knowledge Graph




Figure 2: ER model

meets the needs of Trentino's tourism, with a focus on tourists and activity planners. The user personas add helpful context, guiding us to design the graph around practical needs, like finding hiking trails, nearby dining options, and different outdoor activities.

A key strength is the user-centered design that emerges from these scenarios, which justify the inclusion of entities like activities and locations. This focus highlights the rich diversity of Trentino's tourism offerings, making the Knowledge Graph more relevant to its intended audience. Initially, we considered including data on transportation services, but we decided that this would shift the focus away from our main theme of outdoor activities and local experiences.

A potential challenge lies in our initial Entity-Relationship (ER) model, which is structured to capture key attributes but may face data availability issues. Since some attributes are yet to be confirmed in available datasets, this may affect our ability to answer all competency questions as thoroughly as planned. To address this, we plan to revisit and refine the ER model after the data-gathering phase, making adjustments based on the data we find. This iterative approach will help us create a more practical and user-centered Knowledge Graph.

3 Information Gathering

In this section, an overview of the primary input data sources available for the project is provided. This includes a list of resources that span across languages, schemas, and data values.

3.1 Knowledge Sources

In this phase, our goal is to gather high-quality, relevant information to support the construction of our Knowledge Graph, ensuring alignment with the purpose and scope defined earlier. This involves a meticulous selection of data sources and content that can accurately populate our KG with meaningful, structured information.

To address the project's knowledge resource needs, we used mainly OpenStreetMaps, which provide a comprehensive set of predefined schemas for structured data on the internet. Schema.org was used only for one entity type, and together with OSM are collaborative, community-driven initiatives aimed at creating, maintaining, and promoting flexible schemas that can be applied across diverse domains. By aligning our vocabulary domain with these schemas, we aimed to enhance flexibility and improve the dataset's readability and reusability for future users.

All the query performed on OpenStreetMaps data, were run via overpass-turbo.eu. Overpass Turbo is a web-based tool designed to help users interactively query and visualize data from OSM, the open-source global mapping platform. The primary purpose of Overpass Turbo is to allow users to create custom, location-based queries to extract specific types of geospatial data, such as locations of specific types of buildings, landmarks, roads, natural features, and more.

Due to the big amount of data gather from OSM, we inserted the OSMid in all the entity type containing data gained from it, to enhance the reusability.

These datasets adheres to the *OSM* schema, which provides a structured and standardized format for organizing restaurant data. This schema helps to ensure consistency in data presentation and compatibility, facilitating integration with other resources and applications.

3.2 Climbing Routes Resource

The **Climbing Resource** is a **data value dataset** which provides data on climbing routes, specifically focusing on various climbing crags within the Trentino region. This resource includes detailed metrics for each route, offering insights into climbing difficulty, popularity, and community


preferences. The original dataset can be found on Kaggle, and while it already contained valuable information, it did not initially focus solely on the Trentino region nor did it include route coordinates. To refine the dataset, these limitations were addressed by filtering for Trentino routes and adding geographic coordinates using a Python script and the geopy library. It is important to note that no predefined schemas are available for this resource. Consequently, data organization and management rely on the structure and attribute definitions set within the dataset itself, without additional formal schema references.

Key attributes in the dataset are:

- **name_id** (unsigned int)
- **Type** (string): it contains "*climbing*", the type of activity
- **country** (string)
- **crag** (string): the specific climbing area or rock formation where the route is found, helping to identify the general location within a broader region.
- **sector** (string): a sub-area within the crag where the route is located, offering a more precise location.
- **name** (string): the official or commonly used name of the climbing route.
- **tall_recommended_sum** (int): this metric reflects accessibility based on climber height, further details can be found at 2.
- **grade_mean** (float): this represents the median grade for each route, calculated after standardizing grades.
- **cluster** (int): further details can be found at 3.
- **rating_total** (float): calculated based on comment sentiment, rating, and user recommendations/
- **coordinates** ([float, float])

3.3 Hotel Resource

The **Hotel Resource** is a **data value dataset** that provides information on hotels, specifically focusing on those within the Trentino region. The original dataset can be found at DatiOpen.it. However, it initially contained additional information that was not relevant for this specific purpose. To refine the dataset, these limitations were addressed through a data-cleaning process.



Value	Description
+1	Tall climber marking a route as easy
-1	Tall climber marking a route as hard
-1	Short climber marking a route as easy
+1	Short climber marking a route as hard

Table 2: Climbing resource, tall recommended sum attribute.

Value	Description
0	Soft routes, easier to climb
1	Routes preferred by women, indicating gender-influenced popularity
2	Famous routes, known and recommended in the community
3	Very hard routes, challenging even for experienced climbers
4	Highly repeated routes, popular and frequently climbed
5	Chipped routes with a softer grading
6	Traditional, unmodified routes that remain close to natural conditions
7	Routes that are easy to on-sight but not frequently repeated
8	Iconic routes, renowned yet less repeated and often less traditional

Table 3: Climbing resource, cluster attribute.

The dataset was filtered to include only valuable information, and geographic coordinates were added using a Python script and the geopy library. Additionally, the dataset follows the schema outlined by Schema.org Hotel schema, which provides a structured and standardized way to organize hotel data. This schema enhances data consistency and ensures compatibility with commonly used data frameworks.

Key attributes in the dataset are:

- **Municipality** (string)
- **Star Rating** (string): from 1 to 5 stars.
- **Facility Name** (string)
- **Address** (string)
- **Postal Code** (unsigned int)
- **Phone** (string)
- **Email Address** (string)
- **Web Site** (string)

-
- **Service Type** (string): can be *full-board*, *bed-and-breakfast* or *room-only*.
 - **Altitude** (unsigned int)
 - **Number of Beds** (unsigned int)
 - **Price** (float)
 - **Services** (string): describes extra services the hotel offers.
 - **Coordinates** (Coordinate)

3.4 Ski Slopes Resources

The **Ski Slopes Resource** is a **data value dataset** that provides information about Ski slopes and resorts, specifically focusing on those within the Trentino region. The final dataset is a mixture of the dataset that can be found at datiopen.it, which gave us information about the ski resort in Trentino where the slopes are located, and the result of a query performed on Open Street Map data that gives us insights about the coordinates of each slope, their name, and its difficulty.

To finalize the dataset with the information needed for our purpose, we used a script implementing Nominatim API (nominatim.org), which takes the name of the ski resort, gave us the coordinates of it. Then, with another script, we used the coordinates of the resorts and the first coordinates of each slope to couple them together when the distance between them is less than 15km. These two scripts were made in Python.

The query run on Overpass-Turbo is:

```
[out:json];
area[name="Trentino-Alto Adige/Südtirol"];
(
  way["piste:type"="downhill"](area);
);
(._;>);
out body;
```

Key attributes in the dataset are:

- **id** (string)
- **osmId** (string): original id from Open Street Map to increase reusability.

-
- **Name** (string)
 - **Difficulty** (string): can be *easy*, *intermediate*, and *advanced*
 - **Ski Resort**
 - **Coordinates**: the list containing the coordinates all along the slope

3.5 Hiking Trails Resources

The **Hiking Trails Resource** is a **data value dataset** that provides information about hiking trails, specifically focusing on those within the Trentino region.

The final dataset is composed from the output of the query performed on OSM, and the make up of some properties with a Python script. In this specific dataset, the total distance and the total elevation gain are calculated through the list of coordinates and the use of the math library in Python.

The query run on Overpass-Turbo is:

```
[out:json];
area[name="Trentino-Alto Adige/Südtirol"];
(
  way["highway"="path"]["foot"="yes"]
  (area);
  way["highway"="footway"]
  (area);
  way["highway"="hiking"]
  (area);
);
(._;>);
out body;
```

Key attributes in the dataset are:

- **id** (string)
- **osmId** (string): original id from Open Street Map to increase reusability.
- **Name** (string)
- **Type** (string): it contains "*hiking*", the type of activity

-
- **Coordinates** (Coordinate): the list containing the coordinates all along the trail
 - **total_distance_m** (float)
 - **total_elevation_gain** (float)

3.6 Rent Shops Resources

The **Rent shops Resource** is a **data value dataset** that provides information about rent shops, specifically focusing on those within the Trentino region.

With this dataset we faced a problem of non-availability of data. In fact, from OSM there aren't bike rental shops, and only 6 ski rental shops. Moreover, these 6 shops doesn't have any information except from the name and the coordinates. So, we use Google Maps to retrieve them.

The query run on Overpass-Turbo is:

```
[out:json];
area[name="Trentino-Alto Adige/Südtirol"];
(
  node["shop"="ski_rental"]
  (area);
  way["shop"="ski_rental"]
  (area);
  relation["shop"="ski_rental"]
  (area);
);
out body;
```

Key attributes in the dataset are:

- **id** (string)
- **osmId** (string): original id from Open Street Map to increase reusability.
- **Name** (string)
- **Type** (string): it contains "*skiing*", the type of activity
- **addrCity** (string)
- **addrPostcode** (string)

-
- **addrStreet** (string)
 - **phone** (string)
 - **Coordinates** (Coordinate)

3.7 Restaurants Resources

The **Restaurant Resource** is a **data value dataset** that provides detailed information on restaurants, specifically focusing on establishments within the Trentino region.

The final dataset is the output of a filtering on the rows of the dataset that was gained from OSM. The filtering is made with a Python script with the aim of deleting those restaurants which doesn't have enough information to fit in our purpose.

The query run on Overpass-Turbo is:

```
[out:json];
area[name="Trentino-Alto Adige/Südtirol"];
(
  node["amenity"="restaurant"]
  (area);
  way["amenity"="restaurant"]
  (area);
  relation["amenity"="restaurant"]
  (area);
);
out body;
```

Key attributes in the dataset are:

- **id** (string)
- **osmId** (string): original id from Open Street Map to increase reusability.
- **addrCity** (string)
- **addrPostCode** (string)
- **addrStreet** (string)
- **addrHousenumber** (string)
- **phone** (string)

- **coordinates** (Coordinate)

3.8 Cycle routes Resources

The **Cycle Routes Resource** is a **data value dataset** that provides information about cycleways, specifically focusing on those within the Trentino region.

The final dataset is composed from the output of the query performed on OSM, and the make up of some properties with a Python script. In this specific dataset, the total distance and the total elevation gain are calculated through the list of coordinates and the use of the math library in Python.

The query run on Overpass-Turbo is:

```
[out:json];
area[name="Trentino-Alto Adige/Südtirol"];
(
  way["highway"="cycleway"]
  (area);
  way["highway"="path"]["bicycle"="yes"]
  (area);
  relation["type"="route"]["route"="bicycle"]
  (area);
);
(._;>);
out body;
```

Key attributes in the dataset are:

- **id** (string)
- **osmId** (string): original id from Open Street Map to increase reusability.
- **Type** (string): it contains "*biking*", the type of activity
- **Name** (string)
- **Coordinates**: the list containing the coordinates all along the trail
- **Difficulty** (string): can be *easy*, *intermediate*, and *advanced*
- **Surface** (string): can be *asphalt*, *unpaved*, *wood*, *gravel*, *metal*, *concrete*

-
- **total_distance_m** (float)
 - **total_elevation_gain** (float)

3.9 View Points Resources

The **View Point resources** is a **data value dataset** that provides information about view points, focusing on those within the Trentino region.

The final dataset is composed from the output of the query performed on OSM in addition with a property, *elevation*, gained with the use of a Python script and the open-elevation.com API, which calculates the elevation of a point based on the coordinates of it.

The query run on Overpass-Turbo is:

```
[out:json];
area[name="Trentino-Alto Adige/Südtirol"];
(
  node["tourism"="viewpoint"]
  (area);
);
out body;
```

Key attributes in the dataset are:

- **id** (string)
- **osmId** (string): original id from Open Street Map to increase reusability.
- **Name** (string)
- **Elevation** (integer)
- **coordinates** (Coordinate)

3.10 Location Resources

The **Location resources** is a **data value dataset** that provides information about all the locations present in our KG. This dataset is made up with properties from other entities, such as *View Point*, *Building*, and *Hotel*.

Key attributes in the dataset are:

-
- **id** (string)
 - **osmId** (string): original id from Open Street Map to increase reusability.
 - **Position** (Coordinate)
 - **Name** (string) : name present in the dataset of each specific entity

3.11 Activity Resources

The **Activity resources** is a **data value dataset** that provides information about all the activities present in our KG. This dataset is make up with properties from other entities, such as *Hiking trail*, *Climbing route*, *Ski slope* and *Cycle path*.

Key attributes in the dataset are:

- **id** (string)
- **Type** (string): type of activity, taken from the dataset of each activity
- **Path** (Coordinate) : list of coordinates highlighting the paths and trails
- **Name** (string)

3.12 Building resources

The **Building resources** is a **data value dataset** that provides information about all the buildings-type locations present in our KG. This dataset is make up with properties from other entities, such as *Restaurant*, *Hotel*, and *Rent shop*.

Key attributes in the dataset are:

- **id** (string)
- **Type** (string): type of activity which will be imported from each building dataset
- **phone** (Coordinate) : coordinate of the single point where the building is located
- **Municipality** (string)
- **Address** (string)
- **Postal Code** (string)

3.13 Report

In this phase of the project, we faced several challenges with data availability, as anticipated in 2.8. Some of the data we included in our original ER model was unavailable, leading us to remove certain entities, specifically the *Boathouse* and *Bathing Establishment*.

Additionally, our initial ER model included a high level of detail, that we could not fully support due to data limitations. For example, rather than maintaining separate entities for *Climbing Route* and *Crag*, we consolidated them by keeping only the *Climbing Route* entity, which now has an attribute specifying the crag name. We applied a similar simplification to *Ski Resort* and *Slope* by merging these entities into a single entity..

These issues led us to narrow the scope of our Domain of Interest by excluding lakeside tourism and water-based activities. As a result, we could no longer address some of the initial scenarios we had planned to support.

Another issue we faced was the redundancy of certain attributes across multiple entities. For instance, the Name attribute was originally present in every entity. To reduce redundancy and enhance the structure, we used the IS-A relationship to inherit shared attributes among related entities. For instance, we defined Name within the *Activity* entity and removed it from *Climbing Route*, *Hiking Trail*, *Cycle Routes*, and *Ski Slope*. The same procedure has been applied to *Rent Shop*, *Restaurant*, and *Hotel*, which were composed of the same properties: Name, Phone, Municipality, Address and Postal Code that have been moved to a new entity *Building*.

This adjustment enabled a more streamlined and hierarchical organization of attributes, better reflecting the relationships and focus of each entity.

In the *Information Gathering* phase, we encountered significant challenges with data quality. The data we obtained was often incomplete, inconsistent, or formatted in ways that required extensive cleaning and formatting to make it suitable for our purpose.

Additionally, much of the data lacked specific attributes that were essential according to our initial ER model. To address this, we implemented Python scripts to fill in missing information where possible. These scripts allowed us to automate parts of the data completion process, helping to bridge the gaps in our dataset and align it more closely with our project's initial specifications.

For the Climbing Route Resources, we wasn't able to find a predefined schema neither in schema.org or OSM, so we will define one in the next phases.

4 Language Definition

This section is dedicated to the description of the Language Definition phase. Like in the previous section, it aims to describe the different sub activities performed by all the team members, as well as the phase outcomes produced.

Language Definition sub activities:

- Concept identification
- Dataset filtering

The report of the work done during this phase of the methodology, has to includes also the description of the different choices made, with their strong and weak points. In other words the report should provide to the reader, a clear description of the reasoning conducted by all the different team members.

5 Knowledge Definition

This section is dedicated to the description of the Knowledge Definition phase. Like in the previous section, it aims to describe the different sub activities performed by all the team members, as well as the phase outcomes produced.

Knowledge Definition sub activities:

- KTelos
 - Teleology definition
 - Teleontology definition
- Dataset cleaning and formatting

The report of the work done during this phase of the methodology, has to includes also the description of the different choices made, with their strong and weak points. In other words the report should provide to the reader, a clear description of the reasoning conducted by all the different team members.

6 Entity Definition

This section is dedicated to the description of the Entity Definition phase. Like in the previous section, it aims to describe the different sub activities performed by all the team members, as well as the phase outcomes produced.

Entity Definition sub activities:

- Entity matching
- Entity identification
- Data mapping

The report of the work done during this phase of the methodology, has to includes also the description of the different choices made, with their strong and weak points. In other words the report should provide to the reader, a clear description of the reasoning conducted by all the different team members.

7 Evaluation

This section aims at describing the evaluation performed at the end of the whole process over the final outcome of the iTelos methodology. More in details, this section as to report:

- the final Knowledge Graph information statistics (like, number of etypes and properties, number of entities for each etype, and so on).
- Knowledge layer evaluation: the results of the application of the evaluation metrics applied over the knowledge layer of the final KG.
- Data layer evaluation: the results of the application of the evaluation metrics applied over the data layer of the final KG.
- Query execution: the description of the competency queries executed over the final KG in order to test the suitability of the KG to satisfy the project purpose.

8 Metadata Definition

In this section the report collects the definitions of all the metadata defined for the different resources produced along the whole process. The metadata defined in this phase describes both the final outcome of the project, and the intermediate outcome of each phase (language, schema, and data source standardised values).

The definition of the metadata, is crucial to enable the distribution (sharing) of the resource produced, through the data catalogs. For this reason it is important to describe also where such metadata will be published to distribute the resources it describes (for example the DataScientia catalogs).

In particular the structure of this section is organized as follows, with the objective to describe the metadata relative to all the type of resources produced by the project.

- Project metadata description
- Language resources metadata description
- Knowledge resources metadata description
- Data resources metadata description

9 Open Issues

This section concludes the current document with final conclusions regarding the quality of the process and final outcome, and the description of the issues that (for lack of time or any other cause) remained open.

- Did the project respect the scheduling expected in the beginning ?
- Are the final results able to satisfy the initial Purpose ?
 - If no, or not entirely, why ? which parts of the Purpose have not been covered ?

Moreover, this section aims to summarize the most relevant issues/problems remained open along the iTelos process. The description of open issues has to provide a clear explanation about the problems, the approaches adopted while trying to solve them and, eventually, any proposed solution that has not been applied.

- which are the issues remained open at the end of the project ?