


| Feature | | | Scei | nario | | | St | Step | |
|---|----------|----|------|-------|---|----|----|------|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Validate Post Request to Create Program | 0.042 s | 1 | 1 | 0 | 0 | 7 | 7 | 0 | 0 |
| To test the batch using DELETE | 0.236 s | 5 | 5 | 0 | 0 | 18 | 18 | 0 | 0 |
| To test the program using DELETE | 0.601 s | 10 | 10 | 0 | 0 | 32 | 32 | 0 | 0 |
| Test the Batch using GET | 0.231 s | 4 | 4 | 0 | 0 | 32 | 32 | 0 | 0 |
| Test the Program using GET | 0.081 s | 3 | 3 | 0 | 0 | 18 | 18 | 0 | 0 |
| To test the Batch by program ID using Get Method. | 0.140 s | 3 | 3 | 0 | 0 | 18 | 18 | 0 | 0 |
| Test the Batch by name using GET | 0.369 s | 4 | 4 | 0 | 0 | 21 | 21 | 0 | 0 |
| To test the program by ID using Get Method | 0.149 s | 3 | 3 | 0 | 0 | 13 | 13 | 0 | 0 |
| Test Batch and Program with invalid uri | 0.145 s | 3 | 3 | 0 | 0 | 15 | 15 | 0 | 0 |

| Tag | | Scei | nario | | | Fea | ture | |
|----------------------|---|------|-------|---|---|-----|------|---|
| Name | Τ | P | F | S | T | P | F | S |
| @tag | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @tag1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @test1getallbatches | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @getallbatches | 5 | 5 | 0 | 0 | 2 | 2 | 0 | 0 |
| @test2getallbatches | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |
| @test3getallbatches | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Getallprograms | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |
| @testcase1programs | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @testcase2programs | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @testcase3programs | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @getbatchbyprogID | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |
| @test1getbatchbyname | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @getbatchbyname | 4 | 4 | 0 | 0 | 1 | 1 | 0 | 0 |
| @test2getbatchbyname | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @test3getbatchbyname | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @test4getbatchbyname | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @getprogbyid | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |


| Tag | Scenario | | | | | | | |
|--------------------|----------|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @getallprograms | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Invaliduri | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |
| @getallbatchbyname | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |

FEATURES SUMMARY -- 5 --




| # | Feature Name | T | P | F | S | Duration |
|---|---|----|----|---|---|----------|
| 1 | Validate Post Request to Create Program | 1 | 1 | 0 | 0 | 0.042 s |
| 2 | To test the batch using DELETE | 5 | 5 | 0 | 0 | 0.236 s |
| 3 | To test the program using DELETE | 10 | 10 | 0 | 0 | 0.601 s |
| 4 | Test the Batch using GET | 4 | 4 | 0 | 0 | 0.231 s |
| 5 | Test the Program using GET | 3 | 3 | 0 | 0 | 0.081 s |
| 6 | To test the Batch by program ID using Get Method. | 3 | 3 | 0 | 0 | 0.140 s |
| 7 | Test the Batch by name using GET | 4 | 4 | 0 | 0 | 0.369 s |
| 8 | To test the program by ID using Get Method | 3 | 3 | 0 | 0 | 0.149 s |
| 9 | Test Batch and Program with invalid uri | 3 | 3 | 0 | 0 | 0.145 s |

SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|---|---|---|---|----------|
| 1 | Validate Post Request to Create Program | User able to create Program | 7 | 7 | 0 | 0 | 0.038 s |
| 2 | To test the batch using DELETE | User able to delete the Batch by ID with valid request. | 5 | 5 | 0 | 0 | 0.017 s |
| 3 | To test the batch using DELETE | User able to delete a Batch by ID with invalid endpoint. | 4 | 4 | 0 | 0 | 0.007 s |
| 4 | To test the batch using DELETE | User ableto delete a Batch by ID with invalid batchID. | 3 | 3 | 0 | 0 | 0.007 s |
| 5 | To test the batch using DELETE | User able to delete a Batch by ID with invalid base URL. | 3 | 3 | 0 | 0 | 0.008 s |
| 6 | To test the batch using DELETE | User able to delete a Batch by ID with invalid request. | 3 | 3 | 0 | 0 | 0.005 s |
| 7 | To test the program using DELETE | To test the program using DELETE | 4 | 4 | 0 | 0 | 0.010 s |
| 8 | To test the program using DELETE | User able to delete a Program by name with invalid Method. | 3 | 3 | 0 | 0 | 0.004 s |

SCENARIOS SUMMARY -- 7 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------------------------|--|---|---|---|---|----------|
| 9 | To test the program using DELETE | User ableto delete a Program Name with invalid endpoint. | 3 | 3 | 0 | 0 | 0.006 s |
| 10 | To test the program using DELETE | User able to delete a Program Namewith invalid base URL. | 3 | 3 | 0 | 0 | 0.005 s |
| 11 | To test the program using DELETE | Validate if user is able to delete with invalid Program Name | 3 | 3 | 0 | 0 | 0.005 s |
| 12 | To test the program using DELETE | User able to delete a Program by ID1 with valid request. | 4 | 4 | 0 | 0 | 0.019 s |
| 13 | To test the program using DELETE | User able to delete a Program by ID with invalid request. | 3 | 3 | 0 | 0 | 0.005 s |
| 14 | To test the program using DELETE | User ableto delete a Program by ID with invalid endpoint. | 3 | 3 | 0 | 0 | 0.012 s |
| 15 | To test the program using DELETE | User able to delete a Program by ID with invalid base URL. | 3 | 3 | 0 | 0 | 0.004 s |

SCENARIOS SUMMARY -- 8 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|----------------------------------|---|----|----|---|---|----------|
| 16 | To test the program using DELETE | Validate if user is able to delete with invalid Program ID | 3 | 3 | 0 | 0 | 0.028 s |
| 17 | Test the Batch using GET | Test if user is able to get all batches when sending valid request | 6 | 6 | 0 | 0 | 0.026 s |
| 18 | Test the Batch using GET | Test if user is able to get all batches when sending invalid request | 10 | 10 | 0 | 0 | 0.037 s |
| 19 | Test the Batch using GET | Test if user is able to get all batches when sending invalid request | 10 | 10 | 0 | 0 | 0.031 s |
| 20 | Test the Batch using GET | Test if user is able to get all batches when sending invalid endpoint | 6 | 6 | 0 | 0 | 0.012 s |
| 21 | Test the Program using GET | Test if user is able to get all Programs when sending valid request | 6 | 6 | 0 | 0 | 0.005 s |
| 22 | Test the Program using GET | Test if user is able to get all Programs when sending invalid request | 6 | 6 | 0 | 0 | 0.008 s |

SCENARIOS SUMMARY -- 9 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 23 | Test the Program using GET | Test if user is able to get all Programs when sending invalid endpoint | 6 | 6 | 0 | 0 | 0.009 s |
| 24 | To test the Batch by program ID using Get Method. | Test if user able to get a Batch by progID when sending valid request | 6 | 6 | 0 | 0 | 0.006 s |
| 25 | To test the Batch by program ID using Get Method. | Test if user is able to get batch Id when sending invalid request | 6 | 6 | 0 | 0 | 0.018 s |
| 26 | To test the Batch by program ID using Get Method. | Test if user is able to getbatchbyprogID when sending invalid endpoint | 6 | 6 | 0 | 0 | 0.014 s |
| 27 | Test the Batch by name using GET | Test if user is able to get batch by name when sending valid request | 6 | 6 | 0 | 0 | 0.049 s |
| 28 | Test the Batch by name using GET | Test if user is able to get batch by name when sending invalid request | 6 | 6 | 0 | 0 | 0.079 s |
| 29 | Test the Batch by name using GET | Test if user is able to get batch by name when sending invalid endpoint | 6 | 6 | 0 | 0 | 0.023 s |

SCENARIOS SUMMARY -- 10 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 30 | Test the Batch by name using GET | Test if JSON schema matches the response while sending valid request | 3 | 3 | 0 | 0 | 0.014 s |
| 31 | To test the program by ID using Get Method | User able to Get a Program by ID with valid request | 5 | 5 | 0 | 0 | 0.013 s |
| 32 | To test the program by ID using Get Method | User able to Get a Program by ID with invalid request | 4 | 4 | 0 | 0 | 0.033 s |
| 33 | To test the program by ID using Get Method | User able to Get a Program by ID with invalid endpoint | 4 | 4 | 0 | 0 | 0.003 s |
| 34 | Test Batch and Program with invalid uri | Test if user is able to get all programs when sending invalid base url | 5 | 5 | 0 | 0 | 0.005 s |
| 35 | Test Batch and Program with invalid uri | Test if user is able to get all batches when sending invalid base url | 5 | 5 | 0 | 0 | 0.003 s |
| 36 | Test Batch and Program with invalid uri | Test if user is able to get the batch by batch name when sending invalid base url | 5 | 5 | 0 | 0 | 0.007 s |

DETAILED SECTION -- 11 --

Validate Post Request to Create Program


| PASSED | DURATION - 0.042 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|-----------|-----------|
| | | Total - 1 | | Total - 7 | |
| / 4:52:12.321 PN | Л // 4:52:12.363 PM / | Pass - 1 | 1 | Pass - 7 | 7 |
| | | Fail - 0 | | Fail - 0 | l 🚺 ' 📕 l |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

User able to create Program




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User sends request with the endpoint to create program | PASSED | 0.009 s |
| 2 | When User sends a request body with valid endpoint to create Program. | PASSED | 0.001 s |
| 3 | Then Validate response status <201>. | PASSED | 0.001 s |
| 4 | And Validate response body for programName,programDescription,programStatus | PASSED | 0.001 s |
| 5 | And Validate response headers should be application json format | PASSED | 0.001 s |
| 6 | And Verify response body schema './src/test/resources/configuration/JsonSchema_Program/postRequest/Post_ValidRequest. | PASSED | 0.000 s |
| | json' in json format. | | |
| 7 | And Verify the values are present in DB | PASSED | 0.001 s |

To test the batch using DELETE




User able to delete the Batch by ID with valid request.




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends the base url to delete <3518>. | PASSED | 0.002 s |
| 2 | When User sends request to delete with existing batch ID. | PASSED | 0.001 s |
| 3 | Then status code should be '200 ok'. | PASSED | 0.001 s |
| 4 | And Verify content type header should be application/json. | PASSED | 0.002 s |
| 5 | And Verify if status line is 'HTTP/1.1 200'. | PASSED | 0.002 s |

User able to delete a Batch by ID with invalid endpoint.




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends a invalid request to delete a <3530>. | PASSED | 0.001 s |
| 2 | When User sends a request body with invalid endpoint. | PASSED | 0.001 s |
| 3 | Then Verify status code is ' 404 Not Found'. | PASSED | 0.001 s |
| 4 | And Verify content type header 'application/json'. | PASSED | 0.002 s |

User ableto delete a Batch by ID with invalid batchID.




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User send base URL to delete batch with invalid <3530>. | PASSED | 0.001 s |
| 2 | When User send valid request with invalid Batch ID and its endpoint. | PASSED | 0.001 s |
| 3 | Then the status code should be bad request | PASSED | 0.001 s |

User able to delete a Batch by ID with invalid base URL.



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User sends invalid base url to delete a Batch ID. | PASSED | 0.001 s |
| 2 | When User sends invalid base url with valid endpoint. | PASSED | 0.002 s |
| 3 | Then Verify status code '503 Service unavailable'. | PASSED | 0.002 s |

User able to delete a Batch by ID with invalid request.




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User sends a base URL with batch ID to delete <3530>. | PASSED | 0.001 s |
| 2 | When User sends a request with invalid method to delete batch ID. | PASSED | 0.001 s |
| 3 | Then Verify if the response status code is method not allowed | PASSED | 0.001 s |

To test the program using DELETE


| Scenarios | | Steps | |
|------------|-------------------------------|-------------------------------|--|
| Total - 10 | | Total - 32 | |
| Pass - 10 | 10 | Pass - 32 | 32 |
| Fail - 0 | | Fail - 0 | 92 |
| Skip - 0 | | Skip - 0 | |
| | Total - 10 Pass - 10 Fail - 0 | Total - 10 Pass - 10 Fail - 0 | Total - 10 Pass - 10 Fail - 0 Total - 32 Pass - 32 Fail - 0 |

To test the program using DELETE




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User sends base URL to delete "LMS practic test". | PASSED | 0.001 s |
| 2 | When User sends request with valid program name. | PASSED | 0.001 s |
| 3 | Then User status code success. | PASSED | 0.002 s |
| 4 | And content type header should be application/json | PASSED | 0.001 s |

User able to delete a Program by name with invalid Method.



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User able to delete a Program Name with invalid method with valid "Jan23-APIAspirants-SDET-12". | PASSED | 0.001 s |
| 2 | When User sends a invalid request to delete a Program Name. | PASSED | 0.001 s |
| 3 | Then Verify response with status code '405 Method Not Allowed' | PASSED | 0.000 s |

User ableto delete a Program Name with invalid endpoint.



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User sends the request to to delete a Program Name with invalid end point and with valid "Jan23-APIAspirants-SDET-12" | PASSED | 0.002 s |
| 2 | When User sends a request with invalid end point. | PASSED | 0.001 s |
| 3 | Then User checks response if status code is bad request | PASSED | 0.000 s |


DETAILED SECTION -- 16 --

User able to delete a Program Namewith invalid base URL.

| PASSED | DURATION - 0.005 s | 0.15 | · · | | | Steps | |
|--------------------|-----------------------|-------|---------------------------------------|---|---|-----------|---|
| / / 50 / 0 0 / 7 5 | 14 / 4 50 40 050 BM / | | | | | Total - 3 | |
| / 4:52:12.947 PI | M // 4:52:12.952 PM / | 0.1 - | | | | Pass - 3 | |
| To test the prog | ram using DELETE | .05 - | | | | Fail - 0 | 3 |
| | | | | | | Skip - 0 | |
| | | 0 - | · · · · · · · · · · · · · · · · · · · | | | | |
| | | | 1 | 2 | 3 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User sends invalid base url to delete a Program Name. | PASSED | 0.001 s |
| 2 | When User sends invalid base url with valid end point | PASSED | 0.001 s |
| 3 | Then status code should be Service error | PASSED | 0.001 s |


Validate if user is able to delete with invalid Program Name



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends the request with invalid "PostgreSQL991". | PASSED | 0.000 s |
| 2 | When User sends valid request with invalid Program Name and its endpoint | PASSED | 0.001 s |
| 3 | Then Verify response with bad request | PASSED | 0.002 s |


User able to delete a Program by ID1 with valid request.

DETAILED SECTION -- 17 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends base url to delete a <13843>. | PASSED | 0.001 s |
| 2 | When User sends request to delete with existing Program_ID | PASSED | 0.014 s |
| 3 | Then status code is the success | PASSED | 0.001 s |
| 4 | And status line should be HTTP/1.1 200 | PASSED | 0.001 s |


User able to delete a Program by ID with invalid request.



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends a base URL to delete <8113>. | PASSED | 0.001 s |
| 2 | When User sends a request with invalid method. | PASSED | 0.000 s |
| 3 | Then Verify response with status code ' 405 Method Not Allowed | PASSED | 0.000 s |


User ableto delete a Program by ID with invalid endpoint.

DETAILED SECTION -- 18 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends base URL to delete invalid endpoint with valid <8113>. | PASSED | 0.001 s |
| 2 | When User sends the request with invalid end point to to delete invalid end point. | PASSED | 0.008 s |
| 3 | Then Verify response with status code Not found. | PASSED | 0.000 s |


User able to delete a Program by ID with invalid base URL.



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends invalid base url | PASSED | 0.001 s |
| 2 | When User sends invalid base url along with valid endpoint | PASSED | 0.000 s |
| 3 | Then Verify response with status code Service unavailable. | PASSED | 0.001 s |

Validate if user is able to delete with invalid Program ID

DETAILED SECTION -- 19 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends the request with invalid <8113> | PASSED | 0.000 s |
| 2 | When User sends valid request with invalid Program ID and its endpoint | PASSED | 0.001 s |
| 3 | Then Verify response should be Bad Request | PASSED | 0.014 s |

Test the Batch using GET

| PASSED | DURATION - 0.231 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 4 | | Total - 32 | |
| / 4:52:13.533 PN | M // 4:52:13.764 PM / | Pass - 4 | 4 | Pass - 32 | 32 |
| | | Fail - 0 | | Fail - 0 | 02 |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

Test if user is able to get all batches when sending valid request


| PASSED | DURATION - 0.026 s | 0.15 | | | | - 1 | | | Steps | |
|-----------------|-----------------------|-------|---|---|---|-----|---|---|-----------------------|---|
| / 4:52:13.538 P | M // 4:52:13.564 PM / | 0.1 - | | | | | | | Total - 6 Pass - 6 | |
| Test the Batch | using GET | .05 | | | | | | | Fail - 0 | 6 |
| @test1getallbat | tches @getallbatches | 0 - | | | | | | | Skip - 0 | |
| | | | 1 | 2 | 3 | 4 | 5 | 6 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user sends base url as a part of request to get all batches | PASSED | 0.001 s |
| 2 | Then The content type of response header should be application/json to get all batches | PASSED | 0.002 s |

DETAILED SECTION -- 20 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | When User sends request with valid endpoint to get all batches | PASSED | 0.000 s |
| 4 | Then User should receive response with success status code for all batches | PASSED | 0.001 s |
| 5 | And The response body should contain details of the batch from "8" "API" for all batches | PASSED | 0.001 s |
| 6 | And The status line should be HTTP/1.1 200 for all batches | PASSED | 0.001 s |


Test if user is able to get all batches when sending invalid request



| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | Given The user sends base url as a part of request to get all batches | PASSED | 0.001 s |
| 2 | Then The content type of response header should be application/json to get all batches | PASSED | 0.001 s |
| 3 | When User sends PUT, PATCH, DELETE requests with valid endpoint for all batches | PASSED | 0.000 s |
| 4 | Then User should receive response with Method Not Allowed status code for all batches | PASSED | 0.000 s |
| 5 | And The response body should contain error message from "9" "API" for all batches | PASSED | 0.000 s |
| 6 | And The status line should be HTTP/1.1 405 for all batches with invalid request | PASSED | 0.000 s |
| 7 | When User sends POST request with valid endpoint for all batches | PASSED | 0.001 s |
| 8 | Then The response body should contain unsupp error message from "9" "API" for all batches | PASSED | 0.001 s |
| 9 | And User should receive response with Method Unsupported Media Type status code for all the batches | PASSED | 0.009 s |
| 10 | And The status line should be HTTP/1.1 415 for all the batches with invalid request | PASSED | 0.011 s |


Test if user is able to get all batches when sending invalid request

DETAILED SECTION -- 21 --



| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | Given The user sends base url as a part of request to get all batches | PASSED | 0.000 s |
| 2 | Then The content type of response header should be application/json to get all batches | PASSED | 0.001 s |
| 3 | When User sends PUT, PATCH, DELETE requests with valid endpoint for all batches | PASSED | 0.001 s |
| 4 | Then User should receive response with Method Not Allowed status code for all batches | PASSED | 0.001 s |
| 5 | And The response body should contain error message from "10" "API" for all batches | PASSED | 0.001 s |
| 6 | And The status line should be HTTP/1.1 405 for all batches with invalid request | PASSED | 0.005 s |
| 7 | When User sends POST request with valid endpoint for all batches | PASSED | 0.005 s |
| 8 | Then The response body should contain unsupp error message from "10" "API" for all batches | PASSED | 0.000 s |
| 9 | And User should receive response with Method Unsupported Media Type status code for all the batches | PASSED | 0.000 s |
| 10 | And The status line should be HTTP/1.1 415 for all the batches with invalid request | PASSED | 0.000 s |

Test if user is able to get all batches when sending invalid endpoint



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user sends base url as a part of request to get all batches | PASSED | 0.001 s |
| 2 | Then The content type of response header should be application/json to get all batches | PASSED | 0.002 s |
| 3 | When User sends request with invalid endpoint for all batches | PASSED | 0.003 s |


DETAILED SECTION -- 22 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 4 | Then User should receive response with Not found status code for all batches | PASSED | 0.001 s |
| 5 | And The response body should contain error message from "11" "API" for all batches with invalid endpoint | PASSED | 0.001 s |
| 6 | And The status line should be HTTP/1.1 404 for all batches with invalid endpoint | PASSED | 0.000 s |

Test the Program using GET

| PASSED | DURATION - 0.081 s | Scenarios Total - 3 | | Steps Total - 18 | | |
|-----------------------|--------------------|------------------------|---|---------------------|----|--|
| / 4:52:13.797 PM // 4 | :52:13.878 PM / | Pass - 3 | 3 | Pass - 18 | 18 | |
| | | Skip - 0 | | Skip - 0 | | |


Test if user is able to get all Programs when sending valid request



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user sends base url as a part of request to get all Programs | PASSED | 0.001 s |
| 2 | Then The content type of response header should be application/json to get all Programs | PASSED | 0.001 s |
| 3 | When User sends request with valid endpoint to get all Programs | PASSED | 0.001 s |
| 4 | Then User should receive response with success status code for all Programs | PASSED | 0.001 s |
| 5 | And The response body should contain details of the Program validated from "12" "API" | PASSED | 0.001 s |
| 6 | And The status line should be HTTP/1.1 200 for all Programs with valid request | PASSED | 0.000 s |

Test if user is able to get all Programs when sending invalid request

DETAILED SECTION -- 23 --




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user sends base url as a part of request to get all Programs | PASSED | 0.000 s |
| 2 | Then The content type of response header should be application/json to get all Programs | PASSED | 0.000 s |
| 3 | When User sends POST, PUT, PATCH, DELETE requests with valid endpoint for all Programs | PASSED | 0.000 s |
| 4 | Then User should receive response with Method Not Allowed status code for all Programs | PASSED | 0.002 s |
| 5 | And The response body should contain error message from "9" "API" for all Programs | PASSED | 0.001 s |
| 6 | And The status line should be HTTP/1.1 405 for all Programs with invalid request | PASSED | 0.001 s |

Test if user is able to get all Programs when sending invalid endpoint


| PASSED DURATION - 0.009 s | 0.15 Steps | |
|--------------------------------------|-------------|--|
| / 4:52:13.869 PM // 4:52:13.878 PM / | | |
| 7 4.32.13.003 FW // 4.32.13.070 FW / | Pass - 6 | |
| Test the Program using GET | .05 | |
| | Skip - 0 | |
| @Getallprograms @testcase3programs | 0 1 | |
| | 1 2 3 4 5 6 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user sends base url as a part of request to get all Programs | PASSED | 0.000 s |
| 2 | Then The content type of response header should be application/json to get all Programs | PASSED | 0.000 s |
| 3 | When User sends request with invalid endpoint for all Programs | PASSED | 0.000 s |
| 4 | Then User should receive response with Not found status code for all Programs | PASSED | 0.002 s |
| 5 | And The response body should contain error message from "11" "API" for all the Programs | PASSED | 0.001 s |
| 6 | And The status line should be HTTP/1.1 404 for all Programs | PASSED | 0.001 s |

To test the Batch by program ID using Get Method.




Test if user able to get a Batch by progID when sending valid request




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends request with base url forbatch by progid | PASSED | 0.000 s |
| 2 | Then The content type of response header should be application/json to get for batchprogID | PASSED | 0.000 s |
| 3 | When User send a request with valid endpoint to get batchprogID | PASSED | 0.001 s |
| 4 | Then User should receive response with success status code for Batchprogid | PASSED | 0.001 s |
| 5 | And Validate Get batch by batchprogID Schema in json format | PASSED | 0.001 s |
| 6 | And The status line should beHTTP/1.1 200for valid batchprogid | PASSED | 0.001 s |

Test if user is able to get batch Id when sending invalid request




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends request with base url forbatch by progid | PASSED | 0.001 s |
| 2 | Then The content type of response header should be application/json to get for batchprogID | PASSED | 0.001 s |
| 3 | When User send a invalid request with valid endpoint batchprogid | PASSED | 0.001 s |
| 4 | Then Verify response with status code 'Method Not Allowed' batchprogid | PASSED | 0.001 s |
| 5 | And Validate Get batch by batchprogID Schema in json format | PASSED | 0.000 s |
| 6 | And The status line should beHTTP/1.1 405for valid batchprogid | PASSED | 0.000 s |

Test if user is able to getbatchbyprogID when sending invalid endpoint




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends request with base url forbatch by progid | PASSED | 0.001 s |
| 2 | Then The content type of response header should be application/json to get for batchprogID | PASSED | 0.001 s |
| 3 | When User send a invalid endpoint with valid request for batchprogld | PASSED | 0.001 s |
| 4 | Then Verify response with status code 'Bad Request' batchprogid | PASSED | 0.008 s |
| 5 | And Validate Get batch by batchprogID Schema in json format | PASSED | 0.000 s |
| 6 | And The status line should be HTTP/1.1 400 for invalid endpoint batchprogid | PASSED | 0.000 s |

Test the Batch by name using GET




DETAILED SECTION -- 26 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user sends base url as a part of request to get batch by name | PASSED | 0.000 s |
| 2 | Then The content type of response header should be application/json to get batch by name | PASSED | 0.000 s |
| 3 | When User sends request with valid endpoint to get batch by name | PASSED | 0.002 s |
| 4 | Then User should receive response with success status code for batch by name | PASSED | 0.001 s |
| 5 | And The response body should contain all the details of the requested batch from "13" "API" | PASSED | 0.002 s |
| 6 | And The status line should be HTTP/1.1 200 for batch by name | PASSED | 0.029 s |

Test if user is able to get batch by name when sending invalid request



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user sends base url as a part of request to get batch by name | PASSED | 0.001 s |
| 2 | Then The content type of response header should be application/json to get batch by name | PASSED | 0.007 s |
| 3 | When User sends POST, PUT, PATCH, DELETE requests with valid endpoint for batch by name | PASSED | 0.001 s |
| 4 | Then User should receive response with Method Not Allowed status code for batch by name | PASSED | 0.066 s |
| 5 | And The response body should contain error message Method Not Allowed for batch by name from "9" "API" | PASSED | 0.001 s |
| 6 | And The status line should be HTTP/1.1 405 for metod not allowed batch by name | PASSED | 0.001 s |


DETAILED SECTION -- 27 --

Test if user is able to get batch by name when sending invalid endpoint

| PASSED DURATION - 0.023 s | 0.1 | 5] | | - | | | | | Steps | | |
|--------------------------------------|-----|-----|---|---|---|---|----------|---|-----------|---|-----|
| / 4:52:14.417 PM // 4:52:14.440 PM / | 0.1 | | | | | | | | Total - 6 | | |
| / 4.52.14.417 PW // 4.52.14.440 PW / | 0.1 | | | | | | | | Pass - 6 | | A I |
| Test the Batch by name using GET | .05 | : - | | | | | | | Fail - 0 | 6 | |
| | | | | | | • | | | Skip - 0 | | ' |
| @test3getbatchbyname @getbatchbyname | 0 | -1 | | | | | <u> </u> | | | | |
| | | | 1 | 2 | 3 | 4 | 5 | ь | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user sends base url as a part of request to get batch by name | PASSED | 0.000 s |
| 2 | Then The content type of response header should be application/json to get batch by name | PASSED | 0.000 s |
| 3 | When User sends request with invalid endpoint for batch by name from "6" "API" | PASSED | 0.001 s |
| 4 | Then User should receive response with Bad Request status code for batch by name | PASSED | 0.018 s |
| 5 | And The response body should contain error message ENTITY_DOES_NOT_EXIST for the batch by name | PASSED | 0.001 s |
| 6 | And The status line should be HTTP/1.1 400 for the batch by name | PASSED | 0.000 s |

Test if JSON schema matches the response while sending valid request




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user sends base url as a part of request to get batch by name | PASSED | 0.001 s |
| 2 | Then The content type of response header should be application/json to get batch by name | PASSED | 0.001 s |
| 3 | Then The JSON schema should match the response to get batch by name | PASSED | 0.012 s |

To test the program by ID using Get Method

DETAILED SECTION -- 28 --


| PASSED | DURATION - 0.149 s | Scenarios | | Steps | |
|---------------------|--------------------|-----------|---|------------|----|
| | | Total - 3 | | Total - 13 | |
| / 4:52:14.605 PM // | 4:52:14.754 PM / | Pass - 3 | 3 | Pass - 13 | 13 |
| | | Fail - 0 | 3 | Fail - 0 | 13 |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

User able to Get a Program by ID with valid request



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User sends valid base url to get Program by Id | PASSED | 0.001 s |
| 2 | When User sends request with its endpoint to get Program ID | PASSED | 0.001 s |
| 3 | Then User should receive response with status code | PASSED | 0.000 s |
| 4 | And Validate response body to get Program by ID | PASSED | 0.000 s |
| 5 | And Verify status line should be success line | PASSED | 0.000 s |


User able to Get a Program by ID with invalid request



DETAILED SECTION -- 29 --


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends the url with invalid request | PASSED | 0.001 s |
| 2 | When User sends the request with its invalid request | PASSED | 0.000 s |
| 3 | Then Validate response with status code Method not allowed | PASSED | 0.000 s |
| 4 | And Validate response body with error message not allowed | PASSED | 0.001 s |

User able to Get a Program by ID with invalid endpoint




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User sends the request to get Program ID | PASSED | 0.001 s |
| 2 | When User sends a request body with invalid endpoint | PASSED | 0.000 s |
| 3 | Then Verify response with status code Bad Request | PASSED | 0.000 s |
| 4 | And Validate the response body with error code message 'ENTITY_DOES_NOT_EXIST' | PASSED | 0.000 s |

Test Batch and Program with invalid uri




Test if user is able to get all programs when sending invalid base url

DETAILED SECTION -- 30



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user sends invalid base url | PASSED | 0.000 s |
| 2 | When User sends request with valid endpoint for getting all the programs | PASSED | 0.000 s |
| 3 | Then User should receive response with service unavailable status code | PASSED | 0.000 s |
| 4 | And The response body should contain application error message for all programs | PASSED | 0.001 s |
| 5 | And The content type of response header should be text/html for all programs | PASSED | 0.001 s |


Test if user is able to get all batches when sending invalid base url



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user sends invalid base url | PASSED | 0.000 s |
| 2 | When User sends request with valid endpoint for getting all the batches | PASSED | 0.001 s |
| 3 | Then User should receive response with service unavailable status code | PASSED | 0.000 s |
| 4 | And The response body should contain application error message for all batches | PASSED | 0.000 s |
| 5 | And The content type of response header should be text/html for all batches | PASSED | 0.000 s |

Test if user is able to get the batch by batch name when sending invalid base url

DETAILED SECTION



-- 31 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user sends invalid base url | PASSED | 0.001 s |
| 2 | When User sends request with valid endpoint for getting the requested batch detail | PASSED | 0.000 s |
| 3 | Then User should receive response with service unavailable status code | PASSED | 0.002 s |
| 4 | And The response body should contain application error message for getting batch by name | PASSED | 0.001 s |
| 5 | And The content type of response header should be text/html for getting batch by name | PASSED | 0.000 s |