Cucumber Report

| Start : Jan 21, 5:07:00.310 PM	End : Jan 21, 5:07:02.865 PM	Duration : 2.555 s
Features	Scenarios	Steps
PASSED - 9 FAILED - 0 SKIPPED - 0	PASSED - 36 FAILED - 0 SKIPPED - 0	PASSED - 174 FAILED - 0 SKIPPED - 0

9

36

174

Pass %

100 %

Pass %

100 %

Pass %

100 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validate Post Request to Create Program	0.034 s	1	1	0	0	7	7	0	0
To test the batch using DELETE	0.336 s	5	5	0	0	18	18	0	0
To test the program using DELETE	0.858 s	10	10	0	0	32	32	0	0
Test the Batch using GET	0.128 s	4	4	0	0	32	32	0	0
Test the Program using GET	0.141 s	3	3	0	0	18	18	0	0
To test the Batch by program ID using Get Method.	0.132 s	3	3	0	0	18	18	0	0
Test the Batch by name using GET	0.163 s	4	4	0	0	21	21	0	0
To test the program by ID using Get Method	0.116 s	3	3	0	0	13	13	0	0
Test Batch and Program with invalid uri	0.055 s	3	3	0	0	15	15	0	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	1	1	0	0	1	1	0	0
@tag1	1	1	0	0	1	1	0	0
@test1getallbatches	1	1	0	0	1	1	0	0
@getallbatches	5	5	0	0	2	2	0	0
@test2getallbatches	2	2	0	0	1	1	0	0
@test3getallbatches	1	1	0	0	1	1	0	0
@Getallprograms	3	3	0	0	1	1	0	0
@testcase1programs	1	1	0	0	1	1	0	0
@testcase2programs	1	1	0	0	1	1	0	0
@testcase3programs	1	1	0	0	1	1	0	0
@getbatchbyprogID	3	3	0	0	1	1	0	0
@test1getbatchbyname	1	1	0	0	1	1	0	0
@getbatchbyname	4	4	0	0	1	1	0	0
@test2getbatchbyname	1	1	0	0	1	1	0	0
@test3getbatchbyname	1	1	0	0	1	1	0	0
@test4getbatchbyname	1	1	0	0	1	1	0	0
@getprogbyid	3	3	0	0	1	1	0	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@getallprograms	1	1	0	0	1	1	0	0
@Invaliduri	3	3	0	0	1	1	0	0
@getallbatchbyname	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Validate Post Request to Create Program	1	1	0	0	0.034 s
2	To test the batch using DELETE	5	5	0	0	0.336 s
3	To test the program using DELETE	10	10	0	0	0.858 s
4	Test the Batch using GET	4	4	0	0	0.128 s
5	Test the Program using GET	3	3	0	0	0.141 s
6	To test the Batch by program ID using Get Method.	3	3	0	0	0.132 s
7	Test the Batch by name using GET	4	4	0	0	0.163 s
8	To test the program by ID using Get Method	3	3	0	0	0.116 s
9	Test Batch and Program with invalid uri	3	3	0	0	0.055 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validate Post Request to Create Program	User able to create Program	7	7	0	0	0.030 s
2	To test the batch using DELETE	User able to delete the Batch by ID with valid request.	5	5	0	0	0.011 s
3	To test the batch using DELETE	User able to delete a Batch by ID with invalid endpoint.	4	4	0	0	0.019 s
4	To test the batch using DELETE	User ableto delete a Batch by ID with invalid batchID.	3	3	0	0	0.006 s
5	To test the batch using DELETE	User able to delete a Batch by ID with invalid base URL.	3	3	0	0	0.015 s
6	To test the batch using DELETE	User able to delete a Batch by ID with invalid request.	3	3	0	0	0.011 s
7	To test the program using DELETE	To test the program using DELETE	4	4	0	0	0.039 s
8	To test the program using DELETE	User able to delete a Program by name with invalid Method.	3	3	0	0	0.014 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	To test the program using DELETE	User ableto delete a Program Name with invalid endpoint.	3	3	0	0	0.084 s
10	To test the program using DELETE	User able to delete a Program Namewith invalid base URL.	3	3	0	0	0.017 s
11	To test the program using DELETE	Validate if user is able to delete with invalid Program Name	3	3	0	0	0.041 s
12	To test the program using DELETE	User able to delete a Program by ID1 with valid request.	4	4	0	0	0.005 s
13	To test the program using DELETE	User able to delete a Program by ID with invalid request.	3	3	0	0	0.003 s
14	To test the program using DELETE	User ableto delete a Program by ID with invalid endpoint.	3	3	0	0	0.003 s
15	To test the program using DELETE	User able to delete a Program by ID with invalid base URL.	3	3	0	0	0.004 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
16	To test the program using DELETE	Validate if user is able to delete with invalid Program ID	3	3	0	0	0.005 s
17	Test the Batch using GET	Test if user is able to get all batches when sending valid request	6	6	0	0	0.010 s
18	Test the Batch using GET	Test if user is able to get all batches when sending invalid request	10	10	0	0	0.015 s
19	Test the Batch using GET	Test if user is able to get all batches when sending invalid request	10	10	0	0	0.013 s
20	Test the Batch using GET	Test if user is able to get all batches when sending invalid endpoint	6	6	0	0	0.008 s
21	Test the Program using GET	Test if user is able to get all Programs when sending valid request	6	6	0	0	0.014 s
22	Test the Program using GET	Test if user is able to get all Programs when sending invalid request	6	6	0	0	0.014 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
23	Test the Program using GET	Test if user is able to get all Programs when sending invalid endpoint	6	6	0	0	0.014 s
24	To test the Batch by program ID using Get Method.	Test if user able to get a Batch by progID when sending valid request	6	6	0	0	0.015 s
25	To test the Batch by program ID using Get Method.	Test if user is able to get batch Id when sending invalid request	6	6	0	0	0.013 s
26	To test the Batch by program ID using Get Method.	Test if user is able to getbatchbyprogID when sending invalid endpoint	6	6	0	0	0.014 s
27	Test the Batch by name using GET	Test if user is able to get batch by name when sending valid request	6	6	0	0	0.029 s
28	Test the Batch by name using GET	Test if user is able to get batch by name when sending invalid request	6	6	0	0	0.008 s
29	Test the Batch by name using GET	Test if user is able to get batch by name when sending invalid endpoint	6	6	0	0	0.004 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30	Test the Batch by name using GET	Test if JSON schema matches the response while sending valid request	3	3	0	0	0.002 s
31	To test the program by ID using Get Method	User able to Get a Program by ID with valid request	5	5	0	0	0.011 s
32	To test the program by ID using Get Method	User able to Get a Program by ID with invalid request	4	4	0	0	0.009 s
33	To test the program by ID using Get Method	User able to Get a Program by ID with invalid endpoint	4	4	0	0	0.004 s
34	Test Batch and Program with invalid uri	Test if user is able to get all programs when sending invalid base url	5	5	0	0	0.003 s
35	Test Batch and Program with invalid uri	Test if user is able to get all batches when sending invalid base url	5	5	0	0	0.003 s
36	Test Batch and Program with invalid uri	Test if user is able to get the batch by batch name when sending invalid base url	5	5	0	0	0.003 s

## Validate Post Request to Create Program

PASSED	DURATION - 0.034 s	Scenarios		Steps	
/ 5:07:00.310 PM // 5:07:00.344 PM /		Total - 1		Total - 7	
		Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User able to create Program

PASSED	DURATION - 0.030 s		Steps	
/ 5:07:00.314 PM // 5:07:00.344 PM /			Total - 7	
Validate Post Request to Create Program			Pass - 7	7
			Fail - 0	
@tag @tag1			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User sends request with the endpoint to create program	PASSED	0.007 s
2	When User sends a request body with valid endpoint to create Program.	PASSED	0.001 s
3	Then Validate response status <201>.	PASSED	0.000 s
4	And Validate response body for programName,programDescription,programStatus	PASSED	0.001 s
5	And Validate response headers should be application json format	PASSED	0.000 s
6	And Verify response body schema './src/test/resources/configuration/JsonSchema_Program/postRequest/Post_ValidRequest.json' in json format.	PASSED	0.000 s
7	And Verify the values are present in DB	PASSED	0.001 s

To test the batch using DELETE

PASSED	DURATION - 0.336 s		Scenarios		Steps	
			Total - 5		Total - 18	
/ 5:07:00.489 PM // 5:07:00.825 PM /			Pass - 5	5	Pass - 18	18
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

User able to delete the Batch by ID with valid request.

PASSED	DURATION - 0.011 s		Steps	
			Total - 5	
/ 5:07:00.489 PM // 5:07:00.500 PM /			Pass - 5	5
To test the batch using DELETE			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User sends the base url to delete <3518>.	PASSED	0.001 s
2	When User sends request to delete with existing batch ID.	PASSED	0.001 s
3	Then status code should be '200 ok'.	PASSED	0.001 s
4	And Verify content type header should be application/json.	PASSED	0.001 s
5	And Verify if status line is 'HTTP/1.1 200'.	PASSED	0.002 s

User able to delete a Batch by ID with invalid endpoint.

PASSED	DURATION - 0.019 s		Steps	
			Total - 4	
/ 5:07:00.592 PM // 5:07:00.611 PM /			Pass - 4	4
To test the batch using DELETE			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User sends a invalid request to delete a <3530>.	PASSED	0.004 s
2	When User sends a request body with invalid endpoint.	PASSED	0.003 s
3	Then Verify status code is ' 404 Not Found'.	PASSED	0.001 s
4	And Verify content type header 'application/json'.	PASSED	0.004 s

User ableto delete a Batch by ID with invalid batchID.

PASSED	DURATION - 0.006 s		Steps
/ 5:07:00.673 PM // 5:07:00.679 PM /			Total - 3
			Pass - 3
To test the batch using DELETE			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User send base URL to delete batch with invalid <3530>.	PASSED	0.002 s
2	When User send valid request with invalid Batch ID and its endpoint.	PASSED	0.001 s
3	Then the status code should be bad request	PASSED	0.001 s

User able to delete a Batch by ID with invalid base URL.

PASSED	DURATION - 0.015 s		Steps
/ 5:07:00.739 PM // 5:07:00.754 PM /			Total - 3
			Pass - 3
To test the batch using DELETE			Fail - 0
			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User sends invalid base url to delete a Batch ID.	PASSED	0.004 s
2	When User sends invalid base url with valid endpoint.	PASSED	0.003 s
3	Then Verify status code '503 Service unavailable'.	PASSED	0.005 s

User able to delete a Batch by ID with invalid request.

PASSED	DURATION - 0.011 s
/ 5:07:00.814 PM // 5:07:00.825 PM /	
To test the batch using DELETE	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User sends a base URL with batch ID to delete <3530>.	PASSED	0.006 s
2	When User sends a request with invalid method to delete batch ID.	PASSED	0.001 s
3	Then Verify if the response status code is method not allowed	PASSED	0.001 s

To test the program using DELETE

PASSED	DURATION - 0.858 s
/ 5:07:00.939 PM // 5:07:01.797 PM /	

Scenarios
Total - 10
Pass - 10
Fail - 0
Skip - 0

Steps
Total - 32
Pass - 32
Fail - 0
Skip - 0

To test the program using DELETE

PASSED	DURATION - 0.039 s
/ 5:07:00.939 PM // 5:07:00.978 PM /	
To test the program using DELETE	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User sends base URL to delete "LMS practic test".	PASSED	0.001 s
2	When User sends request with valid program name.	PASSED	0.001 s
3	Then User status code success.	PASSED	0.004 s
4	And content type header should be application/json	PASSED	0.004 s

User able to delete a Program by name with invalid Method.

PASSED	DURATION - 0.014 s
/ 5:07:01.033 PM // 5:07:01.047 PM /	
To test the program using DELETE	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User able to delete a Program Name with invalid method with valid "Jan23-APIAspirants-SDET-12".	PASSED	0.001 s
2	When User sends a invalid request to delete a Program Name.	PASSED	0.001 s
3	Then Verify response with status code '405 Method Not Allowed'	PASSED	0.002 s

User ableto delete a Program Name with invalid endpoint.

PASSED	DURATION - 0.084 s
/ 5:07:01.165 PM // 5:07:01.249 PM /	
To test the program using DELETE	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User sends the request to to delete a Program Name with invalid end point and with valid "Jan23-APIAspirants-SDET-12"..	PASSED	0.001 s
2	When User sends a request with invalid end point.	PASSED	0.069 s
3	Then User checks response if status code is bad request	PASSED	0.002 s

User able to delete a Program Namewith invalid base URL.

PASSED	DURATION - 0.017 s		Steps
/ 5:07:01.345 PM // 5:07:01.362 PM /			Total - 3
			Pass - 3
To test the program using DELETE			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User sends invalid base url to delete a Program Name.	PASSED	0.001 s
2	When User sends invalid base url with valid end point	PASSED	0.001 s
3	Then status code should be Service error	PASSED	0.013 s

Validate if user is able to delete with invalid Program Name

PASSED	DURATION - 0.041 s		Steps
/ 5:07:01.528 PM // 5:07:01.569 PM /			Total - 3
			Pass - 3
To test the program using DELETE			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User sends the request with invalid "PostgreSQL991".	PASSED	0.000 s
2	When User sends valid request with invalid Program Name and its endpoint	PASSED	0.014 s
3	Then Verify response with bad request	PASSED	0.002 s

User able to delete a Program by ID1 with valid request.

PASSED	DURATION - 0.005 s

/ 5:07:01.659 PM // 5:07:01.664 PM /

To test the program using DELETE

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given User sends base url to delete a <13843>.	PASSED	0.000 s
2	When User sends request to delete with existing Program_ID	PASSED	0.001 s
3	Then status code is the success	PASSED	0.001 s
4	And status line should be HTTP/1.1 200	PASSED	0.000 s

User able to delete a Program by ID with invalid request.

PASSED	DURATION - 0.003 s

/ 5:07:01.698 PM // 5:07:01.701 PM /

To test the program using DELETE

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User sends a base URL to delete <8113>.	PASSED	0.001 s
2	When User sends a request with invalid method.	PASSED	0.001 s
3	Then Verify response with status code ' 405 Method Not Allowed	PASSED	0.000 s

User ableto delete a Program by ID with invalid endpoint.

PASSED	DURATION - 0.003 s
/ 5:07:01.728 PM // 5:07:01.731 PM /	
To test the program using DELETE	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User sends base URL to delete invalid endpoint with valid <8113>.	PASSED	0.001 s
2	When User sends the request with invalid end point to to delete invalid end point.	PASSED	0.001 s
3	Then Verify response with status code Not found.	PASSED	0.001 s

User able to delete a Program by ID with invalid base URL.

PASSED	DURATION - 0.004 s
/ 5:07:01.755 PM // 5:07:01.759 PM /	
To test the program using DELETE	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User sends invalid base url	PASSED	0.001 s
2	When User sends invalid base url along with valid endpoint	PASSED	0.001 s
3	Then Verify response with status code Service unavailable.	PASSED	0.001 s

## Validate if user is able to delete with invalid Program ID

PASSED	DURATION - 0.005 s
/ 5:07:01.792 PM // 5:07:01.797 PM /	
To test the program using DELETE	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User sends the request with invalid <8113>	PASSED	0.001 s
2	When User sends valid request with invalid Program ID and its endpoint	PASSED	0.000 s
3	Then Verify response should be Bad Request	PASSED	0.001 s

Test the Batch using GET

PASSED	DURATION - 0.128 s
/ 5:07:01.847 PM // 5:07:01.975 PM /	

Scenarios
Total - 4
Pass - 4
Fail - 0
Skip - 0

Steps
Total - 32
Pass - 32
Fail - 0
Skip - 0

Test if user is able to get all batches when sending valid request

PASSED	DURATION - 0.010 s
/ 5:07:01.851 PM // 5:07:01.861 PM /	
Test the Batch using GET	
@test1getallbatches @getallbatches	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get all batches	PASSED	0.000 s
2	Then The content type of response header should be application/json to get all batches	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
3	When User sends request with valid endpoint to get all batches	PASSED	0.000 s
4	Then User should receive response with success status code for all batches	PASSED	0.000 s
5	And The response body should contain details of the batch from "8" "API" for all batches	PASSED	0.001 s
6	And The status line should be HTTP/1.1 200 for all batches	PASSED	0.002 s

Test if user is able to get all batches when sending invalid request

PASSED	DURATION - 0.015 s		Steps
/ 5:07:01.886 PM // 5:07:01.901 PM /			Total - 10
			Pass - 10
Test the Batch using GET			Fail - 0
			Skip - 0
@getallbatches @test2getallbatches			10

| #	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get all batches	PASSED	0.001 s
2	Then The content type of response header should be application/json to get all batches	PASSED	0.000 s
3	When User sends PUT, PATCH, DELETE requests with valid endpoint for all batches	PASSED	0.000 s
4	Then User should receive response with Method Not Allowed status code for all batches	PASSED	0.002 s
5	And The response body should contain error message from "9" "API" for all batches	PASSED	0.000 s
6	And The status line should be HTTP/1.1 405 for all batches with invalid request	PASSED	0.000 s
7	When User sends POST request with valid endpoint for all batches	PASSED	0.000 s
8	Then The response body should contain unsupp error message from "9" "API" for all batches	PASSED	0.001 s
9	And User should receive response with Method Unsupported Media Type status code for all the batches	PASSED	0.001 s
10	And The status line should be HTTP/1.1 415 for all the batches with invalid request	PASSED	0.001 s

Test if user is able to get all batches when sending invalid request

PASSED	DURATION - 0.013 s

/ 5:07:01.931 PM // 5:07:01.944 PM /

Test the Batch using GET

@getallbatches @test2getallbatches

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get all batches	PASSED	0.000 s
2	Then The content type of response header should be application/json to get all batches	PASSED	0.001 s
3	When User sends PUT, PATCH, DELETE requests with valid endpoint for all batches	PASSED	0.001 s
4	Then User should receive response with Method Not Allowed status code for all batches	PASSED	0.001 s
5	And The response body should contain error message from "10" "API" for all batches	PASSED	0.001 s
6	And The status line should be HTTP/1.1 405 for all batches with invalid request	PASSED	0.004 s
7	When User sends POST request with valid endpoint for all batches	PASSED	0.001 s
8	Then The response body should contain unsupp error message from "10" "API" for all batches	PASSED	0.001 s
9	And User should receive response with Method Unsupported Media Type status code for all the batches	PASSED	0.001 s
10	And The status line should be HTTP/1.1 415 for all the batches with invalid request	PASSED	0.001 s

### Test if user is able to get all batches when sending invalid endpoint

PASSED	DURATION - 0.008 s

/ 5:07:01.967 PM // 5:07:01.975 PM /

Test the Batch using GET

@getallbatches @test3getallbatches

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get all batches	PASSED	0.001 s
2	Then The content type of response header should be application/json to get all batches	PASSED	0.000 s
3	When User sends request with invalid endpoint for all batches	PASSED	0.000 s

| #	Step / Hook Details	Status	Duration
4	Then User should receive response with Not found status code for all batches	PASSED	0.003 s
5	And The response body should contain error message from "11" "API" for all batches with invalid endpoint	PASSED	0.000 s
6	And The status line should be HTTP/1.1 404 for all batches with invalid endpoint	PASSED	0.000 s

Test the Program using GET

PASSED	DURATION - 0.141 s	Scenarios		Steps	
		Total - 3		Total - 18	
/ 5:07:02.021 PM // 5:07:02.162 PM /		Pass - 3	3	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Test if user is able to get all Programs when sending valid request

PASSED	DURATION - 0.014 s		Steps	
			Total - 6	
/ 5:07:02.022 PM // 5:07:02.036 PM /			Pass - 6	6
Test the Program using GET			Fail - 0	
@Getallprograms @testcase1programs			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get all Programs	PASSED	0.001 s
2	Then The content type of response header should be application/json to get all Programs	PASSED	0.002 s
3	When User sends request with valid endpoint to get all Programs	PASSED	0.000 s
4	Then User should receive response with success status code for all Programs	PASSED	0.001 s
5	And The response body should contain details of the Program validated from "12" "API"	PASSED	0.000 s
6	And The status line should be HTTP/1.1 200 for all Programs with valid request	PASSED	0.001 s

Test if user is able to get all Programs when sending invalid request

PASSED	*DURATION - 0.014 s*
/ 5:07:02.083 PM // 5:07:02.097 PM /	
Test the Program using GET	
@Getallprograms @testcase2programs	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get all Programs	PASSED	0.001 s
2	Then The content type of response header should be application/json to get all Programs	PASSED	0.001 s
3	When User sends POST, PUT, PATCH, DELETE requests with valid endpoint for all Programs	PASSED	0.001 s
4	Then User should receive response with Method Not Allowed status code for all Programs	PASSED	0.000 s
5	And The response body should contain error message from "9" "API" for all Programs	PASSED	0.004 s
6	And The status line should be HTTP/1.1 405 for all Programs with invalid request	PASSED	0.000 s

### Test if user is able to get all Programs when sending invalid endpoint

PASSED	*DURATION - 0.014 s*
/ 5:07:02.148 PM // 5:07:02.162 PM /	
Test the Program using GET	
@Getallprograms @testcase3programs	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get all Programs	PASSED	0.001 s
2	Then The content type of response header should be application/json to get all Programs	PASSED	0.000 s
3	When User sends request with invalid endpoint for all Programs	PASSED	0.000 s
4	Then User should receive response with Not found status code for all Programs	PASSED	0.000 s
5	And The response body should contain error message from "11" "API" for all the Programs	PASSED	0.000 s
6	And The status line should be HTTP/1.1 404 for all Programs	PASSED	0.009 s

## To test the Batch by program ID using Get Method.

PASSED	DURATION - 0.132 s		Scenarios		Steps	
/ 5:07:02.217 PM // 5:07:02.349 PM /			Total - 3		Total - 18	
			Pass - 3	3	Pass - 18	18
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

Test if user able to get a Batch by progID when sending valid request

PASSED	DURATION - 0.015 s		Steps	
/ 5:07:02.217 PM // 5:07:02.232 PM /			Total - 6	
To test the Batch by program ID using Get Method.			Pass - 6	6
@getbatchbyprogID			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User sends request with base url forbatch by progid	PASSED	0.001 s
2	Then The content type of response header should be application/json to get for batchprogID	PASSED	0.001 s
3	When User send a request with valid endpoint to get batchprogID	PASSED	0.001 s
4	Then User should receive response with success status code for Batchprogid	PASSED	0.006 s
5	And Validate Get batch by batchprogID Schema in json format	PASSED	0.001 s
6	And The status line should beHTTP/1.1 200for valid batchprogid	PASSED	0.000 s

Test if user is able to get batch Id when sending invalid request

PASSED	DURATION - 0.013 s		Steps	
/ 5:07:02.269 PM // 5:07:02.282 PM /			Total - 6	
To test the Batch by program ID using Get Method.			Pass - 6	6
@getbatchbyprogID			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User sends request with base url forbatch by progid	PASSED	0.000 s
2	Then The content type of response header should be application/json to get for batchprogID	PASSED	0.001 s
3	When User send a invalid request with valid endpoint batchprogid	PASSED	0.005 s
4	Then Verify response with status code 'Method Not Allowed' batchprogid	PASSED	0.001 s
5	And Validate Get batch by batchprogID Schema in json format	PASSED	0.000 s
6	And The status line should beHTTP/1.1 405for valid batchprogid	PASSED	0.001 s

### Test if user is able to getbatchbyprogID when sending invalid endpoint

PASSED	DURATION - 0.014 s		Steps	
			Total - 6	
/ 5:07:02.335 PM // 5:07:02.349 PM /			Pass - 6	
			Fail - 0	6
To test the Batch by program ID using Get Method.			Skip - 0	
@getbatchbyprogID				

| #	Step / Hook Details	Status	Duration
1	Given User sends request with base url forbatch by progid	PASSED	0.000 s
2	Then The content type of response header should be application/json to get for batchprogID	PASSED	0.000 s
3	When User send a invalid endpoint with valid request for batchprogId	PASSED	0.000 s
4	Then Verify response with status code 'Bad Request' batchprogid	PASSED	0.004 s
5	And Validate Get batch by batchprogID Schema in json format	PASSED	0.000 s
6	And The status line should be HTTP/1.1 400 for invalid endpoint batchprogid	PASSED	0.000 s

Test the Batch by name using GET

PASSED	DURATION - 0.163 s		Scenarios		Steps	
			Total - 4		Total - 21	
/ 5:07:02.453 PM // 5:07:02.616 PM /			Pass - 4	4	Pass - 21	21
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

Test if user is able to get batch by name when sending valid request

PASSED	DURATION - 0.029 s

/ 5:07:02.454 PM // 5:07:02.483 PM /

Test the Batch by name using GET

@test1getbatchbyname @getbatchbyname

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get batch by name	PASSED	0.001 s
2	Then The content type of response header should be application/json to get batch by name	PASSED	0.001 s
3	When User sends request with valid endpoint to get batch by name	PASSED	0.001 s
4	Then User should receive response with success status code for batch by name	PASSED	0.000 s
5	And The response body should contain all the details of the requested batch from "13" "API"	PASSED	0.011 s
6	And The status line should be HTTP/1.1 200 for batch by name	PASSED	0.000 s

Test if user is able to get batch by name when sending invalid request

PASSED	DURATION - 0.008 s

/ 5:07:02.535 PM // 5:07:02.543 PM /

Test the Batch by name using GET

@getbatchbyname @test2getbatchbyname

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get batch by name	PASSED	0.001 s
2	Then The content type of response header should be application/json to get batch by name	PASSED	0.000 s
3	When User sends POST, PUT, PATCH, DELETE requests with valid endpoint for batch by name	PASSED	0.000 s
4	Then User should receive response with Method Not Allowed status code for batch by name	PASSED	0.001 s
5	And The response body should contain error message Method Not Allowed for batch by name from "9" "API"	PASSED	0.000 s
6	And The status line should be HTTP/1.1 405 for metod not allowed batch by name	PASSED	0.004 s

Test if user is able to get batch by name when sending invalid endpoint

PASSED	DURATION - 0.004 s
/ 5:07:02.583 PM // 5:07:02.587 PM /	
Test the Batch by name using GET	
@test3getbatchbyname @getbatchbyname	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get batch by name	PASSED	0.000 s
2	Then The content type of response header should be application/json to get batch by name	PASSED	0.000 s
3	When User sends request with invalid endpoint for batch by name from "6" "API"	PASSED	0.000 s
4	Then User should receive response with Bad Request status code for batch by name	PASSED	0.000 s
5	And The response body should contain error message ENTITY_DOES_NOT_EXIST for the batch by name	PASSED	0.001 s
6	And The status line should be HTTP/1.1 400 for the batch by name	PASSED	0.000 s

Test if JSON schema matches the response while sending valid request

PASSED	DURATION - 0.002 s
/ 5:07:02.614 PM // 5:07:02.616 PM /	
Test the Batch by name using GET	
@test4getbatchbyname @getbatchbyname	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user sends base url as a part of request to get batch by name	PASSED	0.001 s
2	Then The content type of response header should be application/json to get batch by name	PASSED	0.000 s
3	Then The JSON schema should match the response to get batch by name	PASSED	0.001 s

To test the program by ID using Get Method

PASSED	DURATION - 0.116 s	Scenarios	Steps

/ 5:07:02.655 PM // 5:07:02.771 PM /

| Scenarios		Steps	
Total - 3	3	Total - 13	13
Pass - 3		Pass - 13	
Fail - 0		Fail - 0	
Skip - 0		Skip - 0	

User able to Get a Program by ID with valid request

PASSED	DURATION - 0.011 s

/ 5:07:02.655 PM // 5:07:02.666 PM /

To test the program by ID using Get Method

@getprogbyid

Steps	
Total - 5	5
Pass - 5	
Fail - 0	
Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User sends valid base url to get Program by Id	PASSED	0.000 s
2	When User sends request with its endpoint to get Program ID	PASSED	0.004 s
3	Then User should receive response with status code	PASSED	0.002 s
4	And Validate response body to get Program by ID	PASSED	0.001 s
5	And Verify status line should be success line	PASSED	0.001 s

User able to Get a Program by ID with invalid request

PASSED	DURATION - 0.009 s

/ 5:07:02.721 PM // 5:07:02.730 PM /

To test the program by ID using Get Method

@getprogbyid

Steps	
Total - 4	4
Pass - 4	
Fail - 0	
Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User sends the url with invalid request	PASSED	0.000 s
2	When User sends the request with its invalid request	PASSED	0.000 s
3	Then Validate response with status code Method not allowed	PASSED	0.001 s
4	And Validate response body with error message not allowed	PASSED	0.003 s

User able to Get a Program by ID with invalid endpoint

PASSED	DURATION - 0.004 s		Steps	
/ 5:07:02.767 PM // 5:07:02.771 PM /			Total - 4	
			Pass - 4	4
To test the program by ID using Get Method			Fail - 0	
			Skip - 0	
@getprogbyid				

#	Step / Hook Details	Status	Duration
1	Given User sends the request to get Program ID	PASSED	0.000 s
2	When User sends a request body with invalid endpoint	PASSED	0.001 s
3	Then Verify response with status code Bad Request	PASSED	0.001 s
4	And Validate the response body with error code message 'ENTITY_DOES_NOT_EXIST'	PASSED	0.001 s

Test Batch and Program with invalid uri

PASSED	DURATION - 0.055 s	Scenarios		Steps	
/ 5:07:02.810 PM // 5:07:02.865 PM /		Total - 3		Total - 15	
		Pass - 3	3	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Test if user is able to get all programs when sending invalid base url

PASSED	DURATION - 0.003 s

/ 5:07:02.810 PM // 5:07:02.813 PM /

Test Batch and Program with invalid uri

@getallprograms @Invaliduri

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user sends invalid base url	PASSED	0.000 s
2	When User sends request with valid endpoint for getting all the programs	PASSED	0.001 s
3	Then User should receive response with service unavailable status code	PASSED	0.000 s
4	And The response body should contain application error message for all programs	PASSED	0.001 s
5	And The content type of response header should be text/html for all programs	PASSED	0.000 s

Test if user is able to get all batches when sending invalid base url

PASSED	DURATION - 0.003 s

/ 5:07:02.836 PM // 5:07:02.839 PM /

Test Batch and Program with invalid uri

@getallbatches @Invaliduri

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user sends invalid base url	PASSED	0.001 s
2	When User sends request with valid endpoint for getting all the batches	PASSED	0.000 s
3	Then User should receive response with service unavailable status code	PASSED	0.000 s
4	And The response body should contain application error message for all batches	PASSED	0.000 s
5	And The content type of response header should be text/html for all batches	PASSED	0.000 s

Test if user is able to get the batch by batch name when sending invalid base url

PASSED	DURATION - 0.003 s
/ 5:07:02.862 PM // 5:07:02.865 PM /	
Test Batch and Program with invalid uri	
@getallbatchbyname @Invaliduri	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given The user sends invalid base url	PASSED	0.000 s
2	When User sends request with valid endpoint for getting the requested batch detail	PASSED	0.000 s
3	Then User should receive response with service unavailable status code	PASSED	0.001 s
4	And The response body should contain application error message for getting batch by name	PASSED	0.000 s
5	And The content type of response header should be text/html for getting batch by name	PASSED	0.001 s