

Basic Java Programs Document

1. Hello World Program

```
class HelloWorld {  
    public static void main(String[] args) {  
        System.out.println("Hello, World!");  
    }  
}
```

2. Addition of Two Numbers

```
import java.util.Scanner;  
  
class Addition {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
  
        int a, b, sum;  
  
        System.out.print("Enter first number: ");  
        a = sc.nextInt();  
  
        System.out.print("Enter second number: ");  
        b = sc.nextInt();  
  
        sum = a + b;  
  
        System.out.println("Sum = " + sum);  
    }  
}
```

3. Check Even or Odd

```
import java.util.Scanner;  
  
class EvenOdd {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
  
        int num;
```

```

        System.out.print("Enter a number: ");
        num = sc.nextInt();

        if(num % 2 == 0)
            System.out.println("Even Number");
        else
            System.out.println("Odd Number");
    }
}

```

4. Find Largest of Three Numbers

```

import java.util.Scanner;

class Largest {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int a, b, c;

        System.out.print("Enter first number: ");
        a = sc.nextInt();

        System.out.print("Enter second number: ");
        b = sc.nextInt();

        System.out.print("Enter third number: ");
        c = sc.nextInt();

        if(a > b && a > c)
            System.out.println("Largest = " + a);
        else if(b > c)
            System.out.println("Largest = " + b);
        else
            System.out.println("Largest = " + c);
    }
}

```

5. Factorial of a Number

```
import java.util.Scanner;

class Factorial {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int num, fact = 1;

        System.out.print("Enter a number: ");
        num = sc.nextInt();

        for(int i = 1; i <= num; i++) {
            fact = fact * i;
        }

        System.out.println("Factorial = " + fact);
    }
}
```

6. Fibonacci Series

```
class Fibonacci {
    public static void main(String[] args) {

        int a = 0, b = 1, c;

        System.out.print(a + " " + b);

        for(int i = 1; i <= 8; i++) {
            c = a + b;
            System.out.print(" " + c);

            a = b;
            b = c;
        }
    }
}
```

7. Prime Number Check

```

import java.util.Scanner;

class Prime {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int num, count = 0;

        System.out.print("Enter a number: ");
        num = sc.nextInt();

        for(int i = 1; i <= num; i++) {
            if(num % i == 0)
                count++;
        }

        if(count == 2)
            System.out.println("Prime Number");
        else
            System.out.println("Not a Prime Number");
    }
}

```

8. Reverse a Number

```

import java.util.Scanner;

class ReverseNumber {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int num, rev = 0, rem;

        System.out.print("Enter a number: ");
        num = sc.nextInt();

        while(num != 0) {
            rem = num % 10;
            rev = rev * 10 + rem;
            num = num / 10;
        }
    }
}

```

```
        System.out.println("Reversed Number = " + rev);
    }
}
```

9. Palindrome Number

```
import java.util.Scanner;
```

```
class Palindrome {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int num, temp, rem, rev = 0;

        System.out.print("Enter a number: ");
        num = sc.nextInt();

        temp = num;

        while(num != 0) {
            rem = num % 10;
            rev = rev * 10 + rem;
            num = num / 10;
        }

        if(temp == rev)
            System.out.println("Palindrome Number");
        else
            System.out.println("Not a Palindrome");
    }
}
```

10. Simple Calculator

```
import java.util.Scanner;
```

```
class Calculator {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int a, b, choice;
```

```

System.out.println("1. Addition");
System.out.println("2. Subtraction");
System.out.println("3. Multiplication");
System.out.println("4. Division");

System.out.print("Enter your choice: ");
choice = sc.nextInt();

System.out.print("Enter first number: ");
a = sc.nextInt();

System.out.print("Enter second number: ");
b = sc.nextInt();

switch(choice) {
    case 1:
        System.out.println("Result = " + (a + b));
        break;

    case 2:
        System.out.println("Result = " + (a - b));
        break;

    case 3:
        System.out.println("Result = " + (a * b));
        break;

    case 4:
        System.out.println("Result = " + (a / b));
        break;

    default:
        System.out.println("Invalid Choice");
}
}
}

```

11. Array Sum Program

```
import java.util.Scanner;
```

```

class ArraySum {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int[] arr = new int[5];
        int sum = 0;

        System.out.println("Enter 5 elements:");

        for(int i = 0; i < 5; i++) {
            arr[i] = sc.nextInt();
            sum = sum + arr[i];
        }

        System.out.println("Sum = " + sum);
    }
}

```

12. String Reverse Program

```

import java.util.Scanner;

class StringReverse {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        String str, rev = "";

        System.out.print("Enter a string: ");
        str = sc.nextLine();

        for(int i = str.length() - 1; i >= 0; i--) {
            rev = rev + str.charAt(i);
        }

        System.out.println("Reversed String = " + rev);
    }
}

```