

Intermediate Elective

Stella Freedberg

2026-05-10

Packages

```
# general use and cleaning
library(tidyverse)
library(here)
library(janitor)
library(snakecase)
library(lubridate)
library(dplyr)
library(glue)

# wrapping axis labels
library(scales)

# reading in .xlsx files
library(readxl)

# visualizing missing data
library(naniar)

# arranging plots
library(patchwork)
```

```
extrafont::loadfonts()
```

Data

```
# taxonomic information
taxon_list <- read_csv(here("data", "taxon_list.csv"))

# aquatic invertebrates
aq_ins <- read_xlsx(here("data", "Aquatic Sampling Data-2026-03-10.xlsx"),
                  sheet = "Aquatic Insects")

# site information
sites <- read_xlsx(here("data", "Aquatic Sampling Data-2026-03-10.xlsx"),
                  sheet = "sites")

# water quality information
water_quality <- read_xlsx(here("data", "Aquatic Sampling Data-2026-03-10.xlsx"),
                          sheet = "Water Quality",
                          na = c("", "n/a", "N/A", "over", "173+"))

# creating new object from sites
ncos_sites <- sites |>
  # filter to only include NCOS sites sampled four times a year
  filter(sector == "NCOS" & sampling_frequency == "Quarterly")
```


1. Explain your inspiration

- I picked the spiral looking graphic labeled 2021_06_dubois_data graphic by Ijeamaka Anyenes.
- This graphic makes sense for my dataset of choice because it is able to display differences in abundance in a fun yet clear and simple way.
- The visualization will show the 5 most abundant inverts during 2024. Each line will represent a different invert and have its own color while the length of the line represents abundance.

2. Plan your figure

- Final visual goal: compare the abundances of the most common inverts found at ncoss in 2024

```
knitr:: include_graphics(here("code","IMG_2970.jpg"))
```



#3. Code your figure

Create data frame

```
invert_2024 <- aq_ins |>  
  clean_names() |>  
  rename(date = date_on_vial) |>  
  filter(year(date) == 2024) |>  
  select(ostracod,
```

```

      copepod,
      hemiptera_corixidae_boatman,
      cladocera,
      nematode) |>
pivot_longer(cols = ostracod:nematode,
              names_to = "taxon",
              values_to = "abundance") |>
mutate(
  abundance = replace_na(abundance, 0),
  taxon = str_to_title(str_replace_all(taxon, "_", " "))
) |>
group_by(taxon) |>
summarise(total_abundance = sum(abundance), .groups = "drop") |>
arrange(total_abundance)

```

```

max_x <- max(invert_2024$total_abundance) / 1.5

```

```

slope <- (2-0) / (0 - max_x)

```

```

invert_spiral <- invert_2024 |>
mutate(
  taxon = as.factor(taxon),
  y = seq(12, by = -3, length.out = n()),
  x = 0
) |>
rowwise() |>
mutate(
  xend = min(total_abundance, max_x),
  yend = slope * xend + y
) |>
mutate(
  y_2 = yend,
  x_2 = 0,
  xend_2 = if_else(total_abundance <= max_x,
                   NA_real_,
                   total_abundance - max_x),
  yend_2 = slope * xend_2 + y_2
)

```

```

invert_label <- invert_spiral |>
select(taxon, total_abundance, y, x) |>


```

```
mutate(
  label = glue("{taxon} --- {total_abundance}")
)
```

```
ggplot(data = invert_spiral) +
  geom_segment(aes(x = x, xend = xend,
                  y = y, yend = yend,
                  color = taxon),
              size = 5) +
  geom_text(data = invert_label,
            aes(x = x, y = y,
                label = label),
            size = 2.5,
            hjust = 1) +
  labs(
    title = "Total abundance of the most common inverts at NCOS in 2024",
    caption = "Source: 2024 invertebrate abundance data"
  ) +
  coord_polar(clip = "off") +
  ylim(-25, 15) +
  xlim(-25, max(invert_2024$total_abundance)/1.5) +
  theme_void() +
  theme(
    plot.background = element_rect(fill = "white",
                                    color = NA),
    plot.margin = margin(t = 20, r = 5, b = 5, l = 5),
    panel.background = element_rect(fill = "white",
                                    color = NA),
    plot.title = element_text(hjust = 0.5,
                              face = "bold",
                              size = 15),
    plot.caption = element_text(size = 6),
    legend.position = "none"
  )
```

Warning: Using `size` aesthetic for lines was deprecated in ggplot2 3.4.0.
 i Please use `linewidth` instead.

Total abundance of the most common inverts at NCOS in 2024



Source: 2024 invertebrate abundance data