

https://me1-planet-tracker.herokuapp.com/









Performance

Accessibility

Best Practices

SEO

PWA



Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0-49

50-89

90-100



METRICS Expand view

First Contentful Paint

1.9 s

Speed Index

1.9 s

Largest Contentful Paint

6.2 s

Time to Interactive

1.9 s

Total Blocking Time

10 ms

Cumulative Layout Shift

0.381

View Original Trace























Show audits relevant to: All FCP TBT LCP CLS

OPPORTUNITIES

Opportunity **Estimated Savings**

LIIIIIIIate render-blocking resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. Learn more. FCP (LCP)

URL	Transfer Size	Potential Savings
css/bootstrap.min.css (cdn.jsdelivr.net)	25.0 KiB	1,080 ms
css/style.713css (res.cloudinary.com)	0.5 KiB	790 ms
/css2?family= (fonts.googleapis.com)	0.9 KiB	790 ms
/12f26c877d.js (kit.fontawesome.com)	4.0 KiB	830 ms

These suggestions can help your page load faster. They don't directly affect the Performance score.

DIAGNOSTICS

▲ Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn more [CLS]

img.i
mgfluid ...images/Normandy_Render.8f19a1fe876f.webp (res.cloudinary.com)

Serve static assets with an efficient cache policy — 4 resources found

A long cache lifetime can speed up repeat visits to your page. Learn more.

URL	Cache TTL	Transfer Size
images/background-image.7ce017aff2aa.webp (res.cloudinary.com)	30 d	626 KiB
images/Normandy_Render.8f19a1fe876f.webp (res.cloudinary.com)	30 d	28 KiB
css/style.713css (res.cloudinary.com)	30 d	1 KiB

about:blank 2/25

URL	Cache TTL	Transfer Size
js/script.c6a413fdc072.js (res.cloudinary.com)	30 d	1 KiB

O Avoid chaining critical requests - 7 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. <u>Learn more</u>. FCP) LCP

Maximum critical path latency: 360 ms

Initial Navigation

https://me1-planet-tracker.herokuapp.com

...css/bootstrap.min.css (cdn.jsdelivr.net) - 60 ms, 24.97 KiB

...css/style.713....css (res.cloudinary.com) - 70 ms, 0.52 KiB

/css2?family=... (fonts.googleapis.com)

...v9/JTUSjlg69....woff2 (fonts.gstatic.com) - 30 ms, 8.01 KiB

...v25/ieVl2ZhZl....woff2 (fonts.gstatic.com) - 30 ms, 10.80 KiB

/12f26c877d.js (kit.fontawesome.com) - 110 ms, 3.99 KiB

...js/bootstrap.bundle.min.js (cdn.jsdelivr.net) - 120 ms, 23.60 KiB

...js/script.c6a413fdc072.js (res.cloudinary.com) - 40 ms, 0.52 KiB

○ Keep request counts low and transfer sizes small − 17 requests • 765 KiB

To set budgets for the quantity and size of page resources, add a budget.json file. Learn more.


Resource Type	Requests	Transfer Size
Total	17	765.0 KiB
Image	2	654.3 KiB
Other	6	31.8 KiB
Script	3	28.1 KiB
Stylesheet	3	26.4 KiB
Font	2	18.8 KiB
Document	1	5.6 KiB

about:blank 3/25

Resource Type	Requests	Transfer Size
Media	0	0.0 KiB
Third-party	16	759.4 KiB


O Lar	gest C	Contentful	Paint	element	_	1	element	found
-------	--------	------------	-------	---------	---	---	---------	-------

This is the largest contentful element painted within the viewport. Learn More [LCP]



O Avoid large layout shifts - 4 elements found

These DOM elements contribute most to the CLS of the page. (CLS)



Element	CLS	Contribution

O Avoid long main-thread tasks — 9 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn more (TBT)

✓ Show 3rd-party resources (3)

URL	Start Time	Duration
https://me1-planet-tracker.herokuapp.com	1,325 ms	520 ms
https://me1-planet-tracker.herokuapp.com	884 ms	144 ms
Unattributable	1,103 ms	86 ms
Unattributable	1,028 ms	75 ms
/12f26c877d.js (kit.fontawesome.com)	1,896 ms	75 ms
https://me1-planet-tracker.herokuapp.com	802 ms	66 ms
https://me1-planet-tracker.herokuapp.com	1,265 ms	60 ms
/12f26c877d.js (kit.fontawesome.com)	1,845 ms	51 ms
css/bootstrap.min.css (cdn.jsdelivr.net)	2,030 ms	50 ms

More information about the performance of your application. These numbers don't <u>directly affect</u> the Performance score.

PASSED AUDITS (32)	Hide
Properly size images	^
Serve images that are appropriately-sized to save cellular data and improve load time. Learn more.	
Defer offscreen images	^
Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower interactive. Learn more.	time to

about:blank 5/25

Minify CSS Minifying CSS files can reduce network payload sizes. Learn more. FCP [LCP] Minify JavaScript Minifying JavaScript files can reduce payload sizes and script parse time. Learn more. FCP [LCP] Reduce unused CSS - Potential savings of 44 KiB Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn more. (FCP) (LCP) Show 3rd-party resources (1) Transfer Potential **URL** Size Savings 25.0 KiB 24.2 KiB ...css/bootstrap.min.css (cdn.jsdelivr.net) /*! * Font Awesome Free 6.2.1 by @fontawesome - https://fontawesome.com * 20.2 KiB 20.1 KiB License - https://fontaw... Reduce unused JavaScript Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn more. [LCP] Efficiently encode images Optimized images load faster and consume less cellular data. Learn more. Serve images in next-gen formats Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn more. Enable text compression - Potential savings of 3 KiB Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. Learn

about:blank 6/25

more. [FCP] [LCP]

URL	Iransfer	Potential
	Size	Savings
https://me1-planet-tracker.herokuapp.com	5.4 KiB	3.4 KiB
Preconnect to required origins		
Consider adding `preconnect` or `dns-prefetch` resource hints to establish early corigins. Learn more. FCP LCP	connections to important third	d-party
Initial server response time was short — Root document took 50 ms		
Keep the server response time for the main document short because all other rec [LCP]	quests depend on it. <u>Learn m</u>	ore. FCP
URL		Time Spent
https://me1-planet-tracker.herokuapp.com		50 ms
Avoid multiple page redirects		
Redirects introduce additional delays before the page can be loaded. Learn more	e. FCP LCP	
Preload key requests		
Consider using ` <link rel="preload"/> ` to prioritize fetching resources that are currenmore. FCP LCP	ntly requested later in page lo	ad. <u>Learn</u>
Use HTTP/2		
HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multip	olexing. <u>Learn more</u> .	
Use video formats for animated content		,
Large GIFs are inefficient for delivering animated content. Consider using MPEG-PNG/WebP for static images instead of GIF to save network bytes. Learn more L		s and
Remove duplicate modules in JavaScript bundles		,
	rv bytes consumed by netwo	rk activity.
Remove large, duplicate JavaScript modules from bundles to reduce unnecessar (TBT)	, , , , , , , , , , , , , , , , , , , ,	

Transfer

Potential

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. <u>Learn More (TBT)</u>

Preload Largest Contentful Paint image

Preload the image used by the LCP element in order to improve your LCP time. <u>Learn more</u>. <u>LCP</u>

	URL	Potential Savings
img.img-fluid	images/Normandy_Render.8f19a1fe876f.webp (res.cloudinary.com)	0 ms

Avoids enormous network payloads — Total size was 765 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn more. [LCP]

✓ Show 3rd-party resources (9)

URL	Transfer Size
images/background-image.7ce017aff2aa.webp (res.cloudinary.com)	626.1 KiB
images/Normandy_Render.8f19a1fe876f.webp (res.cloudinary.com)	28.1 KiB
css/bootstrap.min.css (cdn.jsdelivr.net)	25.0 KiB
js/bootstrap.bundle.min.js (cdn.jsdelivr.net)	23.6 KiB
css/free.min.css?token=12f26c877d (ka-f.fontawesome.com)	22.9 KiB
v25/ieVI2ZhZIwoff2 (fonts.gstatic.com)	10.8 KiB
v9/JTUSjIg69woff2 (fonts.gstatic.com)	8.0 KiB
https://me1-planet-tracker.herokuapp.com	5.6 KiB
css/free-v4-shims.min.css?token=12f26c877d (ka-f.fontawesome.com)	4.5 KiB

about:blank 8/25

URL	Transfer Size
/12f26c877d.js (kit.fontawesome.com)	4.0 KiB

Avoids an excessive DOM size - 34 elements

A large DOM will increase memory usage, cause longer <u>style calculations</u>, and produce costly <u>layout reflows</u>. <u>Learn more</u>. <u>TBT</u>

Statistic	Element	Value
Total DOM Elements		34
Maximum DOM Depth	a.nav-link.active	7
	body	
Maximum Child Elements		6

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. <u>Learn more</u>.

JavaScript execution time - 0.3 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn more</u>. (TBT)

✓ Show 3rd-party resources (2)

URL	Total CPU Time	Script Evaluation	Script Parse
https://me1-planet-tracker.herokuapp.com	1,114 ms	21 ms	3 ms
Unattributable	518 ms	106 ms	0 ms
/12f26c877d.js (kit.fontawesome.com)	144 ms	122 ms	2 ms
js/bootstrap.bundle.min.js (cdn.jsdelivr.net)	77 ms	17 ms	15 ms

about:blank 9/25

Minimizes main-thread work - 1.9 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn more (TBT)</u>

Category	Time Spent
Rendering	673 ms
Other	598 ms
Style & Layout	308 ms
Script Evaluation	267 ms
Parse HTML & CSS	66 ms
Script Parsing & Compilation	20 ms

All text remains visible during webfont loads

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more. FCP [LCP]

Minimize third-party usage — Third-party code blocked the main thread for 20 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. <u>Learn more</u>. (TBT)

Third-Party	Transfer Size	Main-Thread Blocking Time
FontAwesome CDN	33 KiB	25 ms
/12f26c877d.js (kit.fontawesome.com)	4 KiB	25 ms
css/free.min.css?token=12f26c877d (ka-f.fontawesome.com)	23 KiB	0 ms
css/free-v4-shims.min.css?token=12f26c877d (ka-f.fontawesome.com)	5 KiB	0 ms
Cloudinary	658 KiB	0 ms
images/background-image.7ce017aff2aa.webp (res.cloudinary.com)	626 KiB	0 ms
JSDelivr CDN	49 KiB	0 ms
css/bootstrap.min.css (cdn.jsdelivr.net)	25 KiB	0 ms
js/bootstrap.bundle.min.js (cdn.jsdelivr.net)	24 KiB	0 ms

about:blank

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Fonts	20 KiB	0 ms
v25/ieVI2ZhZIwoff2 (fonts.gstatic.com)	11 KiB	0 ms
v9/JTUSjIg69woff2 (fonts.gstatic.com)	8 KiB	0 ms

0	Lazy load third-party resources with facades	^
	Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Learn more	<u>2</u> .
	Largest Contentful Paint image was not lazily loaded	^
	Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful pail Learn more.	nt.
	Element img.img-fluid	
	Uses passive listeners to improve scrolling performance	^
	Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. <u>Learn</u> more.	
	Avoids document.write()	^
	For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens seconds. Learn more.	of
0	Avoid non-composited animations	^
	Animations which are not composited can be janky and increase CLS. Learn more CLS	
	Has a <meta name="viewport"/> tag with width or initial-scale	^
	A ` <meta name="viewport"/> ` not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond	

about:blank 11/25

delay to user input. Learn more. (TBT)

Avoids unload event listeners

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. <u>Learn more</u>



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

The page has a logical tab order	^
Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more.	
Interactive controls are keyboard focusable	^
Custom interactive controls are keyboard focusable and display a focus indicator. Learn more.	
Interactive elements indicate their purpose and state	^
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn more.	
The user's focus is directed to new content added to the page	^
If new content, such as a dialog, is added to the page, the user's focus is directed to it. <u>Learn more</u> .	
User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region without accidentally trapping their focus. Learn more.	
Custom controls have associated labels	^
Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more.	
Custom controls have ARIA roles	^

about:blank 12/25

Custom interactive controls have appropriate ARIA roles. <u>Learn more</u> .	
Visual order on the page follows DOM order	^
DOM order matches the visual order, improving navigation for assistive technology. Learn more.	
Offscreen content is hidden from assistive technology	^
Offscreen content is hidden with display: none or aria-hidden=true. Learn more.	
HTML5 landmark elements are used to improve navigation	^
Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more.</nav></main>	

These items address areas which an automated testing tool cannot cover. Learn more in our guide on <u>conducting an accessibility</u> review.

PASSED AUDITS (15)

[aria-*] attributes match their roles Each ARIA 'role' supports a specific subset of 'aria-*' attributes. Mismatching these invalidates the 'aria-*' attributes. Learn more. [aria-hidden="true"] is not present on the document <body> Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true" is set on the document `<body>`. Learn more. [aria-*] attributes have valid values Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more. [aria-*] attributes are valid and not misspelled Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more. Buttons have an accessible name When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn more.

about:blank 13/25

ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn Image elements have [alt] attributes Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more. [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5. Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more. The page contains a heading, skip link, or landmark region Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more. Background and foreground colors have a sufficient contrast ratio Low-contrast text is difficult or impossible for many users to read. Learn more. Document has a <title> element The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more. <html> element has a [lang] attribute If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more. <html> element has a valid value for its [lang] attribute Specifying a valid BCP 47 language helps screen readers announce text properly. Learn more. Links have a discernible name Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn more. Heading elements appear in a sequentially-descending order

about:blank 14/25

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. <u>Learn more</u>.

NOT APPLICABLE (29)	Hide
[accesskey] values are unique	^
Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. <u>Learn more</u> .	
button, link, and menuitem elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusab for users who rely on screen readers. <u>Learn more</u> .	le
O [aria-hidden="true"] elements do not contain focusable descendents	^
Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available users of assistive technologies like screen readers. Learn more.	e to
ARIA input fields have accessible names	^
When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusation for users who rely on screen readers. <u>Learn more</u> .	able
ARIA meter elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusab for users who rely on screen readers. <u>Learn more</u> .	le
ARIA progressbar elements have accessible names	^
When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, maki it unusable for users who rely on screen readers. <u>Learn more</u> .	ng
[role]s have all required [aria-*] attributes	^
Some ARIA roles have required attributes that describe the state of the element to screen readers. <u>Learn more</u> .	
Elements with an ARIA [role] that require children to contain a specific [role] have all required children.	^
Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. <u>Learn more</u> .	

about:blank 15/25

O [role]s are contained by their required parent element	^
Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility fur Learn more .	nctions.
O [role] values are valid	^
ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more.	
ARIA toggle fields have accessible names	^
When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it un for users who rely on screen readers. Learn more.	usable
ARIA tooltip elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unus for users who rely on screen readers. <u>Learn more</u> .	sable
ARIA treeitem elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unus for users who rely on screen readers. <u>Learn more</u> .	sable
<dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.</td><td>^</td></tr><tr><td>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn</td><td>more.</td></tr><tr><td>O Definition list items are wrapped in <d1> elements</td><td>^</td></tr><tr><td>Definition list items (<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. Learn more.</td><td>l</td></tr><tr><td>O [id] attributes on active, focusable elements are unique</td><td>^</td></tr><tr><td>All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. Learn more.</td><td></td></tr><tr><td>No form fields have multiple labels</td><td>^</td></tr><tr><td>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn more.</td><td>se</td></tr><tr><td>O <frame> Or <iframe> elements have a title</td><td>^</td></tr><tr><td></td><td></td></tr></tbody></table></script></dd></dt></dl>	

about:blank 16/25

Screen reader users rely on frame titles to describe the contents of frames. <u>Learn more</u> .	
O <input type="image"/> elements have [alt] text	^
When an image is being used as an ` <input/> ` button, providing alternative text can help screen reader users understand the purpose of the button. Learn more.	
O Form elements have associated labels	^
Labels ensure that form controls are announced properly by assistive technologies, like screen readers. <u>Learn more</u> .	
O Lists contain only <1i> elements and script supporting elements (<script> and <template>).</td><td>^</td></tr><tr><td>Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. <u>Learn more</u>.</td><td></td></tr><tr><td>O List items () are contained within or parent elements</td><td>^</td></tr><tr><td>Screen readers require list items (`') to be contained within a parent `' or `' to be announced properly. <u>Learn more</u>.</td><td></td></tr><tr><td>The document does not use <meta http-equiv="refresh"></td><td>^</td></tr><tr><td>Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. <u>Learn more</u>.</td><td>у</td></tr><tr><td>O <object> elements have alternate text</td><td>^</td></tr><tr><td>Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. Learn more.</td><td></td></tr><tr><td>No element has a [tabindex] value greater than 0</td><td>^</td></tr><tr><td>A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. <u>Learn more</u>.</td><td></td></tr><tr><td>O Cells in a element that use the [headers] attribute refer to table cells within the same table.</td><td>^</td></tr><tr><td>Screen readers have features to make navigating tables easier. Ensuring `` cells using the `[headers]` attribute only returned to other cells in the same table may improve the experience for screen reader users. Learn more.</td><td>efer</td></tr><tr><td>elements and elements with [role="columnheader"/"rowheader"] have data cells they describe.</td><td>^</td></tr><tr><td>Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells</td><td></td></tr></tbody></table></script>	

about:blank 17/25

may improve the experience for screen reader users. Learn more.

O [lang] attributes have a valid value

Specifying a valid BCP 47 language on elements helps ensure that text is pronounced correctly by a screen reader. Learn more.


O <video> elements contain a <track> element with [kind="captions"]

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more.



Best Practices

GENERAL



TRUST AND SAFETY

Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. Learn more

about:blank

Description Directive Severity

No CSP found in enforcement mode High

Hide PASSED AUDITS (12) **Uses HTTPS** All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more. Avoids requesting the geolocation permission on page load Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more. Avoids requesting the notification permission on page load Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more. Avoids front-end JavaScript libraries with known security vulnerabilities Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. Learn more. Allows users to paste into password fields Preventing password pasting undermines good security policy. Learn more. Displays images with correct aspect ratio Image display dimensions should match natural aspect ratio. Learn more. Serves images with appropriate resolution Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn more. Page has the HTML doctype

about:blank

Specifying a doctype prevents the browser from switching to quirks-mode. Learn more.

Properly defines charset A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more. Avoids deprecated APIs Deprecated APIs will eventually be removed from the browser. Learn more. No browser errors logged to the console Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more Page has valid source maps Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more. URL Map URL ...js/bootstrap.bundle.min.js (cdn.jsdelivr.net) ...js/bootstrap.bundle.min.js.map (cdn.jsdelivr.net)

NOT APPLICABLE (2)

Fonts with font-display: optional are preloaded

Preload `optional` fonts so first-time visitors may use them. Learn more

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. Learn more.




about:blank 20/25

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more.

CONTENT BEST PRACTICES

Structured data is valid



ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

Run the <u>Structured Data Testing Tool</u> and the <u>Structured Data Linter</u> to validate structured data. <u>Learn more</u>.

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (11) Has a <meta name="viewport"> tag with width or initial-scale A `<meta name="viewport"> not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more. (TBT) Document has a <title> element A The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more. Page has successful HTTP status code A Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more. Links have descriptive text A Descriptive link text helps search engines understand your content. Learn more. Links are crawlable A Search engines may use 'href attributes on links to crawl websites. Ensure that the 'href attribute of anchor elements links

about:blank 21/25

to an appropriate destination, so more pages of the site can be discovered. Learn More

Page isn't blocked from indexing Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more. Image elements have [alt] attributes Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more. Document has a valid hreflang hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more. Document uses legible font sizes - 100% legible text Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text ≥12px. Learn more. Source Selector % of Page Text Font Size Legible text 100.00% ≥ 12px Document avoids plugins Search engines can't index plugin content, and many devices restrict plugins or don't support them. Learn more. Tap targets are sized appropriately — 100% appropriately sized tap targets Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. Learn more. **NOT APPLICABLE (2)** Hide

o robots.txt is valid	^
If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more.	•
O Document has a valid rel=canonical	^
Canonical links suggest which URL to show in search results. <u>Learn more</u> .	

about:blank 22/25



PWA

These checks validate the aspects of a Progressive Web App. Learn more.

INSTALLABLE

▲ Web app manifest or service worker do not meet the installability requirements — 4 reasons

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. <u>Learn more</u>.

Failure reason

Manifest start URL is not valid

Manifest does not contain a 'name' or 'short_name' field

No matching service worker detected. You may need to reload the page, or check that the scope of the service worker for the current page encloses the scope and start URL from the manifest.

Downloaded icon was empty or corrupted

PWA OPTIMIZED

Does not register a service worker that controls page and start_url

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. <u>Learn more</u>.

▲ Is not configured for a custom splash screen Failures: Manifest does not have `name`.

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. <u>Learn</u> more.

▲ Does not set a theme color for the address bar. Failures: No `<meta name="theme-color">` tag found.

The browser address bar can be themed to match your site. Learn more.

about:blank 23/25

Content is sized correctly for the viewpo	ort		^
If the width of your app's content doesn't rescreens. Learn more.	match the width of the viewport, your	r app might not be optimized for mobile	
Has a <meta name="viewport"/> tag with	width Or initial-scale		^
A ` <meta name="viewport"/> ` not only opting delay to user input. Learn more. TBT	mizes your app for mobile screen size	es, but also prevents <u>a 300 millisecond</u>	
Provides a valid apple-touch-icon			^
For ideal appearance on iOS when users a must point to a non-transparent 192px (or		ne screen, define an `apple-touch-icon`.	lt
▲ Manifest doesn't have a maskable icon			^
A maskable icon ensures that the image fil device. Learn more.	ls the entire shape without being lette	erboxed when installing the app on a	
ADDITIONAL ITEMS TO MANUALLY CHE	CK (3)		Hide
O Site works cross-browser			^
To reach the most number of users, sites s	should work across every major brows	ser. <u>Learn more</u> .	
 Page transitions don't feel like they bloc 	k on the network		^
Transitions should feel snappy as you tap a performance. <u>Learn more</u> .	around, even on a slow network. This	s experience is key to a user's perception	n of
Each page has a URL			^
Ensure individual pages are deep linkable media. <u>Learn more</u> .	via URL and that URLs are unique for	r the purpose of shareability on social	
These checks are required by the baseline PWA your score but it's important that you verify then		checked by Lighthouse. They do not affe	ect
Captured at Dec 17, 2022,	Emulated Moto G4 with	Single page load	
7:42 PM GMT Initial page load	Lighthouse 9.6.6 Slow 4G throttling	Using Chromium 108.0.0.0 with devtools	

about:blank 24/25

Generated by **Lighthouse** 9.6.6 | File an issue

about:blank 25/25