Lab 1

Stephanie Salgado

Accessing Deterlab (New Platform)



I logged into the platform using the provided login information.

Creating an Experiment



Navigated to “Experiments” on the side bar and clicked “New Experiment”.

Viewing Experiment Details



Model Editor



In “Model Editor”, I selected “Start from scratch” and added the example provided in the documentation.

```
from mergexp import *

# Create a network topology object. This network will automatically
# add IP addresses to all node interfaces and configure static routes
# between all experiment nodes.
net = Network('hello-world', addressing==ipv4, routing==static)

# Create three nodes.
a,b,c = [net.node(name) for name in ['a', 'b', 'c']]

# Create a link connecting the three nodes.
link = net.connect([a,b,c])

# Make this file a runnable experiment based on our three node topology.
experiment(net)
```

Compilation

Compilation Successful

```python
from mergexp import *

# Create a network topology object. This network will automatically
# add IP addresses to all node interfaces and configure static routes
# between all experiment nodes.
net = Network('hello-world', addressing==ipv4, routing==static)

# Create three nodes.
a,b,c = [net.node(name) for name in ['a', 'b', 'c']]

# Create a link connecting the three nodes.
link = net.connect([a,b,c])

# Make this file a runnable experiment based on our three node topology.
experiment(net)
```

Upon compiling successfully, we get the "Compiled Topology" pictured below.



Pushing Model to Experiment



After that, I push the model to the experiment I had created. Once pushed, there is a “Model Pushed” success message.



When I inspect the details, this time there is a that shows that the compilation succeeded.

Realizing the Experiment



To realize the revision, I clicked on the revision hash then “Reserve Revision”.

Assessing Realization Status

Under “Reservations”, I find the reservation I made under the name I gave it.



Clicking on “helloworldssalgado” displays its details.

Materializing the Realization



To materialize, I go back to the previous screen and select the 3 dots next to my reservation, then I click “Activate”.



Notice, when clicking “Activations” on the side bar, the activation appears.



Clicking on the activation reveals its status as success.

Attaching XDC



First, I created a new XDC.



Then, clicking on the 3 dots allows you to attach it to a materialization.



Clicking on it reveals its details.

Starting Instance



I go back to the list of XDCs and click Jupyter on my XDC to start my instance.

Terminal



I launch a terminal within the XDC.

```
Terminal 1

# su - csci3306ogrp
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

csci3306ogrp@stephaniesalgadolab1:~$ echo "PATH=$PATH:/share" > .profile
csci3306ogrp@stephaniesalgadolab1:~$ echo ufxKhQaAha > pass.txt
csci3306ogrp@stephaniesalgadolab1:~$ exit
logout
# su - csci3306ogrp
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

csci3306ogrp@stephaniesalgadolab1:~$ 
```

Since it's my first time accessing, I run the following commands.

Summary

In this lab, I accessed Deterlab and familiarized myself with the platform. I created an experiment, then created a model. After that I compiled and pushed the model to the experiment. Then I realized the experiment. Once that was done, I materialized the realization and attached it to my XDC. Lastly I started an instance and launched a terminal session on the XDC. Overall, this lab was a helpful introduction to the platform.