

Logis-API Specification

To run the Logis-API, follow these steps:

1. Extract the LogisAPI.zip file.
2. Execute LogisAPI.exe.

If you see the console as shown below, it indicates that the API is running successfully.

```
info: Microsoft.Hosting.Lifetime[14]
      Now listening on: http://localhost:5000
info: Microsoft.Hosting.Lifetime[14]
      Now listening on: https://localhost:5001
info: Microsoft.Hosting.Lifetime[0]
      Application started. Press Ctrl+C to shut down.
info: Microsoft.Hosting.Lifetime[0]
      Hosting environment: Production
info: Microsoft.Hosting.Lifetime[0]
```

API List

- ## 1. Api/Item/GetItems

Method: Post

Params:

- i. token – The token is generated by encrypting the phrase “logistics is the future.” using the SHA256 method.

Headers		
	Key	Value
<input checked="" type="checkbox"/>	token	[REDACTED]
	Key	Value

2. Api/Logis/GetItemTypes

Method: Get

Params:

- i. token – The token is generated by encrypting the phrase “logistics is the future.” using the SHA256 method.

Headers		
	Key	Value
<input checked="" type="checkbox"/>	token	[REDACTED]
	Key	Value

3. Api/Logis/ GetItemTypeImage

Method: Post

Params:

- i. type – the type of the item.

Query Params		
<input checked="" type="checkbox"/>	Key	Value
<input checked="" type="checkbox"/>	type	[REDACTED]
	Key	Value