

COMMONS

A L^AT_EX package for macros I commonly use

Stephen Catsamas

January 16, 2025

Contents

1	Options	1
1.1	<code>draft</code>	1
1.2	<code>tikz</code>	2
2	Commands	2
2.1	Editing	2
2.1.1	<code>\todo[1]</code>	2
2.1.2	<code>\todofig[1]</code>	2
2.1.3	<code>\addcite</code>	2
2.1.4	<code>\fix</code>	2
2.1.5	<code>\printlistoftodo</code>	2
2.2	Text	2
2.2.1	<code>\textqt[1]</code>	2
2.2.2	<code>\textqqt[1]</code>	2
2.3	Math	2
2.3.1	<code>\diff[2]</code>	2
2.3.2	<code>the other commands...</code>	3
3	Examples	3
3.1	Todo List	3

1 Options

1.1 `draft`

Enables the editing commands (section 2.1).

1.2 tikz

Enables the tikz commands.

2 Commands

2.1 Editing

When the `draft` mode is enabled (section 1.1), these commands also add an entry to `\listoftodo`.

2.1.1 `\todo[1]`

2.1.2 `\todofig[1]`

Adds in a placeholder figure of radius `#1`.

2.1.3 `\addcite`

This command adds a todo reminder to add a citation

2.1.4 `\fix`

This command adds a todo reminder to fix something.

2.1.5 `\printlistoftodo`

This command will print the list of todo if the `draft` option (section 1.1) is enabled, otherwise nothing will be printed.

2.2 Text

2.2.1 `\textqt[1]`

This command ‘single quotes `#1`’

2.2.2 `\textqqt[1]`

This command “double quotes `#1`”

2.3 Math

2.3.1 `\diff[2]`

This command adds a differential operator: $\frac{\partial \#1}{\partial \#2}$

2.3.2 the other commands...

3 Examples

3.1 Todo List

To output a todo list you can either use `\listoftodo` (always enabled), or `\printlistoftodo` (no-op when the `draft` option is enabled.)