

MULTIFILE

A L^AT_EX package for compiling sections of larger documents

Stephen Catsamas

January 16, 2025

Contents

1	Options	1
1.1	<code>fp</code>	1
1.2	<code>preamblefp</code>	1
2	Commands	2
2.0.1	<code>\rootfp</code>	2
2.0.2	<code>\thisfp</code>	2
2.0.3	<code>\includefrom[2]</code>	2
2.1	<code>\ifrootfile[1]</code>	2
3	Counters	2
3.1	<code>includedepth</code>	2
4	Environments	2
5	Examples	2

1 Options

1.1 `fp`

This option should be set to the filepath of the root project directory

1.2 `preamblefp`

This options should be set to the relative filepath from the root project directory of a `.tex` file containing the preamble to be included for a standalone compilation of the current file.

2 Commands

2.0.1 `\rootfp`

The filepath of the project root directory.

2.0.2 `\thisfp`

The filepath of the current file

2.0.3 `\includefrom[2]`

Include the file #2 from the directory #1 and set `\thisfp` to #1.

2.1 `\ifrootfile[1]`

Only compiles #1 if the current file is the root compilation file.

3 Counters

3.1 `includedepth`

A counter to store the include depth level of the current file.

4 Environments

5 Examples