

```

Last login: Mon Jun 15 15:36:44 on ttys000
stephenrajva@Stephens-MacBook-Air-4 ~ % which sst
/Users/stephenrajva/sst/sst-core-install/bin/sst
stephenrajva@Stephens-MacBook-Air-4 ~ % /usr/local/bin/sst
zsh: no such file or directory: /usr/local/bin/sst
stephenrajva@Stephens-MacBook-Air-4 ~ % sst --version
SST-Core Version (-dev, git branch : master, SHA: 380b62e9a798a409100f88129f9634e2317ddaeb)
stephenrajva@Stephens-MacBook-Air-4 ~ %
stephenrajva@Stephens-MacBook-Air-4 ~ % sst-info | head -40
dyld[3110]: Library not loaded: /opt/homebrew/opt/hdf5/lib/libhdf5_cpp.310.dylib
  Referenced from: <143333B4-689D-38EA-8BC2-BC3DC8656638> /Users/stephenrajva/sst/sst-core-install/libexec/sstinfo.x
  Reason: tried: '/Users/stephenrajva/sst/sst-core-install/lib/sstcore/libhdf5_cpp.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libhdf5_cpp.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libhdf5_cpp.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-elements-install/lib/sstcore/libhdf5_cpp.310.dylib' (no such file), '/opt/homebrew/opt/hdf5/lib/libhdf5_cpp.310.dylib' (no such file), '/System/Volumes/Preboot/Cryptexes/OS/opt/homebrew/opt/hdf5/lib/libhdf5_cpp.310.dylib' (no such file), '/opt/homebrew/opt/hdf5/lib/libhdf5_cpp.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-core-install/lib/sstcore/libhdf5_cpp.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libhdf5_cpp.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libhdf5_cpp.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-elements/src/sst/elements/osseous/libhdf5_cpp.310.dylib' (no such file), '/opt/homebrew/Cellar/hdf5/2.1.1/lib/libhdf5_cpp.310.dylib' (no such file), '/System/Volumes/Preboot/Cryptexes/OS/opt/homebrew/Cellar/hdf5/2.1.1/lib/libhdf5_cpp.310.dylib' (no such file), '/opt/homebrew/Cellar/hdf5/2.1.1/lib/libhdf5_cpp.310.dylib' (no such file)
zsh: abort      sst-info |
zsh: done       head -40
stephenrajva@Stephens-MacBook-Air-4 ~ % brew list | grep hdf5
hdf5
stephenrajva@Stephens-MacBook-Air-4 ~ % brew info hdf5
==> hdf5 ˆ: stable 2.1.1 (bottled)
File format designed to store large amounts of data
https://www.hdfgroup.org/solutions/hdf5/
Aliases: hdf5@2.1
Conflicts with:
  hdf5-mpi (because hdf5-mpi is a variant of hdf5, one can only use one or the other)
Installed (as dependency)
From: https://github.com/Homebrew/homebrew-core/blob/HEAD/Formula/h/hdf5.rb
License: BSD-3-Clause
==> Installed Kegs and Versions
hdf5 ˆ 2.1.1 (277 files, 25.0MB) [Linked]
hdf5 ˆ 1.14.6 (275 files, 21.8MB)
==> Dependencies
Required (3): gcc ˆ, libaec ˆ, pkgconf ˆ
Recursive Runtime (10): all installed ˆ
Dependents: 4
==> Downloading https://formulae.brew.sh/api/formula/hdf5.json
==> Analytics
install: 11,055 (30 days), 42,213 (90 days), 142,050 (365 days)
install-on-request: 2,112 (30 days), 10,222 (90 days), 32,359 (365 days)
build-error: 18 (30 days)
stephenrajva@Stephens-MacBook-Air-4 ~ % ls /opt/homebrew/opt/hdf5/lib | grep hdf5_cpp
libhdf5_cpp.310.dylib
libhdf5_cpp.320.1.1.dylib
libhdf5_cpp.320.dylib
libhdf5_cpp.a
libhdf5_cpp.dylib
stephenrajva@Stephens-MacBook-Air-4 ~ % otool -L /Users/stephenrajva/sst/sst-core-install/libexec/sstinfo.x
/Users/stephenrajva/sst/sst-core-install/libexec/sstinfo.x:
  /opt/homebrew/opt/python@3.14/Frameworks/Python.framework/Versions/3.14/Python (compatibility version 3.14.0, current version 3.14.0)
  /usr/lib/libSystem.B.dylib (compatibility version 1.0.0, current version 1356.0.0)
  /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation (compatibility version 150.0.0, current version 4201.0.0)
  /usr/lib/libz.1.dylib (compatibility version 1.0.0, current version 1.2.12)
  /opt/homebrew/opt/hdf5/lib/libhdf5.310.dylib (compatibility version 310.0.0, current version 310.5.1)
  /opt/homebrew/opt/hdf5/lib/libhdf5_cpp.310.dylib (compatibility version 310.0.0, current version 310.0.6)
  /opt/homebrew/opt/open-mpi/lib/libmpi.40.dylib (compatibility version 81.0.0, current version 81.7.0)
  /usr/lib/libc++.1.dylib (compatibility version 1.0.0, current version 2000.0.7.0)
stephenrajva@Stephens-MacBook-Air-4 ~ % ls -l /opt/homebrew/opt/hdf5/lib/libhdf5_cpp.310.dylib
lrwxr-xr-x  1 root  admin  61  8 Jun 13:12 /opt/homebrew/opt/hdf5/lib/libhdf5_cpp.310.dylib -> /opt/homebrew/Cellar/hdf5/2.1.1/lib/libhdf5_cpp.320.0.2.dylib
stephenrajva@Stephens-MacBook-Air-4 ~ % brew reinstall hdf5
Warning: The following taps are not trusted:
  dart-lang/dart
  mongodb/brew

Homebrew will ignore formulae, casks and commands from these taps when `HOMEBREW_REQUIRE_TAP_TRUST` is set.
This will become the default in Homebrew 6.0.0 or 5.2.0, whichever comes first.
Enable trust checks now with:
  export HOMEBREW_REQUIRE_TAP_TRUST=1
Trust specific formulae, casks or commands with:
  brew trust --formula <user>/<tap>/<formula>
  brew trust --cask <user>/<tap>/<cask>
  brew trust --command <user>/<tap>/<command>
or trust installed formulae from these taps with:
  brew trust --formula mongodb/brew/mongodb-community@7.0 mongodb/brew/mongodb-database-tools
  brew trust --formula dart-lang/dart/dart
You can trust all formulae, casks and commands from these taps with:
  brew trust dart-lang/dart mongodb/brew
Prefer trusting only the specific formulae, casks or commands you need.
Untap them with:
  brew untap dart-lang/dart mongodb/brew
To keep allowing them by default during the transition:
  export HOMEBREW_NO_REQUIRE_TAP_TRUST=1
This is not recommended and will be removed in a later release.
==> Fetching downloads for: hdf5
ˆ Bottle hdf5 (2.1.1)                                                                                               Downloaded  10.0MB/ 10.0MB
==> Reinstalling hdf5
==> Pouring hdf5--2.1.1.arm64_tahoe.bottle.tar.gz
  /opt/homebrew/Cellar/hdf5/2.1.1: 271 files, 25.0MB
==> Running `brew cleanup hdf5`...
Disable this behaviour by setting `HOMEBREW_NO_INSTALL_CLEANUP=1`.
Hide these hints with `HOMEBREW_NO_ENV_HINTS=1` (see `man brew`).
Removing: /opt/homebrew/Cellar/hdf5/1.14.6... (275 files, 21.8MB)
==> Upgrading 2 dependents of upgraded formula:
Disable this behaviour by setting `HOMEBREW_NO_INSTALLED_DEPENDENTS_CHECK=1`.
Hide these hints with `HOMEBREW_NO_ENV_HINTS=1` (see `man brew`).
vtk 9.4.2 -> 9.6.2
opencv 4.11.0_1 -> 4.13.0_12
==> Fetching downloads for: vtk and opencv
ˆ Bottle qtsvg (6.11.1)                                                                                               Downloaded  305.3KB/305.3KB
ˆ Bottle theora (1.2.0)                                                                                               Downloaded  752.7KB/752.7KB
ˆ Bottle utf8cpp (4.1.1)                                                                                               Downloaded  16.4KB/ 16.4KB
ˆ Bottle qtdeclarative (6.11.1)                                                                                       Downloaded  28.2MB/ 28.2MB
ˆ Bottle glew (2.3.1)                                                                                                 Downloaded  646.2KB/646.2KB
ˆ Bottle vtk (9.6.2)                                                                                                 Downloaded  51.1MB/ 51.1MB
ˆ Bottle opencv (4.13.0_12)                                                                                           Downloaded  42.7MB/ 42.7MB
ˆ Bottle qtbase (6.11.1)                                                                                               Downloaded  17.4MB/ 17.4MB
==> Upgrading vtk
  9.4.2 -> 9.6.2
==> Installing dependencies for vtk: qtbase, qtsvg, qtdeclarative, theora and utf8cpp
==> Installing vtk dependency: qtbase
==> Pouring qtbase--6.11.1.arm64_tahoe.bottle.tar.gz
Error: The `brew link` step did not complete successfully
The formula built, but is not symlinked into /opt/homebrew
Could not symlink bin/androiddeployqt
Target /opt/homebrew/bin/androiddeployqt

```

is a symlink belonging to qt. You can unlink it:
brew unlink qt

To force the link and overwrite all conflicting files:
brew link --overwrite qtbase

To list all files that would be deleted:
brew link --overwrite qtbase --dry-run

Possible conflicting files are:

```
/opt/homebrew/bin/androiddeployqt -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/androiddeployqt
/opt/homebrew/bin/androiddeployqt6 -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/androiddeployqt6
/opt/homebrew/bin/androidtestrunner -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/androidtestrunner
/opt/homebrew/bin/macdeployqt -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/macdeployqt
/opt/homebrew/bin/macdeployqt6 -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/macdeployqt6
/opt/homebrew/bin/qdbuscpp2xml -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/qdbuscpp2xml
/opt/homebrew/bin/qdbusxml2cpp -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/qdbusxml2cpp
/opt/homebrew/bin/qmake -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/qmake
/opt/homebrew/bin/qmake6 -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/qmake6
/opt/homebrew/bin/qt-cmake -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/qt-cmake
/opt/homebrew/bin/qt-cmake-create -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/qt-cmake-create
/opt/homebrew/bin/qt-configure-module -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/qt-configure-module
/opt/homebrew/bin/qtpaths -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/qtpaths
/opt/homebrew/bin/qtpaths6 -> /opt/homebrew/Cellar/qt/6.8.2_1/bin/qtpaths6
Error: Could not symlink include/QtDeviceDiscoverySupport/6.8.2/QtDeviceDiscoverySupport/private/qdevicediscovery_dummy.p.h
Target /opt/homebrew/include/QtDeviceDiscoverySupport/6.8.2/QtDeviceDiscoverySupport/private/qdevicediscovery_dummy.p.h
is a symlink belonging to qt. You can unlink it:
brew unlink qt
```

To force the link and overwrite all conflicting files:
brew link --overwrite qt

To list all files that would be deleted:
brew link --overwrite qt --dry-run

```
stephenrajva@Stephens-MacBook-Air-4 ~ % sst-info | head -20
dyld[3855]: Library not loaded: /opt/homebrew/opt/hdf5/lib/libhdf5.310.dylib
  Referenced from: <143333B4-689D-38EA-8BC2-BC3DC8656638> /Users/stephenrajva/sst/sst-core-install/libexec/sstinfo.x
  Reason: tried: '/Users/stephenrajva/sst/sst-core-install/lib/sstcore/libhdf5.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elem
ents-library/ext/libhdf5.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libhdf5.310.dylib' (no such file), '/User
s/stephenrajva/sst/sst-elements/src/sst/elements/osseous/libhdf5.310.dylib' (no such file), '/opt/homebrew/opt/hdf5/lib/libhdf5.310.dylib' (no such file), '/System/
Volumes/Preboot/Cryptexes/OS/opt/homebrew/opt/hdf5/lib/libhdf5.310.dylib' (no such file), '/opt/homebrew/opt/hdf5/lib/libhdf5.310.dylib' (no such file), '/Users/ste
phenrajva/sst/sst-core-install/lib/sstcore/libhdf5.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libhdf5.310
.dylib' (no such file), '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libhdf5.310.dylib' (no such file), '/Users/stephenrajva/sst/sst-eleme
nts/src/sst/elements/osseous/libhdf5.310.dylib' (no such file), '/opt/homebrew/Cellar/hdf5/2.1.1/lib/libhdf5.310.dylib' (no such file), '/System/Volumes/Preboot/Cry
ptexes/OS/opt/homebrew/Cellar/hdf5/2.1.1/lib/libhdf5.310.dylib' (no such file), '/opt/homebrew/Cellar/hdf5/2.1.1/lib/libhdf5.310.dylib' (no such file)
zsh: abort      sst-info |
zsh: done       head -20
stephenrajva@Stephens-MacBook-Air-4 ~ % ls ~/sst
sst-core-install      sst-elements-install
stephenrajva@Stephens-MacBook-Air-4 ~ % find -/ -maxdepth 2 -type d | grep sst
find: /Users/stephenrajva/.Trash: Operation not permitted
/Users/stephenrajva/HPC-Upload/2/sst-simulations
/Users/stephenrajva/HPC-Upload/sst-simulations
/Users/stephenrajva/sst
/Users/stephenrajva/sst/sst-core-install
/Users/stephenrajva/sst/sst-elements-install
/Users/stephenrajva/Downloads/sst-core
stephenrajva@Stephens-MacBook-Air-4 ~ % ls ~/Downloads/sst-core
aclocal.m4      configure      doc            ISSUES.md      PLATFORMS.md   scripts        VERSION.md
autogen.sh      configure.ac   experimental   LICENSE.md      pyproject.toml  share
autom4te.cache  configure~    external       Makefile.am     README.md       src
config          CONTRIBUTING.md INSTALL.md      Makefile.in     RELEASE.md      tests
stephenrajva@Stephens-MacBook-Air-4 ~ % ls ~/Downloads/sst-core/src/sst/core | head
action.cc
action.h
activity.h
activityQueue.h
baseComponent.cc
baseComponent.h
bootshared.cc
bootshared.h
bootst.cc
bootstinfo.cc
stephenrajva@Stephens-MacBook-Air-4 ~ % ls ~/Downloads/sst-core | grep config.status
stephenrajva@Stephens-MacBook-Air-4 ~ %
stephenrajva@Stephens-MacBook-Air-4 ~ % cd ~/Downloads/sst-core
stephenrajva@Stephens-MacBook-Air-4 sst-core % ./configure --prefix=$HOME/sst/sst-core-install
checking for a BSD-compatible install... /usr/bin/install -c
checking whether sleep supports fractional seconds... yes
checking filesystem timestamp resolution... 2
checking whether build environment is sane... yes
checking for a race-free mkdir -p... mkdir -p
checking for gawk... no
checking for mawk... no
checking for nawk... no
checking for awk... awk
checking whether make sets $(MAKE)... yes
checking whether make supports nested variables... yes
checking xargs -n works... yes
checking how to create a pax tar archive... gnutar
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether the compiler supports GNU C... yes
checking whether gcc accepts -g... yes
checking for gcc option to enable C11 features... none needed
checking whether gcc understands -c and -o together... yes
checking whether make supports the include directive... yes (GNU style)
checking dependency style of gcc... gcc3
checking for inline... inline
checking whether make sets $(MAKE)... (cached) yes
checking for g++... g++
checking whether the compiler supports GNU C++... yes
checking whether g++ accepts -g... yes
checking for g++ option to enable C++11 features... none needed
checking dependency style of g++... gcc3
checking how to run the C preprocessor... gcc -E
checking build system type... aarch64-apple-darwin25.3.0
checking host system type... aarch64-apple-darwin25.3.0
checking how to print strings... printf
checking for a sed that does not truncate output... /usr/bin/sed
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc... /Library/Developer/CommandLineTools/usr/bin/ld
checking if the linker (/Library/Developer/CommandLineTools/usr/bin/ld) is GNU ld... no
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -B
```

```

checking the name lister (/usr/bin/nm -B) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 786432
checking how to convert aarch64-apple-darwin25.3.0 file names to aarch64-apple-darwin25.3.0 format... func_convert_file_noop
checking how to convert aarch64-apple-darwin25.3.0 file names to toolchain format... func_convert_file_noop
checking for /Library/Developer/CommandLineTools/usr/bin/ld option to reload object files... -r
checking for file... file
checking for objdump... objdump
checking how to recognize dependent libraries... pass_all
checking for dlltool... no
checking how to associate runtime and link libraries... printf %s\n
checking for ranlib... ranlib
checking for ar... ar
checking for archiver @FILE support... no
checking for strip... strip
checking command to parse /usr/bin/nm -B output from gcc object... ok
checking for sysroot... no
checking for a working dd... /bin/dd
checking how to truncate binary pipes... /bin/dd bs=4096 count=1
checking for mt... no
checking if : is a manifest tool... no
checking for dsymutil... dsymutil
checking for nmedit... nmedit
checking for lipo... lipo
checking for otool... otool
checking for otool64... no
checking for -single_module linker flag... ld: warning: -single_module is obsolete
no
checking for -no_fixup_chains linker flag... yes
checking for -exported_symbols_list linker flag... yes
checking for -force_load linker flag... yes
checking for stdio.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for strings.h... yes
checking for sys/stat.h... yes
checking for sys/types.h... yes
checking for unistd.h... yes
checking for dlfcn.h... yes
checking for objdir... .libs
checking if gcc supports -fno-rtti -fno-exceptions... yes
checking for gcc option to produce PIC... -fno-common -DPIC
checking if gcc PIC flag -fno-common -DPIC works... yes
checking if gcc static flag -static works... no
checking if gcc supports -c -o file.o... yes
checking if gcc supports -c -o file.o... (cached) yes
checking whether the gcc linker (/Library/Developer/CommandLineTools/usr/bin/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin25.3.0 dyld
checking how to hardcode library paths into programs... immediate
checking for dlopen in -ldl... yes
checking whether a program can dlopen itself... yes
checking whether a statically linked program can dlopen itself... yes
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... no
checking how to run the C++ preprocessor... g++ -E
checking for ld used by g++... /Library/Developer/CommandLineTools/usr/bin/ld
checking if the linker (/Library/Developer/CommandLineTools/usr/bin/ld) is GNU ld... no
checking whether the g++ linker (/Library/Developer/CommandLineTools/usr/bin/ld) supports shared libraries... yes
checking for g++ option to produce PIC... -fno-common -DPIC
checking if g++ PIC flag -fno-common -DPIC works... yes
checking if g++ static flag -static works... no
checking if g++ supports -c -o file.o... yes
checking if g++ supports -c -o file.o... (cached) yes
checking whether the g++ linker (/Library/Developer/CommandLineTools/usr/bin/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin25.3.0 dyld
checking how to hardcode library paths into programs... immediate
checking whether g++ supports C++17 features with -std=c++17... yes
checking for C++ compiler vendor... clang
checking for c_asm.h... no
checking for dlfcn.h... (cached) yes
checking for intrinsics.h... no
checking for mach/mach_time.h... yes
checking for sys/time.h... yes
checking for sys/stat.h... (cached) yes
checking for sys/types.h... (cached) yes
checking for unistd.h... (cached) yes
checking for doxygen... no
checking for Mac OSX... yes
checking for mpicc... mpicc
checking how to run the MPI C preprocessor... mpicc -E
checking for MPI_Init... yes
checking for C mpi.h... yes
checking for mpic++... mpic++
checking how to run the MPI C++ preprocessor... mpic++ -E
checking for C++ mpi.h... yes
checking for python3-config... /opt/homebrew/bin/python3-config
checking python-config exists... /opt/homebrew/bin/python3-config
checking for python3... /opt/homebrew/opt/python@3.14/Frameworks/Python.framework/Versions/3.14/bin/python3
configure: Python version is Python 3.14.5
checking for Python.h... yes
checking for Py_Initialize in -lpthon3.14... yes
checking python libraries... yes
checking for zlib.h... yes
checking for gzopen in -lz... yes
checking for libz compression library... yes
checking for ncurses6-config... no
checking for ncursesw6-config... no
checking for ncurses5.4-config... /usr/bin/ncurses5.4-config
checking ncurses config binary exists... /usr/bin/ncurses5.4-config
checking for ncurses.h... yes
checking for initscr in -lncursesw... no
checking for initscr in -lncurses... no
checking for initscr in -lcurses... no
checking for curses library... no
checking for execinfo.h... yes
checking for backtrace... yes
checking for backtrace function... yes
checking for pkg-config... /opt/homebrew/bin/pkg-config
PKGCONFIG = /opt/homebrew/bin/pkg-config
checking for H5Cpp.h... yes
checking for H5F_open in -lhdf5... yes
checking "For C++ ABI compatibility with HDF5Cpp library"... yes
checking for hdf5 library... yes
checking for stdio.h... (cached) yes
checking for position-independent code flags... "-fPIC"
checking if std::filesystem requires linking stdc++fs... no

```

checking for SST-Core Git Branch, Head SHA and Commit Count... N/A
16.0.0

0
checking that generated files are newer than configure... done

configure: creating ./config.status
config.status: creating Makefile
config.status: creating doc/Makefile
config.status: creating doc/Doxyfile
config.status: creating share/Makefile
config.status: creating share/SSTConfig.cmake
config.status: creating share/SSTConfigVersion.cmake
config.status: creating src/sst/sstsimulator.conf
config.status: creating src/Makefile
config.status: creating src/sst/Makefile
config.status: creating src/sst/SST-16.0.0.pc
config.status: creating src/sst/core/Makefile
config.status: creating src/sst/core/build_info.h
config.status: creating src/sst/core/sst_config.h
config.status: executing depfiles commands
config.status: executing libtool commands

SST Core Configuration completed.

Build Environment:

SST-Core Version : 16.0.0
Version : SST-Core 16.0.0
Prefix : /Users/stephenrajva/sst/sst-core-install
Preprocessor : gcc -E
C++ Compiler : g++ -std=c++17
C Compiler : gcc
Compiler Version : Apple clang version 21.0.0 (clang-2100.1.1.101)
MPI C Compiler : mpicc
MPI C++ Compiler : mpic++
MPI Compiler Version : Apple clang version 21.0.0 (clang-2100.1.1.101)
Linker : /Library/Developer/CommandLineTools/usr/bin/ld
Preprocessor Options : -I\$(top_srcdir)/src -I\$(top_builddir)/src
C Compiler Options : -g -O2 -Wall -Wextra -Wvla -Wnon-virtual-dtor -Wsuggest-override -Wmissing-noreturn
C++ Compiler Options : -g -O2 -std=c++17 -ffp-contract=off -Wall -Wextra -Wvla -Wnon-virtual-dtor -Wsuggest-override -Wmissing-noreturn
C++ Standard Compliance : C++17
Linker Options :

Configuration Information (Options):

MPI enabled : Yes
Mempool enabled : Yes
Debug output enabled : No
Event tracking enabled : No
Performance profiling enabled : No

Configuration Information (Dependencies):

Found Python : /opt/homebrew/opt/python@3.14/Frameworks/Python.framework/Versions/3.14/bin/python3 (Python 3.14.5)
HDF5 Support : Yes
libz compression library : Yes
curses library : Not found

stephenrajva@Stephens-MacBook-Air-4 sst-core % make -j8

Making all in share

make[1]: Nothing to be done for `all'.

Making all in src

Making all in sst

Making all in core

echo "#!/opt/homebrew/opt/python@3.14/Frameworks/Python.framework/Versions/3.14/bin/python3" > sst-test-core; \

cat /Users/stephenrajva/Downloads/sst-core/src/sst/core/testingframework/sst-test-core.in >> sst-test-core

echo "#!/opt/homebrew/opt/python@3.14/Frameworks/Python.framework/Versions/3.14/bin/python3" > sst-test-elements; \

cat /Users/stephenrajva/Downloads/sst-core/src/sst/core/testingframework/sst-test-elements.in >> sst-test-elements

/Library/Developer/CommandLineTools/usr/bin/make all-am

CXX bootsst.o
CXX configBase.o
CXX configShared.o
CXX configBaseSerEmpty.o
CXX bootshared.o
CXX bootsstinfol.o
CXX sstconfigtool.o
CXX sstregistertool.o
CXX main.o
CXX action.o
CXX clock.o
CXX baseComponent.o
CXX checkpointAction.o
CXX component.o
CXX componentExtension.o
CXX componentInfo.o
CXX config.o
CXX configBaseSer.o
CXX configGraphOutput.o
CXX elemLoader.o
CXX event.o
CXX exit.o
CXX factory.o
CXX heartbeat.o
CXX initQueue.o
CXX interactiveConsole.o
CXX link.o
CXX memuse.o
CXX mempool.o
CXX namecheck.o
CXX output.o
CXX params.o
CXX pollingLinkQueue.o
CXX portModule.o
CXX simulation.o
CXX stringize.o
CXX subcomponent.o
CXX timeLord.o
CXX uninitializedQueue.o
CXX unitAlgebra.o
CXX module.o
CXX realtime.o
CXX sstpart.o
CXX sst_mpi.o
CXX sst_types.o
CXX timeVortex.o
CXX timingOutput.o
CXX serialization/statics.o
CXX serialization/impl/serialize_array.o
CXX serialization/impl/serialize_trivial.o
CXX serialization/impl/serialize_shared_ptr.o

```

CXX      cputimer.o
CXX      iouse.o
CXX      watchPoint.o
CXX      util/basicPerf.o
CXX      util/filesystem.o
CXX      util/perfReporter.o
CXX      statapi/statoutputthdf5.o
CXX      sstinfo.o
CXX      env/envquery.o
CXX      env/envconfig.o
CXX      util/smartTextFormatter.o
CXXLD    sst-config
CXXLD    sst-register
ld: warning: -bind_at_load is deprecated on macOS
CXX      eli/elibase.o
ld: warning: -bind_at_load is deprecated on macOS
CXX      eli/elementinfo.o
CXX      profile/profiletool.o
CXX      profile/clockHandlerProfileTool.o
CXX      profile/eventHandlerProfileTool.o
CXX      profile/syncProfileTool.o
CXX      profile/componentProfileTool.o
CXX      serialization/objectMap.o
CXX      serialization/serializable_base.o
CXX      serialization/serializable.o
CXX      serialization/serializer.o
CXX      serialization/impl/unpacker.o
CXX      serialization/impl/ser_shared_ptr_tracker.o
CXX      interfaces/TestEvent.o
CXX      interfaces/stdMem.o
CXX      interfaces/simpleNetwork.o
CXX      interprocess/ipctunnel.o
CXX      interprocess/mmapparent.o
CXX      interprocess/shmparent.o
CXX      rng/marsaglia.o
CXX      rng/mersenne.o
CXX      rng/xorshift.o
CXX      statapi/statengine.o
CXX      statapi/statgroup.o
CXX      statapi/statoutput.o
CXX      statapi/statfieldinfo.o
CXX      statapi/statoutputtxt.o
CXX      statapi/statoutputcsv.o
CXX      statapi/statoutputjson.o
CXX      statapi/statbase.o
CXX      model/sstmodel.o
CXX      model/configComponent.o
CXX      model/configGraph.o
CXX      model/configLink.o
CXX      model/configStatistic.o
CXX      model/element_python.o
CXX      model/restart/sstcptmodel.o
CXX      model/cfgoutput/pythonConfigOutput.o
CXX      model/cfgoutput/dotConfigOutput.o
CXX      model/cfgoutput/xmlConfigOutput.o
CXX      model/cfgoutput/jsonConfigOutput.o
CXX      shared/sharedObject.o
CXX      impl/oneshotManager.o
CXX      impl/interactive/debugConsole.o
CXX      impl/interactive/cmdLineEditor.o
CXX      impl/interactive/debugStream.o
CXX      impl/timevortex/timeVortexPQ.o
CXX      impl/timevortex/timeVortexBinnedMap.o
CXX      impl/partitioners/linpart.o
CXX      impl/partitioners/rrobin.o
CXX      impl/partitioners/selfpart.o
CXX      impl/partitioners/simplepart.o
CXX      impl/partitioners/singlepart.o
CXX      impl/portmodules/randomDrop.o
CXX      sync/rankSyncParallelSkip.o
CXX      sync/rankSyncSerialSkip.o
CXX      sync/syncManager.o
CXX      sync/syncQueue.o
CXX      sync/threadSyncDirectSkip.o
CXX      sync/threadSyncSimpleSkip.o
CXX      model/python/pymodel.o
CXX      model/python/pymodel_link.o
CXX      model/python/pymodel_comp.o
CXX      model/python/pymodel_unitalgebra.o
CXX      model/python/pymodel_stat.o
CXX      model/python/pymodel_statgroup.o
CXX      model/python/pymodel_portmodule.o
CXX      model/json/jsonmodel.o
CXX      ../../external/tinyxml/tinystr.o
CXX      ../../external/tinyxml/tinyxml.o
CXX      ../../external/tinyxml/tinyxmlerror.o
CXX      ../../external/tinyxml/tinyxmlparser.o
CXX      testElements/coreTest_Component.lo
CXX      testElements/coreTest_ComponentExtension.lo
CXX      testElements/coreTest_ClockerComponent.lo
CXX      testElements/coreTest_DistribComponent.lo
CXX      testElements/coreTest_RNGComponent.lo
CXX      testElements/coreTest_StatisticsComponent.lo
CXX      testElements/coreTest_Links.lo
CXX      testElements/coreTest_MessageGeneratorComponent.lo
CXX      testElements/coreTest_Output.lo
CXX      testElements/coreTest_Serialization.lo
CXX      testElements/coreTest_SharedObjectComponent.lo
CXX      testElements/coreTest_SubComponent.lo
CXX      testElements/coreTest_Module.lo
CXX      testElements/coreTest_ParamComponent.lo
CXX      testElements/coreTest_PerfComponent.lo
CXX      testElements/coreTest_PortModule.lo
CXX      testElements/coreTest_MemPoolTest.lo
CXX      testElements/coreTest_Checkpoint.lo
CXX      testElements/coreTest_OverheadMeasure.lo
CXX      testElements/message_mesh/enclosingComponent.lo
CXXLD    sst
ld: warning: -bind_at_load is deprecated on macOS
CXXLD    sst-info
ld: warning: -bind_at_load is deprecated on macOS
CXXLD    sstsim.x
ld: warning: -bind_at_load is deprecated on macOS
CXXLD    sstinfo.x
ld: warning: -bind_at_load is deprecated on macOS
CXXLD    libcoreTestElement.la
make[3]: Nothing to be done for 'all-am'.
make[2]: Nothing to be done for 'all-am'.
Making all in doc
make[1]: Nothing to be done for 'all'.

```

```
make[1]: Nothing to be done for 'all-am'.
stephenrajva@Stephens-MacBook-Air-4 sst-core %
stephenrajva@Stephens-MacBook-Air-4 sst-core % make install
Making install in share
make[2]: Nothing to be done for 'install-exec-am'.
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/lib/cmake/SST'
  /usr/bin/install -c -m 644 SSTConfig.cmake SSTConfigVersion.cmake '/Users/stephenrajva/sst/sst-core-install/lib/cmake/SST'
Making install in src
Making install in sst
Making install in core
/Library/Developer/CommandLineTools/usr/bin/make install-am
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/bin'
  /bin/sh .././../libtool --mode=install /usr/bin/install -c sst sst-info sst-config sst-register '/Users/stephenrajva/sst/sst-core-install/bin'
libtool: install: /usr/bin/install -c sst /Users/stephenrajva/sst/sst-core-install/bin/sst
libtool: install: /usr/bin/install -c sst-info /Users/stephenrajva/sst/sst-core-install/bin/sst-info
libtool: install: /usr/bin/install -c sst-config /Users/stephenrajva/sst/sst-core-install/bin/sst-config
libtool: install: /usr/bin/install -c sst-register /Users/stephenrajva/sst/sst-core-install/bin/sst-register
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/bin'
  /usr/bin/install -c sst-test-core sst-test-elements testingframework/sst_test_engine_loader.py '/Users/stephenrajva/sst/sst-core-install/bin'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/libexec'
  /bin/sh .././../libtool --mode=install /usr/bin/install -c sstsim.x sstinfo.x '/Users/stephenrajva/sst/sst-core-install/libexec'
libtool: install: /usr/bin/install -c sstsim.x /Users/stephenrajva/sst/sst-core-install/libexec/sstsim.x
libtool: install: /usr/bin/install -c sstinfo.x /Users/stephenrajva/sst/sst-core-install/libexec/sstinfo.x
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/libexec'
  /usr/bin/install -c model/xmlToPython.py testingframework/sst_unittest.py testingframework/sst_unittest_support.py testingframework/sst_unittest_parameterized.py t
estingframework/test_engine.py testingframework/test_engine_globals.py testingframework/test_engine_support.py testingframework/test_engine_junit.py testingframework
k/test_engine_unittest.py '/Users/stephenrajva/sst/sst-core-install/libexec'
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
make[6]: Nothing to be done for 'install-exec-hook'.
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/lib/sstcore'
  /bin/sh .././../libtool --mode=install /usr/bin/install -c libcoreTestElement.la '/Users/stephenrajva/sst/sst-core-install/lib/sstcore'
libtool: install: /usr/bin/install -c .libs/libcoreTestElement.so /Users/stephenrajva/sst/sst-core-install/lib/sstcore/libcoreTestElement.so
libtool: install: /usr/bin/install -c .libs/libcoreTestElement.lai /Users/stephenrajva/sst/sst-core-install/lib/sstcore/libcoreTestElement.la
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core'
  /usr/bin/install -c -m 644 activityQueue.h action.h activity.h clock.h baseComponent.h checkpointAction.h component.h componentExtension.h componentInfo.h config.
h configBase.h configShared.h configGraph.h configGraphOutput.h decimal_fixedpoint.h elemLoader.h event.h exit.h factory.h from_string.h heartbeat.h initQueue.h int
eractiveConsole.h link.h mempool.h memuse.h iouse.h module.h namecheck.h oneshot.h output.h params.h pollingLinkQueue.h portModule.h profile.h rankInfo.h realtime.h
realtimeAction.h sparseVectorMap.h sst_complex.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/model/python'
  /usr/bin/install -c -m 644 model/python/pymacros.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/model/python'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/shared'
  /usr/bin/install -c -m 644 shared/sharedObject.h shared/sharedArray.h shared/sharedMap.h shared/sharedSet.h '/Users/stephenrajva/sst/sst-core-install/include/sst/
core/shared'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/statapi'
  /usr/bin/install -c -m 644 statapi/statengine.h statapi/statgroup.h statapi/statoutput.h statapi/statfieldinfo.h statapi/statuniquecount.h statapi/statoutputtxt.h
statapi/statoutputcsv.h statapi/statoutputjson.h statapi/statoutputpdf.h statapi/statbase.h statapi/stathistogram.h statapi/stataccumulator.h statapi/statnull.h '
/Users/stephenrajva/sst/sst-core-install/include/sst/core/statapi'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/eli'
  /usr/bin/install -c -m 644 eli/elementinfo.h eli/elibase.h eli/attributeInfo.h eli/categoryInfo.h eli/checkpointableInfo.h eli/defaultInfo.h eli/elementbuilder.h
eli/interfaceInfo.h eli/paramsInfo.h eli/portsInfo.h eli/profilePointInfo.h eli/simpleInfo.h eli/statsInfo.h eli/subcompSlotInfo.h '/Users/stephenrajva/sst/sst-core
-install/include/sst/core/eli'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/rng'
  /usr/bin/install -c -m 644 rng/rng.h rng/marsaglia.h rng/poisson.h rng/mersenne.h rng/xorshift.h rng/distrib.h rng/discrete.h rng/gaussian.h rng/expon.h rng/const
ant.h rng/uniform.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/rng'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/interfaces'
  /usr/bin/install -c -m 644 interfaces/TestEvent.h interfaces/stringEvent.h interfaces/stdMem.h interfaces/simpleNetwork.h '/Users/stephenrajva/sst/sst-core-instal
l/include/sst/core/interfaces'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/model'
  /usr/bin/install -c -m 644 model/configComponent.h model/configGraph.h model/configLink.h model/configStatistic.h model/element_python.h '/Users/stephenrajva/sst/
sst-core-install/include/sst/core/model'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/serialization'
  /usr/bin/install -c -m 644 serialization/serializable.h serialization/serializable_base.h serialization/serialize.h serialization/serialize_impl_fwd.h serializati
on/objectMap.h serialization/objectMapDeferred.h serialization/serializer.h serialization/serializer_fwd.h serialization/statics.h '/Users/stephenrajva/sst/sst-core
-install/include/sst/core/serialization'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/interprocess'
  /usr/bin/install -c -m 644 interprocess/tunneldef.h interprocess/mmapparent.h interprocess/mmapchild_pin3.h interprocess/shmchild.h interprocess/shmparent.h inter
process/circularBuffer.h interprocess/sstmutex.h interprocess/ipcunnel.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/interprocess'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/serialization/impl'
  /usr/bin/install -c -m 644 serialization/impl/serialize_adapter.h serialization/impl/serialize_aggregate.h serialization/impl/serialize_array.h serialization/impl
/get_array_size.h serialization/impl/serialize_atomic.h serialization/impl/serialize_bitset.h serialization/impl/ser_buffer_accessor.h serialization/impl/serialize_
insertable.h serialization/impl/serialize_optional.h serialization/impl/ser_shared_ptr_tracker.h serialization/impl/serialize_shared_ptr.h serialization/impl/serial
ize_tuple.h serialization/impl/serialize_unique_ptr.h serialization/impl/serialize_utility.h serialization/impl/serialize_variant.h serialization/impl/mapper.h seri
alization/impl/packer.h serialization/impl/sizer.h serialization/impl/serialize_string.h serialization/impl/serialize_trivial.h serialization/impl/serialize_valarra
y.h serialization/impl/unpacker.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/serialization/impl'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/util'
  /usr/bin/install -c -m 644 util/bit_util.h util/smartTextFormatter.h util/filesystem.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/util'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/math'
  /usr/bin/install -c -m 644 math/sqrt.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/math'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/env'
  /usr/bin/install -c -m 644 env/envquery.h env/envconfig.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/env'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core/profile'
  /usr/bin/install -c -m 644 profile/profiletool.h profile/clockHandlerProfileTool.h profile/eventHandlerProfileTool.h profile/syncProfileTool.h profile/componentPr
ofileTool.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/profile'
  /usr/bin/install -c -m 644 sst_types.h sstpart.h ssthandler.h stopAction.h stringize.h subcomponent.h timeConverter.h timeLord.h timeVortex.h uninitializedQueue.h
unitAlgebra.h watchPoint.h threadsafe.h cputimer.h warmmacros.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/include/sst/core'
  /usr/bin/install -c -m 644 build.info.h sst_config.h '/Users/stephenrajva/sst/sst-core-install/include/sst/core/'
make[4]: Nothing to be done for 'install-exec-am'.
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/lib/pkgconfig'
  /usr/bin/install -c -m 644 SST-16.0.0.pc '/Users/stephenrajva/sst/sst-core-install/lib/pkgconfig'
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
Making install in doc
make[2]: Nothing to be done for 'install-exec-am'.
make[2]: Nothing to be done for 'install-data-am'.
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/bin'
  /usr/bin/install -c scripts/sst-snippets.py '/Users/stephenrajva/sst/sst-core-install/bin'
  mkdir -p '/Users/stephenrajva/sst/sst-core-install/etc/sst'
  /usr/bin/install -c -m 644 src/sst/sstsimulator.conf '/Users/stephenrajva/sst/sst-core-install/etc/sst'
stephenrajva@Stephens-MacBook-Air-4 sst-core % sst-info | head -20
PROCESSED 2 .so (SST ELEMENT) FILES FOUND IN DIRECTORY(s) /Users/stephenrajva/sst/sst-core-install/lib/sstcore
=====
ELEMENT LIBRARY 0 = coreTestElement ()
Components (21 total)
  Component 0: StatisticsComponent.float
    Description: Statistics test component with floats
    ELI version: 0.9.0
    Compiled using file: .././../src/sst/core/testElements/coreTest_StatisticsComponent.h
    Category: UNCATEGORIZED COMPONENT
    Parameters (5 total)
      seed_w: The seed to use for the random number generator [7]
      seed_z: The seed to use for the random number generator [5]
      seed: The seed to use for the random number generator. [11]
      rng: The random number generator to use (Marsaglia or Mersenne), default is Mersenne [Mersenne]
      count: The number of random numbers to generate, default is 1000 [1000]
    Ports (2 total)
      left: left port
      right: right port
    SubComponent Slots (0 total)
    Statistics (3 total)
```

```

stephenrajva@Stephens-MacBook-Air-4 sst-core % sst-info | grep memHierarchy
stephenrajva@Stephens-MacBook-Air-4 sst-core % find ~/ -maxdepth 2 -type d | grep sst-elements
find: /Users/stephenrajva/.Trash: Operation not permitted
/Users/stephenrajva/sst/sst-elements-install
stephenrajva@Stephens-MacBook-Air-4 sst-core % cd ~/Downloads
git clone https://github.com/sstsimulator/sst-elements.git
Cloning into 'sst-elements'...
remote: Enumerating objects: 149158, done.
remote: Counting objects: 100% (1949/1949), done.
remote: Compressing objects: 100% (996/996), done.
remote: Total 149158 (delta 1400), reused 970 (delta 953), pack-reused 147209 (from 3)
Receiving objects: 100% (149158/149158), 178.80 MiB | 16.29 MiB/s, done.
Resolving deltas: 100% (107511/107511), done.
Updating files: 100% (3281/3281), done.
stephenrajva@Stephens-MacBook-Air-4 Downloads % cd sst-elements
stephenrajva@Stephens-MacBook-Air-4 sst-elements % ./configure --prefix=$HOME/sst/sst-elements-install \
--with-sst-core=$HOME/sst/sst-core-install
zsh: no such file or directory: ./configure
stephenrajva@Stephens-MacBook-Air-4 sst-elements % ./autogen.sh

```

Included Element Libraries via Makefile in src/sst/elements/

```

=====
cacheTracer
cassini
cramSim
firefly
gensa
hermes
kingsley
llyr
mask-mpi
merlin
osseous
rdmaNic
serrano
shogun
simpleElementExample
simpleSimulation
thornhill
vanadis
vaultsim

```

Included Element Libraries via config.m4 files in src/sst/elements/

```

=====
ariel
balar
carcosa
ember
golem
iris
memHierarchy
mercury
messier
miranda
mmu
opal
prospero
samba
zodiac

```

Ignored Element Libraries in src/sst/elements/

```

=====
=====
=====

```

```

Generating configure files...
Running /opt/homebrew/bin/glibtoolize...
configure.ac:29: installing 'config/compile'
configure.ac:41: installing 'config/config.guess'
configure.ac:41: installing 'config/config.sub'
configure.ac:13: installing 'config/install-sh'
configure.ac:13: installing 'config/missing'
src/sst/elements/ariel/Makefile.am: installing 'config/depcomp'
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, 'config'.
glibtoolize: copying file 'config/ltmain.sh'
glibtoolize: putting macros in AC_CONFIG_MACRO_DIRS, 'config'.
glibtoolize: copying file 'config/libtool.m4'
glibtoolize: copying file 'config/ltargz.m4'
glibtoolize: copying file 'config/ltltdl.m4'
glibtoolize: copying file 'config/ltoptions.m4'
glibtoolize: copying file 'config/ltosugar.m4'
glibtoolize: copying file 'config/ltversion.m4'
glibtoolize: copying file 'config/ltobsolete.m4'
glibtoolize: putting libltdl files in LT_CONFIG_LTDL_DIR, 'src/libltdl'.
glibtoolize: copying file 'src/libltdl/COPYING.LIB'
glibtoolize: creating file 'src/libltdl/Makefile.am'
glibtoolize: copying file 'src/libltdl/README'
glibtoolize: creating file 'src/libltdl/Makefile.in'
glibtoolize: copying file 'src/libltdl/libltdl/lt__alloc.h'
glibtoolize: copying file 'src/libltdl/libltdl/lt__argz.h'
glibtoolize: copying file 'src/libltdl/libltdl/lt__dirent.h'
glibtoolize: copying file 'src/libltdl/libltdl/lt__glibc.h'
glibtoolize: copying file 'src/libltdl/libltdl/lt__private.h'
glibtoolize: copying file 'src/libltdl/libltdl/lt__strl.h'
glibtoolize: copying file 'src/libltdl/libltdl/lt_dlloader.h'
glibtoolize: copying file 'src/libltdl/libltdl/lt_error.h'
glibtoolize: copying file 'src/libltdl/libltdl/lt_system.h'
glibtoolize: copying file 'src/libltdl/libltdl/slist.h'
glibtoolize: copying file 'src/libltdl/loaders/dld_link.c'
glibtoolize: copying file 'src/libltdl/loaders/dlopen.c'
glibtoolize: copying file 'src/libltdl/loaders/dyld.c'
glibtoolize: copying file 'src/libltdl/loaders/load_add_on.c'
glibtoolize: copying file 'src/libltdl/loaders/loadlibrary.c'
glibtoolize: copying file 'src/libltdl/loaders/preopen.c'
glibtoolize: copying file 'src/libltdl/loaders/shl_load.c'
glibtoolize: copying file 'src/libltdl/lt__alloc.c'
glibtoolize: copying file 'src/libltdl/lt__argz.c'
glibtoolize: copying file 'src/libltdl/lt__dirent.c'
glibtoolize: copying file 'src/libltdl/lt__strl.c'
glibtoolize: copying file 'src/libltdl/lt_dlloader.c'
glibtoolize: copying file 'src/libltdl/lt_error.c'
glibtoolize: copying file 'src/libltdl/ltltdl.c'
glibtoolize: copying file 'src/libltdl/ltltdl.h'
glibtoolize: copying file 'src/libltdl/slist.c'
configure.ac:29: installing 'config/compile'
configure.ac:13: installing 'config/missing'
src/sst/elements/ariel/Makefile.am: installing 'config/depcomp'
stephenrajva@Stephens-MacBook-Air-4 sst-elements % ./configure --prefix=$HOME/sst/sst-elements-install \
--with-sst-core=$HOME/sst/sst-core-install

```

```
checking for a BSD-compatible install... /usr/bin/install -c
checking whether sleep supports fractional seconds... yes
checking filesystem timestamp resolution... 2
checking whether build environment is sane... yes
checking for a race-free mkdir -p... mkdir -p
checking for gawk... no
checking for mawk... no
checking for nawk... no
checking for awk... awk
checking whether make sets $(MAKE)... yes
checking whether make supports nested variables... yes
checking xargs -n works... yes
checking how to create a pax tar archive... gnutar
checking whether make supports the include directive... yes (GNU style)
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether the compiler supports GNU C... yes
checking whether gcc accepts -g... yes
checking for gcc option to enable C23 features... -std=gnu23
checking whether gcc -std=gnu23 understands -c and -o together... yes
checking dependency style of gcc -std=gnu23... gcc3
checking dependency style of gcc -std=gnu23... gcc3
checking for gcc... (cached) gcc
checking whether the compiler supports GNU C... (cached) yes
checking whether gcc accepts -g... (cached) yes
checking for gcc option to enable C23 features... (cached) -std=gnu23
checking whether gcc -std=gnu23 understands -c and -o together... (cached) yes
checking dependency style of gcc -std=gnu23... (cached) gcc3
checking for inline... inline
checking whether make sets $(MAKE)... (cached) yes
checking for g++... g++
checking whether the compiler supports GNU C++... yes
checking whether g++ accepts -g... yes
checking dependency style of g++... gcc3
checking how to run the C preprocessor... gcc -std=gnu23 -E
checking build system type... aarch64-apple-darwin25.3.0
checking host system type... aarch64-apple-darwin25.3.0
checking how to print strings... printf
checking for a sed that does not truncate output... /usr/bin/sed
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc -std=gnu23... /Library/Developer/CommandLineTools/usr/bin/ld
checking if the linker (/Library/Developer/CommandLineTools/usr/bin/ld) is GNU ld... no
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -B
checking the name lister (/usr/bin/nm -B) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 786432
checking how to convert aarch64-apple-darwin25.3.0 file names to aarch64-apple-darwin25.3.0 format... func_convert_file_noop
checking how to convert aarch64-apple-darwin25.3.0 file names to toolchain format... func_convert_file_noop
checking for /Library/Developer/CommandLineTools/usr/bin/ld option to reload object files... -r
checking for file... file
checking for objdump... objdump
checking how to recognize dependent libraries... pass_all
checking for dlltool... no
checking how to associate runtime and link libraries... printf %s\n
checking for ranlib... ranlib
checking for ar... ar
checking for archiver @FILE support... no
checking for strip... strip
checking command to parse /usr/bin/nm -B output from gcc -std=gnu23 object... ok
checking for sysroot... no
checking for a working dd... /bin/dd
checking how to truncate binary pipes... /bin/dd bs=4096 count=1
checking for mt... no
checking if : is a manifest tool... no
checking for dSYMUtil... dSYMUtil
checking for nmedit... nmedit
checking for lipo... lipo
checking for otool... otool
checking for otool64... no
checking for -single_module linker flag... ld: warning: -single_module is obsolete
no
checking for -no_fixup_chains linker flag... yes
checking for -exported_symbols_list linker flag... yes
checking for -force_load linker flag... yes
checking for stdio.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for strings.h... yes
checking for sys/stat.h... yes
checking for sys/types.h... yes
checking forunistd.h... yes
checking for dlfcn.h... yes
checking for objdir... .libs
checking if gcc -std=gnu23 supports -fno-rtti -fno-exceptions... yes
checking for gcc -std=gnu23 option to produce PIC... -fno-common -DPIC
checking if gcc -std=gnu23 PIC flag -fno-common -DPIC works... yes
checking if gcc -std=gnu23 static flag -static works... no
checking if gcc -std=gnu23 supports -c -o file.o... yes
checking if gcc -std=gnu23 supports -c -o file.o... (cached) yes
checking whether the gcc -std=gnu23 linker (/Library/Developer/CommandLineTools/usr/bin/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin25.3.0 dyld
checking how to hardcode library paths into programs... immediate
checking for dlopen in -ldl... yes
checking whether a program can dlopen itself... yes
checking whether a statically linked program can dlopen itself... yes
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... no
checking how to run the C++ preprocessor... g++ -E
checking for ld used by g++... /Library/Developer/CommandLineTools/usr/bin/ld
checking if the linker (/Library/Developer/CommandLineTools/usr/bin/ld) is GNU ld... no
checking whether the g++ linker (/Library/Developer/CommandLineTools/usr/bin/ld) supports shared libraries... yes
checking for g++ option to produce PIC... -fno-common -DPIC
checking if g++ PIC flag -fno-common -DPIC works... yes
checking if g++ static flag -static works... no
checking if g++ supports -c -o file.o... yes
checking if g++ supports -c -o file.o... (cached) yes
checking whether the g++ linker (/Library/Developer/CommandLineTools/usr/bin/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin25.3.0 dyld
checking how to hardcode library paths into programs... immediate
checking for gcc -std=gnu23 options to detect undeclared functions... none needed
```

```

checking for gcc -std=gnu23 options to ignore future-version functions... -Werror=unguarded-availability-new
checking what extension is used for runtime loadable modules... .so
checking what variable specifies run-time module search path... DYLD_LIBRARY_PATH
checking for the default library search path... /usr/local/lib /lib /usr/lib
checking for library containing dlopen... none required
checking for dlopen... yes
checking for shl_load... no
checking for shl_load in -ldld... no
checking for dld_link in -ldld... no
checking for _prefix in compiled symbols... yes
checking whether we have to add an underscore for dlsym... no
checking whether deplibs are loaded by dlopen... yes
checking for argz.h... no
checking for error_t... no
checking for argz_add... no
checking for argz_append... no
checking for argz_count... no
checking for argz_create_sep... no
checking for argz_insert... no
checking for argz_next... no
checking for argz_stringify... no
checking whether libtool supports -dlopen/-dlpreopen... yes
checking for ltdl.h... no
checking where to find libltdl headers... -I$(top_srcdir)/src/libltdl
checking where to find libltdl library... $(top_build_prefix)src/libltdl/libltdlc.la
checking for unistd.h... (cached) yes
checking for dl.h... no
checking for sys/dl.h... no
checking for dld.h... no
checking for mach-o/dyld.h... yes
checking for dirent.h... yes
checking for closedir... yes
checking for opendir... yes
checking for readdir... yes
checking for strlcat... yes
checking for strlcpy... yes
configure: --with-sst-core check = good 1
configure: --with-sst-core check = good 2
checking for sst-config... /Users/stephenrajva/sst/sst-core-install/bin/sst-config
checking for sst-config tool available... found /Users/stephenrajva/sst/sst-core-install/bin/sst-config
checking for sst-register... /Users/stephenrajva/sst/sst-core-install/bin/sst-register
checking for sst-register tool available... found /Users/stephenrajva/sst/sst-core-install/bin/sst-register
checking for sst-snippets.py... /Users/stephenrajva/sst/sst-core-install/bin/sst-snippets.py
checking for sst-snippets.py tool available... found /Users/stephenrajva/sst/sst-core-install/bin/sst-snippets.py
checking for Mac OSX... yes
checking for NVDIMM.h... no
checking for main in -lnvdsim... no
checking for pin.sh... no
checking for pin... no
./configure: line 23142: -version: command not found
checking for Pintool greater than or equal to 3.24... no
checking for Pintool greater than or equal to 3.25... no
checking PIN Tool... no
checking for C++ compiler vendor... clang
checking for PR_SET_PTRACER... no
checking for library containing shm_open... none required
checking for zlib.h... yes
checking for gzopen in -lz... yes
checking for libz compression library... yes
checking CUDA version is acceptable for SST... no
checking for /bin/nvcc... no
checking for cudart in ... libcudart.so not found
checking for otf2-config... no
checking for OTF-2 library... no
checking for NumPy... yes
checking for Gem5Wrapper.h... no
checking for libramulator_is_present in -lramulator... no
checking for base/base.h... no
checking for /libramulator.so... no
checking for DRAMSim.h... no
checking for libdramsim_is_present in -ldramsim... no
checking for dramsim3.h... no
checking for libdramsim3_is_present in -ldramsim3... no
checking for HBMDRAMSim.h... no
checking for libhbmramsim_is_present in -lhbmramsim... no
checking for HybridSim.h... no
checking for libhybridsim_is_present in -lhybridsim... no
checking for hmc_sim.h... no
checking for hmcsim_clock in -lhmcsim... no
checking for GOBLIN HMC Simulator library... no
checking for NVDIMM.h... (cached) no
checking for main in -lnvdsim... (cached) no
checking for FlashDIMM.h... no
checking for main in -lfdsim... no
checking for zlib.h... (cached) yes
checking for gzopen in -lz... (cached) yes
checking for libz compression library... yes
checking for sim.h... no
checking for _ZN5sim_t3runEv in -lrisvcv... no
checking for RISC-V Spike simulator library... no
checking for zlib.h... (cached) yes
checking for gzopen in -lz... (cached) yes
checking for libz compression library... yes
checking for pin.sh... (cached) no
checking for pin... (cached) no
./configure: line 26379: -version: command not found
checking for Pintool greater than or equal to 3.24... no
checking for Pintool greater than or equal to 3.25... no
checking PIN Tool... no
checking for C++ compiler vendor... (cached) clang
checking for library containing shm_open... (cached) none required
checking for otfconfig... no
checking for OTF library... no
checking for dumpi/libundumpi/libundumpi.h... no
checking for undumpi_open in -lundumpi... no
checking for DUMPI tracing library... no
checking for C++ compiler vendor... (cached) clang
checking for SST-Elements Git Branch, Head SHA and Commit Count... master
c1014f6b687eb61f8ea77248ab58026e3496ccd5
15541
checking for PR_SET_PTRACER... no
checking that generated files are newer than configure... done
configure: creating ./config.status
config.status: creating src/sst/elements/ariel/api/Makefile
config.status: creating src/sst/elements/ariel/mpi/Makefile
config.status: creating src/sst/elements/ariel/Makefile
config.status: creating src/sst/elements/balar/Makefile
config.status: creating src/sst/elements/cacheTracer/Makefile
config.status: creating src/sst/elements/carcosa/Makefile
config.status: creating src/sst/elements/cassini/Makefile

```

```
config.status: creating src/sst/elements/cramSim/Makefile
config.status: creating src/sst/elements/ember/Makefile
config.status: creating src/sst/elements/firefly/Makefile
config.status: creating src/sst/elements/gensa/Makefile
config.status: creating src/sst/elements/golem/Makefile
config.status: creating src/sst/elements/hermes/Makefile
config.status: creating src/sst/elements/iris/libfabric/Makefile
config.status: creating src/sst/elements/iris/Makefile
config.status: creating src/sst/elements/kingsley/Makefile
config.status: creating src/sst/elements/llyr/Makefile
config.status: creating src/sst/elements/mask-mpi/Makefile
config.status: creating src/sst/elements/memHierarchy/Makefile
config.status: creating src/sst/elements/mercury/Makefile
config.status: creating src/sst/elements/merlin/Makefile
config.status: creating src/sst/elements/messier/Makefile
config.status: creating src/sst/elements/miranda/Makefile
config.status: creating src/sst/elements/mmu/Makefile
config.status: creating src/sst/elements/opal/Makefile
config.status: creating src/sst/elements/osseous/Makefile
config.status: creating src/sst/elements/prospero/Makefile
config.status: creating src/sst/elements/rdmaNic/Makefile
config.status: creating src/sst/elements/samba/Makefile
config.status: creating src/sst/elements/serrano/Makefile
config.status: creating src/sst/elements/shogun/Makefile
config.status: creating src/sst/elements/simpleElementExample/Makefile
config.status: creating src/sst/elements/simpleSimulation/Makefile
config.status: creating src/sst/elements/thornhill/Makefile
config.status: creating src/sst/elements/vanadis/Makefile
config.status: creating src/sst/elements/vaultsim/Makefile
config.status: creating src/sst/elements/zodiac/Makefile
config.status: creating Makefile
config.status: creating src/Makefile
config.status: creating src/sst/Makefile
config.status: creating src/sst/elements/Makefile
config.status: creating src/sst_element_config.h
config.status: executing depfiles commands
config.status: executing libtool commands
```

SST Elements Configuration completed.

Build Environment:

```
SST-Elements Version : -dev
Git Branch : master
Git HEAD SHA : c1014f6b687eb61f8ea77248ab58026e3496ccd5
Branch Commit Count : 15541
SST-Elements Prefix : /Users/stephenrajva/sst/sst-elements-install
SST-Core Prefix : /Users/stephenrajva/sst/sst-core-install
Preprocessor : gcc
C++ Compiler : g++ -std=c++17
C Compiler : gcc
Compiler Version : Apple clang version 21.0.0 (clang-2100.1.1.101)
Linker : /Library/Developer/CommandLineTools/usr/bin/ld
Preprocessor Options : -I/opt/homebrew/opt/python@3.14/Frameworks/Python.framework/Versions/3.14/include/python3.14 -I/opt/homebrew/opt/python@3.14/Frameworks/Python.framework/Versions/3.14/include/python3.14 -I/Users/stephenrajva/sst/sst-core-install/include/sst/core -I/Users/stephenrajva/sst/sst-core-install/include
C Compiler Options : -g -O2
C++ Compiler Options : -std=c++17 -ffp-contract=off -g -O2
C++ Standard Compliance : C++17
Linker Options : -L/opt/homebrew/opt/python@3.14/Frameworks/Python.framework/Versions/3.14/lib/python3.14/config-3.14-darwin -lpython3.14 -ldl -framework CoreFoundation
```

Configuration Information (Found Dependencies):

```
ariel_mpi : No
cuda : No
dramsim : No
dramsim3 : No
dumpi : No
fdsim : No
goblin_hmcsim : No
gpgpusim : No
hbm-dramsim : No
hybridsim : No
libz : YES
numpy : YES
nvdimm3sim : No
otf : No
otf2 : No
pintool : No
ptrace_set_tracer : No
ramulator : No
ramulator2 : No
shm : YES
spinlock : No
stake : No
```

Configuration Information (Make will build the following elements):

```
ariel : YES
balar : no
cacheTracer : YES
carcosa : YES
cassini : YES
cramSim : YES
ember : YES
firefly : YES
gensa : YES
golem : YES
hermes : YES
iris : YES
kingsley : YES
llyr : YES
mask-mpi : YES
memHierarchy : YES
mercury : YES
merlin : YES
messier : YES
miranda : YES
mmu : YES
opal : YES
osseous : YES
prospero : YES
rdmaNic : YES
samba : YES
serrano : YES
shogun : YES
```

```
simpleElementExample : YES
simpleSimulation : YES
thornhill : YES
vanadis : YES
vaultsim : YES
zodiac : YES
```

```
-----
stephenrajva@Stephens-MacBook-Air-4 sst-elements % make -j8
Making all in src
/Library/Developer/CommandLineTools/usr/bin/make all-recursive
Making all in sst
Making all in elements
Making all in ariel
Making all in api
CC arielapi.lo
CCLD libarielapi.la
CXX libariel_la-arielcpu.lo
CXX libariel_la-arieltexttracegen.lo
CXX libariel_la-arielmemmgr_malloc.lo
CXX libariel_la-arielgzbintracegen.lo
CXX libariel_la-arielfrontendcommon.lo
CXX libariel_la-arielcore.lo
CXX libariel_la-arielmemmgr_simple.lo
CXX frontend/epa/libariel_la-epafrontend.lo
CXXLD libariel.la
Making all in cacheTracer
CXX cacheTracer.lo
CXXLD libcacheTracer.la
Making all in carcasa
CXX components/hali.lo
CXX components/faultInjManager.lo
CXX components/carcasaCPU.lo
CXX components/pingPongAgent.lo
CXX components/faultInjCPU.lo
CXX components/carcasaMemCtrl.lo
CXX components/carcasaCPUBase.lo
CXX components/sensorComponent.lo
CXX injectors/faultInjectorBase.lo
CXX injectors/stuckAtFaultInjector.lo
CXX injectors/corruptMemFaultInjector.lo
CXX injectors/randomDropFaultInjector.lo
CXX injectors/randomFlipFaultInjector.lo
CXX injectors/dropFlipFaultInjector.lo
CXX injectors/faultInjectorMemH.lo
CXX faultlogic/faultBase.lo
CXX faultlogic/stuckAtFault.lo
CXX faultlogic/corruptMemFault.lo
CXX faultlogic/randomDropFault.lo
CXX faultlogic/randomFlipFault.lo
CXX faultlogic/randomFlipMemHFault.lo
CXXLD libcarcasa.la
Making all in cassini
CXX strideprefetch.lo
CXX palaprefetch.lo
CXX pageentry.lo
CXX nbprefetch.lo
CXX addrHistogrammer.lo
CXX cacheLineTrack.lo
CXXLD libcassini.la
Making all in cramSim
CXX cramSim.lo
CXX c_Transaction.lo
CXX c_HashedAddress.lo
CXX c_TraceFileReader.lo
CXX c_Bank.lo
CXX c_TxnConverter.lo
CXX c_AddressHasher.lo
CXX c_Dimm.lo
CXX c_DeviceDriver.lo
CXX c_Controller.lo
CXX c_BankCommand.lo
CXX c_BankStateActivating.lo
CXX c_BankStateActive.lo
CXX c_BankStateIdle.lo
CXX c_BankStatePrecharge.lo
CXX c_BankStateRead.lo
CXX c_BankStateReadA.lo
CXX c_BankStateRefresh.lo
CXX c_BankStateWrite.lo
CXX c_BankStateWriteA.lo
CXX c_Rank.lo
CXX c_Channel.lo
CXX c_BankGroup.lo
CXX c_BankInfo.lo
CXX c_MemhBridge.lo
CXX c_TxnScheduler.lo
CXX c_CmdScheduler.lo
CXX c_TxnDispatcher.lo
CXX c_TxnGen.lo
CXXLD libcramSim.la
Making all in ember
od -v -t x1 < pyember.py | sed -e 's/^[^ ]*[/g' -e '/^s*d' -e 's/([0-9a-f]*)[ $]*/0x\1/g' > pyember.inc
/Library/Developer/CommandLineTools/usr/bin/make all-am
CXX embergen.lo
CXX ember.lo
CXX emberengine.lo
CXX embergettimeev.lo
CXX emberconstdistrib.lo
CXX emberevent.lo
CXX embergaussdistrib.lo
CXX emberdistrib.lo
CXX embercomputeev.lo
CXX embermotiflog.lo
CXX tools/spygen/spygen.o
CXX tools/meshconverter/meshconverter.o
CXX tools/embertricount/embertricount_setup.o
CXX libs/emberMpiLib.lo
CXX mpi/embermpigen.lo
CXX mpi/motifs/emberinit.lo
CXX mpi/motifs/emberfini.lo
CXX mpi/motifs/ember3dcomddb1.lo
CXX mpi/motifs/embersemdrecv.lo
CXX mpi/motifs/emberwaitany.lo
CXX mpi/motifs/embertest.lo
CXX mpi/motifs/embertestany.lo
CXX mpi/motifs/embernull.lo
CXX mpi/motifs/emberhaloid.lo
```

```

CXX      mpi/motifs/emberhalo2d.lo
CXX      mpi/motifs/emberhalo2dNBR.lo
CXX      mpi/motifs/emberhotspots.lo
CXX      mpi/motifs/embersweep2d.lo
CXX      mpi/motifs/emberring.lo
CXX      mpi/motifs/emberdetailedring.lo
CXX      mpi/motifs/emberdetailedstream.lo
CXX      mpi/motifs/emberpingpong.lo
CXX      mpi/motifs/emberbipingpong.lo
CXX      mpi/motifs/emberTrafficGen.lo
CXX      mpi/motifs/emberbarrier.lo
CXX      mpi/motifs/emberallpingpong.lo
CXX      mpi/motifs/emberallreduce.lo
CXX      mpi/motifs/emberallgather.v.lo
CXX      mpi/motifs/emberallgather.lo
CXX      mpi/motifs/emberalltoall.lo
CXX      mpi/motifs/emberalltoall.v.lo
CXX      mpi/motifs/emberreduce.lo
CXX      mpi/motifs/emberbroadcast.lo
CXX      mpi/motifs/emberscatter.lo
CXX      mpi/motifs/emberscatter.v.lo
CXX      mpi/motifs/emberhalo3d.lo
CXX      mpi/motifs/emberlqcd.lo
CXX      mpi/motifs/emberhalo3dsv.lo
CXX      mpi/motifs/emberhalo3d26.lo
CXX      mpi/motifs/emberincast.lo
CXX      mpi/motifs/embersweep3d.lo
CXX      mpi/motifs/embernaslu.lo
CXX      mpi/motifs/embersgrate.lo
CXX      mpi/motifs/embercomm.lo
CXX      mpi/motifs/ember3damr.lo
CXX      mpi/motifs/emberfft3d.lo
CXX      mpi/motifs/embercmt1d.lo
CXX      mpi/motifs/embercmt2d.lo
CXX      mpi/motifs/embercmt3d.lo
CXX      mpi/motifs/embercmtcr.lo
CXX      mpi/motifs/emberstop.lo
CXX      mpi/motifs/embersiriustrace.lo
CXX      mpi/motifs/emberrandomgen.lo
CXX      mpi/motifs/embertricont.lo
CXX      mpi/motifs/emberunstructured.lo
CXX      mpi/motifs/emberNtoM.lo
CXX      mpi/motifs/emberBFS.lo
CXX      shmem/emberShmemGen.lo
CXXLD    sst-spygen
ld: warning: -bind_at_load is deprecated on macOS
CXXLD    sst-meshconvert
CXXLD    embertricont_setup
ld: warning: -bind_at_load is deprecated on macOS
ld: warning: -bind_at_load is deprecated on macOS
CXXLD    libember.la
Making all in firefly
od -v -t x1 < pyfirefly.py | sed -e 's/^[\ ]*[ ]*//g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[\ ]*/0x\1/g' > pyfirefly.inc
/Library/Developer/CommandLineTools/usr/bin/make  all-am
CXX      ctrlMsg.lo
CXX      ctrlMsgProcessQueuesState.lo
CXX      libfirefly.lo
CXX      loopBack.lo
CXX      hades.lo
CXX      functionSM.lo
CXX      hadesMP.lo
CXX      hadesSHMEM.lo
CXX      virtNic.lo
CXX      nic.lo
CXX      nicEntryBase.lo
CXX      nicMsgStream.lo
CXX      nicRdmaStream.lo
CXX      nicRecvMachine.lo
CXX      nicRecvCtx.lo
CXX      nicRecvStream.lo
CXX      nicSendMachine.lo
CXX      nicShmem.lo
CXX      nicShmemMove.lo
CXX      nicShmemStream.lo
CXX      funcSM/alltoall.v.lo
CXX      funcSM/scatter.v.lo
CXX      funcSM/gather.v.lo
CXX      funcSM/allgather.lo
CXX      funcSM/collectiveTree.lo
CXX      funcSM/recv.lo
CXX      funcSM/send.lo
CXX      funcSM/cancel.lo
CXX      funcSM/wait.lo
CXX      funcSM/test.lo
CXX      funcSM/testany.lo
CXX      funcSM/waitAny.lo
CXX      funcSM/waitAll.lo
CXX      funcSM/commSplit.lo
CXX      funcSM/commCreate.lo
CXX      shmem/alltoall.lo
CXX      shmem/alltoalls.lo
CXX      shmem/barrier.lo
CXX      shmem/broadcast.lo
CXX      shmem/collect.lo
CXX      shmem/common.lo
CXX      shmem/fcollect.lo
CXX      shmem/reduction.lo
CXXLD    libfirefly.la
Making all in gensa
CXX      neuron.lo
CXX      gensa.lo
CXXLD    libgensa.la
Making all in golem
CXX      golem.lo
In file included from golem.cc:25:
../../../../src/sst/elements/golem/array/crossSimComputeArray.h:352:50: warning: format specifies type 'long' but the
argument has type 'long long' [-Wformat]
   352 |         out.verbose(CALL_INFO, 2, 0, "%ld ", value);
       |                                     ~~~~ ^~~~~
       |                                     %lld
../../../../src/sst/elements/golem/array/crossSimComputeArray.h:276:13: note: in instantiation of member function
'SST::Golem::CrossSimComputeArray<long long>::printValue' requested here
   276 |         printValue(inputData[coll]);
       |         ^
../../../../src/sst/elements/golem/array/crossSimIntArray.h:50:5: note: in instantiation of member function
'SST::Golem::CrossSimComputeArray<long long>::compute' requested here
    50 |         CrossSimIntArray(ComponentId_t id, Params& params,
       |         ^
1 warning generated.
CXXLD    libgolem.la

```

```

Making all in hermes
CC      libhermes.lo
CCLD    libhermes.la
Making all in iris
Making all in libfabric
CXX      prov/sumi/src/sumi_av.lo
CXX      prov/sumi/src/sumi_cm.lo
CXX      prov/sumi/src/sumi_cq.lo
CXX      prov/sumi/src/sumi_cntr.lo
CXX      prov/sumi/src/sumi_dom.lo
CXX      prov/sumi/src/sumi_eq.lo
CXX      prov/sumi/src/sumi_ep.lo
CXX      prov/sumi/src/sumi_fabric.lo
CXX      prov/sumi/src/sumi_mr.lo
CXX      prov/sumi/src/sumi_poll.lo
CXX      prov/sumi/src/sumi_sep.lo
CXX      prov/sumi/src/sumi_wait.lo
CXX      prov/sumi/src/sumi_prov.lo
CC      src/log.lo
CC      src/common.lo
CC      src/rbtree.lo
CC      src/indexer.lo
CC      src/perf.lo
CC      src/mem.lo
CC      src/iiov.lo
CC      src/shared/ofc_str.lo
CC      src/abi_1_0.lo
CC      src/enosys.lo
CC      src/fabric.lo
CC      src/fasthash.lo
CC      src/var.lo
CC      src/fi_tostr.lo
CC      src/tree.lo
CC      prov/util/src/util_atomic.lo
CC      prov/util/src/util_attr.lo
CC      prov/util/src/util_av.lo
CC      prov/util/src/util_cq.lo
CC      prov/util/src/util_cntr.lo
CC      prov/util/src/util_domain.lo
CC      prov/util/src/util_ep.lo
CC      prov/util/src/util_epc.lo
CC      prov/util/src/util_eq.lo
CC      prov/util/src/util_fabric.lo
CC      prov/util/src/util_main.lo
CC      prov/util/src/util_poll.lo
CC      prov/util/src/util_wait.lo
CC      prov/util/src/util_buf.lo
CC      prov/util/src/util_mr_map.lo
CC      prov/util/src/util_ns.lo
CC      prov/util/src/util_shm.lo
CC      prov/util/src/util_mem_monitor.lo
CC      prov/util/src/util_mem_hooks.lo
CC      prov/util/src/util_mr_cache.lo
CC      prov/util/src/util_coll.lo
CC      src/unix/osd.lo
CC      prov/sock/src/sock_cm.lo
CC      prov/sock/src/sock_cq.lo
CC      prov/sock/src/sock_xfer.lo
CC      prov/sock/src/sock_epc.lo
CC      prov/sock/src/sock_cntr.lo
CC      prov/sock/src/sock_av.lo
CC      prov/sock/src/sock.lo
CC      prov/sock/src/sock_wait.lo
CC      prov/sock/src/sock_domain.lo
CC      prov/sock/src/sock_eq.lo
CXXLD    libfabric.la
CXX      sumi/allgather.lo
CXX      sumi/allgatherv.lo
CXX      sumi/collective.lo
CXX      sumi/collective_actor.lo
CXX      sumi/bcast.lo
CXX      sumi/alltoallv.lo
CXX      sumi/alltoall.lo
CXX      sumi/allreduce.lo
CXX      sumi/collective_message.lo
CXX      sumi/communicator.lo
CXX      sumi/dense_rank_map.lo
CXX      sumi/gather.lo
CXX      sumi/gatherv.lo
CXX      sumi/message.lo
CXX      sumi/monitor.lo
CXX      sumi/rank_mapper.lo
CXX      sumi/reduce.lo
CXX      sumi/reduce_scatter.lo
CXX      sumi/scan.lo
CXX      sumi/scatter.lo
CXX      sumi/scatterv.lo
CXX      sumi/sim_transport.lo
CXX      sumi/sumi.lo
CXX      sumi/sumi_thread.lo
CXX      pmi/libpmi.lo
CXXLD    libpmi.la
CXXLD    libsumi.la
Making all in kingsley
CXX      noc_mesh.lo
CXX      linkControl.lo
CXXLD    libkingsley.la
Making all in llyr
CXX      libllyr_la-llyr.lo
CXXLD    libllyr.la
Making all in mask-mpi
CXX      of2_output_stat.lo
CXX      mpi_api_win.lo
CXX      mpi_api.lo
CXX      mpi_api_collectives.lo
CXX      mask_mpi.lo
CXX      mpi_api_probe.lo
CXX      mpi_api_group.lo
CXX      mpi_api_comm.lo
CXX      mpi_api_send_recv.lo
CXX      mpi_api_test.lo
CXX      mpi_api_type.lo
CXX      mpi_api_vcollectives.lo
CXX      mpi_api_wait.lo
CXX      mpi_debug.lo
CXX      mpi_delay_stats.lo
CXX      mpi_message.lo
CXX      mpi_request.lo
CXX      mpi_comm/mpi_comm.lo
CXX      mpi_comm/mpi_group.lo

```

```

CXX      mpi_comm/keyval.lo
CXX      mpi_comm/mpi_comm_factory.lo
CXX      mpi_comm/mpi_comm_cart.lo
CXX      mpi_queue/mpi_queue_probe_request.lo
CXX      mpi_queue/mpi_queue_recv_request.lo
CXX      mpi_queue/mpi_queue.lo
CXX      mpi_protocol/mpi_protocol.lo
CXX      mpi_protocol/eager1.lo
CXX      mpi_protocol/eager0.lo
CXX      mpi_protocol/rendezvous_rdma.lo
CXX      mpi_types/mpi_type.lo
CXX      tests/sendrecv.lo
CXX      tests/reduce.lo
CXX      tests/alltoall.lo
CXX      tests/allgather.lo
CXX      skeletons/halo3d-26.lo
CXXLD    libsendrecv.lo
CXXLD    libreduce.lo
CXXLD    liballtoall.lo
CXXLD    liballgather.lo
CXXLD    libhalo3d26.lo
CXXLD    libmask_mpi.lo
Making all in memHierarchy
CXX      cacheController.lo
CXX      cacheFactory.lo
CXX      bus.lo
CXX      memoryController.lo
CXX      coherentMemoryController.lo
CXX      memLink.lo
CXX      memoryCacheController.lo
CXX      memNIC.lo
CXX      memNICFour.lo
CXX      directoryController.lo
CXX      scratchpad.lo
CXX      standardInterface.lo
CXX      coherencecmgr/MESI_L1.lo
CXX      coherencecmgr/MESI_Inclusive.lo
CXX      coherencecmgr/MESI_Private_Noninclusive.lo
CXX      coherencecmgr/MESI_Shared_Noninclusive.lo
CXX      coherencecmgr/Incoherent_L1.lo
CXX      coherencecmgr/Incoherent.lo
CXX      multithreadL1Shim.lo
CXX      mshr.lo
CXX      dmaEngine.lo
CXX      networkMemInspector.lo
CXX      memNetBridge.lo
CXX      testcpu/standardMMIO.lo
CXX      membackend/timingDRAMBackend.lo
CXX      membackend/memBackendConvertor.lo
CXX      membackend/simpleMemBackendConvertor.lo
CXX      membackend/flagMemBackendConvertor.lo
CXX      membackend/extMemBackendConvertor.lo
CXX      membackend/delayBuffer.lo
CXX      membackend/simpleMemBackend.lo
CXX      membackend/simpleDRAMBackend.lo
CXX      membackend/requestReorderSimple.lo
CXX      membackend/requestReorderByRow.lo
CXX      membackend/vaultSimBackend.lo
CXX      membackend/MessierBackend.lo
CXX      membackend/scratchBackendConvertor.lo
CXX      membackend/simpleMemScratchBackendConvertor.lo
CXX      membackend/cramSimBackend.lo
CXX      customcmd/defCustomCmdHandler.lo
CXX      coherencecmgr/coherenceController.lo
CXX      testcpu/trivialCPU.lo
CXX      testcpu/streamCPU.lo
CXX      testcpu/scratchCPU.lo
CXX      testcpu/standardCPU.lo
CXX      Sieve/sieveController.lo
CXX      Sieve/sieveFactory.lo
CXX      Sieve/broadcastShim.lo
CXX      Sieve/memmgr_sieve.lo
CXXLD    libmemHierarchy.lo
Making all in mercury
od -v -t x1 < pymercury.py | sed -e 's/^[^ ]*[/g' -e '/^\s*$d' -e 's/([0-9a-f]*)[ $]*/0x\1,/g' > pymercury.inc
/Library/Developer/CommandLineTools/usr/bin/make all-am
CXX      libraries/compute/compute_library.lo
CXX      common/event_link.lo
CXX      common/component.lo
CXX      common/loaderAPI.lo
CXX      common/hg_string.lo
CXX      common/mercury.lo
CXX      common/util.lo
CXX      common/output.lo
CXX      common/timestamp.lo
CXX      common/connection.lo
CXX      common/skeleton.lo
CXX      common/hgcc_wrappers.lo
CXX      components/compute_library/node_cl.lo
CXX      components/compute_library/operating_system_cl.lo
CXX      components/compute_library/operating_system_cl_api.lo
CXX      components/nic.lo
CXX      components/nic_api.lo
CXX      components/node.lo
CXX      components/node_base.lo
CXX      components/operating_system.lo
CXX      components/operating_system_api.lo
CXX      components/operating_system_impl.lo
CXX      hardware/common/packet.lo
CXX      hardware/common/recv_cq.lo
CXX      hardware/network/network_message.lo
CXX      libraries/compute/compute_scheduler.lo
CXX      libraries/compute/instruction_processor.lo
CXX      libraries/compute/memory_model.lo
CXX      operating_system/launch/app_launch_request.lo
CXX      operating_system/launch/app_launcher.lo
CXX      operating_system/libraries/library.lo
CXX      operating_system/libraries/unblock_event.lo
CXX      operating_system/libraries/pthread/hg_pthread.lo
CXX      operating_system/libraries/pthread/hg_pthread_runner.lo
CXX      operating_system/process/app.lo
CXX      operating_system/process/global.lo
CXX      operating_system/process/progress_queue.lo
CXX      operating_system/process/thread.lo
CXX      operating_system/process/thread_info.lo
CXX      operating_system/threading/context_util.lo
CXX      operating_system/threading/stack_alloc.lo
CXX      operating_system/threading/stack_alloc_chunk.lo
CXX      operating_system/threading/thread_lock.lo
CXX      operating_system/threading/threading_fcontext.lo

```

```

CPPAS      operating_system/threading/asm/make_arm64_aapcs_macho_gas.lo
CPPAS      operating_system/threading/asm/jump_arm64_aapcs_macho_gas.lo
CPPAS      operating_system/threading/asm/ontop_arm64_aapcs_macho_gas.lo
CXXLD      libcomputelibrary.la
CXX         tests/ostest.lo
CXX         tests/ostest-nano.lo
CXXLD      libostest.la
CXXLD      libostest-nano.la
CXXLD      libhg.la
Making all in merlin
od -v -t x1 < pymerlin.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > pymerlin.inc
od -v -t x1 < pymerlin-base.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > pymerlin-base.inc
od -v -t x1 < pymerlin-endpoint.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > pymerlin-endpoint.inc
od -v -t x1 < pymerlin-router.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > pymerlin-router.inc
od -v -t x1 < interfaces/pymerlin-interface.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > interfaces/pymerlin-interface.inc
od -v -t x1 < target_generator/pymerlin-targetgen.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > target_generator/pymerlin-targetge
n.inc
od -v -t x1 < topology/pymerlin-topo-dragonfly.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > topology/pymerlin-topo-dragonfly.inc
od -v -t x1 < topology/pymerlin-topo-polarfly.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > topology/pymerlin-topo-polarfly.inc
od -v -t x1 < topology/pymerlin-topo-polarstar.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > topology/pymerlin-topo-polarstar.inc
od -v -t x1 < topology/pymerlin-topo-hyperx.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > topology/pymerlin-topo-hyperx.inc
od -v -t x1 < topology/pymerlin-topo-fattree.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > topology/pymerlin-topo-fattree.inc
od -v -t x1 < topology/pymerlin-topo-mesh.py | sed -e 's/^[^ ]*[ ]*/g' -e '/^\s*$/d' -e 's/\([0-9a-f]*\)[ ]*/0x\1,/g' > topology/pymerlin-topo-mesh.inc
/Library/Developer/CommandLineTools/usr/bin/make  all-am
CXX        merlin.lo
CXX        pymodule.lo
CXX        offeredload/offered_load.lo
CXX        target_generator/target_generator.lo
CXX        background_traffic/background_traffic.lo
CXX        test/nic.lo
CXX        test/pt2pt/pt2pt_test.lo
CXX        test/route_test/route_test.lo
CXX        test/bisection/bisection_test.lo
CXX        test/simple_patterns/empty.lo
CXX        test/simple_patterns/shift.lo
CXX        test/simple_patterns/incast.lo
CXX        topology/torus.lo
CXX        topology/mesh.lo
CXX        topology/fattree.lo
CXX        topology/dragonfly.lo
CXX        topology/singlerouter.lo
CXX        topology/hyperx.lo
CXX        topology/polarfly.lo
CXX        topology/polarstar.lo
CXX        hr_router/hr_router.lo
CXX        trafficgen/trafficgen.lo
CXX        inspectors/circuitCounter.lo
CXX        inspectors/testInspector.lo
CXX        interfaces/linkControl.lo
CXX        interfaces/portControl.lo
CXX        interfaces/reorderLinkControl.lo
CXXLD      libmerlin.la
Making all in messier
CXX        libMessier.lo
CXX        messier.lo
CXX        nvm_dimm.lo
CXX        writeBuffer.lo
CXXLD      libMessier.la
Making all in miranda
CXX        mirandaCPU.lo
CXX        mirandaIncGen.lo
CXX        generators/singlestream.lo
CXX        generators/revsinglestream.lo
CXX        generators/streambench.lo
CXX        generators/gupsgen.lo
CXX        generators/stencil3dbench.lo
CXX        generators/randomgen.lo
CXX        generators/streambench_customcmd.lo
CXXLD      libmiranda.la
Making all in mmu
CXX        mmu.lo
CXX        simpleMMU.lo
CXX        tlBWrapper.lo
CXX        simpleTLB.lo
CXXLD      libmmu.la
Making all in opal
CXX        mempool.lo
CXX        opal.lo
CXX        arielmemmgr_opal.lo
CXX        opalMemNIC.lo
CXX        page_fault_handler.lo
CXXLD      libOpal.la
Making all in osseous
CXX        rtlcomponent.lo
CXX        rtlevnt.lo
CXX        rtlmemmgr_simple.lo
CXXLD      librtlcomponent.la
Making all in prospero
CXX        proscpu.lo
CXX        prostextreader.lo
CXX        prosbinaryreader.lo
CXX        prosmemmgr.lo
CXX        prosbingzreader.lo
CXXLD      libprospero.la
Making all in rdmaNic
CXX        rdmaNic.lo
CXX        rdmaNicNetworkQueue.lo
CXX        rdmaNicSendEngine.lo
CXX        rdmaNicRecvEngine.lo
CXXLD      librdmaNic.la
Making all in samba
CXX        libSamba.lo
CXX        samba.lo
CXX        tlB_unit.lo
CXX        tlB_hierarchy.lo
CXX        page_table_walker.lo
CXX        simple_tlb.lo
CXXLD      libSamba.la
Making all in serrano
CXX        serrano.lo
CXXLD      libserrano.la
Making all in shogun
CXX        shogun.lo
CXX        shogun_nic.lo
CXX        arb/shogunrrarb.lo
CXXLD      libshogun.la
Making all in simpleElementExample
CXX        example0.lo
CXX        example1.lo
CXX        basicParams.lo

```

```

CXX      basicSubComponent_component.lo
CXX      basicSimLifeCycle.lo
CXX      basicClocks.lo
CXX      basicLinks.lo
CXX      basicStatistics.lo
CXX      basicSubComponent_subcomponent.lo
CXXLD    libsimpleElementExample.la
Making all in simpleSimulation
CXX      simpleCarWash/simpleCarWash.lo
CXX      distCarWash/distCarGenerator.lo
CXX      distCarWash/distCarWash.lo
CXXLD    libsimpleSimulation.la
Making all in thornhill
CXX      libthornhill.lo
CXX      memoryHeap.lo
CXX      singleThread.lo
CXXLD    libthornhill.la
Making all in vanadis
CXX      vanadis.lo
CXX      libvanadisdbg_la-vanadis.lo
CXX      tools/tracediff/tracediff.o
CXX      decoder/vmipsdecoder.lo
CXX      os/velfloader.lo
CXX      decoder/vriscv64decoder.lo
CXX      os/vnodeos.lo
CXX      os/vloadpage.lo
CXX      os/vnodeoshandler.lo
CXX      os/include/virtMemMap.lo
CXX      os/syscall/clone.lo
CXX      os/syscall/clone3.lo
CXX      os/syscall/exit.lo
CXX      os/syscall/existgroup.lo
CXX      os/syscall/fork.lo
CXX      os/syscall/futex.lo
CXX      os/syscall/mprotect.lo
CXX      os/syscall/syscall.lo
CXX      decoder/libvanadisdbg_la-vmipsdecoder.lo
CXX      decoder/libvanadisdbg_la-vriscv64decoder.lo
CXX      os/libvanadisdbg_la-velfloader.lo
CXX      os/libvanadisdbg_la-vloadpage.lo
CXX      os/libvanadisdbg_la-vnodeos.lo
CXX      os/libvanadisdbg_la-vnodeoshandler.lo
CXX      os/include/libvanadisdbg_la-virtMemMap.lo
CXX      os/syscall/libvanadisdbg_la-clone.lo
CXX      os/syscall/libvanadisdbg_la-clone3.lo
CXX      os/syscall/libvanadisdbg_la-exit.lo
CXX      os/syscall/libvanadisdbg_la-existgroup.lo
CXX      os/syscall/libvanadisdbg_la-fork.lo
CXX      os/syscall/libvanadisdbg_la-futex.lo
CXX      os/syscall/libvanadisdbg_la-mprotect.lo
CXX      os/syscall/libvanadisdbg_la-syscall.lo
CXXLD    sst-vanadis-tracediff
CXXLD    libvanadis.la
ld: warning: -bind_at_load is deprecated on macOS
CXXLD    libvanadisdbg.la
Making all in vaultsim
CXX      logicLayer.lo
CXX      cpu.lo
CXX      vaultsim.lo
CXX      app.lo
CXXLD    libvaultsim.la
Making all in zodiac
CXX      ztrace.lo
CXX      zcomputeevent.lo
CXX      zevent.lo
CXX      zsirius.lo
CXX      zsendevent.lo
CXX      zbarrierevent.lo
CXX      zrecvvent.lo
CXX      siriusreader.lo
CXX      zinitevent.lo
CXX      zirecvevent.lo
CXX      zwaitevent.lo
CXX      zfinalizeevent.lo
CXX      zallredevent.lo
CXX      zcollective.lo
CXXLD    libzodiac.la
make[5]: Nothing to be done for `all-am'.
make[4]: Nothing to be done for `all-am'.
make[3]: Nothing to be done for `all-am'.
make[1]: Nothing to be done for `all-am'.
stephenrajva@Stephens-MacBook-Air-4 sst-elements % make install
Making install in src
Making install in sst
Making install in elements
Making install in ariel
Making install in api
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib'
/bin/sh ./.././../libtool --mode=install /usr/bin/install -c libarielapi.la '/Users/stephenrajva/sst/sst-elements-install/lib'
libtool: install: /usr/bin/install -c .libs/libarielapi.so /Users/stephenrajva/sst/sst-elements-install/lib/libarielapi.so
libtool: install: /usr/bin/install -c .libs/libarielapi.lai /Users/stephenrajva/sst/sst-elements-install/lib/libarielapi.la
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include'
/usr/bin/install -c -m 644 arielapi.h '/Users/stephenrajva/sst/sst-elements-install/include'
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
make[7]: Nothing to be done for `install-exec-hook'.
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh ./.././../libtool --mode=install /usr/bin/install -c libariel.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libariel.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libariel.so
libtool: install: /usr/bin/install -c .libs/libariel.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libariel.la
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/ariel'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/ariel/api'
/usr/bin/install -c -m 644 api/arielapi.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/ariel/api'
/usr/bin/install -c -m 644 ariel_shmem.h arieltracegen.h arielmemmgr.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/ariel/'
Making install in cacheTracer
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE      cacheTracer=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/cacheTracer
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS      cacheTracer=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/cacheTracer
/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh ./.././../libtool --mode=install /usr/bin/install -c libcacheTracer.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libcacheTracer.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libcacheTracer.so
libtool: install: /usr/bin/install -c .libs/libcacheTracer.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libcacheTracer.la
Making install in carcosa
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE      carcosa=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/carcosa
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS      carcosa=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/carcosa/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh ./.././../libtool --mode=install /usr/bin/install -c libcarcosa.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libcarcosa.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libcarcosa.so
libtool: install: /usr/bin/install -c .libs/libcarcosa.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libcarcosa.la

```

```
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/carcosa'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/carcosa/injectors'
/usr/bin/install -c -m 644 injectors/faultInjectorBase.h injectors/stuckAtFaultInjector.h injectors/corruptMemFaultInjector.h injectors/randomDropFaultInjector.h
injectors/randomFlipFaultInjector.h injectors/dropFlipFaultInjector.h injectors/faultInjectorMemH.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/carcosa/injectors'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/carcosa/faultlogic'
/usr/bin/install -c -m 644 faultlogic/faultBase.h faultlogic/stuckAtFault.h faultlogic/corruptMemFault.h faultlogic/randomDropFault.h faultlogic/randomFlipFault.h
faultlogic/randomFlipMemFault.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/carcosa/faultlogic'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/carcosa/components'
/usr/bin/install -c -m 644 components/pmDataRegistry.h components/faultInjManagerAPI.h components/interceptionAgentAPI.h components/pingPongAgent.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/carcosa/components'
Making install in cassini
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE cassini=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/cassini
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS cassini=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/cassini/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libcassini.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libcassini.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libcassini.so
libtool: install: /usr/bin/install -c .libs/libcassini.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libcassini.la
Making install in cramSim
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE cramSim=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/cramSim
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS cramSim=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/cramSim/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libcramSim.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libcramSim.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libcramSim.so
libtool: install: /usr/bin/install -c .libs/libcramSim.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libcramSim.la
Making install in ember
/Library/Developer/CommandLineTools/usr/bin/make install-am
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/bin'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c sst-spygen sst-meshconvert embertricount_setup '/Users/stephenrajva/sst/sst-elements-install/bin'
libtool: install: /usr/bin/install -c sst-spygen /Users/stephenrajva/sst/sst-elements-install/bin/sst-spygen
libtool: install: /usr/bin/install -c sst-meshconvert /Users/stephenrajva/sst/sst-elements-install/bin/sst-meshconvert
libtool: install: /usr/bin/install -c embertricount_setup /Users/stephenrajva/sst/sst-elements-install/bin/embertricount_setup
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE ember=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/ember
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS ember=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/ember/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libember.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libember.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libember.so
libtool: install: /usr/bin/install -c .libs/libember.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libember.la
Making install in firefly
/Library/Developer/CommandLineTools/usr/bin/make install-am
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE firefly=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/firefly
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libfirefly.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libfirefly.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libfirefly.so
libtool: install: /usr/bin/install -c .libs/libfirefly.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libfirefly.la
Making install in gensa
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE gensa=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/gensa
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS gensa=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/gensa/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libgensa.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libgensa.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libgensa.so
libtool: install: /usr/bin/install -c .libs/libgensa.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libgensa.la
Making install in golem
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE golem=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/golem
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS golem=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/golem/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libgolem.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libgolem.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libgolem.so
libtool: install: /usr/bin/install -c .libs/libgolem.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libgolem.la
Making install in hermes
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE hermes=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/hermes
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libhermes.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libhermes.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libhermes.so
libtool: install: /usr/bin/install -c .libs/libhermes.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libhermes.la
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/hermes'
/usr/bin/install -c -m 644 msgapi.h miscapi.h hermes.h functor.h shmapi.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/hermes/'
Making install in iris
Making install in libfabric
make[6]: Nothing to be done for 'install-exec-am'.
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libfabric.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext'
libtool: install: /usr/bin/install -c .libs/libfabric.0.dylib /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libfabric.0.dylib
libtool: install: (cd /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext && { ln -s -f libfabric.0.dylib libfabric.dylib || { rm -f libfabric
.dylib && ln -s libfabric.0.dylib libfabric.dylib; }; })
libtool: install: /usr/bin/install -c .libs/libfabric.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libfabric.la
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/rdma'
/usr/bin/install -c -m 644 include/rdma/fabric.h include/rdma/fi_atomic.h include/rdma/fi_cm.h include/rdma/fi_collective.h include/rdma/fi_domain.h include/rdma/fi_endpoint.h include/rdma/fi_eq.h include/rdma/fi_errno.h include/rdma/fi_rma.h include/rdma/fi_tagged.h include/rdma/fi_trigger.h '/Users/stephenrajva/sst/sst-elements-install/include/rdma'
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE iris=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/iris
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext'
/bin/sh .././.././libtool --tag=CXX --mode=install /usr/bin/install -c libsumi.la libpmi.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext'
libtool: install: /usr/bin/install -c .libs/libsumi.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libsumi.so
libtool: install: /usr/bin/install -c .libs/libsumi.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libsumi.la
libtool: install: /usr/bin/install -c .libs/libpmi.dylib /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libpmi.dylib
libtool: install: /usr/bin/install -c .libs/libpmi.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libpmi.la
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/iris'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/iris/pmi'
/usr/bin/install -c -m 644 pmi/pmi.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/iris/pmi'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/iris/sumi'
/usr/bin/install -c -m 644 sumi/allgather.h sumi/allgather.h sumi/allreduce.h sumi/alltoall.h sumi/alltoallv.h sumi/bcast.h sumi/collective.h sumi/collective_act
or.h sumi/collective_actor_fwd.h sumi/collective_message.h sumi/collective_message_fwd.h sumi/comm_functions.h sumi/communicator.h sumi/communicator_fwd.h sumi/dens
e_rank_map.h sumi/gather.h sumi/gatherv.h sumi/message.h sumi/message_fwd.h sumi/monitor.h sumi/network_id.h sumi/null_buffer.h sumi/options.h sumi/rank_mapper.h su
mi/reduce.h sumi/reduce_scatter.h sumi/scan.h sumi/scatter.h sumi/scatterv.h sumi/sim_transport.h sumi/sumi.h sumi/sumi_thread.h sumi/timout.h sumi/transport.h sum
i/transport_fwd.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/iris/sumi'
/Library/Developer/CommandLineTools/usr/bin/make install-data-hook
/usr/bin/install -c -m 644 .pmi/pmi.h /Users/stephenrajva/sst/sst-elements-install/include/iris/pmi.h
Making install in kingsley
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE kingsley=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/kingsley
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS kingsley=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/kingsley/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libkingsley.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libkingsley.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libkingsley.so
libtool: install: /usr/bin/install -c .libs/libkingsley.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libkingsley.la
Making install in llyr
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE llyr=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/llyr
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS llyr=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/llyr/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
```

```
/bin/sh .././../libtool --mode=install /usr/bin/install -c libllyr.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libllyr.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libllyr.so
libtool: install: /usr/bin/install -c .libs/libllyr.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libllyr.la
Making install in mask-mpi
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE mask-mpi=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/mask-mpi
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS mask-mpi=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/mask-mpi/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext'
/bin/sh .././../libtool --mode=install /usr/bin/install -c libmask_mpi.la libsendrecv.la libreduce.la liballtoall.la liballgather.la libhalo3d26.la '/Users
stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext'
libtool: install: /usr/bin/install -c .libs/libmask_mpi.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libmask_mpi.so
libtool: install: /usr/bin/install -c .libs/libmask_mpi.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libmask_mpi.la
libtool: install: /usr/bin/install -c .libs/libsendrecv.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libsendrecv.so
libtool: install: /usr/bin/install -c .libs/libsendrecv.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libsendrecv.la
libtool: install: /usr/bin/install -c .libs/libreduce.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libreduce.so
libtool: install: /usr/bin/install -c .libs/libreduce.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libreduce.la
libtool: install: /usr/bin/install -c .libs/liballtoall.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/liballtoall.so
libtool: install: /usr/bin/install -c .libs/liballtoall.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/liballtoall.la
libtool: install: /usr/bin/install -c .libs/liballgather.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/liballgather.so
libtool: install: /usr/bin/install -c .libs/liballgather.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/liballgather.la
libtool: install: /usr/bin/install -c .libs/libhalo3d26.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libhalo3d26.so
libtool: install: /usr/bin/install -c .libs/libhalo3d26.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libhalo3d26.la
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mask-mpi'
/usr/bin/install -c -m 644 mpi_comm/keyval.h mpi_comm/keyval_fwd.h mpi_comm/mpi_comm.h mpi_comm/mpi_comm_fwd.h mpi_comm/mpi_comm_factory.h mpi_comm/mpi_comm_cart.h
mpi_comm/mpi_group.h mpi_queue/mpi_queue_probe_request_fwd.h mpi_queue/mpi_queue_recv_request_fwd.h mpi_queue/mpi_queue_probe_request.h mpi_queue/mpi_queue_recv_re
quest.h mpi_queue/mpi_queue.h mpi_queue/mpi_queue_fwd.h mpi_protocol/mpi_protocol.h mpi_protocol/mpi_protocol_fwd.h mpi_types/mpi_type.h mpi_types/mpi_type_fwd.h mp
i_api.h mpi_api_fwd.h mpi_debug.h mpi_delay_stats.h mpi_message.h mpi_request.h mpi_request_fwd.h mpi_status.h mpi_status_fwd.h mpi_types.h mpi_wrapper.h mpi_intege
rs.h mpi_call.h of2_output_stat.h of2_output_stat_fwd.h mask_mpi.h mask_mpi_macro.h unusedvariablenmacro.h '/Users/stephenrajva/sst/sst-elements-install/include/ss
t/elements/mask-mpi'
Making install in memHierarchy
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register DRAMSIM LIBDIR=
/Users/stephenrajva/sst/sst-core-install/bin/sst-register DRAMSIM3 LIBDIR=
/Users/stephenrajva/sst/sst-core-install/bin/sst-register HBMDRAMSIM LIBDIR=
/Users/stephenrajva/sst/sst-core-install/bin/sst-register HYBRIDSIM LIBDIR=
/Users/stephenrajva/sst/sst-core-install/bin/sst-register NVDIMMSIM LIBDIR=
/Users/stephenrajva/sst/sst-core-install/bin/sst-register FDSIM LIBDIR=
/Users/stephenrajva/sst/sst-core-install/bin/sst-register GOBLIN_HMCSIM LIBDIR=
/Users/stephenrajva/sst/sst-core-install/bin/sst-register RAMULATOR LIBDIR=
/Users/stephenrajva/sst/sst-core-install/bin/sst-register RAMULATOR2 LIBDIR=
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE memHierarchy=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/memHierarc
hy
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS memHierarchy=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/memHierarc
hy/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././../libtool --mode=install /usr/bin/install -c libmemHierarchy.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libmemHierarchy.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libmemHierarchy.so
libtool: install: /usr/bin/install -c .libs/libmemHierarchy.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libmemHierarchy.la
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/memHierarchy'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/memHierarchy/customcmd'
/usr/bin/install -c -m 644 customcmd/customCmdMemory.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/memHierarchy/customcmd'
/usr/bin/install -c -m 644 memEventBase.h memEvent.h memNICBase.h memNIC.h memNICFour.h memLink.h memLinkBase.h memoryController.h coherentMemoryController.h cach
eListener.h bus.h util.h memTypes.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/memHierarchy/'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/memHierarchy/membackend'
/usr/bin/install -c -m 644 membackend/backing.h membackend/memBackend.h membackend/vaultSimBackend.h membackend/MessierBackend.h membackend/simpleMemBackend.h mem
backend/simpleDRAMBackend.h membackend/requestReorderSimple.h membackend/requestReorderByRow.h membackend/delayBuffer.h membackend/memBackendConverter.h membackend/
extMemBackendConverter.h membackend/flagMemBackendConverter.h membackend/scratchBackendConverter.h membackend/simpleMemBackendConverter.h membackend/simpleMemScratc
hBackendConverter.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/memHierarchy/membackend'
Making install in mercury
/Library/Developer/CommandLineTools/usr/bin/make install-am
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE mercury=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/mercury
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS mercury=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/mercury/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././../libtool --tag=CXX --mode=install /usr/bin/install -c libhg.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libhg.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libhg.so
libtool: install: /usr/bin/install -c .libs/libhg.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libhg.la
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext'
/bin/sh .././../libtool --tag=CXX --mode=install /usr/bin/install -c libcomputelibrary.la libostest.la libostest-nano.la '/Users/stephenrajva/sst/sst-elemen
ts-install/lib/sst-elements-library/ext'
libtool: install: /usr/bin/install -c .libs/libcomputelibrary.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libcomputelibrary.so
libtool: install: /usr/bin/install -c .libs/libcomputelibrary.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libcomputelibrary.la
libtool: install: /usr/bin/install -c .libs/libostest.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libostest.so
libtool: install: /usr/bin/install -c .libs/libostest.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libostest.la
libtool: install: /usr/bin/install -c .libs/libostest-nano.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libostest-nano.so
libtool: install: /usr/bin/install -c .libs/libostest-nano.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext/libostest-nano.la
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/external'
/usr/bin/install -c -m 644 external/json.hpp '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/external'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/operating_system/process'
/usr/bin/install -c -m 644 operating_system/process/global.h operating_system/process/cppglobal.h operating_system/process/tls.h operating_system/process/process_
context.h operating_system/process/software_id.h operating_system/process/app.h operating_system/process/thread_fwd.h operating_system/process/thread_info.h operati
ng_system/process/thread.h operating_system/process/memoize.h operating_system/process/progress_queue.h operating_system/process/thread_id.h operating_system/proces
s/app_id.h operating_system/process/task_id.h operating_system/process/mutex.h operating_system/process/app_fwd.h '/Users/stephenrajva/sst/sst-elements-install/incl
ude/sst/elements/mercury/operating_system/process'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/components/compute_library'
/usr/bin/install -c -m 644 components/compute_library/node_cl.h components/compute_library/node_cl_fwd.h components/compute_library/operating_system_cl.h componen
ts/compute_library/operating_system_cl_api.h components/compute_library/operating_system_cl_fwd.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements
/mercury/components/compute_library'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/operating_system/threading'
/usr/bin/install -c -m 644 operating_system/threading/context_util.h operating_system/threading/thread_lock.h operating_system/threading/stack_alloc.h operating_s
ystem/threading/stack_alloc_chunk.h operating_system/threading/threading_interface.h operating_system/threading/sim_thread_lock.h '/Users/stephenrajva/sst/sst-eleme
nts-install/include/sst/elements/mercury/operating_system/threading'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/libraries/compute'
/usr/bin/install -c -m 644 libraries/compute/compute_api.h libraries/compute/compute_event.h libraries/compute/compute_library.h libraries/compute/compute_schedul
er.h libraries/compute/compute_scheduler_api.h libraries/compute/instruction_processor.h libraries/compute/memory_model.h '/Users/stephenrajva/sst/sst-elements-inst
all/include/sst/elements/mercury/libraries/compute'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/operating_system/launch'
/usr/bin/install -c -m 644 operating_system/launch/app_launcher.h operating_system/launch/app_launcher_fwd.h operating_system/launch/app_launch_request.h '/Users/
stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/operating_system/launch'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/hardware/network'
/usr/bin/install -c -m 644 hardware/network/network_id.h hardware/network/network_message.h hardware/network/network_message_fwd.h '/Users/stephenrajva/sst/sst-el
ements-install/include/sst/elements/mercury/hardware/network'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/operating_system/libraries'
/usr/bin/install -c -m 644 operating_system/libraries/service_fwd.h operating_system/libraries/service.h operating_system/libraries/library.h operating_system/lib
raries/library_fwd.h operating_system/libraries/unblock_event.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/operating_system/librarie
s'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/hardware/common'
/usr/bin/install -c -m 644 hardware/common/recv_cq.h hardware/common/flow_fwd.h hardware/common/packet.h hardware/common/flow.h hardware/common/packet_fwd.h '/Use
rs/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/hardware/common'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/operating_system/libraries/pthread'
/usr/bin/install -c -m 644 operating_system/libraries/pthread/hg_pthread.h operating_system/libraries/pthread/hg_pthread_impl.h operating_system/libraries/pthread
/hg_pthread_macro.h operating_system/libraries/pthread/hg_pthread_clear_macros.h operating_system/libraries/pthread/hg_pthread_return.h operating_system/libraries/p
thread/hg_pthread_runner.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/operating_system/libraries/pthread'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/components'
/usr/bin/install -c -m 644 components/nic.h components/nic_api.h components/nic_fwd.h components/node.h components/node_fwd.h components/node_base.h components/no
de_base_fwd.h components/operating_system.h components/operating_system_api.h components/operating_system_api_fwd.h components/operating_system_call_forward.h compo
nents/operating_system_fwd.h components/operating_system_impl.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/components'
/usr/bin/install -c -m 644 sst_hg_config.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/'
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/mercury/common'
```

[illegible]

```

libtool: install: /usr/bin/install -c .libs/libsimpleSimulation.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libsimpleSimulation.so
libtool: install: /usr/bin/install -c .libs/libsimpleSimulation.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libsimpleSimulation.la
Making install in thornhill
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE thornhill=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/thornhill
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libthornhill.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libthornhill.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libthornhill.so
libtool: install: /usr/bin/install -c .libs/libthornhill.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libthornhill.lai
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/thornhill'
/usr/bin/install -c -m 644 detailedCompute.h memoryHeapEvent.h memoryHeapLink.h types.h '/Users/stephenrajva/sst/sst-elements-install/include/sst/elements/thornhill/'
Making install in vanadis
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/bin'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c sst-vanadis-tracediff '/Users/stephenrajva/sst/sst-elements-install/bin'
libtool: install: /usr/bin/install -c sst-vanadis-tracediff /Users/stephenrajva/sst/sst-elements-install/bin/sst-vanadis-tracediff
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE vanadis=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/vanadis
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS vanadis=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/vanadis/tests
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE vanadisdbg=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/vanadis
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libvanadis.la libvanadisdbg.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libvanadis.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libvanadis.so
libtool: install: /usr/bin/install -c .libs/libvanadis.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libvanadis.lai
libtool: install: /usr/bin/install -c .libs/libvanadisdbg.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libvanadisdbg.so
libtool: install: /usr/bin/install -c .libs/libvanadisdbg.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libvanadisdbg.lai
Making install in vaultsim
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE vaultsim=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/vaultsim
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS vaultsim=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/vaultsim/tests
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libvaultsim.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libvaultsim.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libvaultsim.so
libtool: install: /usr/bin/install -c .libs/libvaultsim.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libvaultsim.lai
Making install in zodiac
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_SOURCE zodiac=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/zodiac
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_TESTS zodiac=/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/zodiac/test
mkdir -p '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
/bin/sh .././.././libtool --mode=install /usr/bin/install -c libzodiac.la '/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library'
libtool: install: /usr/bin/install -c .libs/libzodiac.so /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libzodiac.so
libtool: install: /usr/bin/install -c .libs/libzodiac.lai /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libzodiac.la
make[5]: Nothing to be done for 'install-exec-am'.
make[5]: Nothing to be done for 'install-data-am'.
make[4]: Nothing to be done for 'install-exec-am'.
make[4]: Nothing to be done for 'install-data-am'.
make[3]: Nothing to be done for 'install-exec-am'.
make[3]: Nothing to be done for 'install-data-am'.
/Library/Developer/CommandLineTools/usr/bin/make install-exec-hook
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_LIBRARY SST_ELEMENT_LIBRARY_SOURCE_ROOT=/Users/stephenrajva/Downloads/sst-elements
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_LIBRARY SST_ELEMENT_LIBRARY_HOME=/Users/stephenrajva/sst/sst-elements-install
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_LIBRARY SST_ELEMENT_LIBRARY_BINDIR=/Users/stephenrajva/sst/sst-elements-install/bin
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_LIBRARY SST_ELEMENT_LIBRARY_LIBDIR=/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_LIBRARY SST_ELEMENT_LIBRARY_EXT_LIBDIR=/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/ext
/Users/stephenrajva/sst/sst-core-install/bin/sst-register SST_ELEMENT_LIBRARY SST_ELEMENT_LIBRARY_BUILDDIR=/Users/stephenrajva/Downloads/sst-elements
make[2]: Nothing to be done for 'install-data-am'.
stephenrajva@Stephens-MacBook-Air-4 sst-elements % sst-info | grep memHierarchy
**** carcosa not Found!
Error: unable to find "carcosa" element library
SST-DL: Loading failed for /Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libcarcosa.so, error:
dlopen(/Users/stephenrajva/sst/sst-elements-install/lib/sst-elements-library/libcarcosa.so, 0x0009): symbol not found in flat namespace '___ZTIN3SST12MemHierarchy25S
impleMemBackendConverterE'

**** hermes not Found!

**** vanadisdbg not Found!

ELEMENT LIBRARY 15 = memHierarchy ()
Description: Bus model for MemHierarchy
highlink: Non-network upper/processor-side link (i.e., link towards the core/accelerator/etc.). This port loads the 'memHierarchy.MemLink' manager. To connect to a network component or to use non-default parameters on the MemLink subcomponent, fill the 'highlink' subcomponent slot instead of connecting this port.
lowlink: Non-network lower/memory-side link (i.e., link towards memory). This port loads the 'memHierarchy.MemLink' manager. To connect to a network component or use non-default parameters on the MemLink subcomponent, fill the 'lowlink' subcomponent slot instead of connecting this port.
low_network_0: DEPRECATED: Use the 'lowlink' port or fill the 'lowlink' subcomponent slot with 'memHierarchy.MemLink' instead. Non-network connection to lower level caches (closer to main memory)
high_network_0: DEPRECATED: Use the 'highlink' port or fill the 'highlink' subcomponent slot with 'memHierarchy.MemLink' instead. Non-network connection to higher level caches (closer to CPU)
backendConverter: (string) Backend convertor to load. In most cases, you will not need to change this parameter. [memHierarchy.simpleMemBackendConverter]
backend: (string) Backend memory model to use for timing. Defaults to simpleMem [memHierarchy.simpleMem]
highlink: Direct connection to another memHierarchy component or subcomponent. If a network port is needed, fill the 'highlink' subcomponent slot instead.
network: DEPRECATED: Set 'highlink' subcomponent slot to memHierarchy.MemNIC or memHierarchy.MemNICFour instead. Network connection to a cache/directory controller; also request network for split networks
network_ack: DEPRECATED: Set 'highlink' subcomponent slot to memHierarchy.MemNICFour instead. For split networks, ack/response network connection to a cache/directory controller
network_fwd: DEPRECATED: Set 'highlink' subcomponent slot to memHierarchy.MemNICFour instead. For split networks, forward request network connection to a cache/directory controller
network_data: DEPRECATED: Set 'highlink' subcomponent slot to memHierarchy.MemNICFour instead. For split networks, data network connection to a cache/directory controller
highlink: CPU-side port manager (e.g., link to caches/cpu). If used, do not connect the 'highlink' port and connect the subcomponent's port(s) instead. Defaults to 'memHierarchy.MemLink' if the 'highlink' port is used instead. [SST::MemHierarchy.MemLinkBase]
cpulink: DEPRECATED: Renamed to 'highlink' for naming consistency. CPU-side link manager (e.g., towards caches/cpu). A common setting for network connections is 'memHierarchy.MemNIC'. [SST::MemHierarchy::MemLinkBase]
highlink: Non-network upper/CPU-side link (i.e., link towards the core/accelerator/etc.). This port loads the 'memHierarchy.MemLink' manager. To connect to a network component or to use non-default parameters on the MemLink subcomponent, fill the 'highlink' subcomponent slot instead of connecting this port.
lowlink: Non-network lower/memory-side link (i.e., link towards memory). This port loads the 'memHierarchy.MemLink' manager. To connect to a network component or use non-default parameters on the MemLink subcomponent, fill the 'lowlink' subcomponent slot instead of connecting this port.
network: DEPRECATED: Fill 'lowlink' subcomponent slot with 'memHierarchy.MemNIC' or 'memHierarchy.MemNICFour' instead and connect that subcomponent's ports. Network CPU-side link (i.e., link towards the core/accelerator/etc.). This port loads the 'memHierarchy.MemNIC' manager. If the 'lowlink' or deprecated 'memory' port is not filled, traffic to memory will also route through this port. Doubles as request network for split networks.
network_ack: DEPRECATED: Fill 'highlink' subcomponent slot with 'memHierarchy.MemNICFour' instead. For split networks, link to response/ack network
network_fwd: DEPRECATED: Fill 'highlink' subcomponent slot with 'memHierarchy.MemNICFour' instead. For split networks, link to forward request network
network_data: DEPRECATED: Fill 'highlink' subcomponent slot with 'memHierarchy.MemNICFour' instead. For split networks, link to data network
backendConverter: (string) Backend convertor to load. In most cases, you will not need to change this parameter. [memHierarchy.simpleMemBackendConverter]
backend: (string) Backend memory model to use for timing. Defaults to simpleMem [memHierarchy.simpleMem]
highlink: Direct connection to another memHierarchy component or subcomponent. If a network port is needed, fill the 'highlink' subcomponent slot instead.
network: DEPRECATED: Set 'highlink' subcomponent slot to memHierarchy.MemNIC or memHierarchy.MemNICFour instead. Network connection to a cache/directory controller; also request network for split networks
network_ack: DEPRECATED: Set 'highlink' subcomponent slot to memHierarchy.MemNICFour instead. For split networks, ack/response network connection to a cache/directory controller
network_fwd: DEPRECATED: Set 'highlink' subcomponent slot to memHierarchy.MemNICFour instead. For split networks, forward request network connection to a cache/directory controller
network_data: DEPRECATED: Set 'highlink' subcomponent slot to memHierarchy.MemNICFour instead. For split networks, data network connection to a cache/directory controller
highlink: CPU-side port manager (e.g., link to caches/cpu). If used, do not connect the 'highlink' port and connect the subcomponent's port(s) instead. Defaults to 'memHierarchy.MemLink' if the 'highlink' port is used instead. [SST::MemHierarchy.MemLinkBase]
cpulink: DEPRECATED: Renamed to 'highlink' for naming consistency. CPU-side link manager (e.g., towards caches/cpu). A common setting for network connections is 'memHierarchy.MemNIC'. [SST::MemHierarchy::MemLinkBase]

```

```

Compiled using file: ../../../../src/sst/elements/memHierarchy/scratchpad.h
  backendConvertor: (string) Backend convertor to use for the scratchpad [memHierarchy.scratchpadBackendConvertor]
network: DEPRECATED: Fill the 'lowlink' subcomponent slot with memHierarchy.MemNIC or memHierarchy.MemNICFour instead. Network link to memory
  backend: Backend memory system [memHierarchy.simpleMem]
Compiled using file: ../../../../src/sst/elements/memHierarchy/memNICFour.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/cacheListener.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/extMemBackendConvertor.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/timingTransaction.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/flagMemBackendConvertor.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/hash.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/hash.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/hash.h
  backend: Backend memory system. [memHierarchy.simpleDRAM]
  backend: Backend memory system [memHierarchy.simpleDRAM]
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/timingTransaction.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/replacementManager.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/replacementManager.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/replacementManager.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/replacementManager.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/replacementManager.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/replacementManager.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/replacementManager.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/replacementManager.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/simpleMemBackend.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/simpleMemBackendConvertor.h
  backend: (string) Backend memory model to use for timing. Defaults to 'simpleMem' [memHierarchy.simpleMem]
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/timingPagePolicy.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/timingPagePolicy.h
  addrMapper: Address map subcomponent [memHierarchy.simpleAddrMapper]
  channel.rank.bank.transactionQ: Transaction queue model (subcomponent) [memHierarchy.fifoTransactionQ]
  channel.rank.bank.pagePolicy: Policy subcomponent for managing row buffer [memHierarchy.simplePagePolicy]
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/timingAddrMapper.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/timingAddrMapper.h
Compiled using file: ../../../../src/sst/elements/memHierarchy/memBackend/timingAddrMapper.h
  memoryInterface: Sets the memory interface module to use [memHierarchy.standardInterface]
  cpu_if: DEPRECATED: Use 'highlink' port instead for naming consistency with memHierarchy. Interface to cpu
  cache_if: DEPRECATED: Use 'lowlink' port instead for naming consistency with memHierarchy. Interface to cache
  cache_link: Link to the memHierarchy cache
  memoryInterface: Interface to memory [memHierarchy.standardInterface]
stephenrajva@Stephens-MacBook-Air-4 sst-elements % sst-info memHierarchy | head -40
PROCESSED 1 .so (SST ELEMENT) FILES FOUND IN DIRECTORY(s) /Users/stephenrajva/sst/sst-core-install/lib/sstcore:/Users/stephenrajva/sst/sst-elements-install/lib/sst-
elements-library:/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/osseous
Filtering output on Element = "memHierarchy"
=====
ELEMENT LIBRARY 0 = memHierarchy ()
Components (15 total)
  Component 0: BroadcastShim
    Description: Used to connect a processor to multiple sieves (e.g., for private/semi-private last-level cache modeling)
    ELI version: 0.9.0
    Compiled using file: Sieve/broadcastShim.h
    Category: MEMORY COMPONENT
    Parameters (0 total)
    Ports (2 total)
      cpu_alloc_link_(port)d: Link to CPU's allocation port
      sieve_alloc_link_(port)d: Link to sieve's allocation port
    SubComponent Slots (0 total)
    Statistics (0 total)
    Checkpointable: false
    Profile Points (0 total)
    Attributes (0 total)

  Component 1: Bus
    Description: Bus model for memHierarchy
    ELI version: 0.9.0
    Compiled using file: ./bus.h
    Category: MEMORY COMPONENT
    Parameters (7 total)
      bus_frequency: (string) Bus clock frequency [<required>]
      broadcast: (bool) If set, messages are broadcast to all other ports [0]
      idle_max: (uint) Bus temporarily turns off clock after this number of idle cycles [6]
      drain_bus: (bool) Drain bus on every cycle [0]
      debug: (uint) Output location for debug statements. Requires core configuration flag '--enable-debug'. --0[None], 1[STDOUT], 2[STDERR], 3[FILE]-- [0]
      debug_level: (uint) Debugging level: 0 to 10 [0]
      debug_addr: (comma separated uints) Address(es) to be debugged. Leave empty for all, otherwise specify one or more comma separated values. Start and end st
ring with brackets []
    Ports (4 total)
      low_network_(low_network_ports)d: DEPRECATED. Use 'lowlink%d' instead. Ports connected to lower level caches (closer to main memory)
      high_network_(high_network_ports)d: DEPRECATED. Use 'highlink%d' instead. Ports connected to higher level caches (closer to processor)
      lowlink_(lowlink_ports)d: Ports connected to components on the lower/memory side of the bus (i.e., lower level caches, directories, memory, etc.)
      highlink_(highlink_ports)d: Ports connected to components on the upper/processor side of the bus (i.e., upper level caches, processors, etc.)
    SubComponent Slots (0 total)
    Statistics (0 total)
stephenrajva@Stephens-MacBook-Air-4 sst-elements % mkdir -p ~/sst-tests
cd ~/sst-tests
nano basic.py
stephenrajva@Stephens-MacBook-Air-4 sst-tests % ls
basic.py
stephenrajva@Stephens-MacBook-Air-4 sst-tests % sst basic.py
FATAL: # SST Core: ERROR: Attempting to connect to unknown port: lowlink, in component cpu of type memHierarchy.standardCPU.
SST Fatal Backtrace Information:
  0 : 0 sstsim.x 0x00000001029c13c0 _ZNK3SST6Output5fatalEjPKcS2_is2_z + 644
  1 : 1 sstsim.x 0x0000000102ac1690 _ZNK3SST15ConfigComponent10checkPortsEv + 912
  2 : 2 sstsim.x 0x0000000102acd834 _ZN3SST11ConfigGraph24checkForStructuralErrorsEv + 280
  3 : 3 sstsim.x 0x000000010292191c main + 3708
  4 : 4 dyld 0x0000000186211d54 start + 7184
-----
MPI_ABORT was invoked on rank 0 in communicator MPI_COMM_WORLD
Proc: [[9475,0],0]
Errorcode: 1

NOTE: invoking MPI_ABORT causes Open MPI to kill all MPI processes.
You may or may not see output from other processes, depending on
exactly when Open MPI kills them.
-----
stephenrajva@Stephens-MacBook-Air-4 sst-tests %
nano basic.py
stephenrajva@Stephens-MacBook-Air-4 sst-tests % sst basic.py
FATAL: # SST Core: ERROR: Attempting to connect to unknown port: memory, in component cpu of type memHierarchy.standardCPU.
SST Fatal Backtrace Information:
  0 : 0 sstsim.x 0x0000000102d2d3c0 _ZNK3SST6Output5fatalEjPKcS2_is2_z + 644
  1 : 1 sstsim.x 0x0000000102e2d690 _ZNK3SST15ConfigComponent10checkPortsEv + 912
  2 : 2 sstsim.x 0x0000000102e39834 _ZN3SST11ConfigGraph24checkForStructuralErrorsEv + 280
  3 : 3 sstsim.x 0x0000000102c8d91c main + 3708
  4 : 4 dyld 0x0000000186211d54 start + 7184
-----
MPI_ABORT was invoked on rank 0 in communicator MPI_COMM_WORLD
Proc: [[17544,0],0]
Errorcode: 1

NOTE: invoking MPI_ABORT causes Open MPI to kill all MPI processes.

```

You may or may not see output from other processes, depending on exactly when Open MPI kills them.

```
stephenrajva@Stephens-MacBook-Air-4 sst-tests % sst-info memHierarchy.standardCPU | head -80
PROCESSED 1 .so (SST ELEMENT) FILES FOUND IN DIRECTORY(s) /Users/stephenrajva/sst/sst-core-install/lib/sstcore:/Users/stephenrajva/sst/sst-elements-install/lib/sst-
elements-library:/Users/stephenrajva/Downloads/sst-elements/src/sst/elements/osseous
Filtering output on Element = "memHierarchy.standardCPU"
```

```
=====
ELEMENT LIBRARY 0 = memHierarchy ( )
Components (15 total)
  Component 0: standardCPU
    Description: Simple demo CPU for testing
    ELI version: 0.9.0
    Compiled using file: ./testcpu/standardCPU.h
    Category: PROCESSOR COMPONENT
    Parameters (20 total)
      memFreq: (int) Average cycles between memory operations. [<required>]
      memSize: (UnitAlgebra/string) Size of physical memory with units. [<required>]
      verbose: (uint) Determine how verbose the output from the CPU is [1]
      clock: (UnitAlgebra/string) Clock frequency [1GHz]
      rngseed: (int) Set a seed for the random generation of requests [7]
      maxOutstanding: (uint) Maximum number of outstanding memory requests at a time. [10]
      opCount: (uint) Number of operations to issue. [<required>]
      reqsPerIssue: (uint) Maximum number of requests to issue at a time [1]
      write_freq: (uint) Relative write frequency [25]
      read_freq: (uint) Relative read frequency [75]
      flush_freq: (uint) Relative flush frequency [0]
      flushinv_freq: (uint) Relative flush-inv frequency [0]
      flushcache_freq: (uint) Relative frequency to flush the entire cache [0]
      custom_freq: (uint) Relative custom op frequency [0]
      llsc_freq: (uint) Relative LLSC frequency [0]
      mmio_addr: (uint) Base address of the test MMIO component. 0 means not present. [0]
      noncacheableRangeStart: (uint) Beginning of range of addresses that are noncacheable. [0x0]
      noncacheableRangeEnd: (uint) End of range of addresses that are noncacheable. [0x0]
      addressoffset: (uint) Apply an offset to a calculated address to check for non-alignment issues [0]
      test_init: (uint) Number of write messages to initialize memory with [0]
    Ports (0 total)
    SubComponent Slots (1 total)
      memory: Interface to memory hierarchy [SST::Interfaces::StandardMem]
    Statistics (11 total)
      pendCycle: Number of pending requests per cycle, (units = "count") Enable level = 1
      reads: Number of reads issued (including noncacheable), (units = "count") Enable level = 1
      writes: Number of writes issued (including noncacheable), (units = "count") Enable level = 1
      flushes: Number of line flushes issued, (units = "count") Enable level = 1
      flushinvs: Number of line flush-invs issued, (units = "count") Enable level = 1
      flushcaches: Number of cache flushes issued, (units = "count") Enable level = 1
      customReqs: Number of custom requests issued, (units = "count") Enable level = 1
      llsc: Number of LL-SC pairs issued, (units = "count") Enable level = 1
      llsc_success: Number of successful LLSC pairs issued, (units = "count") Enable level = 1
      readNoncache: Number of noncacheable reads issued, (units = "count") Enable level = 1
      writeNoncache: Number of noncacheable writes issued, (units = "count") Enable level = 1
    Checkpointable: false
    Profile Points (0 total)
    Attributes (0 total)

SubComponents (43 total)
Modules (3 total)
stephenrajva@Stephens-MacBook-Air-4 sst-tests % nano basic.py
stephenrajva@Stephens-MacBook-Air-4 sst-tests % sst basic.py
FATAL: memory, ERROR: Tried to get memory size from backend but size is 0B. Either backend is missing a 'mem_size' parameter or value is invalid.
SST Fatal Backtrace Information:
  0 : 0 sstsim.x 0x0000000104f593c0 _ZNK3SST6Output5fatalEjPKcS2_is2_z + 644
  1 : 1 libmemHierarchy.so 0x000000010fde9d70 _ZN3SST12MemHierarchy13MemControllerC2EjRNS_6ParamsE + 13968
  2 : 2 libmemHierarchy.so 0x000000010fde0f44 _ZN3SST3ELI14DerivedBuilderINS_12MemHierarchy13MemControllerENS_9ComponentEjRNS_6ParamsEEE6creat
eEjS6_ + 48
  3 : 3 sstsim.x 0x0000000104f3a6f4 _ZN3SST7Factory15CreateComponentEjRKNSt3_112basic_stringIcNS1_11char_traitsIcEENS1_9allocatorIcE
EERNNS_6ParamsE + 340
  4 : 4 sstsim.x 0x0000000104f787a0 _ZN3SST10Simulation13performWireUpERNS_11ConfigGraphERKNS_8RankInfoEy + 120
  5 : 5 sstsim.x 0x0000000104ec172c _ZL16start_simulationjR15SimThreadInfo_tRN3SST4Core10ThreadSafe7BarrierEyi + 1656
  6 : 6 sstsim.x 0x0000000104ebc294 main + 14324
  7 : 7 dyld 0x0000000186211d54 start + 7184
=====
```

```
MPI_ABORT was invoked on rank 0 in communicator MPI_COMM_WORLD
Proc: [[22928,0],0]
Errorcode: -1
```

NOTE: invoking MPI_ABORT causes Open MPI to kill all MPI processes.
You may or may not see output from other processes, depending on exactly when Open MPI kills them.

```
stephenrajva@Stephens-MacBook-Air-4 sst-tests % nano basic.py
stephenrajva@Stephens-MacBook-Air-4 sst-tests % sst basic.py
File "/Users/stephenrajva/sst-tests/basic.py", line 1
...python
^
SyntaxError: invalid syntax
FATAL: # SSTPythonModel: Execution of model construction function failed
SST Fatal Backtrace Information:
  0 : 0 sstsim.x 0x0000000100c753c0 _ZNK3SST6Output5fatalEjPKcS2_is2_z + 644
  1 : 1 sstsim.x 0x0000000100e130c4 _ZN3SST4Core24SSTPythonModelDefinition17createConfigGraphEv + 504
  2 : 2 sstsim.x 0x0000000100bd5524 main + 2692
  3 : 3 dyld 0x0000000186211d54 start + 7184
=====
```

```
MPI_ABORT was invoked on rank 0 in communicator MPI_COMM_WORLD
Proc: [[23775,0],0]
Errorcode: 1
```

NOTE: invoking MPI_ABORT causes Open MPI to kill all MPI processes.
You may or may not see output from other processes, depending on exactly when Open MPI kills them.

```
stephenrajva@Stephens-MacBook-Air-4 sst-tests % nano basic.py
stephenrajva@Stephens-MacBook-Air-4 sst-tests % sst basic.py
Simulation is complete, simulated time: 1.5235 us
stephenrajva@Stephens-MacBook-Air-4 sst-tests % nano basic.py
stephenrajva@Stephens-MacBook-Air-4 sst-tests % sst basic.py
cpu.pendCycle : Accumulator : Sum.u64 = 16865; SumSQ.u64 = 156659; Count.u64 = 3047; Min.u64 = 0; Max.u64 = 16;
cpu.reads : Accumulator : Sum.u64 = 590; SumSQ.u64 = 590; Count.u64 = 590; Min.u64 = 1; Max.u64 = 1;
cpu.writes : Accumulator : Sum.u64 = 410; SumSQ.u64 = 410; Count.u64 = 410; Min.u64 = 1; Max.u64 = 1;
llcache.stateEvent_GetS_I : Accumulator : Sum.u64 = 10; SumSQ.u64 = 10; Count.u64 = 10; Min.u64 = 1; Max.u64 = 1;
llcache.stateEvent_GetS_S : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
llcache.stateEvent_GetS_M : Accumulator : Sum.u64 = 569; SumSQ.u64 = 569; Count.u64 = 569; Min.u64 = 1; Max.u64 = 1;
llcache.stateEvent_GetS_I : Accumulator : Sum.u64 = 6; SumSQ.u64 = 6; Count.u64 = 6; Min.u64 = 1; Max.u64 = 1;
llcache.stateEvent_GetS_X : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
llcache.stateEvent_GetS_X : Accumulator : Sum.u64 = 394; SumSQ.u64 = 394; Count.u64 = 394; Min.u64 = 1; Max.u64 = 1;
llcache.stateEvent_GetS_X_I : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
llcache.stateEvent_GetS_X_S : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
llcache.stateEvent_GetS_X_M : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
llcache.stateEvent_GetS_Resp_IS : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
llcache.stateEvent_GetX_Resp_IS : Accumulator : Sum.u64 = 10; SumSQ.u64 = 10; Count.u64 = 10; Min.u64 = 1; Max.u64 = 1;
```



```
11cache.GetSResp_uncache_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.WriteSResp_uncache_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.CustomReq_uncache_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.CustomReq_uncache_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.CustomAck_uncache_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.NULLCMD_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.GetS_recv : Accumulator : Sum.u64 = 590; SumSQ.u64 = 590; Count.u64 = 590; Min.u64 = 1; Max.u64 = 1;
11cache.GetX_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.GetSX_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.Write_recv : Accumulator : Sum.u64 = 410; SumSQ.u64 = 410; Count.u64 = 410; Min.u64 = 1; Max.u64 = 1;
11cache.FlushLine_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.FlushLineInv_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.FlushAll_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.GetSResp_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.GetRResp_recv : Accumulator : Sum.u64 = 16; SumSQ.u64 = 16; Count.u64 = 16; Min.u64 = 1; Max.u64 = 1;
11cache.FlushLineResp_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.FlushAllResp_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.Inv_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.ForceInv_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.Fetch_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.FetchInv_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.FetchInvX_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.ForwardFlush_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.UnblockFlush_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.NACK_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.AckPut_recv : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.MSHR_occupancy : Accumulator : Sum.u64 = 6638; SumSQ.u64 = 93188; Count.u64 = 3047; Min.u64 = 0; Max.u64 = 16;
11cache.Bank_conflicts : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
memory.requests_received_Gets : Accumulator : Sum.u64 = 10; SumSQ.u64 = 10; Count.u64 = 10; Min.u64 = 1; Max.u64 = 1;
memory.requests_received_GetSX : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
memory.requests_received_GetX : Accumulator : Sum.u64 = 6; SumSQ.u64 = 6; Count.u64 = 6; Min.u64 = 1; Max.u64 = 1;
memory.requests_received_Write : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
memory.requests_received_PutM : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
memory.outstanding_requests : Accumulator : Sum.u64 = 1626; SumSQ.u64 = 11894; Count.u64 = 1523; Min.u64 = 0; Max.u64 = 9;
memory.latency_Gets : Accumulator : Sum.u64 = 1814; SumSQ.u64 = 102822; Count.u64 = 10; Min.u64 = 101; Max.u64 = 102;
memory.latency_GetSX : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
memory.latency_GetX : Accumulator : Sum.u64 = 612; SumSQ.u64 = 62428; Count.u64 = 6; Min.u64 = 101; Max.u64 = 103;
memory.latency_Write : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
memory.latency_PutM : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
memory.cycles_with_issue : Accumulator : Sum.u64 = 16; SumSQ.u64 = 16; Count.u64 = 16; Min.u64 = 1; Max.u64 = 1;
memory.cycles_attempted_issue_but_rejected : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
memory.total_cycles : Accumulator : Sum.u64 = 1523; SumSQ.u64 = 2319529; Count.u64 = 1; Min.u64 = 1523; Max.u64 = 1523;
Simulation is complete, simulated time: 1.5235 us
stephenrajva@Stephens-MacBook-Air-4 sst-tests % nano basic.py
stephenrajva@Stephens-MacBook-Air-4 sst-tests % sst basic.py
cpu.pendingCycle : Accumulator : Sum.u64 = 16865; SumSQ.u64 = 156659; Count.u64 = 3047; Min.u64 = 0; Max.u64 = 16;
cpu.reads : Accumulator : Sum.u64 = 590; SumSQ.u64 = 590; Count.u64 = 590; Min.u64 = 1; Max.u64 = 1;
cpu.writes : Accumulator : Sum.u64 = 410; SumSQ.u64 = 410; Count.u64 = 410; Min.u64 = 1; Max.u64 = 1;
11cache.stateEvent_Gets_I : Accumulator : Sum.u64 = 10; SumSQ.u64 = 10; Count.u64 = 10; Min.u64 = 1; Max.u64 = 1;
11cache.stateEvent_Gets_S : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Gets_M : Accumulator : Sum.u64 = 569; SumSQ.u64 = 569; Count.u64 = 569; Min.u64 = 1; Max.u64 = 1;
11cache.stateEvent_Gets_X_I : Accumulator : Sum.u64 = 6; SumSQ.u64 = 6; Count.u64 = 6; Min.u64 = 1; Max.u64 = 1;
11cache.stateEvent_Gets_X_S : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_GetX_M : Accumulator : Sum.u64 = 394; SumSQ.u64 = 394; Count.u64 = 394; Min.u64 = 1; Max.u64 = 1;
11cache.stateEvent_GetSX_I : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_GetSX_S : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_GetSX_M : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_GetSResp_IS : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_GetXResp_IS : Accumulator : Sum.u64 = 10; SumSQ.u64 = 10; Count.u64 = 10; Min.u64 = 1; Max.u64 = 1;
11cache.stateEvent_GetXResp_IM : Accumulator : Sum.u64 = 6; SumSQ.u64 = 6; Count.u64 = 6; Min.u64 = 1; Max.u64 = 1;
11cache.stateEvent_GetXResp_SM : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Inv_I : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Inv_S : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Inv_IS : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Inv_IM : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Inv_SM : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Inv_SB : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Inv_IB : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_FetchInvX_I : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_FetchInvX_M : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_FetchInvX_IS : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_FetchInvX_IM : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_FetchInvX_SB : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_FetchInvX_IB : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Fetch_I : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Fetch_S : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0; Min.u64 = 0; Max.u64 = 0;
11cache.stateEvent_Fetch_IS : Accumulator : Sum.u64 = 0; SumSQ.u64 = 0; Count.u64 = 0;
```

[illegible]