

Tally
144
6
?
⚙
Meadow Meadows
Level 1 of 8
Map
MAKE
28
1 of 2 ways found
2 × 8 + 12 = 28
Tap a number to start
+
−
×
÷
4
12
↻
2
8
Undo
Clear
Hint 25
A new way found
Keep exploring
Play
Map
Daily
Shop
Stats

# Tally Review

Sky Wolf Studio · 24 October 2026

Polish the game that already works. The first page is a proposed 412 × 915 play screen assembled from the delivered art. The ZIP also contains this review, detailed build rules, configuration, proofs and modeling references.

Evidence: live browser review of Play, the first completed level, Map, Daily, Shop, How to play and Settings at lucidwinds.com/satellites/tally/. Mobile runtime behavior, audio, later levels and packaged offline operation were not verified. The 360 and 375 px images are design proofs, not live device captures.

Priority 1: release polish or a verified issue. Priority 2: next improvement. Priority 3: optional experiment. Effort S: localized change; M: several connected parts; L: major feature. Estimates are relative because the source repository was not provided.

## Look and feel

### 1. A crafted toy, with clear mathematics

What and why · Use warm painted paper, wood and chunky navy beads. The art should make the existing puzzle inviting while crisp live numerals remain the focus.

Where on screen · Play: scene behind the board, opaque equation card and bead faces. Use the actual pack assets shown on page 1.

**Effort M / Priority 1 / T01**

### 2. One identity from icon to play

What and why · Use the painted abacus icon and Tally wordmark across splash, app listing and header. Keep Sky Wolf Studio singular in all studio credits.

Where on screen · Splash and top header; store icon and feature graphic. 512 px Play icon export is included in extras.

**Effort S / Priority 1 / T02**

### 3. Skins change materials, not legibility

What and why · Tint bead shade, target and glow layers from the supplied tokens. Keep pals in their own colours and place readable opaque surfaces above scenery.

Where on screen · Play and Shop > Skins. Abacus retains its orange accent with a darker target reading surface.

**Effort M / Priority 1 / T03**

### 4. Room for thumbs and larger text

What and why · Keep 48 px minimum controls, stable numeral sizes and a scrolling content area. At narrower widths, reflow supporting text instead of scaling the screen.

Where on screen · Header, operators, actions, shop and dialogs. Design proofs cover 412, 375 and 360 px widths; live phone tests remain.

**Effort M / Priority 1 / T04**

# Pals

### 5. Make every pal recognizable

What and why · Replace all ten emoji with distinct painted silhouettes and readable faces. Flare earns its premium through wings and gold details; Star through mane and horn.

Where on screen · Lower Play corner, Shop > Pals and results. Pip and Hoot remain free; prices and ownership stay unchanged.

**Effort M / Priority 1 / T05**

### 6. React to success, leave thinking space

What and why · Use short cheer and win poses, slow idle blinks and a rare thoughtful look. Keep motion away from numbers and never let a bubble block an input.

Where on screen · Pal slot during Play and Daily. State timings, reduced motion fallback and 60 lines of character copy are included.

**Effort M / Priority 1 / T06**

### 7. Give the collection a small future

What and why · After launch, try a fixed postcard for completing each world. It gives the cast a purpose without adding another currency or changing puzzle strength.

Where on screen · Map world completion and a small collection view. Reuse existing world art; treat this as an optional experiment.

**Effort M / Priority 3 / T07**

# The worlds and the map

### 8. Let the scenery mark real travel

What and why · Use seven distinct plates and silhouette badges so each destination feels different. Keep the same arithmetic interaction and quiet reading surfaces.

Where on screen · Play backdrop and level header: meadow, bay, candy, city, valley, station and endless.

**Effort M / Priority 1 / T08**

### 9. Turn the level grid into a journey

What and why · Place live level buttons over the eight precise map sockets. A winding route creates progression while numbers, locks and checks keep state unambiguous.

Where on screen · Map > Journey. Use supplied normalized anchors; fit each panel to width without cropping.

**Effort M / Priority 2 / T09**

### 10. Keep Endless genuinely open

What and why · Reuse the seventh panel for successive groups after level 48. Label real level numbers and keep a clear return to completed worlds.

Where on screen · Map and Play after Space Station. Do not treat the seventh panel as a campaign ending at level 56.

**Effort S / Priority 2 / T10**

# Puzzles and difficulty

### 11. Preserve automatic banking and bonus hunting

What and why · Both tested solutions banked immediately for 14 coins each. The existing Next action already allows extra searching; keep that useful choice.

Where on screen · Play after the required finds. Improve the ready status, not the underlying solve loop.

**Effort S / Priority 1 / T11**

### 12. Explain precedence with one visible example

What and why · A concrete example teaches more than a rule sentence. Briefly emphasize the multiplication in 2 + 3 × 4 = 14, then return to the normal view.

Where on screen · How to play and optional first lesson. Do not inject teaching equations into a competitive Daily solution list.

**Effort S / Priority 2 / T12**

### 13. Validate goals against the solution catalogue

What and why · Before selecting a board, verify required finds, bonus availability and reachable efficiency criteria. Preserve existing deduplication and difficulty progression.

Where on screen · Puzzle selection and result criteria. The tested impossible two number star is detailed under Bugs you saw.

**Effort M / Priority 1 / T13**

### 14. Offer gentler practice only if requested

What and why · A separate untimed addition and subtraction practice mode could welcome younger players. Keep it outside campaign rewards and Daily comparisons.

Where on screen · Optional practice entry from How to play after release; not another mandatory tab or launch dependency.

**Effort M / Priority 3 / T14**

# Win moment and juice

### 15. A small celebration worth sharing

What and why · Let the equipped pal celebrate beside earned stars and the found equations. Use one brief confetti pass and keep the next action available immediately.

Where on screen · Results modal. Reuse win_banner, star_pop, confetti and the equipped pal win sequence.

**Effort M / Priority 1 / T15**

### 16. Make reward accounting easy to understand

What and why · The tested flow paid 14 per solution, then displayed 12 on results. Label the completion award and show the round total without paying anything twice.

Where on screen · Result reward row and temporary bank status. Include solve, bonus and star components from existing events.

**Effort S / Priority 2 / T16**

### 17. Polish touch feedback within existing settings

What and why · Pair a short bead response with soft woodlike taps and a gentle bank tone. Respect animation, sound and haptic switches; avoid failure buzzers and shake.

Where on screen · Bead input and successful bank. Sound is a proposed specification; audio quality was not assessed in this review.

**Effort S / Priority 2 / T17**

## Daily and retention

### 18. Give the daily a clear welcome

What and why · Display the date, completion state and reward before play. The same puzzle promise should survive refreshes, midnight and a returning background tab.

Where on screen · Daily above the target, using daily_card as a surface. Confirm the existing day boundary before changing it.

**Effort M / Priority 2 / T18**

### 19. Return without pressure

What and why · Explain freezes before use and welcome players after a missed day. A completed puzzle and a friendly pal should be the reason to return.

Where on screen · Daily streak and freeze messaging, plus user initiated result sharing. Avoid new guilt prompts or escalating obligations.

**Effort S / Priority 2 / T19**

### 20. Use the web daily as the paid app trial

What and why · Recommend a free web game and a $0.99 Android app if direct revenue is the goal. Validate the installed value first; do not add paid gems or ads.

Where on screen · Launch plan, not the coin shop. Google does not allow a previously free Play package to become paid; see the cited build rules.

**Effort S / Priority 3 / T20**

## Onboarding

### 21. Teach by banking one small solution

What and why · Offer a skippable guided target 10 with 2, 3, 5 and 8. Guide 2 + 8, then let the player discover 2 × 5 without charging for help.

Where on screen · First run Play; replayable from How to play. Do not force the lesson on an existing saved player.

**Effort M / Priority 2 / T21**

### 22. Describe the actual finish condition

What and why · The live tutorial says to find every way, but the board asks for two. Teach required finds first and present the remaining routes as optional bonuses.

Where on screen · How to play step 3 and required solution status below the target. Replacement copy is provided in the pack.

**Effort S / Priority 1 / T22**

# Bugs you saw

## 23. Observed: an unreachable efficiency star

What and why · Target 28 with beads 4, 2, 8 and 12 has no two number solution, yet results advertise one. Use the board minimum operand count or validate generation.

Where on screen · Tested Level 1 result criterion. The supplied arithmetic audit reproduces the absence of a two number route.

**Effort M / Priority 1 / T23**

## 24. Observed: controls below the size requirement

What and why · Live Shop skin buttons measured 31 px high; header help and settings measured 40 by 40. Increase their actual hit areas to at least 48 px.

Where on screen · Shop > Skins purchase and equip actions; top header controls. Measurements are from the observed browser viewport.

**Effort S / Priority 1 / T24**

## 25. Observed: player copy breaks the style rule

What and why · The live pal, results and shop use exclamation marks; the results also use a hyphenated criterion. Replace these strings using the supplied copy set.

Where on screen · Examples: Woohoo, Nice one, the win message, Solved and Cheering labels in the live experience.

**Effort S / Priority 1 / T25**

## 26. Observed: an unnamed settings button

What and why · The Settings accessibility tree exposed a button without a name. Give the close control a clear accessible label and verify focus returns to Settings.

Where on screen · Settings modal. Also investigate install banner interference separately; it was observed as a suspicion, not a confirmed cause.

**Effort S / Priority 1 / T26**

# Implementation index

The JSON below mirrors the numbered review directions. Full implementation details are in extras/build_rules.md inside the same ZIP.


```
[
  {
    "id": "T01",
    "title": "A crafted toy, with clear mathematics",
    "group": "Look and feel",
    "effort": "M",
    "priority": 1,
    "summary": "Apply the crafted visual system around the existing puzzle."
  },
  {
    "id": "T02",
    "title": "One identity from icon to play",
    "group": "Look and feel",
    "effort": "S",
    "priority": 1,
    "summary": "Unify the abacus, wordmark and studio naming."
  },
  {
    "id": "T03",
    "title": "Skins change materials, not legibility",
    "group": "Look and feel",
    "effort": "M",
    "priority": 1,
    "summary": "Use neutral material layers and contrast checked theme tokens."
  },
  {
    "id": "T04",
    "title": "Room for thumbs and larger text",
    "group": "Look and feel",
    "effort": "M",
    "priority": 1,
    "summary": "Integrate responsive geometry without shrinking touch targets."
  },
  {
    "id": "T05",
    "title": "Make every pal recognizable",
    "group": "Pals",
    "effort": "M",
    "priority": 1,
    "summary": "Install all ten pals as cosmetic characters."
  },
  {
    "id": "T06",
    "title": "React to success, leave thinking space",
    "group": "Pals",
    "effort": "M",
    "priority": 1,
    "summary": "Connect pal animation to meaningful game events."
  },
  {
    "id": "T07",
    "title": "Give the collection a small future",
    "group": "Pals",
    "effort": "M",
    "priority": 3,
    "summary": "Consider world postcards after the core release."
  },
```

```
{
  "id": "T08",
  "title": "Let the scenery mark real travel",
  "group": "The worlds and the map",
  "effort": "M",
  "priority": 1,
  "summary": "Give each named world a distinct visual setting."
},
{
  "id": "T09",
  "title": "Turn the level grid into a journey",
  "group": "The worlds and the map",
  "effort": "M",
  "priority": 2,
  "summary": "Use exact map anchors for accessible level buttons."
},
{
  "id": "T10",
  "title": "Keep Endless genuinely open",
  "group": "The worlds and the map",
  "effort": "S",
  "priority": 2,
  "summary": "Map endless batches without inventing a finite final world."
},
{
  "id": "T11",
  "title": "Preserve automatic banking and bonus hunting",
  "group": "Puzzles and difficulty",
  "effort": "S",
  "priority": 1,
  "summary": "Keep the verified automatic banking and optional extra finds."
},
{
  "id": "T12",
  "title": "Explain precedence with one visible example",
  "group": "Puzzles and difficulty",
  "effort": "S",
  "priority": 2,
  "summary": "Teach standard precedence without changing the evaluator."
},
{
  "id": "T13",
  "title": "Validate goals against the solution catalogue",
  "group": "Puzzles and difficulty",
  "effort": "M",
  "priority": 1,
  "summary": "Check every advertised goal against valid solutions."
},
{
  "id": "T14",
  "title": "Offer gentler practice only if requested",
  "group": "Puzzles and difficulty",
  "effort": "M",
  "priority": 3,
  "summary": "Consider isolated gentle practice without diluting campaign play."
},
{
  "id": "T15",
  "title": "A small celebration worth sharing",
  "group": "Win moment and juice",
  "effort": "M",
  "priority": 1,
  "summary": "Celebrate accomplishments without delaying the next round."
},
```

```
{
  "id": "T16",
  "title": "Make reward accounting easy to understand",
  "group": "Win moment and juice",
  "effort": "S",
  "priority": 2,
  "summary": "Show an accurate reward breakdown rather than an ambiguous total."
},
{
  "id": "T17",
  "title": "Polish touch feedback within existing settings",
  "group": "Win moment and juice",
  "effort": "S",
  "priority": 2,
  "summary": "Use restrained feedback with independent user controls."
},
{
  "id": "T18",
  "title": "Give the daily a clear welcome",
  "group": "Daily and retention",
  "effort": "M",
  "priority": 2,
  "summary": "Clarify the daily state and test its date boundaries."
},
{
  "id": "T19",
  "title": "Return without pressure",
  "group": "Daily and retention",
  "effort": "S",
  "priority": 2,
  "summary": "Keep retention friendly and rewards understandable."
},
{
  "id": "T20",
  "title": "Use the web daily as the paid app trial",
  "group": "Daily and retention",
  "effort": "S",
  "priority": 3,
  "summary": "Test a paid Android offer while keeping the web entry free."
},
{
  "id": "T21",
  "title": "Teach by banking one small solution",
  "group": "Onboarding",
  "effort": "M",
  "priority": 2,
  "summary": "Use a brief interactive first solution with a skip option."
},
{
  "id": "T22",
  "title": "Describe the actual finish condition",
  "group": "Onboarding",
  "effort": "S",
  "priority": 1,
  "summary": "Align teaching copy with required and bonus solutions."
},
{
  "id": "T23",
  "title": "Observed: an unreachable efficiency star",
  "group": "Bugs you saw",
  "effort": "M",
  "priority": 1,
  "summary": "Make the tested impossible star achievable without rewriting play."
},
```

```
  {
    "id": "T24",
    "title": "Observed: controls below the size requirement",
    "group": "Bugs you saw",
    "effort": "S",
    "priority": 1,
    "summary": "Correct measured controls that fail the 48 px brief."
  },
  {
    "id": "T25",
    "title": "Observed: player copy breaks the style rule",
    "group": "Bugs you saw",
    "effort": "S",
    "priority": 1,
    "summary": "Remove exclamation marks and prose dashes from player copy."
  },
  {
    "id": "T26",
    "title": "Observed: an unnamed settings button",
    "group": "Bugs you saw",
    "effort": "S",
    "priority": 1,
    "summary": "Name dialog controls and verify focus behavior."
  }
]
```