

CETA FORM



MEASURING TOOLS

■ Pocket Tape Measures	290
■ Long Tape Measures	292
■ Tank Dipping Tape Measures	292
■ Chalk Line Set	292
■ Vernier Calipers	293
■ Micrometers	293
■ Gauges	293
■ Rulers	293
■ Spirit Levels	294
■ Level Vials	295




13 Measuring Tools

P01 Series **Pro Brake** Tape Measures

Sets new standards in design and quality

- Blade accuracy to EC class II
- Double-side printed blades with Nylon coating for maximum durability
- Magnetic hook
- Self-locking stop mechanism for complete control when retracting blade
- ABS case in piano black finish



- 1 Magnet
- 2 Nominal length of the tape
- 3 Accuracy class
- 4 CE logo
- 5 Ec pattern approval no
- 6 Brand

CODE NO	m	mm	
P01-0522	5	22	8•
P01-0527	5	27	8•
P01-0827	8	27	8•




P05B Series

Compact Tape Measures (Black Series)

High quality at an affordable price

- Blade accuracy to EC class II
- Designed to have the smallest housing in class for easy handling
- Unique double stop mechanism
- Strong magnetic hook



- 1 Nominal length of the tape
- 2 Accuracy class
- 3 CE logo
- 4 Ec pattern approval no
- 5 Brand

CODE NO	m	mm	
P05B-0519	5	19	8•
P05B-1025	10	25	8•

P05 Series Tape Measures

Compact



EEC class II accuracy, metric, double stop

CODE NO	m	mm	
P05-0316	3	16	12•
P05-0516	5	16	12•
P05-0519	5	19	12•
P05-0525	5	25	12•
P05-1025	10	25	8•

P05A Series Tape Measures (Inch/Metric)

Compact



EEC class II accuracy, inch/metric, double-stop

CODE NO	m	mm	
P05A-0316	3m-10ft	16	12•
P05A-0519	5m-16ft	19	12•

P05S-0519 Stainless Steel Tape Measure

Compact



All metallic components in stainless steel, perfect for wet environments, EEC class II accuracy, metric, double stop

StainlessSteel

CODE NO	m	mm	
P05S-0519	5	19	12

13 Measuring Tools

Pocket Tape Measures / Long Tape Measures / Chalk Line Set

P03 Series

C-Pro Tape Measures



EEC II accuracy class, metric, double side printed blade, softgrip ABS case



CODE NO	m	mm	
P03-0316	3	16	12 •
P03-0519	5	19	8 •
P03-0525	5	25	8 •

P10 Series

C-Grip Long Tape Measures (Fiberglass Blade)



EEC class II accuracy, metric, double side printed fiberglass blade, loop with retractable claw, softgrip ABS case, geared rewind mechanism

CODE NO	m	mm	
P10-10	10	15	1
P10-20	20	15	1
P10-30	30	15	1

P17-B03

Chalk Line Set



Self-chalking line, metal end support, softgrip ABS case, folding winder, supplied complete with a bottle of chalk and line level

CODE NO	m	
P17-B03	30	6

P07 Series

C-Pro Long Tape Measures (Steel Blade)



EEC class II accuracy, metric, steel blade, loop with retractable claw, ergonomic plastic frame, geared rewind mechanism



CODE NO	m	mm	
P07-20	20	13	1
P07-30	30	13	1
P07-50	50	13	1

P05-AD2

Adhesive Tape Measure



EEC class II accuracy adhesive tape, can be cut to size, ideal for workbenches, saw tables, counters etc.



CODE NO	m	mm	
P05-AD2	2	13	12

29100 Series

Tank Dipping Tape Measures (Stainless Steel Blade)



For depth measurement of liquids in tanks or silos, EEC class II accuracy, stainless steel blade, aluminium frame construction

Tapes ship with 29100D dipping weight



CODE NO	m	mm	
29110	10	13	1
29120	20	13	1

29100D

Dipping Weight (for 29100 Series)



Engraved scale, MS58 brass material

CODE NO	mm	g	
29100D	100	500	1



Vernier Calipers

P45D

Digital Vernier Caliper



Metric and imperial reading, large display reading 0.01 mm and 0.0005", zero setting control, depth gauge, stainless steel body, 1xSR44 battery (included), supplied in plastic case

StainlessSteel

CODE NO			
P45D	0-150	0-6	10

P45A

Vernier Caliper



Metric reading 0.02 mm, depth gauge, stainless steel body, supplied in plastic case

StainlessSteel

CODE NO			
P45A	0-150	0-6	10

Micrometers / Rulers / Gauges

P47 Series

External Micrometers



0.01 mm graduations, clamping ring and ratchet stop, carbide tipped anvils, heat plates, supplied in plastic case

CODE NO		
P47-025	0- 25 mm	1
P47-050	25- 50 mm	1
P47-075	50- 75 mm	1
P47-100	75-100 mm	1

P15 Series

Stainless Steel Rules



Precision class II, metric, stainless steel, photoengraved, anti-reflection treatment, supplied in pouch

StainlessSteel

CODE NO			
P15-015	15	13	50
P15-030	30	25	10
P15-050	50	30	10
P15-100	100	30	10

P54-20S

Feeler Gauge (Metric-20 Blade)



100 mm long tapered blades, hardened and polished, steel case with thumbscrew



CODE NO	mm		
P54-20S	0.05-1.00	100	6

P54A-25S

Feeler Gauge (SAE-25 Blade)



100 mm long tapered blades, hardened and polished, steel case with thumbscrew



CODE NO	inch		
P54A-25S	.002 - .025	90	6

P55-52MW

Screw Pitch Gauge (Metric / Whitworth - 52 Blade)



For ISO 60° metric and Whitworth 55° threads, stainless steel

Metric: 0.25, 0.30, 0.35, 0.40, 0.45, 0.5, 0.6, 0.7, 0.75, 0.8, 0.9, 1.0, 1.25, 1.5, 1.75, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 mm

Whitworth: 4, 4-1/2, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 18, 19, 20, 22, 24, 25, 26, 28, 30, 32, 36, 40, 48, 60, 62 TPI



CODE NO	mm	TPI	
P55-52MW	0.25-6	62-4	5



13 Measuring Tools

Spirit Levels

Aluminium Spirit Levels

Top quality range of spirit levels developed for construction professionals.
Each level calibrated in the factory. Magnet and non-magnet versions available.

30 Years Vial
Warranty

ACCUVISION

P21 Series Standard


Pro quality, 0.5 mm/m
(0.029°) accuracy, ultrasonic
welded block vials,
shockproof end caps, rigid
aluminium box section



CODE NO	cm	
P21-030	30	10
P21-040	40	10
P21-050	50	10
P21-060	60	10
P21-070	70	10
P21-080	80	10
P21-100	100	10
P21-120	120	10
P21-150	150	10

P21-M Series Magnetic

Pro quality, 0.5 mm/m
(0.029°) accuracy, ultrasonic
welded block vials, shockproof
end caps, rigid aluminium box
section, built-in rare earth
magnets



CODE NO	cm	
P21-060M	60	10
P21-080M	80	10
P21-100M	100	10

P21-012M Mini

Pro quality, 0.5 mm/m (0.029°)
accuracy, ultrasonic welded
block vials, shockproof
end caps, rigid aluminium box
section, built-in magnets, for
horizontal measurement



CODE NO	cm	
P21-012M	12	10



Spirit Levels / Level Vials

P24M-022 Torpedo / Cast Body

Pro quality, 3 vials, 0.50 mm/m (.0029°) accuracy, ultrasonic welded block vials, built-in magnets



CODE NO	cm	
P24M-022	22	12

P26 Series Level Vials

Fluorescent liquid, ultrasonic welded, acrylic body

P26-BE1

Bull's Eye Vial



CODE NO	mm	mm	mm	
P26-BE1	18	9	—	12 •

P26-BV2

Level Vial



CODE NO	mm	mm	mm	
P26-BV2*	35	16	—	12 •

P26-BH2

Horizontal Block Vial



CODE NO	mm	mm	mm	
P26-BH2	—	15x16	40	12 •

P26-BV1


Vertical Block Vial



CODE NO	mm	mm	mm	
P26-BV1*	36	17	—	12 •

P26-BH1

Horizontal Block Vial



CODE NO	mm	mm	mm	
P26-BH1	—	15	36	12 •

P26-SH1

Horizontal Vial



CODE NO	mm	mm	mm	
P26-SH1	9.5	—	31	50 •

P26-SH2

Horizontal Vial



CODE NO	mm	mm	mm	
P26-SH2*	9.8	—	30	12 •

* Limited with stocks