

CETA FORM



## SOCKETS AND ACCESSORIES

■ 1/4" Drive Sockets and Accessories	114
■ 3/8" Drive Sockets and Accessories	123
■ 1/2" Drive Sockets and Accessories	129
■ 3/4" Drive Sockets and Accessories	140
■ 1" Drive Sockets and Accessories	142
■ 1/4" Drive Impact Sockets	143
■ 3/8" Drive Impact Sockets and Accessories	143
■ 1/2" Drive Impact Sockets and Accessories	144
■ 3/4" Drive Impact Sockets and Accessories	146
■ 1" Drive Impact Sockets and Accessories	147



# 03 Sockets and Accessories

## Ceta Form Ratchet Handles



### 90-TOOTH

High number of teeth yet high torsional strength thanks to a high number of pawl teeth in engagement with gear. Sealed against dust, dirt and water. Arguably the top ratchet in our range.




### 60-TOOTH

Similar mechanism to T90 series with a smaller number of teeth. Ideal for working in confined spaces due to slim head design. Quick release button.



### 48-TOOTH

Solid, tried and tested Gear-to-Gear mechanism ensuring higher torque levels and long tool life. Quick release button.



**6.3**  
**1/4"**

**10**  
**3/8"**

**12.5**  
**1/2"**

Switch pawls on Ceta Form ratchet handles are placed in a recessed area. Unnecessary contact to the switching pawl is avoided (except T90 series).

## Sockets



Compact sizes

Precision for perfect fit to nuts & bolts

Knurls to aid non-slip gripping

Female square for perfect fit to ratcheting handle

SQ Drive	Scope mm	Scope SAE	Scope TORX
<b>6.3</b> <b>1/4"</b>	4 mm - 15 mm	1/8" - 9/16"	E4 - E10
<b>10</b> <b>3/8"</b>	6 mm - 22 mm	1/4" - 1"	E4 - E20
<b>12.5</b> <b>1/2"</b>	8 mm - 32 mm	3/8" - 1.1/4"	E10 - E24
<b>20</b> <b>3/4"</b>	19 mm - 60 mm	7/8" - 1.1/4"	
<b>25</b> <b>1"</b>	32 mm - 80 mm		

### E TORX Sockets



### Deep Sockets



### Impact Sockets



# Socket Sets in Hard Plastic Cases

Manufactured from high density polyethylene (HDPE) to withstand high and low temperatures



# 03 Sockets and Accessories

**6.3  
1/4"**

## C02-H Series

1/4" Drive 6-Point Sockets

DIN 3124, TS ISO 2725-1



**6.3  
1/4"**

CODE NO	$\textcircled{O}_{\text{mm}}$	$\text{mm} \rightarrow$	
C02-H040	4	25	12•
C02-H045	4.5	25	12•
C02-H050	5	25	12•
C02-H055	5.5	25	12•
C02-H060	6	25	12•
C02-H070	7	25	12•
C02-H080	8	25	12•
C02-H090	9	25	12•
C02-H100	10	25	12•
C02-H110	11	25	12•
C02-H120	12	25	12•
C02-H130	13	25	12•
C02-H140	14	25	12•
C02-H150	15	25	6•

For display carded delivery = Item code + X

## C02-RH13

13 Piece 1/4" Drive 6-Point Socket Set



**6.3  
1/4"**

CODE NO	
C02-RH13	10
13 PC:	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

## C02A-H Series

1/4" Drive 6-Point Sockets - SAE



CODE NO	$\textcircled{O}_{\text{"}}$	$\text{mm} \rightarrow$	
C02A-H0108	1/8	25	12•
C02A-H0532	5/32	25	12•
C02A-H0316	3/16	25	12•

## C02A-B Series

1/4" Drive 12-Point-Sockets - SAE



CODE NO	$\textcircled{O}_{\text{"}}$	$\text{mm} \rightarrow$	
C02A-B0316	3/16	25	6•
C02A-B0732	7/32	25	6•
C02A-B0104	1/4	25	6•
C02A-B0932	9/32	25	6•
C02A-B0516	5/16	25	6•
C02A-B1132	11/32	25	6•
C02A-B0308	3/8	25	6•
C02A-B0716	7/16	25	6•
C02A-B0102	1/2	25	6•
C02A-B0916	9/16	25	6•

## C02A-RB10

10 Piece 1/4" Drive 12-Point Socket Set - SAE



**6.3  
1/4"**

CODE NO	
C02A-RB10	10
10 PC:	3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch

## C02A-S Series

1/4" Drive Spline Sockets - SAE



CODE NO	$\textcircled{O}_{\text{"}}$	$\text{mm} \rightarrow$	
C02A-S0316	3/16	25	12•
C02A-S0732	7/32	25	12•
C02A-S0104	1/4	25	12•
C02A-S0932	9/32	25	12•
C02A-S0516	5/16	25	12•
C02A-S1132	11/32	25	12•
C02A-S0308	3/8	25	12•
C02A-S0716	7/16	25	12•

## C04-H Series

1/4" Drive 6-Point Deep Sockets

DIN 3124, TS ISO 2725-1



Ideal for long threaded bolts

CODE NO	$\textcircled{O}_{\text{mm}}$	$\text{mm} \rightarrow$	
C04-H040	4	50	12•
C04-H045	4.5	50	12•
C04-H050	5	50	12•
C04-H055	5.5	50	12•
C04-H060	6	50	12•
C04-H070	7	50	12•
C04-H080	8	50	12•
C04-H090	9	50	12•
C04-H100	10	50	12•
C04-H110	11	50	12•
C04-H120	12	50	12•
C04-H130	13	50	12•
C04-H140	14	50	12•

For display carded delivery = Item code + X

**6.3**  
**1/4"**

**C04A-B Series**

1/4" Drive 12-Point Deep Sockets - SAE



Ideal for long threaded bolts

CODE NO	inch "	mm	6•
C04A-B0316	3/16	50	6•
C04A-B0732	7/32	50	6•
C04A-B0104	1/4	50	6•
C04A-B0932	9/32	50	6•
C04A-B0516	5/16	50	6•
C04A-B1132	11/32	50	6•
C04A-B0308	3/8	50	6•
C04A-B0716	7/16	50	6•
C04A-B0102	1/2	50	6•
C04A-B0916	9/16	50	6•

**C02UA Series**

1/4" Drive 12-Point Jointed Sockets - SAE



Allows up to 80° entry

CODE NO	inch "	mm	6•
C02UA-0732	7/32	36	6
C02UA-0104	1/4	36	6
C02UA-0932	9/32	38	6
C02UA-0516	5/16	38	6
C02UA-1132	11/32	38	6
C02UA-0308	3/8	40	6
C02UA-0716	7/16	40	6
C02UA-0102	1/2	40	6
C02UA-0916	9/16	42	6

**C06 Series**

1/4" Drive E-TORX Sockets



For external TORX screws

CODE NO	★	mm	6•
C06-04	E04	25	12•
C06-05	E05	25	12•
C06-06	E06	25	12•
C06-07	E07	25	12•
C06-08	E08	25	12•
C06-10	E10	25	12•

For display carded delivery = Item code + X 6

**C04A-RB10**

10 Piece 1/4" Drive 12-Point Deep Socket Set - SAE

**6.3**  
**1/4"**

CODE NO	6•	10
C04A-RB10		

**10 PC:** 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch**C02UA-RB09**

9 Piece 1/4" Drive 12-Point Jointed Socket Set - SAE

**6.3**  
**1/4"**

CODE NO	6•	10
C02UA-RB09		

**9 PC:** 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 inch**C06-R06**

6 Piece 1/4" Drive E-TORX Socket Set

**6.3**  
**1/4"**

CODE NO	6•	10
C06-R06		

**6 PC:** E04, E05, E06, E07, E08, E10

# 03 Sockets and Accessories

**6.3  
1/4"**

## C08S-S Series

1/4" Drive Slotted Socket Bits



**6.3  
1/4"**

CODE NO	① mm	mm	Box
C08S-S40	4.0	37	12•
C08S-S55	5.5	37	12•
C08S-S65	6.5	37	12•

For display carded delivery = Item code + X

## C08S-T Series

1/4" Drive TORX Socket Bits



**6.3  
1/4"**

CODE NO	•	mm	Box
C08S-T06	T06	37	12•
C08S-T07	T07	37	12•
C08S-T08	T08	37	12•
C08S-T09	T09	37	12•
C08S-T10	T10	37	12•
C08S-T15	T15	37	12•
C08S-T20	T20	37	12•
C08S-T25	T25	37	12•
C08S-T27	T27	37	12•
C08S-T30	T30	37	12•
C08S-T40	T40	37	12•

For display carded delivery = Item code + X

## C08S-PH Series

1/4" Drive Phillips Socket Bits



**6.3  
1/4"**

CODE NO	⊕	mm	Box
C08S-PH1	PH1	37	12•
C08S-PH2	PH2	37	12•
C08S-PH3	PH3	37	12•

For display carded delivery = Item code + X

## C08S-RTX7

7 Piece 1/4" Drive TORX Socket Bit Set



**6.3  
1/4"**

CODE NO	Box
C08S-RTX7	10

**7 PC:** T10, T15, T20, T25, T27, T30, T40

## C08S-TR Series

1/4" Drive TORX Tamper Proof Socket Bits



**6.3  
1/4"**

CODE NO	•	mm	Box
C08S-TR08	T08	37	12•
C08S-TR09	T09	37	12•
C08S-TR10	T10	37	12•
C08S-TR15	T15	37	12•
C08S-TR20	T20	37	12•
C08S-TR25	T25	37	12•
C08S-TR27	T27	37	12•
C08S-TR30	T30	37	12•
C08S-TR40	T40	37	12•

For display carded delivery = Item code + X

## C08S-RTTR

7 Piece 1/4" Drive TORX Tamper Proof Socket Set



**6.3  
1/4"**

CODE NO	Box
C08S-RTTR	10

**7 PC:** T10, T15, T20, T25, T27, T30, T40

## C08S-PZ Series

1/4" Drive Pozidriv Socket Bits



**6.3  
1/4"**

CODE NO	⊕	mm	Box
C08S-PZ1	PZ1	37	12•
C08S-PZ2	PZ2	37	12•
C08S-PZ3	PZ3	37	12•

For display carded delivery = Item code + X



**6.3  
1/4"****C08S-IPR Series**

1/4" Drive TORX IPR Socket Bits



Especially for ECU, air conditioning and fuel injection pump applications in automotive

CODE NO	⊕	mm	Box
C08S-IPR10	IPR10	37	12•
C08S-IPR15	IPR15	37	12•
C08S-IPR20	IPR20	37	12•
C08S-IPR25	IPR25	37	12•
C08S-IPR27	IPR27	37	12•
C08S-IPR30	IPR30	37	12•
C08S-IPR40	IPR40	37	12•

For display carded delivery = Item code + X      6

**C08S-H Series**

1/4" Drive Hexagon Socket Bits

**C08AS-H Series**

1/4" Drive Hexagon Socket Bits - SAE

**C08S-RTP7**

7 Piece 1/4" Drive TORX IPR Socket Bit Set



CODE NO	Box
C08S-RTP7	10

**7 PC:** IPR10, IPR15, IPR20, IPR25, IPR27, IPR30, IPR40**C08S-RHX7**

7 Piece 1/4" Drive Hexagon Socket Bit Set



CODE NO	Box
C08S-RHX7	10

**7 PC:** 2.5, 3, 4, 5, 6, 7, 8 mm**C08AS-RHX11**

11 Piece 1/4" Drive Hexagon Socket Bit Set - SAE



CODE NO	Box
C08AS-RHX11	10

**11 PC:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 inch
**CETA FORM**  
**QUALITY**

# 03 Sockets and Accessories

**6.3  
1/4"**

**C01-11**

1/4" Drive Quick Release Reversible Ratchet (Compact Head)  
DIN 3122, TS ISO 3315



60-tooth fine mechanism,  
switch pawl



CODE NO	mm	mm	mm	mm
C01-11	19	140	6	

**C01-14N**

1/4" Drive Quick Release Curved Reversible Ratchet  
DIN 3122, TS ISO 3315



45-tooth fine mechanism,  
switch pawl



CODE NO	mm	mm	mm	mm
C01-14N	28	150	6	

**C01-HLOK**

1/4" Drive Hi-Lok Reversible Ratchet (Flex)  
DIN 3122, TS ISO 3315



Particularly for use on Hi-Lok fasteners  
with the aid of a hex key, 48-tooth strong  
mechanism



CODE NO	mm	mm	mm	mm
C01-HLOK	23	160	6	

**C01-12**

1/4" Drive Quick Release Reversible Ratchet  
DIN 3122, TS ISO 3315



48-tooth strong  
mechanism, switch pawl



CODE NO	mm	mm	mm	mm
C01-12	22.5	140	6	

**C01-T90**

1/4" Drive T90 Sealed Reversible Ratchet  
DIN 3122, TS ISO 3315



90-tooth strong mechanism,  
sealed against dust, dirt etc.  
for extra long life, switch pawl



CODE NO	mm	mm	mm	mm
C01-T90	23	112	6	
For display carded delivery = Item code + X				6

**HLD-0564**

HI-LOK Hex Driver



Particularly for use on Hi-Lok fasteners, used with C01-HLOK

CODE NO	mm	mm	mm	mm
HLD-0564	5/64	100	6	

**C01-15**

1/4" Drive Quick Release Reversible Ratchet (Stubby)



Stubby design for tight spaces,  
48-tooth strong mechanism,  
switch pawl, quick release



CODE NO	mm	mm	mm	mm
C01-15	22.5	95	6	

**C01-T90L**

1/4" Drive T90 Sealed Reversible Ratchet (Long Handle)

DIN 3122, TS ISO 3315



90-tooth strong mechanism, sealed  
against dust, dirt etc. for extra long life,  
switch pawl



CODE NO	mm	mm	mm	mm
C01-T90L	23	145	6	
For display carded delivery = Item code + X				6



**6.3**  
**1/4"**

**C01-R Series**

Ratchet Renewal Kits

CODE NO	mm	
C01-11R (for C01-11)	1	



C01-12R (for C01-12 / 12MR / 15)	1	
----------------------------------	---	--



C01-14NR (for C01-14N)	1	
------------------------	---	--



C01-T90R (for C01-T90)	1	
------------------------	---	--



C01-T90LR (for C01-T90L)	1	
--------------------------	---	--

**C01-35MR**

1/4" Drive Swivel Handle

DIN 3122, TS ISO 3315

CODE NO	mm		<b>6.3</b> <b>1/4"</b>
C01-35MR	145		

Allows for up to 90° use

Allows for up to 90° use

**C01-20 Series**

1/4" Drive Spinner Handles

DIN 3122, TS ISO 3315

**new**  
design



C01-20: with chrome shaft  
C01-20S with phosphated shaft

**6.3**  
**1/4"**

CODE NO	mm		
C01-20S	40	6	
C01-20	70	6	
For display carded delivery = Item code + X		6	

**C01-20F**

1/4" Drive Spinner Handle (Flexible Shaft)

DIN 3122, TS ISO 3315

**new**  
design



Flexible shaft design for  
working in restricted areas,  
Max. 5 Nm

**6.3**  
**1/4"**

CODE NO	mm	mm		
C01-20F	150	240	6	
For display carded delivery = Item code + X			6	

**C01-40**

1/4" Drive Sliding T-Handle

DIN 3122, TS ISO 3315



**6.3**  
**1/4"**

CODE NO	mm		
C01-40	115	12	

For display carded delivery = Item code + X

**6.3**  
**1/4"**

**C01-50MR**

1/4" Drive Speeder Brace (Detachable Palm Grip)

DIN 3122, TS ISO 3315



Metal body, rotator handle for rapid action,  
detachable metal palm grip

CODE NO	mm		
C01-50MR	420	3	

**C01-60**

1/4" Drive T-Handle Swivel Socket Driver

DIN 3122, TS ISO 3315



For deep places , allows for up to 70° use

CODE NO	mm		
C01-60	495	6	

**C01-60S**

1/4" Drive T-Handle Socket Driver



**6.3**  
**1/4"**

CODE NO	mm		
C01-60S	230	6	

**6.3**  
**1/4"**

# 03 Sockets and Accessories

**6.3**  
**1/4"**

## C01-70 Series

1/4" Drive Extension Bars

DIN 3123, ISO 3316



**6.3**  
**1/4"**

CODE NO	mm	
C01-71	50 - 2"	12
C01-72	75 - 3"	12
C01-73	100 - 4"	12
C01-75	150 - 6"	12
C01-77	250 - 10"	12
C01-78	350 - 14"	12

For display carded delivery = Item code + X      6

## C01-80

1/4" Drive Universal Joint

DIN 3123, ISO 3316



**6.3**  
**1/4"**

CODE NO	mm	
C01-80	38	12 •

For display carded delivery = Item code + X      6

## C012 Series

Metal Clip Rails



Ideal for building custom sets of sockets, used with socket clips

CODE NO	mm	
C012-16	160	6 •
C012-19	190	6 •
C012-26	265	6 •
C012-34	340	6 •

## C01-73W

1/4" Drive Wobble Extension Bar



Ball ended male square drive  
design allows up to 15° entry



**6.3**  
**1/4"**

CODE NO	mm	
C01-73W	100 - 4"	6

For display carded delivery = Item code + X      6

## C01-92

1/4" Drive Socket Adaptor



**10**  
**3/8"**    **6.3**  
**1/4"**

CODE NO	mm	
C01-92	1/4 < 3/8	26

For display carded delivery = Item code + X      6

## C01-C

1/4" Socket Clips - 10 Pieces



Socket clips for use on metal clip rails (C012 series)  
The code represents a 10 piece package

**6.3**  
**1/4"**

CODE NO	
C01-C	1 pk.

## C01-75F

1/4" Drive Flexible Extension Bar



Flexible design for working in  
restricted areas, Max. 5 Nm



**6.3**  
**1/4"**

CODE NO	mm	
C01-75F	150 - 6"	12

For display carded delivery = Item code + X      6

## BT/8001

1/4" Drive Bit Holder Socket



For use with 1/4" bits, spring  
loaded for quick changes

**1/4"**    **6.3**  
**1/4"**

CODE NO	mm	
BT/8001	1/4 - 1/4	25

12 •



**CETA FORM**  
**QUALITY**

6.3  
1/4"

# Practical Cased 1/4" Socket Sets

New concept socket sets from Ceta Form for professionals on the move



- Innovative foldable compact case design
- Wall mounting slots




C00-15RH4

15 Piece 1/4" Drive 6-Point Socket Set (Practical Case)

6.3  
1/4"

CODE NO		
C00-15RH4		1

C02-H 4, 5, 5.5, 6, 7, 8, 9, 10,  
11, 12, 13 mm

C01-14N



C01-80





C01-73 100 mm

C00-25RH4


25 Piece 1/4" Drive 6-Point Socket Set (Practical Case)

6.3  
1/4"

CODE NO		
C00-25RH4		1

C02-H 4, 5, 5.5, 6, 7, 8, 9, 10,  
11, 12, 13 mm

C08S-H 3, 4, 5, 6 mm



C08S-T T20, T25, T30




C01-73 100 mm



C01-40



C01-80



C08S-S 5.5 mm




C08S-PH PH1, PH2

C00-27PH5

27 Piece 1/4" Drive 6-Point Socket Set (Compact Box)

6.3  
1/4"

CODE NO		
C00-27PH5		1

C02-H 4, 4.5, 5, 5.5, 6, 7, 8,  
9, 10, 11, 12, 13 mm


CB/250 PH1, PH2



CB/1800 3, 4, 5, 6 mm



C01-15



C01-73 100 mm



CB/800 T10, T15, T20, T25, T30, T40



BT/8001 1/4" - 1/4"

# 03 Sockets and Accessories

**6.3  
1/4"**

**C04-10PH0**  
10 Piece 1/4" Drive 6-Point Deep Socket Set



**new**  
design

CODE NO	1
C04-10PH0	



C04-H 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm



C01-20

**6.3  
1/4"**

**C00-18PH2**  
18 Piece 1/4" Drive 6-Point Socket Set



**new**  
content

CODE NO	1
C00-18PH2	



C02-H 4, 4.5, 5, 5.5, 6, 7, 8,  
9, 10, 11, 12, 13 mm

**6.3  
1/4"**



C01-40  
C01-73 100 mm



C01-12



C01-80



C01-20



BT/8001 1/4" - 1/4"

**C00-46PH2**  
46 Piece 1/4" Drive 6-Point Socket Set



**new**

**6.3  
1/4"**

CODE NO	1
C00-46PH2	



C02-H 4, 4.5, 5, 5.5, 6, 7, 8,  
9, 10, 11, 12, 13, 14 mm



C08S-S 4, 5, 5.5, 6.5 mm



C01-12



C08S-PH PH1, PH2, PH3



C01-20



C08S-PZ PZ1, PZ2



C01-40



C08S-T T10, T15, T20,  
T25, T27, T30, T40



C01-70 50 mm, 100 mm



C08S-H 3, 4, 5, 6, 7, 8 mm



C01-75F 150 mm



BT/7010 1/4" - 1/4"



C01-80



L 1.3, 1.5, 2, 2.5 mm

**C00-61PH2**  
61 Piece 1/4" Drive 6-Point Socket Set



**new**

CODE NO	1
C00-61PH2	



C02-H 4, 4.5, 5, 5.5, 6, 7, 8,  
9, 10, 11, 12, 13, 14 mm

**6.3  
1/4"**



CB/610 4.0, 5.5, 6.5 mm



C01-12



CB/250 PH1, PH2, PH3



C01-20



CB/350 PZ1, PZ2, PZ3



C01-40



CB/800 T6, T8, T10, T15,  
T20, T25, T27, T30, T40



C01-70



CB/1800 3, 4, 5, 6 mm



C01-75F



BT/8001 1/4" - 1/4"



C01-80



L 1.3, 1.5, 2, 2.5 mm

**C00A-15PBT**  
15 Piece 1/4" Drive 12-Point Socket Set - SAE



**new**  
design

CODE NO	1
C00A-15PBT	



C02A-B 3/16, 7/32, 1/4, 9/32, 5/16,  
11/32, 3/8, 7/16, 1/2, 9/16 inch



C01-20



C01-T90 50 mm, 150 mm



C01-80

**C00A-60PM2**  
60 Piece 1/4" Drive Socket Set / Metric-SAE



**new**

CODE NO	1
C00A-60PM2	



CB/610 4.0, 5.5, 6.5 mm



CB/250 PH1, PH2



C02-H 4, 5, 5.5, 6, 7, 8, 9, 10,  
11, 12, 13 mm



CB/350 PZ1, PZ2



CB/800 T10, T15,  
T20, T25, T30, T40



CB/1800 3, 4, 5, 6 mm



C04-A-B 3/16, 1/4, 5/16, 3/8,  
7/16, 1/2 inch



CB/1800 3, 4, 5, 6 mm



C01-20



BT/8001 1/4" - 1/4"



C01-80



L 1.5, 2, 2.5, 3 mm



# 03 Sockets and Accessories

**10**  
**3/8"**

## C14A-B Series

3/8" Drive 12-Point Deep Sockets - SAE



Ideal for long threaded bolts

CODE NO	inch "	mm	Box
C14A-B0104	1/4	63	6•
C14A-B0516	5/16	63	6•
C14A-B0308	3/8	63	6•
C14A-B0716	7/16	63	6•
C14A-B0102	1/2	63	6•
C14A-B0916	9/16	63	6•
C14A-B0508	5/8	63	6•
C14A-B1116	11/16	63	6•
C14A-B0304	3/4	63	6•
C14A-B1316	13/16	63	6•
C14A-B0708	7/8	63	6•
C14A-B1516	15/16	63	6•
C14A-B1000	1	63	6•

## C16 Series

3/8" Drive E-TORX Sockets



For external TORX screws

CODE NO	★	mm	Box
C16-04	E04	28	12•
C16-05	E05	28	12•
C16-06	E06	28	12•
C16-07	E07	28	12•
C16-08	E08	28	12•
C16-10	E10	28	12•
C16-11	E11	28	12•
C16-12	E12	28	12•
C16-14	E14	28	12•
C16-16	E16	28	12•
C16-18	E18	28	12•
C16-20	E20	28	12•

For display carded delivery = Item code + X

## C14A-RB13

13 Piece 3/8" Drive 12-Point Deep Socket Set - SAE



CODE NO	Box
C14A-RB13	10
<b>13 PC:</b> 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch	

## C12U-RB10

10 Piece 3/8" Drive 12-Point Joint Socket Set



CODE NO	Box
C12U-RB10	6
<b>10 PC:</b> 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

## C16D Series

3/8" Drive E-TORX Deep Sockets



For external TORX screws, ideal for long threaded bolts

CODE NO	★	mm	Box
C16D-08	E08	63	6•
C16D-10	E10	63	6•
C16D-12	E12	63	6•
C16D-14	E14	63	6•

For display carded delivery = Item code + X

## C18S-T Series

3/8" Drive TORX Socket Bits



**10**  
**3/8"**

CODE NO	★	mm	Box
C18S-T10	T10	48	12•
C18S-T15	T15	48	12•
C18S-T20	T20	48	12•
C18S-T25	T25	48	12•
C18S-T27	T27	48	12•
C18S-T30	T30	48	12•
C18S-T40	T40	48	12•
C18S-T45	T45	48	12•
C18S-T50	T50	48	12•
C18S-T55	T55	48	12•

For display carded delivery = Item code + X

## C18S-RT09

9 Piece 3/8" Drive TORX Socket Bit Set



CODE NO	Box
C18S-RT09	10
<b>9 PC:</b> T10, T15, T20, T25, T27, T30, T40, T45, T50	

## C15-RH10

10 Piece 3/8" Drive Crowfoot Wrench Set



CODE NO	Box
C15-RH10	6
<b>10 PC:</b> 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

**10  
3/8"****C18S-H Series**

3/8" Drive Hexagon Socket Bits

**10  
3/8"**

CODE NO		mm	
C18S-H03	3	48	12•
C18S-H04	4	48	12•
C18S-H05	5	48	12•
C18S-H06	6	48	12•
C18S-H07	7	48	12•
C18S-H08	8	48	12•
C18S-H09	9	48	12•
C18S-H10	10	48	12•

For display carded delivery = Item code + X

6

**C18S-RH08**

8 Piece 3/8" Drive Hexagon Socket Bit Set

 **10  
3/8"**

CODE NO		mm	
C18S-RH08		10	
<b>8 PC:</b>	3, 4, 5, 6, 7, 8, 9, 10 mm		

**C11-11**

3/8" Drive Quick Release Reversible Ratchet (Compact Head)

DIN 3122, TS ISO 3315

60-tooth fine mechanism,  
switch pawl COMPACT DESIGN **10  
3/8"**

CODE NO	mm	mm	
C11-11	27	200	6

**C11-12**

3/8" Drive Quick Release Reversible Ratchet

DIN 3122, ISO 3315

48-tooth strong mechanism,  
switch pawl HIGH TORQUE **10  
3/8"**

CODE NO	mm	mm	
C11-12	30.5	200	6

CETA FORM  
QUALITY**C11-14N**

3/8" Drive Quick Release Curved Reversible Ratchet

DIN 3122, TS ISO 3315

45-tooth fine mechanism,  
switch pawl BASIC **10  
3/8"**

CODE NO	mm	mm	
C11-14N	33	210	6

**C11-T90**

3/8" Drive T90 Sealed Reversible Ratchet

DIN 3122, TS ISO 3315

90-tooth strong mechanism,  
sealed against dust, dirt etc. for  
extra long life, switch pawl T90 **10  
3/8"**

CODE NO	mm	mm	
C11-T90	33	200	6
<b>For display carded delivery = Item code + X</b>			6

**C11-36MR**

3/8" Drive Swivel Handle (Metal Handle)

DIN 3122, TS ISO 3315



Allows for up to 90° use

**10  
3/8"**

CODE NO	mm	
C11-36MR	250	6

6

125

# 03 Sockets and Accessories

**10  
3/8"**

## C11-R Series

Ratchet Renewal Kits

CODE NO		
C11-11R (for C11-11)	1	



C11-12R (for C11-12 / C11-12MR)	1	
---------------------------------	---	--



C11-14NR (for C11-14N)	1	
------------------------	---	--



C11-T90R (for C11-T90)	1	
------------------------	---	--



## C11-20 Series

3/8" Drive Spinner Handles

**new**  
design

DIN 3122, TS ISO 3315

CODE NO	mm		
C11-20S	35	6	
C11-20	60	6	

For display carded delivery = Item code + X

6

## C11-40

3/8" Drive Sliding T-Handle

DIN 3122, TS ISO 3315



## C11-70 Series

3/8" Drive Extension Bars

DIN 3123, ISO 3316



**10  
3/8"**

CODE NO	mm	"	
C11-72	75 - 3"	12	
C11-75	150 - 6"	12	
C11-77	250 - 10"	12	
C11-78	300 - 12"	6	
C11-79	450 - 18"	6	

For display carded delivery = Item code + X

## C11-50MR

3/8" Drive Speeder Brace (Detachable Palm Grip)

DIN 3122, TS ISO 3315



Metal body, rotator handle for rapid action,  
detachable metal palm grip

**10  
3/8"**

CODE NO	mm	"	
C11-50MR	420	3	

## C11-70W Series

3/8" Drive Wobble Extension Bars



**10  
3/8"**

Ball ended male square drive  
allows up to 15° entry

CODE NO	mm	"	
C11-72W	75 - 3"	6	
C11-75W	150 - 6"	6	

For display carded delivery = Item code + X

## C11-60

3/8" Drive T-Handle Swivel Socket Driver

DIN 3122, TS ISO 3315



For deep places , allows for up to 70° use

**10  
3/8"**

CODE NO	mm	"	
C11-60	500	3	

## C11-76F

3/8" Drive Flexible Extension Bar



Flexible design for working  
in restricted areas



**10  
3/8"**

CODE NO	mm	"	
C11-76F	200 - 8"	6	

For display carded delivery = Item code + X

**10  
3/8"****C11-60S**

3/8" Drive T-Handle Socket Driver



Quick Release  
**10  
3/8"**

CODE NO	mm	
C11-60S	230	6

**C11-92S**

3/8" Drive Socket Adaptor - F:3/8" M:1/2"

DIN 3123, ISO 3316



**12.5  
1/2"** **10  
3/8"**

CODE NO	mm	
C11-92S	3/8 < 1/2	43

For display carded delivery = Item code + X

**C012 Series**

Metal Clip Rails



Ideal for building custom sets of sockets, used with socket clips

CODE NO	mm	
C012-16	160	6•
C012-19	190	6•
C012-26	265	6•
C012-34	340	6•

**C11-80**

3/8" Drive Universal Joint

DIN 3123, ISO 3316



**10  
3/8"**

CODE NO	mm	
C11-80	53	12•

For display carded delivery = Item code + X

**C11-92**

3/8" Drive Socket Adaptor (3-Way) - F:3/8" M:1/2"

DIN 3123, ISO 3316



3-Way design suitable for use with extension bars

**12.5  
1/2"** **10  
3/8"**

CODE NO	mm	
C11-92	3/8 < 1/2	43

For display carded delivery = Item code + X

**C11-C**

3/8" Socket Clips - 10 Pieces

Socket clips for use on metal clip rails (C012 series)  
The code represents a 10 piece package

**6.3  
1/4"**

CODE NO	
C11-C	1 pack

**C11-91**

3/8" Drive Socket Adaptor - F:3/8" M:1/4"

DIN 3123, ISO 3316



**6.3  
1/4"** **10  
3/8"**

CODE NO	mm	
C11-91	3/8 > 1/4	28

For display carded delivery = Item code + X

**BT/8000 3/8" Series**

3/8" Drive Bit Holder Sockets



For use with 1/4", 5/16" or H10 bits, spring loaded for quick changes

**10  
3/8"**

CODE NO	mm	
BT/8003	1/4"	28
BT/8004	5/16"	28
BT/8005	10 mm	28

# 03 Sockets and Accessories

**10  
3/8"**


**C10-18PH4**  
18 Piece 3/8" Drive 6-Point Socket Set



**new**



CODE NO 1



C10-18PH4

1



C12-H 6,7,8,10,11,12,13,  
14,15,16,17,18,19,22 mm  
C11-80  
C11-14N


C11-80

C11-14N

**C10-20PH2**  
20 Piece 3/8" Drive 6-Point Socket Set




CODE NO 1



C10-20PH2



1



C12-H 6,7,8,10,11,12,13,  
14,15,16,17,18,19,22 mm  
C11-80  
C17-R16 16 mm  
C11-12  
C21-91 D:1/2"> E:3/8"


**C10A-17PBT**  
17 Piece 3/8" Drive 12-Point Socket Set - SAE



**new**  
design




CODE NO 1



C10A-17PBT

1



C11-T90

**C10-15PG1** **Multi-Fix**  
15 Piece Multi-Fix Hollow Socket Set



CODE NO 1



C11G-H 10,11,12,13,14,  
15,16,17,18,19,21,22 mm

C11-11G  
C11-72G 80 mm  
C11G-RA02 3/8"

**C10-60PH2**  
60 Piece 3/8" Drive 6-Point Socket Set

**new**



CODE NO 1




C10-60PH2



1

C12-H 6,7,8,9,10,11,12,13,  
14,15,16,17,18,19,21,22 mm  
C185-T T15,T20,T25,T27,T30,  
T40,T45,T50,T55  
C14-H 8,10,11,12,13,14,15,  
17,19 mm  
C185-S H 4,5,6,7,8,9,10 mm  
C11-12  
C11-70 75 mm, 250 mm  
C11-80  
C17-R 16,21 mm  
L 1.5,2,2.5,3 mm  
C21-91 D:1/2"> E:3/8"

**C10A-41PM2**  
41 Piece 3/8" Drive Socket Set / Metric - SAE



**new**



CODE NO 1



C10A-41PM2

1

C11-12  
C11-20  
C11-20  
C11-70 75 mm, 150 mm  
C11-40  
C11-80  
C14A-B 5/16,3/8,1/2,9/16 inch  
C14-H 8,10,12,13 mm

**12.5  
1/2"**

**C22-H Series**

1/2" Drive 6-Point Sockets

DIN 3124, TS ISO 2725-1



**12.5  
1/2"**

CODE NO	∅ mm	mm	Box
C22-H08	8	38	12•
C22-H09	9	38	12•
C22-H10	10	38	12•
C22-H11	11	38	12•
C22-H12	12	38	12•
C22-H13	13	38	12•
C22-H14	14	38	12•
C22-H15	15	38	12•
C22-H16	16	38	12•
C22-H17	17	38	12•
C22-H18	18	38	12•
C22-H19	19	38	12•
C22-H20	20	38	12•
C22-H21	21	38	12•
C22-H22	22	40	12•
C22-H23	23	40	6•
C22-H24	24	42	6•
C22-H25	25	42	6•
C22-H26	26	42	6•
C22-H27	27	43	6•
C22-H28	28	43	6•
C22-H29	29	44	6•
C22-H30	30	46	6•
C22-H32	32	46	6•

For display carded delivery = Item code + X

6

**C22-RH11**

11 Piece 1/2" Drive 6-Point Socket Set



**12.5  
1/2"**

CODE NO	Box
C22-RH11	10
<b>11 PC:</b> 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 mm	

**C22-B Series**

1/2" Drive 12-Point Sockets

DIN 3124, TS ISO 2725-1



**12.5  
1/2"**

CODE NO	∅ mm	mm	Box
C22-B08	8	38	12•
C22-B09	9	38	12•
C22-B10	10	38	12•
C22-B11	11	38	12•
C22-B12	12	38	12•
C22-B13	13	38	12•
C22-B14	14	38	12•
C22-B15	15	38	12•
C22-B16	16	38	12•
C22-B17	17	38	12•
C22-B18	18	38	12•
C22-B19	19	38	12•
C22-B20	20	38	12•
C22-B21	21	39	12•
C22-B22	22	40	12•
C22-B23	23	40	6•
C22-B24	24	42	6•
C22-B25	25	42	6•
C22-B26	26	42	6•
C22-B27	27	43	6•
C22-B28	28	43	6•
C22-B29	29	43	6•
C22-B30	30	46	6•
C22-B32	32	46	6•

For display carded delivery = Item code + X

6

**C22-RB11**

11 Piece 1/2" Drive 12-Point Socket Set



**12.5  
1/2"**

CODE NO	Box
C22-RB11	10
<b>11 PC:</b> 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 mm	

**C22A-B Series**

1/2" Drive 12-Point Sockets - SAE



**12.5  
1/2"**

CODE NO	∅ "	mm	Box
C22A-B03	3/8	38	6•
C22A-B04	7/16	38	6•
C22A-B05	1/2	38	6•
C22A-B06	9/16	38	6•
C22A-B06/2	19/32	38	6•
C22A-B07	5/8	38	6•
C22A-B08	11/16	38	6•
C22A-B09	3/4	38	6•
C22A-B09/2	25/32	38	6•
C22A-B10	13/16	38	6•
C22A-B11	7/8	38	6•
C22A-B12	15/16	38	6•
C22A-B13	1	40	6•
C22A-B14	1-1/16	42	6•
C22A-B15	1-1/8	44	6•
C22A-B16	1-3/16	44	6•
C22A-B17	1-1/4	44	6•

For display carded delivery = Item code + X

6

**C22A-RB11**

11 Piece 1/2" Drive 12-Point Socket Set - SAE



**12.5  
1/2"**

CODE NO	Box
C22A-RB11	10
<b>11 PC:</b> 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch	

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

# 03 Sockets and Accessories

**12.5  
1/2"**

## C24-H Series

1/2" Drive 6-Point Deep Sockets

DIN 3124, TS ISO 2725-1



Ideal for long threaded bolts

CODE NO				<b>12.5 1/2"</b>
C24-H08	8	77	12•	
C24-H10	10	77	12•	
C24-H11	11	77	12•	
C24-H12	12	77	12•	
C24-H13	13	77	12•	
C24-H14	14	77	12•	
C24-H15	15	77	12•	
C24-H16	16	77	12•	
C24-H17	17	77	12•	
C24-H18	18	77	12•	
C24-H19	19	77	12•	
C24-H20	20	77	12•	
C24-H21	21	77	12•	
C24-H22	22	77	12•	
C24-H24	24	77	6•	
C24-H27	27	77	6•	
C24-H30	30	77	6•	
C24-H32	32	77	6•	

For display carded delivery = Item code + X

## C24-B Series

1/2" Drive 12-Point Deep Sockets

DIN 3124, TS ISO 2725-1



Ideal for long threaded bolts

CODE NO				<b>12.5 1/2"</b>
C24-B08	8	77	12•	
C24-B10	10	77	12•	
C24-B11	11	77	12•	
C24-B12	12	77	12•	
C24-B13	13	77	12•	
C24-B14	14	77	12•	
C24-B15	15	77	12•	
C24-B16	16	77	12•	
C24-B17	17	77	12•	
C24-B18	18	77	12•	
C24-B19	19	77	12•	
C24-B20	20	77	12•	
C24-B21	21	77	12•	
C24-B22	22	77	12•	
C24-B24	24	77	6•	
C24-B27	27	77	6•	
C24-B30	30	77	6•	
C24-B32	32	77	6•	

For display carded delivery = Item code + X

## C26 Series

1/2" Drive E-TORX Sockets



**12.5  
1/2"**

For external TORX screws

CODE NO				<b>12.5 1/2"</b>
C26-10	E10	38	12•	
C26-11	E11	38	12•	
C26-12	E12	38	12•	
C26-14	E14	38	12•	
C26-16	E16	38	12•	
C26-18	E18	38	12•	
C26-20	E20	38	12•	
C26-22	E22	38	12•	
C26-24	E24	38	12•	

For display carded delivery = Item code + X

6

## C24-RH09

9 Piece 1/2" Drive 6-Point Deep Socket Set



CODE NO



C24-RH09

5

**9 PC:** 10, 11, 12, 13, 14, 17, 19, 21, 22 mm

## C24-RB09

9 Piece 1/2" Drive 12-Point Deep Socket Set



CODE NO



C24-RB09

5

**9 PC:** 10, 11, 12, 13, 14, 17, 19, 21, 22 mm

## C26-R08

8 Piece 1/2" Drive E-TORX Socket Set



CODE NO



C26-R08

10


**8 PC:** E10, E12, E14, E16, E18, E20, E22, E24

12.5  
1/2"

# Socket Bits Range



- Comprehensive range of profiles and sizes
- Precision machined and hardened, tempered bits
- Turned down bit body for some profiles for better access to restricted areas
- Large, stamped markings for readability



## C28S-T Series

1/2" Drive TORX Socket Bits - Short



CODE NO	•	mm	
C28S-T20	T20	55	12•
C28S-T25	T25	55	12•
C28S-T27	T27	55	12•
C28S-T30	T30	55	12•
C28S-T35	T35	55	12•
C28S-T40	T40	55	12•
C28S-T45	T45	55	12•
C28S-T50	T50	55	12•
C28S-T55	T55	55	6•
C28S-T60	T60	55	6•
C28S-T70	T70	55	6•

For display carded delivery = Item code + X

## C28S-TL Series

1/2" Drive TORX Socket Bits - Long



CODE NO	•	mm	
C28S-T20L	T20	100	12•
C28S-T25L	T25	100	12•
C28S-T27L	T27	100	12•
C28S-T30L	T30	100	12•
C28S-T35L	T35	100	12•
C28S-T40L	T40	100	12•
C28S-T45L	T45	100	12•
C28S-T50L	T50	100	12•
C28S-T55L	T55	100	6•
C28S-T60L	T60	100	6•
C28S-T70L	T70	100	6•

For display carded delivery = Item code + X

## C28S-TR Series

1/2" Drive TORX Tamper Proof Socket Bits- Short



CODE NO	•	mm	
C28S-TR30	T30	55	6•
C28S-TR40	T40	55	6•
C28S-TR45	T45	55	6•
C28S-TR50	T50	55	6•
C28S-TR55	T55	55	6•

For display carded delivery = Item code + X

## C28S-RT9

9 Piece 1/2" Drive TORX Socket Bit Set- Short



CODE NO		
C28S-RT9	10	
9 PC:	T20, T25, T27, T30, T40, T45, T50, T55, T60	



## C28S-TR30XL

1/2" Drive TORX Tamper Proof Socket Bit- Extra Long



Especially for airbag screw on vehicles

CODE NO	•	mm	
C28S-TR30XL	T30	140	6•

For display carded delivery = Item code + X

12.5  
1/2"

# 03 Sockets and Accessories

**12.5  
1/2"**

## C28S-H Series

1/2" Drive Hexagon Socket Bits - Short



## C28AS-H Series

1/2" Drive Hexagon Socket Bits - SAE



## C28S-X Series

1/2" Drive XZN Socket Bits - Short



**12.5  
1/2"**

Especially for use in automotive

CODE NO	O mm	mm	Box
C28S-H04	4	55	12•
C28S-H05	5	55	12•
C28S-H06	6	55	12•
C28S-H07	7	55	12•
C28S-H08	8	55	12•
C28S-H09	9	55	12•
C28S-H10	10	55	12•
C28S-H12	12	55	12•
C28S-H14	14	55	6•
C28S-H17	17	60	6•
C28S-H19	19	60	6•
C28AS-H0916	9/16"	60	6•
			For display carded delivery = Item code + X
			6

CODE NO	O mm	mm	Box
C28AS-H0532	5/32	55	12•
C28AS-H0316	3/16	55	12•
C28AS-H0732	7/32	55	12•
C28AS-H0104	1/4	55	12•
C28AS-H0516	5/16	55	12•
C28AS-H0308	3/8	55	12•
C28AS-H0102	1/2	55	12•
C28AS-H0916	9/16	55	12•
C28AS-H0508	5/8	55	6•

## C28S-RH9

9 Piece 1/2" Drive Hexagon Socket Bit Set - Short



CODE NO	Box
C28S-RH9	10
<b>9 PC:</b> 4, 5, 6, 7, 8, 10, 12, 14, 17 mm	

## C28AS-RH9

9 Piece 1/2" Drive Hexagon Socket Bit Set - SAE



CODE NO	Box
C28AS-RH9	10
<b>9 PC:</b> 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8 inch	

## C28S-RX6

6 Piece 1/2" Drive XZN Socket Bit Set - Short



CODE NO	Box
C28S-RX6	10
<b>6 PC:</b> M05, M06, M08, M10, M12, M14	

## C28S-HL Series

1/2" Drive Hexagon Socket Bits - Long



CODE NO	O mm	mm	Box
C28S-H05L	5	100	12•
C28S-H06L	6	100	12•
C28S-H06XL	6	140	6•
C28S-H06XL2	6	220	6•
C28S-H07L	7	100	12•
C28S-H08L	8	100	12•
C28S-H09L	9	100	12•
C28S-H10L	10	100	12•
C28S-H10XL	10	140	6•
<b>C28S-H11L</b>	<b>11</b>	<b>100</b>	<b>12•</b>
C28S-H12L	12	100	12•
C28S-H12XL	12	140	6•
C28S-H13L	13	100	6•
<b>C28S-H14L</b>	<b>14</b>	<b>100</b>	<b>6•</b>

For display carded delivery = Item code + X

6

## C28S-HBXL Series

1/2" Drive Ball End Hexagon Socket Bits - Extra Long



Ball end allows up to 25° entry  
Especially for tight spaces like starter motors, manifolds etc.

CODE NO	O mm	mm	Box
C28S-HB05XL	5	140	6•
C28S-HB06XL	6	140	6•
C28S-HB07XL	7	140	6•
C28S-HB08XL	8	140	6•
C28S-HB10XL	10	140	6•

For display carded delivery = Item code + X

6

## C28S-X,L Series

1/2" Drive XZN Socket Bits - Long



Especially for use in automotive

CODE NO	O	mm	Box
C28S-X06L	M06	100	6•
C28S-X08L	M08	100	6•
C28S-X10L	M10	100	6•
C28S-X10XL	M10	140	6•
C28S-X12L	M12	100	6•
C28S-X12XL	M12	140	6•
C28S-X14L	M14	100	6•

For display carded delivery = Item code + X

6

12.5  
1/2"**C28S-RX5L**

5 Piece 1/2" Drive XZN Socket Bit Set - Long

**new**

CODE NO	
C28S-RX5L	10
<b>5 PC:</b> M06, M08, M10, M12, M14	

**C28S-RL Series**

1/2" Drive RIBE Socket Bits - Long

12.5  
1/2"

Especially for RIBE screws used in Fiat, Alfa Romeo and Lancia

CODE NO	•	mm	•
C28S-R05L	M05	99	6•
C28S-R06L	M06	99	6•
C28S-R08L	M08	99	6•
C28S-R10L	M10	99	6•
C28S-R12L	M12	99	6•
C28S-R14L	M14	99	6•

For display carded delivery = Item code + X

6

**C28S-RR6L**

6 Piece 1/2" Drive RIBE Socket Bit Set - Long



CODE NO	
C28S-RR6L	10
<b>6 PC:</b> M05, M06, M08, M10, M12, M14	

**C28-SS40**

40 Piece H10 TORX/Hex/XZN Bit Set

**new**  
design

CODE NO	
C28-SS40	1

	BT/8005 3/8" - 10 mm
	BT/8008 1/2" - 10 mm
	CB/2000G 4, 5, 6, 7, 8, 10, 12 mm
	CB/2100G 4, 5, 6, 7, 8, 10, 12 mm
	CB/1000G T20, T25, T30, T40, T45, T50, T55
	CB/1100G T20, T25, T30, T40, T45, T50, T55
	CB/3000G M5, M6, M8, M10, M12
	CB/3100G M5, M6, M8, M10, M12

**C28S-17PTH**

17 Piece 1/2" TORX and Hexagon Socket Bit Set

**new**  
design

CODE NO	
C28S-17PTH	1

	C28S-T T20, T25, T27, T30, T40, T45, T50, T55, T60
	C28S-H 5, 6, 7, 8, 10, 12, 14 mm

C21-40

**C20-18PTX**

18 Piece 1/2" TORX Socket Set

**new**  
design

CODE NO	
C20-18PTX	1

	C26 E10, E11, E12, E14, E16, E18, E20, E22, E24
	C28S-T T20, T25, T27, T30, T40, T45, T50, T55, T60

T



# 03 Sockets and Accessories

12.5  
1/2"

## C21-11

1/2" Drive Quick Release Reversible Ratchet (Compact Head)

DIN 3122, TS ISO 3315



60-tooth fine mechanism,  
switch pawl



CODE NO	mm	mm	mm
C21-11	32	255	6

## C21-T90

1/2" Drive T90 Sealed Reversible Ratchet

DIN 3122, TS ISO 3315



90-tooth strong mechanism, sealed against  
dust, dirt etc. for extra long life, switch pawl



CODE NO	mm	mm	mm
C21-T90	41	255	6

For display carded delivery = Item code + X

## C21-12

1/2" Drive Quick Release Reversible Ratchet

DIN 3122, TS ISO 3315



48-tooth strong mechanism,  
switch pawl



CODE NO	mm	mm	mm
C21-12	41.5	260	6

## C21-30MR Series

1/2" Drive Swivel Handles (Metal Handle)



Allows for up to 90° use



CODE NO	mm	mm	mm
C21-38MR		375	6
C21-39MR		475	6

## C21-14N

1/2" Drive Quick Release Curved Reversible Ratchet

DIN 3122, TS ISO 3315



45-tooth robust mechanism,  
switch disc



CODE NO	mm	mm	mm
C21-14N	42	250	6

## C21-R Series

1/2" Ratchet Renewal Kits

CODE NO

C21-11R (for C21-11)

1



C21-12R (for C21-12)

1



C21-14NR (for C21-14N)

1



C21-T90R (for C21-T90)

1



CETA FORM  
QUALITY

**12.5**  
**1/2"**

**C21-20**

1/2" Drive Offset Handle

DIN 3122, TS ISO 3315



**12.5**  
**1/2"**

CODE NO	mm	
C21-20	250	12

**C21-50**

1/2" Drive Speeder Brace

DIN 3122, TS ISO 3315



**12.5**  
**1/2"**

CODE NO	mm	
C21-50	420	3

**C21-70 Series**

1/2" Drive Extension Bars

DIN 3123, ISO 3316



**12.5**  
**1/2"**

CODE NO	mm	
C21-72	75 - 3"	12
C21-74	125 - 5"	12
C21-77	250 - 10"	12
For display carded delivery = Item code + X		6

**C21-40 Series**

1/2" Drive Sliding T-Handles

DIN 3122, TS ISO 3315



**12.5**  
**1/2"**

CODE NO	mm	
C21-40	250	12
C21-40L	300	12
For display carded delivery = Item code + X		6

**C21-60**

1/2" Drive T-Handle Swivel Socket Driver

DIN 3122, TS ISO 3315



**12.5**  
**1/2"**

CODE NO	mm	
C21-60	500	3

**C21-70W Series**

1/2" Drive Wobble Extension Bars



**12.5**  
**1/2"**

CODE NO	mm	
C21-71W	50 - 2"	6
C21-74W	125 - 5"	6
C21-77W	250 - 10"	6
C21-79W	500 - 20"	6
For display carded delivery = Item code + X		6

**C21-60S**

1/2" Drive T-Handle Socket Driver



**12.5**  
**1/2"**

CODE NO	mm	
C21-60S	230	6

**C21-80**

1/2" Drive Universal Joint

DIN 3123, ISO 3316



**12.5**  
**1/2"**

CODE NO	mm	
C21-80	73	12.
For display carded delivery = Item code + X		6

# 03 Sockets and Accessories

**12.5  
1/2"**

## C21-91S

1/2" Drive Socket Adaptor - F:1/2" M:3/8"

DIN 3123, ISO 3316



**10  
3/8"** **12.5  
1/2"**

CODE NO	"	"	mm	Box
C21-91S	1/2 > 3/8	38	12•	
			6	For display carded delivery = Item code + X

## C21-92

1/2" Drive Socket Adaptor - F:1/2" M:3/4"

DIN 3123, ISO 3316



**20  
3/4"** **12.5  
1/2"**

CODE NO	"	"	mm	Box
C21-92	1/2 < 3/4	50	12•	
			6	For display carded delivery = Item code + X

## C012 Series

Metal Clip Rails (Empty)



Ideal for building custom sets of sockets, used with socket clips

CODE NO	mm	Box
C012-16	160	6•
C012-19	190	6•
C012-26	265	6•
C012-34	340	6•

## C21-91

1/2" Drive Socket Adaptor (3 Ways) - F:1/2" M:3/8"

DIN 3123, ISO 3316



3-Way design suitable for use with extension bars

**10  
3/8"** **12.5  
1/2"**

CODE NO	"	"	mm	Box
C21-91	1/2 > 3/8	38	12•	
			6	For display carded delivery = Item code + X

## BT/8000 1/2" Series

1/2" Drive Bit Holder Sockets



For use with 5/16" or H10 bits, spring loaded for quick changes

**12.5  
1/2"**

CODE NO	Hex	mm	Box
BT/8007	5/16"	28	6•
BT/8008	10 mm	38	6•

## C21-C

1/2" Socket Clips - 10 Pieces



Socket clips for use on metal clip rails (C012 series)  
The code represents a 10 piece package

CODE NO	Box
C21-C	1 pk.

# Socket Adaptor Sets

## C21-90KIT15

15 Piece Socket Adaptor Set

**new**



CODE NO

C21-90KIT15

Box

1



BT/8001 1/4" - 1/4"  
BT/8004 3/8" - 5/16"  
BT/8005 3/8" - 10 mm  
BT/8007 1/2" - 5/16"  
BT/8008 1/2" - 10 mm



C21-915 D:1/2" > E:3/8"



C21-92 D:1/4" < E:3/8"



C11-91 D:3/8" > E:1/4"



C11-92S D:3/8" < E:1/2"



C31-91 D:3/4" > E:1/2"



BT/7015 (1/4" - 1/4") x 50 mm  
BT/7020 (3/8" - 1/4") x 50 mm  
BT/7030 (1/2" - 1/4") x 50 mm



BT/02 (1/4" x 60 mm)

CODE NO

C21-90KIT6

Box

1



C01-92 D:1/4" < E:3/8"



C11-91 D:3/8" > E:1/4"



C21-915 D:1/2" > E:3/8"



C21-92 D:1/4" < E:3/4"



C11-92S D:3/8" < E:1/2"




C31-91 D:3/4" > E:1/2"

12.5  
1/2"**C20-18PH2**

18 Piece 1/2" Drive 6-Point Socket Set

**new**  
content

CODE NO		1
C20-18PH2		

C22-H 8, 10, 11, 12, 13, 14, 15, 16,  
17, 19, 21, 22, 24 mm

C21-12



C11-92 D:3/8" &lt; E:1/2"



C21-80

**C20-25PH2**

25 Piece 1/2" Drive 6-Point Socket Set



CODE NO		1
C20-25PH2		

C22-H 8, 9, 10, 11, 12, 13, 14, 15, 16,  
17, 18, 19, 21, 22, 24, 27, 30, 32 mm


C27-R 16, 21 mm



C21-12



C21-70 125 mm, 250 mm



C11-92 D:3/8" &lt; E:1/2"




C21-80

**C20-56PH2**

56 Piece 1/2" Drive 6-Point Socket Set

**new**


CODE NO		1
C20-56PH2		

C22-H 10, 11, 12, 13, 14, 15, 16, 17,  
18, 19, 21, 22, 24, 27, 30, 32 mm

C21-80



BT/8007 1/2"-5/16"




CB/516SL 8, 10, 12 mm



C27-R 16, 21 mm



C21-12



C21-40



C21-70 125 mm, 250 mm




CB/516HX 5, 6, 7, 8, 10, 12, 14

**C20-23PH4**

23 Piece 1/2" Drive 6-Point Socket Set

**new**

CODE NO		1
C20-23PH4		

C22-H 8, 9, 10, 11, 12, 13, 14, 15, 16,  
17, 18, 19, 21, 22, 24, 27, 30, 32 mm

C21-70 125 mm, 250 mm



C21-14N



C11-92 D:3/8" &lt; E:1/2"




C21-80

**C20-25PB2**

25 Piece 1/2" Drive 12-Point Socket Set



CODE NO		1
C20-25PB2		

C22-H 8, 9, 10, 11, 12, 13, 14, 15, 16,  
17, 18, 19, 21, 22, 24, 27, 30, 32 mm

C21-70 125 mm, 250 mm



C11-92 D:3/8" &lt; E:1/2"



C21-80

# 03 Sockets and Accessories

12.5  
1/2"

C20-49PH2

49 Piece 1/2" Drive 6-Point Socket And Wrench Set

**new**



12.5  
1/2"

CODE NO

C20-49PH2



1

B01 8, 10, 11, 12, 13, 14, 17, 19, mm



C21-80

C22-H 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm



C24-H 10, 13, 17, 19 mm



C27-R 16, 21 mm



C21-12



C21-70 125 mm, 250 mm

C20A-20PBT

20 Piece 1/2" Drive 12-Point Socket Set - SAE

**new**  
design



inch  
12.5  
1/2"

CODE NO

C20A-20PBT



1



C22A-B 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4 inch



C21-40  
C21-70 125 mm, 250 mm



C21-T90



C21-80

C20A-34PM2

34 Piece 1/2" Drive Socket Set / Metric - SAE

**new**



mm  
inch  
12.5  
1/2"

CODE NO

C20A-34PM2



1



C22-H 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm



C21-12



C21-40



C22A-B 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 inch



C21-80

C20-35PH4

35 Piece 1/4"+1/2" Drive 6-Point Socket Set

**new**



12.5  
6.3  
1/4  
1/2"

CODE NO

C20-35PH4



1



C02-H 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm



C22-H 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm



C01-14N



C21-14N



C01-73 100 mm



C21-74 125 mm



C01-80



C21-80

L 1.3, 1.5, 2, 2.5, 3 mm



CETA FORM  
QUALITY

12.5  
1/2"**C20-96PH2**

96 Piece 1/4"+1/2" Drive 6-Point Socket Set


6.3  
1/4"12.5  
1/2"

CODE NO		1
C20-96PH2		
	C02-H 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	
	C22-H 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm	
	C04-H 6, 7, 8, 9, 10, 11, 12, 13 mm	
	C24-H 14, 15, 17, 19, 22 mm	
	C08S-S 4, 5.5, 6.5 mm	
	C27-R 16, 21 mm	
	C08S-PH PH1, PH2	
	C21-12	
	C08S-PZ PZ1, PZ2	
	C21-70 125 mm, 250 mm	
	C08S-T T8, T10, T15, T20, T25, T27, T30	
	C21-80	
	C08S-H 3, 4, 5, 6 mm	
	BT/8007 1/2"- 5/16"	
	C01-12	
	CB/516SL 8, 10, 12 mm	
	CB/516PH PH3, PH4	
	CB/516PZ PZ3, PZ4	
	C08S-TR T8, T9, T10, T15, T20, T25, T27, T30	
	C11-12	
	C08S-H 3, 4, 5, 6 mm	
	C11-75 150 mm	
	BT/8001 1/4"- 1/4"	
	C11-80	
	CB/250 PH0, PH1, PH2, PH3	
	CB/350 PZ0, PZ1, PZ2, PZ3	
	C11-92 D:1/4">E:3/8"	
	L 1.3, 1.5, 2, 2.5 mm	

**C20-180PH2**

180 Piece 1/4"+ 3/8"+1/2" Drive 6-Point Socket Set

new

6.3  
1/4"10  
3/8"12.5  
1/2"

CODE NO		1
C20-180PH2		
	C01-40	
	C01-70 50 mm, 100 mm	
	C04-H 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm	
	C06 E4, E5, E6, E7, E8	
	C12-H 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	
	C14-H 10, 11, 12, 13, 14, 15 mm	
	C16 E10, E11, E12, E14, E16, E18	
	C21-12	
	C21-70 125 mm, 250 mm	
	C21-80	
	C26 E20, E24	
	C27-R 16, 21 mm	
	CB/800 T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	
	CB/800IPR IPR10, IPR15, IPR20, IPR25, IPR27, IPR30, IPR40	
	CB/850 M5, M6, M8	
	BT/02 (1/4" x 60 mm)	
	BT/8004 3/8"- 5/16" BT/8007 1/2"- 5/16"	
	CB/516SL 8, 10, 12 mm	
	CB/516PH PH3, PH4	
	CB/516PZ PZ3, PZ4	
	CB/516TX T40, T45, T50, T55, T60, T70	
	CB/516TR T40, T45, T50	
	CB/516HX 7, 8, 10, 12, 14 mm	
	CB/516XZ M10, M12, M14	
	C11-92 D:3/8">E:1/2"	

# 03 Sockets and Accessories

**20**  
**3/4"**

## C32-H Series

3/4" Drive 6-Point Sockets

DIN 3124, TS ISO 2725-1



**20**  
**3/4"**

CODE NO	Ø mm	mm	mm	mm
C32-H19	19	50	6	
C32-H21	21	50	6	
C32-H22	22	50	6	
C32-H24	24	52	6	
C32-H27	27	52	6	
C32-H30	30	54	6	
C32-H32	32	55	3	
C32-H33	33	56	3	
C32-H34	34	56	3	
C32-H36	36	57	3	
C32-H38	38	60	3	
C32-H41	41	64	3	
C32-H46	46	68	3	
C32-H50	50	72	3	
C32-H55	55	75	3	
C32-H60	60	78	3	

## C32-B Series

3/4" Drive 12-Point Sockets

DIN 3124, TS ISO 2725-1



**20**  
**3/4"**

CODE NO	Ø mm	mm	mm	mm
C32-B22	22	50	6	
C32-B24	24	50	6	
C32-B27	27	52	6	
C32-B30	30	54	6	
C32-B32	32	56	3	
C32-B36	36	58	3	
C32-B38	38	60	3	
C32-B41	41	64	3	
C32-B46	46	68	3	
C32-B50	50	73	3	

## C32A-B Series

3/4" Drive 12-Point Sockets - SAE



**20**  
**3/4"**

CODE NO	Ø "	mm	mm	mm
C32A-B11	7/8	50	6	
C32A-B12	15/16	50	6	
C32A-B13	1	51	6	
C32A-B14	1-1/16	52	6	
C32A-B15	1-1/8	52	6	
C32A-B17	1-1/4	54	3	
C32A-B27	1-7/8	70	3	

## C38S-H Series

3/4" Drive Hexagon Socket Bits



**20**  
**3/4"**

CODE NO	Ø mm	mm	mm	mm
C38S-H14	14	80	6	
C38S-H17	17	80	6	
C38S-H19	19	80	6	
C38S-H22	22	80	6	



## C31-12-2

3/4" Drive Quick Release Reversible Ratchet

DIN 3122, TS ISO 3315



24-tooth strong mechanism, switch pawl, knurled grip



CODE NO	mm	mm	mm
C31-12-2	63	505	1

## C31-14

3/4" Drive Reversible Ratchet

DIN 3122, TS ISO 3315



48-tooth robust mechanism, switch disc, knurled grip



CODE NO	mm	mm	mm
C31-14	69	495	3

## C31-R Series

Ratchet Renewal Kits

CODE NO	
C31-12-2R	(for C31-12-2)



C31-14R	(for C31-14)
	1



**20**  
**3/4"**

**C31-40**

3/4" Drive Sliding T-Handle

DIN 3122, TS ISO 3316



CODE NO	mm	<b>20</b> <b>3/4"</b>	
C31-40	500	3	

**C31-91**

3/4" Drive Socket Adaptor - F:3/4" M:1/2"

DIN 3123, ISO 3316



CODE NO	"	"	mm	<b>12.5</b> <b>1/2"</b>	<b>20</b> <b>3/4"</b>
C31-91	3/4 > 1/2		54	6	

**C31-70 Series**

3/4" Drive Extension Bars

DIN 3123, ISO 3316



CODE NO	mm	<b>20</b> <b>3/4"</b>	
C31-73	100 - 4"	6	
C31-76	200 - 8"	6	
C31-78	400 - 16"	6	

**C31-92**

3/4" Drive Socket Adaptor - F:3/4" M:1"

DIN 3123, ISO 3316



CODE NO	"	"	mm	<b>25</b> <b>1"</b>	<b>20</b> <b>3/4"</b>
C31-92	3/4 < 1		63	6	

**C30-14MH2**

14 Piece 3/4" 6-Point Socket Set



**20**  
**3/4"**

CODE NO	<b>20</b> <b>3/4"</b>
C30-14MH2	1

	C31-40 500 mm
	C31-12-2 505 mm

C31-70 100, 200 mm

**C30-14MB2**

14 Piece 3/4" Drive 12-Point Socket Set



**20**  
**3/4"**

CODE NO	<b>20</b> <b>3/4"</b>
C30-14MB2	1

	C31-40 500 mm
	C31-12-2 505 mm

C31-70 100, 200 mm

**CETA FORM**  
QUALITY

# 03 Sockets and Accessories

**25**  
**1"**

## C42-B Series

1" Drive 12-Point Sockets

DIN 3124, TS ISO 2725-1



**25**  
**1"**

CODE NO	mm	mm	
C42-B32	32	63	3
C42-B36	36	65	3
C42-B41	41	70	3
C42-B46	46	70	3
C42-B50	50	75	3
C42-B55	55	80	1
C42-B60	60	82	1
C42-B65	65	87	1
C42-B70	70	94	1
C42-B75	75	100	1
C42-B80	80	103	1

## C41-12

1" Drive Reversible Ratchet



HIGH  
TORQUE  
**25**  
**1"**

24-tooth strong mechanism, switch pawl

CODE NO	mm	mm	
C41-12	70	675	1

## C41-12/H

1" Drive Reversible Ratchet (Head Only)



**25**  
**1"**

For use with C41-12/T tommy bar

CODE NO	mm	mm	
C41-12/H	70	200	1

## C41-12R

Ratchet Renewal Kit (for C41-12)



CODE NO	
C41-12R	1

## C41-12/T

Tommy Bar (for C41-12/H and C41-40R)



Push-fit bar handle for use with C41-12/H ratchet head, with locking pin

CODE NO	mm	
C41-12/T	550	1

## C41-70 Series

1" Drive Extension Bars

DIN 3123, ISO 3316



**25**  
**1"**

CODE NO	mm	
C41-76	200 - 8"	1
C41-78	400 - 16"	1

## C41-91

1" Drive Socket Adaptor - F:1" M:3/4"

DIN 3123, ISO 3316



Out of  
WARRANTY  
**20**  
**3/4"**  
**25**  
**1"**

CODE NO	"	"	mm	
C41-91	1 > 3/4	64		3

## C40-15MB2

ex code C40-15MH2

15 Piece 1" 12-Point Socket Set



**25**  
**1"**

CODE NO	
C40-15MB2	1



C41-12/T 545 mm



C41-40R



C41-12/H 200 mm

C41-70 200 mm, 400 mm



## Impact Sockets and Accessories



Impact sockets are manufactured from Chrome-Vanadium-Molybdenum steel in a thicker wall profile. Therefore, they are fit for use with high torque air tools.



### C52-H Series

1/4" Drive 6-Point Impact Sockets

DIN 3129, TS ISO 2725-2



**6.3  
1/4"**

CODE NO	Ø mm	mm	mm	box
C52-H06	6	25	6.	
C52-H07	7	25	6.	
C52-H13	13	25	6.	

For display carded delivery = Item code + X



### C52R-H Series

3/8" Drive 6-Point Impact Sockets

DIN 3129, TS ISO 2725-2



**10  
3/8"**

CODE NO	Ø mm	mm	mm	box
C52R-H08	8	30	6.	
C52R-H10	10	30	6.	
C52R-H11	11	30	6.	
C52R-H12	12	30	6.	
C52R-H13	13	30	6.	
C52R-H14	14	30	6.	
C52R-H15	15	30	6.	
C52R-H16	16	30	6.	
C52R-H17	17	30	6.	
C52R-H18	18	30	6.	
C52R-H19	19	30	6.	

For display carded delivery = Item code + X



### C52R-RH10

10 Piece 3/8" Drive 6-Point Impact Socket Set



**10  
3/8"**

CODE NO	box
C52R-RH10	6

**10 PC:** 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

### C51R-72

3/8" Drive Impact Extension Bars



**10  
3/8"**

CODE NO	mm	box
C51R-72	75 - 3"	6

For display carded delivery = Item code + X



### C51R-80

3/8" Drive Impact Universal Joint



**10  
3/8"**

CODE NO	mm	box
C51R-80	50	6

For display carded delivery = Item code + X



### C51R-91

3/8" Drive Impact Socket Adaptor - F:3/8" M:1/4"



**6.3  
1/4"** **10  
3/8"**

CODE NO	mm	mm	box
C51R-91	3/8 > 1/4	32	6

For display carded delivery = Item code + X



### C51R-92

3/8" Drive Impact Socket Adaptor - F:3/8" M:1/2"



**12.5  
1/2"** **10  
3/8"**

CODE NO	mm	mm	box
C51R-92	3/8 < 1/2	36	6

For display carded delivery = Item code + X

# 03 Sockets and Accessories



## C62-H Series

1/2" Drive 6-Point Impact Sockets

DIN 3129, TS ISO 2725-2

CODE NO				12.5 1/2"
C62-H10	10	38	6•	
C62-H11	11	38	6•	
C62-H12	12	38	6•	
C62-H13	13	38	6•	
C62-H14	14	38	6•	
C62-H15	15	38	6•	
C62-H16	16	38	6•	
C62-H17	17	38	6•	
C62-H18	18	38	6•	
C62-H19	19	38	6•	
C62-H20	20	38	6•	
C62-H21	21	38	6•	
C62-H22	22	38	6•	
C62-H23	23	38	6•	
C62-H24	24	38	6•	
C62-H27	27	42	6•	
C62-H30	30	42	6•	
C62-H32	32	44	6•	
C62-H36	36	48	6•	

For display carded delivery = Item code + X

## C64-H Series

1/2" Drive 6-Point Impact Deep Sockets

DIN 3129, TS ISO 2725-2

CODE NO				12.5 1/2"
C64-H10	10	78	6•	
C64-H11	11	78	6•	
C64-H12	12	78	6•	
C64-H13	13	78	6•	
C64-H14	14	78	6•	
C64-H15	15	78	6•	
C64-H16	16	78	6•	
C64-H17	17	78	6•	
C64-H18	18	78	6•	
C64-H19	19	78	6•	
C64-H20	20	78	6•	
C64-H21	21	78	6•	
C64-H22	22	78	6•	
C64-H23	23	78	6•	
C64-H24	24	78	6•	
C64-H27	27	78	6•	
C64-H30	30	78	6•	
C64-H32	32	78	6•	

For display carded delivery = Item code + X

## C62-B Series

1/2" Drive 12-Point Impact Sockets

DIN 3129, TS ISO 2725-2

CODE NO				12.5 1/2"
C62-B24	24	38	6	
C62-B30	30	42	6	
C62-B32	32	44	6	
C62-B34	34	42	6	
C62-B36	36	48	6	

For display carded delivery = Item code + X

## C62-RH09

9 Piece 1/2" Drive 6-Point Impact Socket Set



CODE NO		6
C62-RH09		6

**9 PC:** 10, 11, 12, 13, 14, 17, 19, 21, 22 mm

## C64-RH09

9 Piece 1/2" Drive 6-Point Impact Deep Socket Set



CODE NO		6
C64-RH09		6

**9 PC:** 10, 11, 12, 13, 14, 17, 19, 21, 22 mm

## C66-R08

8 Piece 1/2" Drive E-TORX Impact Socket Set



CODE NO		6
C66-R08		6

**8 PC:** E10, E12, E14, E16, E18, E20, E22, E24

**C68-T Series**

1/2" Drive Impact TORX Socket Bits



CODE NO					
C68-T30	T30	78	6•		
C68-T40	T40	78	6•		
C68-T45	T45	78	6•		
C68-T50	T50	78	6•		
C68-T55	T55	78	6•		
C68-T60	T60	78	6•		
C68-T70	T70	78	6•		
C68-T80	T80	78	6•		

For display carded delivery = Item code + X

**C68-H Series**

1/2" Drive Impact Hexagon Socket Bits



CODE NO					
C68-H05	5	78	6•		
C68-H06	6	78	6•		
C68-H07	7	78	6•		
C68-H08	8	78	6•		
C68-H10	10	78	6•		
C68-H12	12	78	6•		
C68-H14	14	78	6•		
C68-H17	17	78	6•		
C68-H19	19	78	6•		

For display carded delivery = Item code + X

**C68-X Series**

1/2" Drive Impact XZN Socket Bits



CODE NO					
C68-X06	M06	78	6		
C68-X08	M08	78	6		
C68-X10	M10	78	6		
C68-X12	M12	78	6		
C68-X14	M14	78	6		
C68-X16	M16	78	6		
C68-X18	M18	78	6		

For display carded delivery = Item code + X

**C68-RT07**

7 Piece 1/2" Drive Impact TORX Socket Bit Set



CODE NO			
C68-RT07			1
<b>7 PC:</b> T30, T40, T45, T50, T55, T60, T70			

**C68-RH07**

7 Piece 1/2" Drive Impact Hexagon Socket Bit Set



CODE NO			
C68-RH07			1
<b>7 PC:</b> 5, 6, 8, 10, 12, 14, 17 mm			

**C68-RX07**

7 Piece 1/2" Drive Impact XZN Socket Bit Set



CODE NO			
C68-RX07			1
<b>7 PC:</b> M6, M8, M10, M12, M14, M16, M18			



# 03 Sockets and Accessories



**C61-70 Series**  
1/2" Drive Impact Extension Bars



CODE NO	mm "	Box
C61-72	75 - 3"	6
C61-74	125 - 5"	6
For display carded delivery = Item code + X		6

**C61-80**  
1/2" Drive Impact Universal Joint



CODE NO	mm "	Box
C61-80	63	6
For display carded delivery = Item code + X		6

**BT/8000QR Series**  
1/2" Drive Quick Release Impact Bit Holder



CODE NO	mm "	mm "	Box
BT/8007QR	5/16"	54	6
BT/8008QR	10 mm	54	6

**C61-91**  
1/2" Drive Impact Socket Adaptor - F:1/2" M:3/8"



CODE NO	"	"	mm	Box
C61-91	1/2 > 3/8	38	6 ·	6

For display carded delivery = Item code + X



10  
3/8"  
12.5  
1/2"

**C72-H Series**  
3/4" Drive 6-Point Impact Sockets

DIN 3129, TS ISO 2725-2



20  
3/4"

CODE NO	mm	mm	Box
C72-H17	17	51	3
C72-H19	19	51	3
C72-H21	21	51	3
C72-H22	22	51	3
C72-H24	24	51	3
C72-H27	27	54	3
C72-H30	30	54	3
C72-H32	32	57	3
C72-H33	33	57	3
C72-H34	34	57	3
C72-H36	36	57	3
C72-H38	38	57	3
C72-H41	41	58	3
C72-H46	46	63	3
C72-H50	50	68	3
C72-H55	55	73	3
C72-H60	60	75	3

**C61-92**  
1/2" Drive Impact Socket Adaptor - F:1/2" M:3/4"



20  
3/4"  
12.5  
1/2"

CODE NO	"	"	mm	Box
C61-92	1/2 < 3/4	48	6 ·	6

For display carded delivery = Item code + X

**C61-90KIT7**  
7 Piece Impact Socket Adaptor Set



**C74-H Series**  
3/4" Drive 6-Point Impact Deep Sockets



20  
3/4"

Ideal for long threaded bolts

CODE NO	mm	mm	Box
C74-H17	17	90	3
C74-H19	19	90	3
C74-H21	21	90	3
C74-H22	22	90	3
C74-H24	24	90	3
C74-H27	27	90	3
C74-H30	30	90	3
C74-H32	32	90	3
C74-H33	33	90	3
C74-H34	34	90	3
C74-H36	36	90	3
C74-H38	38	90	3
C74-H41	41	90	3
C74-H46	46	90	3
C74-H50	50	90	3

**C71-70 Series**

3/4" Drive Impact Extension Bars

**C71-80**

3/4" Drive Impact Universal Joint

**C71-91**

3/4" Drive Impact Socket Adaptor - F:3/4" M:1/2"

**C71-91R**

1/2" Spare Square Drive (for C71-91)

**C71-92**

3/4" Drive Impact Socket Adaptor - F:3/4" M:1"

**C82-H Series**

1" Drive 6-Point Impact Sockets

DIN 3129, TS ISO 2725-2

**C81-70 Series**

1" Drive Impact Extension Bars

**CODE NO**mm  
"**CODE NO**mm  
"**CODE NO**mm  
"**CODE NO**mm  
"**C82-H24**

58

**CODE NO****C82-H27**

58

**CODE NO****C82-H30**

60

**CODE NO****C82-H32**

62

**CODE NO****C82-H33**

62

**CODE NO****C82-H34**

62

**CODE NO****C82-H36**

65

**CODE NO****C82-H38**

65

**CODE NO****C82-H41**

68

**CODE NO****C82-H46**

72

**CODE NO****C82-H50**

75

**CODE NO****C82-H55**

83

**CODE NO****C82-H60**

87

**CODE NO****C82-H65**

90

**CODE NO****C82-H70**

93

**CODE NO****C82-H75**

95

**CODE NO****C82-H80**

95

**C81-91**

1" Drive Impact Socket Adaptor

**CODE NO**mm  
"**CODE NO**mm  
"**CODE NO**mm  
"**CODE NO****C84-H24**

90

**CODE NO****C84-H27**

90

**CODE NO****C84-H30**

90

**CODE NO****C84-H32**

90

**CODE NO****C84-H33**

90

**CODE NO****C84-H34**

90

**CODE NO****C84-H36**

90

**CODE NO****C84-H38**

95

**CODE NO****C84-H41**

95

**CODE NO****C84-H46**

95

**CODE NO****C84-H50**

100

**CODE NO****C84-H55**

105

**CODE NO****C84-H60**

110

**CODE NO****C84-H65**

115

**CODE NO****C84-H70**

120

**CODE NO****C84-H75**

135

**CODE NO****C84-H80**

135

**CODE NO****C71-92**

3/4" Drive Impact Socket Adaptor - F:3/4" M:1"

**CODE NO**mm  
"mm  
"**C71-92**

3/4 &lt; 1

mm  
"mm  
"**C71-92**

3

mm  
"mm  
"