CETA FORM

LI-ION
POWER

CETA FORM

R10-MAX01

CETAFORM
QUALITY

# GENERAL MAINTENANCE AND WORKSHOP TOOLS

# 14

# Redesigned Range of Cordless LED Work Lamps

Powerful and uniform illumination

**Lu-MAX**

Ceta Form has invested into a joint venture in Asia specialized in the production of LED work lamps in 2021. In this catalogue, we are pleased to show the first range manufactured in this plant – truly better in design and performance. Thanks to the capabilities this new plant will provide, we aim to be an important player in the ever growing LED work lamp market.

**new**

**700 lumen**

150 Lumen

3 Levels

180° Adjustable Handle

Magnetic Back & Bottom

USB Type C

100% CETA FORM Design

**new**

**400 lumen**

120 Lumen

2 Levels

180° Adjustable Handle

Magnetic Back & Bottom

USB Type C

100% CETA FORM Design

**R10-MAX01**    ex code R10-MAX1
**Rechargeable LED Work Light**
**Main Light:** 7W COB LED 700 lumen
**Top Light:** 4W SMD LED 150 lumen
**CRI:** 80 CRI+  **CCT:** 6500K
**Battery:** 3.7 V 2600 mAh Li-ion
**Runtime:** Main Light 8h / Top Light 7h
**Charging Time:** 3.5 h, battery level indicator
**Protection Class:** IP65 / IK07
**HxWxD:** 268 x 60 x 40 mm

**R10-MAX02**    ex code R10-MAX2
**Rechargeable LED Work Light**
**Main Light:** 4W COB LED 400 lumen
**Top Light:** 4W SMD LED 120 lumen
**CRI:** 80 CRI+ **CCT:** 6500K
**Battery:** 3.7 V 2600 mAh Li-ion
**Runtime:** Main Light  4.5h / Top Light 8.5h
**Charging Time:** 3.5 h, battery level indicator
**Protection Class:** IP54 / IK07
**HxWxD:** 268 x 60 x 40 mm

**new**
design

**400**
lumen

120 Lumen

2 Levels

**180°**
Adjustable Handle

Magnetic
Back & Bottom

USB Tip C

100% CETA FORM Design

**R10-MIDI**
**Midi Rechargeable LED Work Light**
**Main Light:** 4W COB LED 400 lumen
**Top Light:** 4W SMD LED 120 lumen
**Koruma sınıfı:** IP54 / IK07
**Battery:** 3.7 V 2600 mAh Li-ion
**Runtime:** Main Light 5h - 3.5s / Top Light 10h
**Charging Time:** 3.5h, battery level indicator
**Protection Class:** IP54 / IK07
**HxWxD:** 198 x 56 x 34 mm



**new**

**150**
lumen

150 Lumen

Magnetic
Back

USB Tip C

100% CETA FORM Design

**R10-MINI1**
**Rechargeable LED Pen Work Light**
**Main Light:** 7 x 0.5W SMD LED 150 lumen
**Top Light:** 1 x 1W SMD LED 80 lumen
**CRI:** 80 CRI+ **CCT:** 6500K
**Battery:** 3.7 V 800 mAh Li-ion
**Runtime:** Main Light 3h / Top Light 5h
**Charging Time:** 2h
**Protection Class:** IP20 / IK07
**HxWxD:** 165 x 24.5 x 21 mm

## UV Leak Detection Light LED Lamb

Helps detect leakages in cooling systems of cars. Used with UV detection liquid. Main light is UV spec, top light is standard LED spec.

## ColorFix Color Proofing LED Lamp

Due to the special LED features, this lamp replicates daylight. Perfect for any paint, polish, cleaning or prep-zone operation.

ColorFix

| 2700K | 4500K | 6500K |

3 Colour Light

**new**

**395** wavelength

**500** lumen

100% CETA FORM Design

100 Lumen

180°
Adjustable Handle

Magnetic
Back & Bottom

USB Tip C

Changeable Lens

2 Levels

180°
Adjustable Handle

Magnetic
Back & Bottom

USB Tip C

### R10-MIDI/UV
**Midi Rechargeable LED Leak Detection Light - UV**
**Main Light:** 3W COB LED, 395 wavelength
**Top Light:** 1W SMD LED 100 lumen
**Type C USB:** 5V-1A
**Battery:** 3.7 V 2600 mAh Li-ion
**Runtime:** Main Light UV - 4.5h / Top Light 10h
**Charging Time:** 3.5h
**Protection Class:** IP54 / IK07
**HxWxD:** 198 x 56 x 34 mm

### R10-CLR
**Rechargeable Color Proofing LED Work Light**
**Main Light:** High CRI ve 3CCT
5W COB LED 500 lumen
**CRI:** 96 CRI+ **CCT:** 2700K - 4500K - 6500K
**Battery:** 3.7 V 2600 mAh Li-ion
**Runtime:** 2h
**Charging Time:** 4h
**Protection Class:** IP65 / IK07
**HxWxD:** 190 x 56 x 36 mm

new

180°

180°

**1000**
lumen

**280**
lumen

2 Levels

180°
Adjustable Handle

180°
Adjustable

Magnetic
Bottom

USB Tip C

4 Levels

180°
Adjustable Handle

Magnetic
Bottom

USB Tip C

**R10F-SLIM01**
**Rechargeable LED Work Light - Slim**
**Main Light:** 10W COB LED 1000 lumen,
**Top Light:** SMD LED 150 lumen
**CRI:** 80 CRI+  **CCT:** 6500K
**Battery:** 3.7 V 5200 mAh Li-ion
**Runtime:** Main Light 2.5-5h-10h / Top Light 15h
**Charging Time:** 4h, battery level indicator
**Protection Class:** IP65 / IK07
**HxWxD:** 250 x 50x 65 mm

**R10F-SLIM2**
**Rechargeable LED Work Light - Ultra Slim**
**Main Light:** 2W COB LED 280 lumen, 90 lumen ECO mode
**Top Light:** SMD LED 80 lumen
**Back Light:** COB LED 160 lümen
**CRI:** 70 CRI+ **CCT:** 6500K
**Battery:** 3.7 V 700 mAh Li-ion
**Runtime:** Main Light 1.5h - 4.5h , Back Light 2.5h, Top Light 3h
**Charging Time:** 2h , battery level indicator
**Protection Class:** IP54 / IK07
**HxWxD:** 164/307 x 20 x 19 mm

CETA FORM

301

**new**

**400 lumen**

100% CETA FORM Design

TPE liner for forehead comfort

Motion Sensor

2 Levels

60° Adjustable

USB Tip C

**R12-PRO1**
**Rechargeable LED Headlamp (Motion Sensor)**
**Main Light:** 3W COB LED Normal Mode: 400 lumen, Eco Mode: 200 lumen
**CRI:** 80 CRI+ **CCT:** 6500K
**Battery:** 3.7 V 1500 mAh Li-Po
**Runtime:** 2h-6h
**Charging Time:** 2.5h
**Protection Class:** IP65 / IK07
**HxWxD:** 50 x 77 x 45 mm

---

**new**

**150 lumen**

100% CETA FORM Design

TPE liner for forehead comfort

2 Level

SOS Help Flasher

60° Adjustable

**R12-BAT1**
**LED Headlamp (3AAA)**
**Main Light:** 3W COB LED
Normal Mode:1 50 lumen, Eco Mode: 40 lumen,
S.O.S Function
**CRI:** 80 CRI+ **CCT:** 6500K
**Battery:** 3x1.5V AAA batteries (not included)
**Protection Class:** IP20 / IK07
**HxWxD:** 49x 78x 43 mm

---

**new**

**300 lumen**

%100 CETA FORM Tasarımı

2 Level

360° Adjustable

Magnet Bottom

USB Tip C

**R10-COM1**
**Compact Rechargeable LED Work Light**
**Main Light:** 5 x 0.5W COB
Normal Mode: LED 300 lumen, Eco Mode: 100 lumen
**CRI:** 80 CRI+ **CCT:** 6500K
**Battery:** 3.7 V 1500 mAh Li-Po
**Runtime:** 3s - 8.5s
**Charging Time:** 3s, pil seviye göstergesi
**Protection Class:** IP54 / IK07
**HxWxD:** 127 x 66 x 30 mm

**1000 lumen**

**new**

100% CETA FORM Design

3 Levels

120°
1000 Lumen

30°
250 Lumen

USB Tip C

Miknatis
Bottom

180°
Adjustable

**R14-CF10**

**Rechargeable Compact LED Floodlight - 1000 Lumen**

**Floodlight:** 10W COB LED, High Mode: 1000 lumen, Normal Mode: 500 lumen, Eco Mode: 250 lumen
**Flashlight:** SMD LED / 250 lumen
**CRI:** 80 CRI+  **CCT:** 6500K
**Battery:** 3.7 V 2600 mAh Li-ion
**Runtime:** Floodlight 2h, 5h, 10h / Flashlight 6h
**Charging Time:** 3h, battery level indicator
**Protection Class:** IP65 / IK07
**HxWxD:** 94.5 x 82.7 x43 mm

**2000 lumen**

**new**

100% CETA FORM Design

3 Levels

120°
2000 Lumen

30°
500 Lumen

USB Tip C

Magnet
Bottom

180°
Adjustable Handle

**R14-CF20**

**Rechargeable Compact LED Floodlight - 2000 Lumen**

**Floodlight:** 15W COB LED, High Mode: 2000 lumen, Normal Mode: 1000 lumen, Eco Mode: 500 lumen
**Flashlight:** SMD LED / 500 lumen
**CRI:** 80 CRI+   **CCT:** 6500K
**Battery:** 3.7 V 5200 mAh Li-ion
**Runtime:** Floodlight 3h, 8h, 15h / Flashlight 8h
**Charging Time:** 4h, battery level indicator
**Protection Class:** IP65 / IK07
**HxWxD:** 118 x 103 x48mm

## Lu-MAX PRO Professional Focus Flashlights

The top flashlight programme of Ceta Form

This range is developed to the needs of the most demanding user profiles. From batteries to LED chips, aluminium material to chipboards all components used are of top-notch quality. Any professional user will appreciate the performance and build quality after a short period of use.

**250 lumen**

2000cd
Intensity

89 m
Beam distance

9 h
Run time

Easy Focus

Drop resistant

IP54

**R.P6**
**Focus Flashlight 2AA**
LED CREE XPG2 S3
MODE On / Off
Output 250 lumens
Run Time 9h
2xAA battery (included)
Beam Distance 89 m
Intensity 2000cd
**HxWxD:** 150.3 x Ø28.2 x Ø20.4 mm

**450 lumen**

8000cd
Intensity

179 m
Beam distance

15 h
Run time

Easy Focus

Drop resistant

IP54

**R.P7**
**Focus Flashlight 4AA**
LED CREE XPG2 S3
MODE High/Low
Output 50/450 lumen
Run Time 2-15h
4xAA battery (included)
Beam Distance 179 m
Intensity 8000cd
**HxWxD:** 131.4 x Ø37 x Ø30.2 mm

**450 lumen**

new

11500cd
Intensity

141 m
Beam distance

12 h
Run time

Easy Focus

Drop resistant

IPX4

**R.P5R**
**Rechargeable Focus Flashlight**
LED CREE XPG2 S4
MODE Low/Middle/High
Output 20/150/450 lumen
Runtime 3h-4h-12h
800 mAh Li-Ion battery (14500)
Beam Distance 141 m
Intensity 5000cd
**HxWxD:** 113 x Ø35 x Ø26 mm

## R.P-BP
**High Quality Tetron Belt Pouch**
R.P6, R.P7, R.P5R, R.P7R, R.L7R

**1000 lumen**

**900 lumen**

**new** design

**new**

| | |
|---|---|
| 8000cd | Intensity |
| 179 m | Beam distance |
| 35 h | Run time |
| | Easy Focus |
| 1 m | Drop resistant |
| | IPX4 |

| | |
|---|---|
| 2000cd | Intensity |
| 134 m | Beam distance |
| 20 h | Run time |
| 1 m | Drop resistant |
| | IPX4 |

### R.P7R
**Rechargeable Focus Flashlight**
LED CREE XPG2 S4
MODE Low/Middle/High
Output 20/250/1000 lumen
Runtime 2.5h-5h-35h
2600 mAh Li-Ion battery (18650)
Beam Distance 179 m
Intensity 8000cd
**HxWxD:** 154 x Ø35 x Ø26 mm

### R.L7R
**Rechargeable Focus Flashlight**
LED CREE XPG2 S4
MODE Low/Middle/High
Output 90/400/900 lumen
Runtime 3h-4h-20h
2600 mAh Li-Ion battery (18650)
Beam Distance 134 m
Intensity 2000cd
**HxWxD:** 159 x Ø35 x Ø26 mm

## Lu-MAX

# LED Flashlights

A range of sturdy, compact and powerful flashlights

Comes with focus function on most models for concentrated and focused light beam.
Manufactured from military grade high quality aluminum material.
All models with either strap or pocket clip.

**105 lumen**

**100 lumen**

**70 lumen**

**70 lumen**

**1.3 Kg** Top Magnet Force

Magnet Bottom

Easy Focus

Easy Focus

Easy Focus

**R11-PRO**
**LED Flashlight**
3W LED
10-105 lumen
Aluminium body
Zoom feature
3xAAA batteries (included)
Pack Quantity: 12
**HxWxD:** 136 x Ø26 x Ø30 mm

**R11-PEN**
**Stylus LED Flashlight**
1W LED
100 lumen
Aluminium body
Zoom feature
2xAAA batteries (not included)
Pack Quantity: 12
**HxWxD:** 150 x Ø16 x Ø17 mm

**R11-MINI**
**Pocket LED Flashlight**
1W LED
70 lumen
Aluminium body
Zoom feature ~ 5 m
3xAAA batteries (not included)
Pack Quantity: 12
**HxWxD:** 100 x Ø27 x Ø30 mm

**R15-MPL**
**LED Flashlight**
**(with Magnetic Pickup)**
3x Bright LED
Powerful pickup magnet
Telescoping flexible shaft
Built-in bottom magnet
4xLR44 batteries (included)
Pack Quantity: 12
**HxWxD:** 177 x Ø24 x Ø22 mm

## M01 Series
Two Arm Universal Pullers



Can be used as internal and external puller by inversing the hooks, durable spindle

| CODE NO | W<br>mm | H<br>mm | 📦 |
|---|---|---|---|
| M01-0810 | 80 | 100 | 1 |
| M01-1310 | 130 | 100 | 1 |
| M01-1615 | 160 | 150 | 1 |
| M01-2015 | 200 | 150 | 1 |
| M01-2520 | 250 | 200 | 1 |
| M01-3520 | 350 | 200 | 1 |

## M01-S05
5 Piece Two Arm Universal Puller Display



| CODE NO | 📦 |
|---|---|
| M01-S05 | 1 |

**5 PC:** M01-0810, M01-1310, M01-1615, M01-2015, M01-2520

## M05 Series
3-Arm Pullers (Self Centering Jaws)



Automatic centering, durable spindle

| CODE NO | W<br>mm | H<br>mm | 📦 |
|---|---|---|---|
| M05-1010 | 100 | 100 | 1 |
| M05-1616 | 160 | 160 | 1 |

## M10S Series
Flat Seperators



Seperator is closed by tightening nuts on stud bolts, in conjunction with M10P series

| CODE NO | Ø<br>mm | 📦 |
|---|---|---|
| M10S-0460 | 4- 60 | 1 |
| M10S-0680 | 6- 80 | 1 |
| M10S-1011 | 10-110 | 1 |

## M20-KIT1
Bearing Extractor Kit



Helps catch bearings between the races by properly shaped tips in kit. **For 6004, 6010, 6200, 6205, 6300, 6304, 61812, 61816 bearings**

| CODE NO | Ø<br>mm | 📦 |
|---|---|---|
| M20-KIT1 | 20-95 | 1 |

## R09B Series
# Bench Vices

A Ceta Form bench vice is a tool of highest quality. Made purely of steel with guaranteed robustness - almost indestructible!

Induction hardened jaws





Centrally located and well-protected spindle allows for high and optimally balanced force

| CODE NO | JAW WIDTH<br>mm | CAPACITY<br>mm | 📦 |
|---|---|---|---|
| R09B-125 | 125 | 130 | 1 |
| R09B-150 | 150 | 155 | 1 |
| R09B-200 | 200 | 205 | 1 |

Hand Riveter Sets / Replacement Nozzles

# R03K-NRC
## Hand Riveter Kit (for Nuts/Rivets) – New Generation

**new** design



| | 2.4 - 3.2 - 4.0 - 4.8 |
| --- | --- |
| | M3 - M4 - M5 - M6 |

| CODE NO | |
| --- | --- |
| R03K-NRC | 6 |

R01-STD/M10

**3 PC:** Nozzle Bolts

**3 PC:** Nozzle Nuts

Wrench

Adapters Nut

**4 PC:** Pop Rivet Head

# R04K
## Long Reach Riveter Kit (for Nuts/Rivets)

For blind rivets and rivet nuts, foldable body riveter, very strong compared to regular riveters

| | 3.2 - 4.0 - 4.8 - 6.4 |
| --- | --- |
| | M4 - M5 - M6 - M8 - M10 |

| CODE NO | |
| --- | --- |
| R04K | 1 |

**Content :**
Long reach riveter (1 pc.), Wrenches (3 pc.),
Rivet head (5 pc.), Rivet head adaptor nut (1 pc.),
Rivet head bolt (5 pc.), Rivet nut  bearing
nut loaf (5 pc.), Rivet nut adaptor (1 pc.)

YouTube Clip          YouTube Clip

## R03K-M Series
Replacement Nozzle Bolts (for R03K-NRC)

| CODE NO | M | |
| --- | --- | --- |
| R03K-M04 | M4 | 6 • |
| R03K-M05 | M5 | 6 • |
| R03K-M06 | M6 | 6 • |

## R03K-S Series
Replacement Nozzle Nuts (for R03K-NRC)

| CODE NO | M | |
| --- | --- | --- |
| R03K-S04 | M4 | 6 • |
| R03K-S05 | M5 | 6 • |
| R03K-S06 | M6 | 6 • |

## R04K-M Series
Replacement Nozzle Bolts (for R04K)

| CODE NO | M | |
| --- | --- | --- |
| R04K-M04 | M4 | 6 • |
| R04K-M05 | M5 | 6 • |
| R04K-M06 | M6 | 6 • |
| R04K-M08 | M8 | 6 • |
| R04K-M10 | M10 | 6 • |

## R04K-S Series
Replacement Nozzle Nuts (for R04K)

| CODE NO | M | |
| --- | --- | --- |
| R04K-S04 | M4 | 6 • |
| R04K-S05 | M5 | 6 • |
| R04K-S06 | M6 | 6 • |
| R04K-S08 | M8 | 6 • |
| R04K-S10 | M10 | 6 • |

## R04K-AS
Rivet Nut Adaptor (for R04K)

| CODE NO | |
| --- | --- |
| R04K-AS | 6 • |

# R03K-RTC

**new**

## Ratcheting Riveter Kit (Nuts/Studs)

Requires less force compared to non-ratcheting riveters
Ideal for riveting in confined areas
Quick-change system for mandrels ande sleeves
Color coded nozzles for easy identification

| CODE NO | |
|---|---|
| R05R | 1 |

M8

M12

M10

M6

M5

M4

M5

M6

M8

for rivet nuts                for blind rivet nuts

**Capacities:**
Blind rivet nuts M4 to M12 aluminium/steel/stainless steel
Blind rivet studs M5/M6/M8 aluminium/steel/stainless steel

# R03K-PT

## 2-in-1 Power Tool Attachment for Rivets and Nuts

Easily converts cordless, pneumatic or corded drills into a power rivet / rivet nut setter, feautures durable bearings, supplied complete with accessories in a plastic case

| CODE NO | |
|---|---|
| R03K-PT | 1 |

## Rivet Adaptor

3.2 - 4.0 - 4.8 - 6.4

## Rivet Nut Adaptor

M4 - M5 - M6 - M8 - M10

Hand Riveters

## R01-STD
## Hand Riveter (New Generation)

For aluminium, steel
and stainless steel rivets,
interchangeable nose
pieces

| CODE NO | mm | |
|---|---|---|
| R01-STD | 2.4 - 3.2 - 4.0 - 4.8 | 1 |

## R02-280
## Hand Riveter (Swivel Head)

For aluminium, steel
and stainless steel rivets,
360° swiveling head,
interchangeable nose pieces,
aluminium body

| CODE NO | mm | |
|---|---|---|
| R02-280 | 2.4 - 3.2 - 4.0 - 4.8 | 1 |

## R01-AS1
## Hand Riveter (for Cherry® rivets)

Particularly for Cherry
rivets widely used in the
aerospace industry, long
nose design, aluminium
body

| CODE NO | mm | inch | |
|---|---|---|---|
| R01-AS1 | 2.4 - 3.2 - 4.0 | 3/32 - 1/8 - 5/32 | 1 |

# Magnetic Pickups and Inspection Mirrors

## R15 Series
### Magnetic Pick-Up Tools (Flexible Shaft)

**new** design

For collecting metal parts from restricted areas, powerful rare earth magnet, flexible shaft, C-PLUS softgrip handle

| CODE NO | g | ⊢mm⊣ | ▱ |
|---|---|---|---|
| R15-0500 | 500 | 510 | 6 |
| R15-1000 | 1000 | 510 | 6 |
| R15-1800 | 1800 | 510 | 6 |
| R15-3000 | 3000 | 510 | 6 |

## R15-TM10
### Telescoping Magnetic Pick-Up Tool

For collecting metal parts from restricted areas, powerful rare earth magnet, telescoping shaft, metal clip

| CODE NO | g | ⊢mm⊣ | ▱ |
|---|---|---|---|
| R15-TM10 | 1000 | 150-675 | 25 |

## R15-HTM
### Heavy Duty Telescoping Magnetic Pick-Up Tool

For collecting metal parts from restricted areas, powerful rare earth magnet, telescoping shaft, vinyl grip

| CODE NO | g | ⊢mm⊣ | ▱ |
|---|---|---|---|
| R15-HTM | 1600 | 425-680 | 12 |

## R15-NTM
### Telescoping Magnetic Pick-Up Tool (with Nozzle Adjuster)

For collecting metal parts from restricted areas, powerful rare earth magnet, includes a scriber useful for adjusting the nozzles of the washing system, telescoping shaft, metal clip

| CODE NO | ⊢mm⊣ | ▱ |
|---|---|---|
| R15-NTM | 150-675 | 1 |

## R16-700
### Magnetic Pick-Up and Claw Tool (Flexible Shaft)

Expandable/retractable claw and pickup magnet in one tool, claw control by handle, flexible shaft

| CODE NO | g | ⊢mm⊣ | ▱ |
|---|---|---|---|
| R16-700 | 500 | 700 | 25 |

## R20R
### Telescoping Inspection Mirror (Round-L)

Steel base mounted mirror, flexible head, telescoping shaft (900 mm in extended position), stainless steel body

| CODE NO | ⌀ mm | ⊢mm⊣ | ▱ |
|---|---|---|---|
| R20R | 50 | 250-900 | 25 |

## R20RS
### Telescoping Inspection Mirror (Round-M)

Steel base mounted mirror, flexible head, telescoping shaft (750 mm in extended position), metal clip

| CODE NO | ⌀ mm | ⊢mm⊣ | ▱ |
|---|---|---|---|
| R20RS | 32 | 180-520 | 25 |

## R20S
### Telescoping Inspection Mirror (Square)

Steel base mounted mirror, flexible head, telescoping shaft (725 mm in extended position), stainless steel body

| CODE NO | W x H mm | ⊢mm⊣ | ▱ |
|---|---|---|---|
| R20S | 45x63 | 230-725 | 25 |

## R20RP
### Insulated Round Inspection Mirror

Steel base mounted mirror, fixed offset head, stainless steel body

| CODE NO | ⌀ mm | ⊢mm⊣ | ▱ |
|---|---|---|---|
| R20RP | 30 | 175 | 12 |

## R21P
### Pull-Out Twin Magnifier (3X)

**new**

| CODE NO | WxHxD mm | ▱ |
|---|---|---|
| R21P | 66 x39x18 | 1 |

## Lubrication Tools / Magnetic Trays / C-Coil Damaged Thread Repair Kits

### R08-500
Grease Gun (Hand Type-Metal Spout)

DIN 1283, TS 7844

400 bar feed pressure, metal spout, sheet steel body, powder coated finish

| CODE NO | CC | ⊢ mm ⊣ | ▱ |
|---|---|---|---|
| R08-500 | 500 | 300 | 1 |

### R08-500SN
Spare Nozzle (for R08-500)

Four jaw steel connector, M10 x 1.0 mm female thread

| CODE NO | ⊢ mm ⊣ | ▱ |
|---|---|---|
| R08-500SN | 38 | 6 • |

### R08-FS Series
Spare Flexible Spouts

R08-FSN - with nozzle

R08-FSY - without nozzle

High pressure reinforced rubber tube, M10 x 1.0 mm male threads

| CODE NO | Description | ⊢ mm ⊣ | ▱ |
|---|---|---|---|
| R08-FSN | with nozzle | 330 | 6 • |
| R08-FSY | without nozzle | 300 | 6 • |

### R05 Series
Metallic Oil Cans (Metal Spout)

Metal spout, sheet steel body, powder coated finish

| CODE NO | CC | ▱ |
|---|---|---|
| R05-200 | 200 | 12 • |
| R05-300 | 300 | 12 • |
| R05-500 | 500 | 12 • |
| R05-1000 | 1000 | 6 • |

---

### R28-P0524
24 Piece M5 C-Coil Damaged Thread Repair Kit

**BOX WxHxD (mm)**
**245X125X40**

Kit for the repair of damaged or worn-out threads (M5)  **M5**

| CODE NO | ▱ |
|---|---|
| R28-P0524 | 1 |

| | | | |
|---|---|---|---|
| ▰▰▰ | M5x0.8 | ⌐╼ | No. 8 |
| ⟩⟩⟩ | 5.2 mm | ▭ | No. 8 |
| ■ | M5x0.8 (20 pc.) | | |

### R28-P1214
14 Piece M12 C-Coil Damaged Thread Repair Kit

**BOX WxHxD (mm)**
**245X125X40**

Kit for the repair of damaged or worn-out threads (M12)  **M12**

| CODE NO | ▱ |
|---|---|
| R28-P1214 | 1 |

| | | | |
|---|---|---|---|
| ▰▰▰ | M12x1.75 | ⌐╼ | No.15 |
| ⟩⟩⟩ | 12.4 mm | ▭ | No.15 |
| ■ | M12x1.75 (10 pc.) | | |

### R18S
Magnetic Tray (Rectangular)

For collection of metal parts, stainless steel, magnetic base  **StainlessSteel** 🧲 ▯

| CODE NO | WxHxD mm | ▱ |
|---|---|---|
| R18S | 240x140x40 | 1 |

---

### R28S-P1420
20 Piece M14 C-Coil Thread Repair Kit (Spark Plug Threads)

**CASE WxHxD (mm)**
**245x125x40**

Kit for the repair of damaged or worn-out spark plug threads, patented placement tang, high quality Chrome Nickel stainless steel female threads, HSS drill tap  **M14**

| CODE NO | ▱ |
|---|---|
| R28S-P1420 | 1 |

| | |
|---|---|
| ▰▰▰ | M14x1.25 |
| ⊢╾ | No. 8 - 3 piece assembly |
| ⌐ | 2 mm L Key |
| ■ | **R28-SC14/1** M14x1.25 h: 7.7 mm (5 pc) |
| ■ | **R28-SC14/2** M14x1.25 h: 11.0 mm (5 pc) |
| ■ | **R28-SC14/3** M14x1.25 h: 15.0 mm (5 pc) |

### R28-SC Series
C-Coil Thread Inserts - 10 Pieces

High quality Chrome Nickel stainless steel, resistant against corrosion and wearing
The code represents a 10 piece package

| CODE NO | M | ▰ M | h mm | ▱ |
|---|---|---|---|---|
| R28-SC05 | M5 | 0.80 | | 1 pack |
| R28-SC06 | M6 | 1.00 | | 1 pack |
| R28-SC08 | M8 | 1.25 | | 1 pack |
| R28-SC10 | M10 | 1.50 | | 1 pack |
| R28-SC12 | M12 | 1.75 | | 1 pack |
| R28-SC14/1 | M14 | 1.25 | 7.7 | 1 pack |

### R18R
Magnetic Tray (Round)

For collection of metal parts, stainless steel, magnetic base  **StainlessSteel** 🧲 ▯

| CODE NO | ⌀ mm | ▱ |
|---|---|---|
| R18R | 150 | 1 |

# Screw and Bolt Extractors / HSS Drill Bits

# Bolt Extractor Sockets

## R25-P05
### 5 Piece Screw Extractor Set



For turning out worn/broken screws with left handed thread, Chrome Molybdenum steel

| CODE NO | |
|---|---|
| R25-P05 | 6 |
| **5 PC:** 7/64" (3-6 mm), 9/64" (6-8 mm), 5/32" (8-11 mm), 1/4" (11-14 mm),19/64" (14-18 mm) | |

## R26A-B05
### 5 Piece Screw Extractor Set - SAE



Used with guide holder or wrench for removing broken bolts and screws

| CODE NO | |
|---|---|
| R26A-B05 | 1 |
| **5 PC:** 1/8, 3/16, 15/64, 5/16, 3/8 inch | |

## R26-M25
### 25 Piece Screw Extractor Kit

**new** design



Kit for turning out broken bolts and screws, HSS drill bits, special tool steel guides, pins and sleeves

YouTube Clip

**Application:**
M5, M6, M7, M8 (2 pc.), M9, M10, M11, M12, M14, M16 cıvatalar için

| CODE NO | |
|---|---|
| R26-M25 | 1 |

## R30 Series
### 1/2" Drive Roller Stud Extractor Sockets



For installing and removing stud bolts, roller type, unscrews both left and right hand threads

**12.5 1/2"**

| CODE NO | M | mm | |
|---|---|---|---|
| R30-06 | M6 | 60 | 25 |
| R30-08 | M8 | 60 | 25 |
| R30-10 | M10 | 69 | 25 |
| R30-12 | M12 | 69 | 25 |

## R30-R04
### 4 Piece 1/2" Drive Roller Stud Extractor Set



| CODE NO | |
|---|---|
| R30-R04 | 6 |
| **4 PC:** M6, M8, M10, M12 | |

## R21-P19
### 19 Piece HSS Drill Bit Set



High quality HSS drill bits, 118° standard point

| CODE NO | |
|---|---|
| R21-P19 | 1 |
| **19 PC:** 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 mm | |

## R32 Series
### 1/2" Bolt Extractor Sockets



Special sockets for removal of even extremely worn-out bolts, helix socket profile

YouTube Clip

**10 3/8"** 8-19 mm **12.5 1/2"** 21-27 mm

| CODE NO | mm | mm | |
|---|---|---|---|
| R32-08 | 8 | 27.5 | 12 |
| R32-10 | 10 | 27.5 | 12 |
| R32-11 | 11 | 27.5 | 12 |
| R32-12 | 12 | 27.5 | 12 |
| R32-13 | 13 | 27.5 | 12 |
| R32-14 | 14 | 27.5 | 12 |
| R32-15 | 15 | 27.5 | 12 |
| R32-16 | 16 | 27.5 | 12 |
| R32-17 | 17 | 27.5 | 12 |
| R32-18 | 18 | 27.5 | 12 |
| R32-19 | 19 | 27.5 | 12 |
| R32-21 | 21 | 27.5 | 12 |
| R32-22 | 22 | 27.5 | 12 |
| R32-24 | 24 | 27.5 | 12 |
| R32-27 | 27 | 27.5 | 12 |

## R32-P11
### 11 Piece 1/2" Drive Bolt Extractor Socket Set



**10 3/8"**

| CODE NO | |
|---|---|
| R32-P11 | 6 |

**9 PC: R32** (8, 10, 11, 12, 13, 14, 16, 17, 19 mm)

**Pim**

**BT/7020** 3/8"x 50 mm

## Hooks & Picks / Wire Brushes / Other Workshop Tools

### R36-1
Straight Pick

**new** design

Sutiable for removal of bushings, cotter pins, O-rings and seals

**Stainless Steel**

| CODE NO | mm | |
|---------|-----|---|
| R36-1 | 80 | 6 • |

### R36-2
Angle Pick

**new** design

Sutiable for removal of bushings, cotter pins, O-rings and seals

**Stainless Steel**

| CODE NO | mm | |
|---------|-----|---|
| R36-2 | 80 | 6 • |

### R37-25
Seal Scraper

**new** design

Ideal for cleaning gasket wastes

| CODE NO | mm | mm | |
|---------|-----|-----|---|
| R37-25 | 25 | 150 | 6 |

### CM-BO
Bottle Opener

**new** design

| CODE NO | mm | |
|---------|-----|---|
| CM-BO | 145 | 12 |

### R36-3
90° Pick

**new** design

Sutiable for removal of bushings, cotter pins, O-rings and seals

**Stainless Steel**

| CODE NO | mm | |
|---------|-----|---|
| R36-3 | 80 | 6 • |

### R36-4
Hook Pick

**new** design

Sutiable for removal of bushings, cotter pins, O-rings and seals

**Stainless Steel**

| CODE NO | mm | |
|---------|-----|---|
| R36-4 | 80 | 6 • |

### R35DE
Engineer's Double End Scriber

For marking metals and other smooth surfaces, hardened steel tips, straight and 90° ends

| CODE NO | mm | |
|---------|-----|---|
| R35DE | 235 | 1 |

### R35CT
Carbide Tipped Scriber

For marking metals and other materials with smooth surfaces, carbide tip, pocket clip

| CODE NO | mm | |
|---------|-----|---|
| R35CT | 145 | 20 |

### R36-B04
4 Piece Hook and Pick Set

**new** design

**Stainless Steel**

| CODE NO | |
|---------|---|
| R36-B04 | 1 |

R36-1    R36-3

R36-2    R36-4

### R40-4
Steel Wire Brush (4 Row)

Brushes made of steel wire, 4 rows, high quality plastic handle

| CODE NO | mm | |
|---------|-----|---|
| R40-4 | 275 | 12 • |

### R41-1
Steel Wire Brush

Brushes made of steel wire, high quality plastic handle

| CODE NO | mm | |
|---------|-----|---|
| R41-1 | 245 | 12 • |