


Type material: 50BV30 material: 50BV30 · material: 50BV30 material: SUBV30 drop forged, entirely hardened and tempered surface finish: chrome plated according to EN12540 drop forged, entirely hardened and tempered surface finish: chrome drop forged, entirely hardened and temperer surface finish: chrome drop forged, entirely nardened and tempered surface finish: chrome plated according to EN12540 plated according to EN12540 made according to standard ISO 2725-1 made according to standard ISO 2725-1 made according to standard ISO 2725-1 Dimensiune 7188 1/4" 7238 3/8" 7186.4/2 3/8" 7190 1/2"

1/2"				900408
3/8"		900405	900406	
1/4"	900407			

1/2"


Sockets and accessories




		0.0.0
Profile		
Tehnical specification	material socket: 50BV30, chrome plated material bit: special tool steel S2, anticorosive oiled entirely hardened and tempered	material socket: 50BV30, chrome plated material bit: special tool steel S2, anticorosive oiled entirely hardened and tempered
Dimension	7187 SL 1/4"	7192 SL 1/2"
0,8 x 4,0	616170	
1,0 x 5,5	616171	
1,2 x 7,0	616172	
1,2 x 8,0		616138
1,6 x 10,0		616139
2,0 x 12,0		616140
Quick release button	72 Beth 15°	Crange sense button
9	^_	9

					***			and Contract
	70			=	-			
Tehnical specification	material: 50BV30 body drop forged entirely hardened and tempered made according to standard ISO 3315 with 72 - teeth	material: 50BV30 entirely hardened and tempered surface finish: chrome plated to standard EN 12540 made according to standard ISO 3315						material: 50BV30 drop forged, entirely hardened and tempered made according to standard ISO 3316 No. 205
Accesories	Reversible ratchet	Sliding T - handle	Extension bar 50 mm	Extension bar 75 mm	Extension bar 125 mm	Extension bar 150 mm	Extension bar 250 mm	Universal joint
1/4"	616152	616154	616153			616156		900409
3/8"	616195				616200		616199	900410

Profile		
Tehnical specification	material socket: 50BV30, chrome plated material bit: special tool steel S2, anticorosive oiled entirely hardened and tempered	material socket: 50BV30 chrome plated material bit: special tool steel S2, anticorosive oile entirely hardened and tempered
Dimension	7187 HX 1/4"	7192 HX 1/2"
HX 3	616157	
HX 3 HX 4	616157 616158	616110
		616110 616111
HX 4	616158	
HX 4 HX 5	616158 616159	616111
HX 4 HX 5 HX 6	616158 616159 616160	616111 616112
HX 4 HX 5 HX 6 HX 7	616158 616159 616160 616161	616111 616112 616113
HX 4 HX 5 HX 6 HX 7 HX 8	616158 616159 616160 616161 618399	616111 616112 616113 616113
HX 4 HX 5 HX 6 HX 7 HX 8 HX 10	616158 616159 616160 616161 618399	616111 616112 616113 616113 616114





7188 1/4"

Socket 1/4"

- material: 50BV30
- · drop forged, entirely hardened and tempered
- surface Inish: chrome plated according to EN12540
- made according to standard ISO 2725-1



			\sim				
	mm	L	D1	D2	T	Â	*
616141	4	25.0	6.7	12.0	4.0	10	0.46
616142	5	25.0	8.0	12.0	5.0	10	0.46
616143	6	25.0	9.2	12.0	6.0	12	0.46
616144	7	25.0	11.0	12.0	6.0	14	0.46
616145	8	25.0	12.0	12.0	7.5	13	0.46
616146	9	25.0	13.0	13.0	7.5	18	0.46
616147	10	25.0	14.5	14.5	9.0	16	0.50
616148	11	25.0	16.0	15.5	10.5	18	0.54
616149	12	25.0	17.0	17.0	10.5	26	0.45
616150	13	25.0	18.0	18.0	10.5	24	0.58
616151	14	25.0	19.5	19.5	13.0	31.7	0.70

7187 SL 1/4"

Slotted screwdriver socket 1/4"

- material socket: 50BV30, chrome plated
- · material bit: special tool steel S2, anticorosive oiled
- · entirely hardened and tempered





	mm	L	L1	D		
616170	0,8 x 4,0	32	13	12	12	0.59
616171	1,0 x 5,5	32	13	12	12	0.59
616172	1,2 x 7,0	32	13	12	12	0.59

7187 PH 1/4"

Crosstip screwdriver socket 1/4"

- material socket: 50BV30, chrome plated
- · material bit: special tool steel S2, anticorosive oiled
- entirely hardened and tempered





	Phillips	L	L1	D	A	<u></u>
616173	PH 1	32	13	12	12	0.59
616174	PH 2	32	13	12	12	0.59

7187 HX 1/4"

Hexagonal screwdriver socket 1/4"

- material socket: 50BV30, chrome plated
- material bit: special tool steel S2, anticorosive oiled
- · entirely hardened and tempered





	HEX	L	L1	D	Â	<u></u>
616157	HX 3	32.0	13.0	12.0	18	0.59
616158	HX 4	32.0	13.0	12.0	18	0.66
616159	HX 5	32.0	13.0	12.0	18	0.66
616160	HX 6	32.0	13.0	12.0	18	0.59
616161	HX 7	32.0	13.0	12.0	18	0.67
618399	HX 8	32.0	13.0	12.0	20	0.67
618400	HX 10	32.0	13.0	12.0	20	0.87


7187 TX 1/4"

Screwdriver socket with external TORX® profile 1/4"

- material socket: 50BV30, chrome plated
- material bit: special tool steel S2, anticorosive oiled
- · entirely hardened and tempered







	TORX ®	L	L1	D	Â	<u></u>
616162	TX 8	32.0	13.0	12.0	15	0.59
616163	TX 10	32.0	13.0	12.0	15	0.59
616164	TX 15	32.0	13.0	12.0	15	0.59
616165	TX 20	32.0	13.0	12.0	15	0.59
616166	TX 25	32.0	13.0	12.0	15	0.59
616167	TX 27	32.0	13.0	12.0	15	0.59
616168	TX 30	32.0	13.0	12.0	15	0.59
616169	TX 40	32.0	13.0	12.0	17	0.59


7189 1/4"

Socket with internal TORX® profile 1/4"

- material: 50BV30
- drop forged, entirely hardened and tempered







	TORX®	L	D2	D1		
616175	E 4	25	12	5,4	15	0.51
616176	E 5	25	12	6,7	15	0.51
616177	E 6	25	12	7,7	15	0.51
616178	E 7	25	12	8,3	15	0.51
616179	E 8	25	12	10,1	15	0.51
616180	E 10	25	12	11,3	15	0.59

7188.1 1/4"

Reversible ratchet 1/4"

- material: 50BV30
- · body drop forged
- · entirely hardened and tempered • surface finish: chrome plated to standard EN 12540
- ergonomic heavy duty double component handle
- made according to standard ISO 3315
- with 72 teeth



Spinner handle 1/4"

1/4"

· material: premium flex chrome vanadium steel

150

24,5

25 138 11.58

NOU

• handle - polypropylene

7188.8 1/4"

616152

• made according to standard ISO 3315



7188.11

Set of spare parts for ratchet 7188.1



902222 1/4" 30 8.98

7188.3 1/4"

Sliding T - handle 1/4"

- material: 50BV30
- entirely hardened and tempered
- surface finish: chrome plated to standard EN 12540
- made according to standard ISO 3315




616154 1/4" 24 115 14

7188.5 1/4"

Extension bar 1/4", short

- material: 50BV30
- · drop forged, entirely hardened and tempered
- surface Inish: chrome plated according to EN12540
- made according to standard ISO 3316
- standard: ISO 3316 No. 204






D1 🔯

7188.4 1/4"

Extension bar 1/4", long

- · material: 50BV30
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- made according to standard ISO 3316
- standard: ISO 3316 No. 204



150

12 63

7188.6 1/4"

616156

Universal joint 1/4"

1/4

- material: 50BV30
- · drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- made according to standard ISO 3316
- standard: ISO 3316 No. 205



Material 1/4"	DIN 80	5	D 🛇	L	
		L	D	Â	<u></u>
900409	1/4"	41	14	35	2.65

7188.7 1/4"

Adaptor 1/4"-3/8"

- material: 50BV30
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- made according to standard ISO 3316



7188H-1/4"

Rail for 1/4" sockets with set 10 clips

- · material: steel
- nickel plated
- whit set of 10 clips for socket 1/4"



	L	Clips	Â	<u></u>
900419	200	10	75	1.48
900420	250	10	85	1.56
900421	350	10	95	1.59
900422	400	10	110	2.24

7188H.10-1/4"

Set of 10 clips for socket 1/4"

- material: SK-7 steel
- · nickel plated
- whit set of 10 clips for socket 1/4"



		Clips	<u> </u>	*
900431	1/4"	10	20	0.63

7188H6P11

Socket set 4-14 mm / 11 pieces with metal rail 1/4"

- socket 1/4": 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- · metal rail 200 mm
- clips 1/4" (11 pieces)





7187HTXP8

Set of screwdriver socket with external TORX® profile TX8-TX40 / 8 pieces with metal rail 1/4"

- screwdriver socket with external TORX® profie 1/4": TX8, TX10, TX15, TX25, TX25, TX27, TX30, TX40
- metal rail 200 mm · clips 1/4" (8 pieces)



7187HHXP7

Set of hexagonal screwdriver socket HX3-HX10 / 7 pieces with metal rail

- hexagonal screwdriver socket 1/4": HX3, HX4, HX5, HX6, HX7, HX8, HX10
- metal rail 200 mm
- clips 1/4" (7 pieces)



900472 7187HHXP7 HX3-HX10 / 7 pieces 400 7.66 7187HX-1/4" (HX3, HX4, HX5, HX6, HX7, HX8, HX10)

7189HEP6

Set of socket with internal TORX® profile E4-E10 / 6 pieces with metal rail 1/4"

- socket with internal TORX® profile 1/4": E4, E5, E6, E7, E8, E10
- metal rail 200 mm
- · clips 1/4" (6 pieces)



Art. **Pieces** 7189HEP6 E4-E10 / 6 pieces 5.89 7189-1/4" (E4, E5, E6, E7, E8, E10)

7188BI6P15

Socket and accesories set 1/4" in plastic box



Art. Nr. pieces 616273 7188BI6P15 15 pieces


703 **7188** (4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm), 32.26

7188.1 1/4" (157 mm), 7188.4 1/4" (150 mm), 7188.5 1/4" (50 mm), 7188.3 1/4" (120 mm)

7188.9

Adaptor for bits 1/4"

- · material: premium flex chrome vanadium steel
- · drop forged, entirely hardened and tempered





	-		1		
			L	<u></u>	<u></u>
900724	NOU	1/4"-1/4"	25	18	5.15

7238 3/8"

Socket 3/8"

- · material: 50BV30
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- polished
- made according to standard ISO 2725-1



	mm	L	D1	D2	T	Å	
616182	6	28	9,9	16,9	4	19	0.68
616183	7	28	10,6	16,9	4	20	0.68
616184	8	28	11,8	16,9	5	22	0.68
616185	9	28	13,2	16,9	5	22	0.68
616186	10	28	14,5	16,9	6	23	0.68
616187	11	28	15,7	16,9	7	23	0.68
616188	12	28	16,9	16,9	8	25	0.72
616189	13	28	17,9	17,9	8	28	0.76
616190	14	28	19,6	19,6	10	32	0.85
616191	15	28	21,0	21,0	10	44	0.85
616192	16	30	21,8	21,8	10	46	0.94
616193	17	30	23,4	23,4	10	55	1.08
616194	18	30	24,7	21,0	12	60	1.12

7238.1 3/8"

Reversible ratchet 3/8"

- material: 50BV30
- · body drop forged
- · entirely hardened and tempered
- surface finish: chrome plated to standard EN 12540
- ergonomic heavy duty double component handle
- · made according to standard ISO 3315
- with 72 teeth
- standard: ISO 3315 No. 257




7186.4/2 3/8"

Spark plug socket 3/8"

- material: 50BV30
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- dimensions of 16 and 21 can be driven with 19 mm socket
- · dimensions of 19 can be driven with 22 mm socket






	mm	L	D	HEX	Â	<u></u>
616197	16	63	22	19	68	1.79
616198	19	63	26	22	68	2.77
616196	21	66	27	19	68	2.46

7238.4 3/8"

Extension bar 3/8", long

- material: 50BV30
- · drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- polished head
- made according to standard ISO 3316
- standard: ISO 3316 No. 204



7238.5 3/8"

Extension bar 3/8", short

- material: 50BV30
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- polished head
- made according to standard ISO 3316
- standard: ISO 3316 No. 204








7238.6 3/8"

Universal joint 3/8"

- material: 50BV30
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
 made according to standard ISO 3316
- standard: ISO 3316 No. 205



7238.7 3/8"

Adaptor 3/8"


- · material: 50BV30
- · drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- made according to standard ISO 3316



0.91

1.36

0.81



7238H-3/8"

900406

Rail for 3/8" sockets with set of 10 clips


32

18

- material: steel
- · nickel plated
- whit set of 10 clips for socket 3/8"

3/8"-1/2"





7238H.10-3/8"

Set of 10 clips for socket 3/8"

- · material: SK-7 steel
- nickel plated
- whit set of 10 clips for socket 1/4"



7238H6P13

Socket set 6-18 mm / 13 pieces with metal rail 3/8"

- socket 3/8": 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 mm
- metal rail 350 mm
- clips 3/8" (13 pieces)



900474 7238H6P13 6-18 mm / 13 pieces 660 12.50 7188-114" (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 mm)

7238BI6P16

Socket and accesories set 3/8" in plastic box, 16 pieces




Art. Pieces 39.40
616284 7238Bi6P16 6-18 mm / 16 pieces 1250 39.40
7238 (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 mm),
7238.1 3/8" (200 mm), 7238.4 1/4" (250 mm),
7238.5 1/4" (125 mm)

7190 1/2"

Socket 1/2"

- material: 50BV30
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- made according to standard ISO 2725-1
- made according to standard DIN 3124





	mm	L	D1	D2	T	Â	<u></u>
902286	NEW 8	38	13,2	22,9	12	54	1.09
902287	NEW 9	38	13,9	22,9	12	54	1.09
616087	10	38	15	22,9	12	54	0.91
616088	11	38	16,3	22,9	12	56	0.91
616089	12	38	17,9	22,9	12	56	0.91
616090	13	38	18,8	22,9	12	56	0.92
616091	14	38	19,7	22,9	12	58	0.91
616092	15	38	20,4	22,9	12	61	0.95

	mm	L	D1	D2	T	Â	3
616093	16	38	22,9	21,5	12	52	0.95
616094	17	38	24,3	22	12	68	1.12
616095	18	38	25,5	23	12	89	1.20
616096	19	38	26,8	24	14	75	1.52
616097	20	38	28,1	24	14	110	1.49
616098	21	38	29,3	25	14	123	1.49
616099	22	38	30,4	25	14	140	1.74
616100	23	40	31,7	26	14	147	1.94
616101	24	42	33,1	28	16	160	1.94
902288	<u>VEW</u> 25	42	34,2	29	18	126	3.23
902289	<u>VEW</u> 26	42	35,3	29	18	126	3.23
616102	27	43	37	30	20	172	2.60
902290	<u>VEW</u> 28	43	38	31	20	185	4.21
902291	<u>VEW</u> 29	43	39	32	20	185	4.52
616103	30	46	40,7	34	22	245	3.35
616104	32	46	43,2	36	22	201	3.51



7192 SL 1/2"

Slotted screwdriver socket 1/2"

- · material socket: 50BV30, chrome plated
- material bit: special tool steel S2, anticorosive oiled
- entirely hardened and tempered



	mm	L	L1	D		
616138	1,2 x 8,0	63	27	22,9	77	1.86
616139	1,6 x 10,0	63	27	22,9	80	1.99
616140	2,0 x 12,0	63	27	22,9	90	2.28


7192 PH 1/2"

616137

Crosstip screwdriver socket 1/2"

- material socket: 50BV30, chrome plated
- material bit: special tool steel S2, anticorosive oiled
- entirely hardened and tempered

PH 3




7190 HX 1/2"

Hexagonal screwdriver socket 1/2"

- material socket: 50BV30, chrome plated
- material bit: special tool steel S2, anticorosive oiled
- entirely hardened and tempered
- made according to standard DIN 7422







	HEX	L	L1	D	<u> </u>	<u></u>
616110	HX 4	60	23	24	60	1.70
616111	HX 5	60	23	24	60	1.70
616112	HX 6	60	23	24	60	1.70
616113	HX 8	60	23	24	81	1.84
616114	HX 10	60	23	24	85	1.82
616115	HX 12	60	23	24	116	2.11
616116	HX 14	60	23	24	168	2.61
616117	HX 17	60	24	20	187	3.35

7190 TX 1/2"

Screwdriver socket 1/2" with external TORX® profile

- · material socket: 50BV30, chrome plated
- · material bit: special tool steel S2, anticorosive oiled
- · entirely hardened and tempered







	TORX®	L	L1	D	Â	<u></u>
616118	TX 20	52	16	22,9	71	1.82
616119	TX 25	52	16	22,9	73	1.82
616120	TX 27	52	16	22,9	73	1.82
616121	TX 30	52	16	22,9	75	1.82
616122	TX 40	52	16	22,9	77	1.82
616123	TX 45	52	16	22,9	78	1.82
616124	TX 50	52	16	22,9	80	1.82
616125	TX 55	57	21	22,9	85	1.99
616126	TX 60	57	21	22,9	96	2.27

7191 1/4"

Socket with internal TORX® profile 1/2"

- material: 50BV30, drop forged, entirely hardened, tempered
- surface finish: chrome plated according to EN12540







18

22,9

7190.1 1/2"

Reversible ratchet 1/2"

- · material: special tool steel
- · body drop forged
- · entirely hardened and tempered
- surface finish: chrome plated to standard EN 12540
- ergonomic heavy duty double component handle
- made according to standard ISO 3315
- whit 72 teeth
- standard: ISO 3315 No. 257





Set of spare parts for ratchet 7190.1



111

13.69


7190.3 1/2"

1/2"

902221

Sliding T - handle 1/2"

- material: 50BV30
- · entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- made according to standard ISO 3315




		L	Α	D1	D2	Â	<u></u>
616109	1/2"	250	45	14	25,5	359	5.82

7190.4 1/2"

Extension bar 1/2"

- material: 50BV30
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- made according to standard ISO 3316
- standard: ISO 3316 No. 204



7190.7 1/2"

Adaptor 1/2"-3/8"

- material: 50BV30
- · drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- made according to standard ISO 3316



		L	D	Â	.
900408	1/2"-3/8"	38	23	35	1.56

7190.6 1/2"

Universal joint 1/2"

- · material: 50BV30
- · drop forged, entirely hardened and tempered
- surface finish: chrome plated according to EN12540
- made according to standard ISO 3316
- standard: ISO 3316 No. 205



		L	D	Â	್
616106	1/2"	75,5	23	145	4.23

7290H-1/2"

Rail for 1/4" sockets with set of 10 clips

- · material: steel
- nickel plated
- whit set of 10 clips for socket 1/2*



	L	Clips	<u> </u>	<u></u>
900427	200	10	75	1.75
900428	250	10	85	1.83
900429	350	10	95	1.87
900430	400	10	110	2.54

7190H.10-1/2"

Set of 10 clips for socket 1/2"

- material: SK-7 steel
- nickel plated
- whit set of 10 clips for socket 1/2"



7190H6P11

Socket set 10-32 mm / 11 pieces with metal rail 1/2'

- socket 1/2": 10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32 mm
- · metal rail 400 mm
- clips 1/2" (11 pieces)



900585 7190H6P11 10-32 mm / 11 pieces 1220 22.11 **7190-1/2"** (10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32 mm)

7190H6P9

Socket set 10-24 mm / 9 pieces with metal rail 1/2"

- socket 1/2": 10, 12, 13, 14, 17, 19, 21, 22, 24 mm
- metal rail 400 mm
- clips 1/2" (9 pieces)



Pieces 900586 7190H6P9 10-24 mm / 9 pieces 940 13.61 7190-1/2" (10, 12, 13, 14, 17, 19, 21, 22, 24 mm)



7192HTXP9

Set of screwdriver socket with external TORX® profile TX20-TX60 / 9 pieces with metal rail 1/2"

- screwdriver socket with external TORX® 1/2" TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
- metal rail 250 mm
- · clips 1/2" (9 pieces)



Pieces 900477 7192HTXP9 TX20 - TX60 / 9 pieces 1020 7192TX-1/2" (TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60)

7191HEP9

Set of socket with internal TORX® profile E10-E24 / 9 pieces with metal rail 1/2"

- socket with internal TORX® profile 1/2" E10, E11, E12, E14, E16, E18, E20, E22, E24
- metal rail 250 mm
- · clips 1/2" (9 pieces)



900478 7191HEP9 E10 - E24 / 9 pieces 900 14.72 7191E-1/2" (E10, E11, E12, E14, E16, E18, E20, E22, E24)

7189/91HEP14

Set of socket with internal TORX® profile E4-E24 / 14 with metal rail 1/4" and 1/2"

- socket with internal TORX® profile 1/4": E4, E5, E6, E7, E8
 socket with internal TORX® profile 1/2" E10, E11, E12, E14, E16, E18, E20, E22, E24
- · metal rail 400 mm
- clips 1/4" (5 pieces)
- clips 1/2" (9 pieces)



900587 7189/91HEP14 E4 - E24 / 14 pieces 10.10 15.95 7189E-1/4" (E4, E5, E6, E7, E8) 7191E-1/2" (E10, E11, E12, E14, E16, E18, E20, E22, E24)

7190HHXP8

Set of hexagonal screwdriver socket HX4-HX17 / 8 pieces with metal rail

- hexagonal screwdriver socket 1/2" HX4, HX5, HX6, HX8, HX10, HX12, HX14, HX17
- metal rail 250 mm
- clips 1/2" (8 pieces)



900476 7190HHXP8 HX4 - HX17 / 8 pieces 960 16.12 7192HX-1/2" (HX4, HX5, HX6, HX8, HX10, HX12, HX14, HX17)



7190BI6P17

Socket set 1/2" in plastic box



Art. Pieces 3100 66.56
7190 1/2" (10, 12, 13, 14, 16, 17, 19, 22, 24),
7190.1 1/2" (260 mm), 7190.5 1/2" (75 mm, 125 mm),
7190.3 1/2" (250 mm), 7190.6 1/2" (75 mm),
7186.4/2 3/8" (16, 19, 21)





7192 HX 1/2" (HX 4, 5, 6, 8, 10, 12),

7192 TX 1/2" (TX20, TX25, TX27, TX30), 7192 PH 1/2" (PH 1, 2), 7192 SL 1/2" (SL 1.2x8, 1.6x10, 2.0x12)



