1 **(a)** 9 **[B1]**

(b) 2 **[B1]**

(c) Isosceles triangle **[B1]**

[Total Marks: 3]

2 **(a)** 10 **[B1]**

(b) Rhombus OR Rectangle **[B1]**

(c) 72 **[B1]**

[Total Marks: 3]

3 **(a)** 4 **[B1]**

(b) 0 **[B1]**

(c) Correct reflection of at least two 'petals' (e.g. vertices at $(1, 4)$ and $(4, 3)$) **[M1]**

Fully correct shape drawn **[A1]**

[Total Marks: 4]

4 **(a)** **(i)** 15 **[B1]**

(ii) 15 **[B1]**

(b) Rectangle OR Rhombus **[B1]**

(c) 5 **[B1]**

[Total Marks: 4]

5 Parallelogram: 0 lines, order 2 **[B2, B1 for each correct value]**

Regular Pentagon: 5 lines, order 5 **[B2, B1 for each correct value]**

Isosceles Trapezium: 1 line, order 1 **[B2, B1 for each correct value]**

[Total Marks: 6]

6 **(a)** Identifies 6 vertical planes of symmetry or 1 horizontal plane of symmetry **[M1]**

7 **[A1]**

(b) 6 **[B1]**

(c) 4 **[B1]**

[Total Marks: 4]

7 **(a)** 4 **[B1]**

(b) 6 **[B2]**

Strictly 5 (vertical) or 1 (horizontal) planes identified **[B1]**

(c) A straight line passing through the apex (top vertex) **[B1]**

and the centre of the circular base. **[B1]**

[Total Marks: 5]

8 **(a)** Recognises that order 4 symmetry implies point symmetry (order 2) about M, so M is the midpoint of AC **[M1]**

$(5, -2)$ **[A1]**

(b) Gradient of $AC = \dfrac{-2-6}{5-1}$ or $\dfrac{-8}{4} = -2$ **[M1]**

Substitute $(1, 6)$ or $(5, -2)$ or $(3, 2)$ into $y = -2x + c$ OR $y - 6 = -2(x - 1)$ **[M1]**

$-2x + 8$ **[A1]**

(c) Deduces that $ABCD$ must be a square because it has order 4 rotational symmetry (area is $|AB|^2$) **[M1]**

$|AB|^2 = (7-1)^2 + (4-6)^2$ **[M1]**

40 **[A1]**

[Total Marks: 8]

9 **(a)** 4 **[B2]**

If 0 scored, allow [B1] for identifying either 3 (vertical) OR 1 (horizontal/mid-plane).

(b) 3 **[B1]**

(c) 7 **[B2]**

If 0 scored, allow [B1] for 6.

[Total Marks: 5]

10 **(a)** **(i)** $\dfrac{360}{15}$ **[M1]**

24 **[A1]**

(ii) 24 **[B1]**

(b) Kite OR Isosceles Trapezium (accept Isosceles Trapezoid) **[B1]**

(c) Infinite (accept an infinite number) **[B1]**

[Total Marks: 5]

11 **(a)** **(i)** 4 **[B1]**

(ii) Infinite (or infinitely many) **[B1]**

(b) Uses volume formula: $\frac{1}{3} \times 6^2 \times h = 48$ **[M1]**

Solves for height: $h = 4$ **[A1]**

Calculates distance from centre of base to a corner $= \sqrt{3^2 + 3^2} = \sqrt{18}$ (or $3\sqrt{2}$ or 4.24...) **[M1]**

Uses Pythagoras' theorem for sloping edge $l = \sqrt{4^2 + (\sqrt{18})^2}$ **[M1]**

5.83 (or 5.830...) **[A1]**

[Total Marks: 7]

12 (a) Understanding that diagonals of a rhombus intersect at 90°, hence gradient $m = -\frac{1}{3}$ **[M1]**

$-\frac{1}{3}x$ (accept equivalent forms) **[A1]**

(b) 2 **[B1]**

(c) Exterior angle $= 180° - 165° = 15°$ **[M1]**

$n = \frac{360}{15}$ **[M1]**

$n = 24$ **[A1]**

[Total Marks: 6]

13 (a) (i) 8 **[B1]**

(ii) 9 **[B2]**

If B0, score B1 for 8 (identifying only the vertical planes)

(b) (i) 12 **[B1]**

(ii) $(12 - 2) \times 180$ **[M1]**

1800 **[A1]**

(c) $(-2, 3)$ **[B2]**

If B0, score M1 for point plotted correctly on grid OR one coordinate correct

[Total Marks: 8]

14 (a) Calculates length $AB = \sqrt{(5-1)^2 + (4-2)^2} = \sqrt{20}$ **[M1]**

Calculates length $BC = \sqrt{(3-5)^2 + (8-4)^2} = \sqrt{20}$ **[M1]**

States $AB = BC$ therefore the triangle is isosceles **[A1]**

(b) Identifies midpoint of $AC = (\frac{1+3}{2}, \frac{2+8}{2}) = (2, 5)$ **[M1]**

Calculates gradient of line of symmetry $= \frac{4-5}{5-2} = -\frac{1}{3}$ (or uses perpendicular to AC) **[M1]**

Substitutes $(5, 4)$ or $(2, 5)$ into $y = -\frac{1}{3}x + c$ to find c **[M1]**

$-\frac{1}{3}x + \frac{17}{3}$ **[A1]**

(c) Identifies $n = 15$ and uses $\frac{(15-2) \times 180}{15}$ OR $180 - (360 \div 15)$ **[M1]**

156 **[A1]**

[Total Marks: 9]

15 (a) States that a right prism with a regular n-gon base has n vertical planes of symmetry and 1 horizontal plane of symmetry (halfway along its length) **[B1]**

Sets up the equation $n + 1 = 7$, yielding $n = 6$ **[B1]**

(b) (i) Recognises the side length of the hexagon $= 12 \div 2 = 6$ cm **[B1]**

Calculates area of the hexagonal cross-section $= 6 \times \left(\frac{1}{2} \times 6 \times 6 \times \sin(60°)\right) = 54\sqrt{3}$ (or 93.53...) **[M1]**

Uses Volume = Area × Length to find Length $= \frac{450}{54\sqrt{3}}$ **[M1]**

4.81 (or 4.811...) **[A1]**

(ii) Method for total area = 2 × Base Area + 6 × Lateral Rectangular Area **[M1]**

Substitutes values: $2 \times 54\sqrt{3} + 6 \times (6 \times 4.811...)$ **[M1]**

Simplifies to $108\sqrt{3} + 100\sqrt{3}$ (or $187.06... + 173.2...$) **[M1]**

360 (or 360.2... to 360.3...) **[A1]**

[Total Marks: 10]