IGCSE 0607 Practice Questions — E6.4 — Combined Questions & Markscheme


Surface area and volume

Total Questions: 12 — **Total Marks:** 89 Marks

Table of Contents & Quick Navigation

- **E6.4** Surface area and volume
  → **Paper 2 (Non-Calculator)** *(4 Qs)* · **Paper 4 (Calculator)** *(8 Qs)*

1 The diagram shows a solid sphere with center O and radius 3 cm.




(a) Calculate the exact volume of the sphere.
Give your answer in terms of π.

..... cm^3 **[2]**

(b) Calculate the exact surface area of the sphere.
Give your answer in terms of π.

..... cm^2 **[2]**

2 A solid is made by joining a solid hemisphere of radius 3 cm to a solid cylinder of radius 3 cm and height 10 cm.



NOT TO SCALE


(a) Work out the volume of the solid.
Give your answer in terms of π.

..... cm^3 **[3]**

(b) Work out the total surface area of the solid.
Give your answer in terms of π.

..... cm^2 **[3]**

3 The diagram shows a solid cone.
The base radius of the cone is 6 cm and the slant height is l cm.
The total surface area of the cone is 96π cm^2.




(a) Show that the slant height, l, is 10 cm.

[3]

(b) Work out the volume of the cone.
Give your answer in terms of π.

Volume = ... cm^3 **[4]**

4 The diagram shows a solid formed by joining a cone to a hemisphere with the same radius.
The radius of the hemisphere is 3 cm and the slant height of the cone is 5 cm.




(a) Calculate the exact volume of the solid.
Give your answer in terms of π.

..... cm^3 **[4]**

(b) Calculate the total surface area of the solid.
Give your answer in terms of π.

..... cm^2 **[3]**

5 The diagram shows a solid triangular prism.
The cross-section of the prism is a right-angled triangle with sides 6 cm, 8 cm and 10 cm.
The length of the prism is 15 cm.




(a) Calculate the volume of the prism.

..... cm^3 **[2]**

(b) Calculate the total surface area of the prism.

..... cm^2 **[3]**

6 The diagram shows a solid cylinder and a solid sphere.




(a) The cylinder has radius $r = 5$ cm and height $h = 12$ cm.
Work out the total surface area of the cylinder.

Surface area = ... cm^2 **[3]**

(b) The sphere has the same volume as the cylinder.
Calculate the radius, R, of the sphere.

$R =$ ..... cm **[3]**

7 The diagram shows a solid pyramid with a square base.
The base has sides of length 10 cm.
The volume of the pyramid is 400 cm^3.



NOT TO SCALE


(a) Calculate the perpendicular height of the pyramid.

..... cm **[2]**

(b) Calculate the total surface area of the pyramid.

..... cm^2 **[4]**

8 A solid is formed by attaching a right circular cone to the top of a solid cylinder.
The cylinder and the base of the cone both have a radius of 5 cm.
The height of the cylinder is 12 cm and the total height of the solid is 24 cm.



(a) Calculate the volume of the solid.

..... cm^3 **[4]**

(b) Calculate the total surface area of the solid.

..... cm^2 **[5]**

9 A solid metal cylinder has radius x cm and height $3x$ cm.
The cylinder is melted down and completely recast into solid spheres.
Each sphere has a radius of $\frac{x}{2}$ cm.

(a) Find an expression, in terms of x and π, for the volume of the cylinder.
Give your answer in its simplest form.

..... cm^3 **[2]**

(b) Find an expression, in terms of x and π, for the volume of one sphere.
Give your answer in its simplest form.

..... cm^3 **[2]**


(c) Work out the number of complete spheres that can be made.

..... **[1]**

(d) The total surface area of the original cylinder is 140 cm^2.
Work out the value of x.

$x =$ ..... **[3]**

10 The diagram shows a water trough in the shape of a prism of length 120 cm.
The cross-section of the prism is a trapezium $ABCD$.
AB is parallel to DC.
$AB = 25$ cm, $DC = 15$ cm and the perpendicular distance between AB and DC is 18 cm.




(a) Calculate the volume of the trough in litres.

Volume = ... litres **[4]**

(b) The trough is initially completely empty.
Water flows into the trough at a constant rate of 0.8 litres per second.
Calculate the depth of the water in the trough after 30 seconds.

Depth = ... cm **[5]**

11 A solid is made by removing a small cone from a large cone to form a frustum.
The large cone has a base radius of 10 cm and a perpendicular height of 24 cm.
The small cone has a base radius of 5 cm and a perpendicular height of 12 cm.



NOT TO SCALE

(a) Calculate the volume of the frustum.

..... cm^3 **[3]**


(b) Calculate the total surface area of the solid frustum.

..... cm^2 **[4]**

(c) The solid frustum is melted down to form solid spheres of radius 3 cm.
Calculate the maximum number of complete spheres that can be made.

..... **[3]**

12 A solid metal pyramid has a square base of side 12 cm and a perpendicular height of 10 cm.



(a) Calculate the volume of the pyramid.

..... cm^3 **[2]**

(b) Calculate the total surface area of the pyramid.

..... cm^2 **[4]**

(c) The metal pyramid is melted down and recast to make solid spheres of radius 2.5 cm.
Calculate the number of complete spheres that can be made.

..... **[3]**

(d) A mathematically similar pyramid has a volume of 1620 cm^3.
Calculate the perpendicular height of this similar pyramid.

..... cm **[3]**

1 **(a)** $\frac{4}{3} \times \pi \times 3^3$ **[M1]**

36π **[A1]**

(b) $4 \times \pi \times 3^2$ **[M1]**

36π **[A1]**

[Back to Question] *[Total Marks: 4]*

2 **(a)** Volume of cylinder $= \pi \times 3^2 \times 10$ $(= 90\pi)$ **[M1]**

Volume of hemisphere $= \frac{2}{3} \times \pi \times 3^3$ $(= 18\pi)$ **[M1]**

108π **[A1]**

(b) Curved surface area of cylinder $= 2 \times \pi \times 3 \times 10$ $(= 60\pi)$ **[M1]**

Area of circular base $= \pi \times 3^2$ $(= 9\pi)$ AND Curved surface area of hemisphere $= 2 \times \pi \times 3^2$ $(= 18\pi)$ **[M1]**

87π **[A1]**

[Back to Question] *[Total Marks: 6]*

3 **(a)** Area of base $= \pi \times 6^2 = 36\pi$ **[M1]**

Curved surface area $= \pi \times 6 \times l = 6\pi l$ **[M1]**

$36\pi + 6\pi l = 96\pi$ leading to $6l = 60$ so $l = 10$ **[A1]**

(b) $h^2 + 6^2 = 10^2$ **[M1]**

$h = \sqrt{100 - 36} = \sqrt{64} = 8$ **[A1]**

Volume $= \frac{1}{3} \times \pi \times 6^2 \times 8$ **[M1]**

96π **[A1]**

[Back to Question] *[Total Marks: 7]*

4 **(a)** Use of Pythagoras to find the height of the cone: $\sqrt{5^2 - 3^2}$ $(= 4)$ **[M1]**

Volume of cone $= \frac{1}{3} \times \pi \times 3^2 \times 4$ $(= 12\pi)$ **[M1]**

Volume of hemisphere $= \frac{1}{2} \times \frac{4}{3} \times \pi \times 3^3$ $(= 18\pi)$ **[M1]**

30π **[A1]**

(b) Curved surface area of cone $= \pi \times 3 \times 5$ $(= 15\pi)$ **[M1]**

Surface area of hemisphere $= 2 \times \pi \times 3^2$ $(= 18\pi)$ **[M1]**

33π **[A1]**

[Back to Question] *[Total Marks: 7]*

5 **(a)** $\frac{1}{2} \times 6 \times 8 \times 15$ **[M1]**

360 **[A1]**

(b) Area of two triangular ends $= \frac{1}{2} \times 6 \times 8 \times 2$ $(= 48)$ **[M1]**

Area of three rectangular faces $= 15 \times (6 + 8 + 10)$ or $(15 \times 6) + (15 \times 8) + (15 \times 10)$ $(= 360)$ **[M1]**

408 **[A1]**

[Back to Question] *[Total Marks: 5]*

6 **(a)** Curved surface area $= 2 \times \pi \times 5 \times 12$ **[M1]**

Total surface area $= 2 \times \pi \times 5 \times 12 + 2 \times \pi \times 5^2$ **[M1]**

534 or 534.07... or 170π **[A1]**

(b) Volume of cylinder $= \pi \times 5^2 \times 12 = 300\pi$ (942...) **[M1]**

$\frac{4}{3}\pi R^3 = 300\pi$ **[M1]**

$R = \sqrt[3]{225} = 6.08$ or 6.082... **[A1]**

[Back to Question] *[Total Marks: 6]*

7 **(a)** $\frac{1}{3} \times 10^2 \times h = 400$ **[M1]**

12 **[A1]**

(b) Distance from centre of base to midpoint of side $= 5$ cm **[B1]**

Slant height of a triangular face $= \sqrt{12^2 + 5^2}$ $(= 13)$ **[M1]**

Area of one triangular face $= \frac{1}{2} \times 10 \times 13$ $(= 65)$ **[M1]**

360 **[A1]**

[Back to Question] *[Total Marks: 6]*

8 **(a)** Height of cone $= 24 - 12 = 12$ cm **[B1]**

Volume of cylinder $= \pi \times 5^2 \times 12$ $(=300\pi$ or $942.4\ldots)$ **[M1]**

Volume of cone $= \frac{1}{3} \times \pi \times 5^2 \times 12$ $(=100\pi$ or $314.1\ldots)$ **[M1]**

1260 (or 1256 to 1257 or 400π) **[A1]**

(b) Slant height of cone $(l) = \sqrt{5^2 + 12^2} = 13$ **[M1]**

Curved surface area of cone $= \pi \times 5 \times 13$ $(=65\pi$ or $204.2\ldots)$ **[M1]**

Curved surface area of cylinder $= 2 \times \pi \times 5 \times 12$ $(=120\pi$ or $376.9\ldots)$ **[M1]**

Area of circular base $= \pi \times 5^2$ $(=25\pi$ or $78.5\ldots)$ **[M1]**

660 (or $659.7\ldots$ or 210π) **[A1]**

[Back to Question] *[Total Marks: 9]*

9 **(a)** $\pi \times (x)^2 \times 3x$ **[M1]**

$3\pi x^3$ **[A1]**

(b) $\frac{4}{3} \times \pi \times \left(\frac{x}{2}\right)^3$ **[M1]**

$\frac{\pi x^3}{6}$ **[A1]**

(c) 18 **[B1]**

(d) Total surface area $= 2\pi x^2 + 2\pi x(3x)$ **[M1]**

$8\pi x^2 = 140$ **[M1]**

$x = 2.36$ (or $2.360\ldots$) **[A1]**

[Back to Question] *[Total Marks: 8]*

10 **(a)** Area of trapezium $= \frac{1}{2} \times (15 + 25) \times 18$ **[M1]**

360 **[A1]**

Volume $= 360 \times 120 = 43200$ cm^3 **[M1]**

43.2 **[A1]**

(b) Volume of water after 30 seconds $= 0.8 \times 30 = 24$ litres $= 24000$ cm^3 **[M1]**

Let depth be h and the width of water surface be w.
$w = 15 + \frac{10}{18}h = 15 + \frac{5}{9}h$ **[M2]**

Area of cross-section of water $= \frac{1}{2} \times (15 + 15 + \frac{5}{9}h) \times h = 15h + \frac{5}{18}h^2$ **[M1]**

Volume $= (15h + \frac{5}{18}h^2) \times 120 = 24000$
$1800h + \frac{100}{3}h^2 = 24000$
$h^2 + 54h - 720 = 0$ **[M1]**

$(h - 11.23...)(h + 65.23...) = 0$
$h = 11.2$ or $11.23...$ **[A1]**

[Back to Question] *[Total Marks: 9]*

11 **(a)** Volume of large cone $= \frac{1}{3} \times \pi \times 10^2 \times 24$ $(= 800\pi)$ **[M1]**

Volume of small cone $= \frac{1}{3} \times \pi \times 5^2 \times 12$ $(= 100\pi)$ **[M1]**

2200 or 2199.1 to 2199.2 **[A1]**

(b) Slant height of large cone $= \sqrt{10^2 + 24^2}$ $(= 26)$ AND Slant height of small cone $= \sqrt{5^2 + 12^2}$ $(= 13)$ **[M1]**

Curved surface area of frustum $= \pi \times 10 \times 26 - \pi \times 5 \times 13$ $(= 195\pi)$ **[M1]**

Total surface area $= 195\pi + \pi \times 10^2 + \pi \times 5^2$ **[M1]**

1010 or 1005.3 . . . **[A1]**

(c) Volume of one sphere $= \frac{4}{3} \times \pi \times 3^3$ $(= 36\pi$ or 113.1 . . . $)$ **[M1]**

$\frac{700\pi}{36\pi}$ or $\frac{2199.1}{113.1}$ **[M1]**

19 **[A1]**

[Back to Question] *[Total Marks: 10]*

12 **(a)** $\frac{1}{3} \times 12^2 \times 10$ **[M1]**

480 **[A1]**

(b) Use of Pythagoras to find slant height: $\sqrt{10^2 + 6^2}$ **[M1]**

$\sqrt{136}$ or 11.6... or 11.7 **[A1]**

Area of four triangular faces $= 4 \times \frac{1}{2} \times 12 \times$ their $\sqrt{136}$ $(= 279.8...)$ **[M1]**

424 or 423.8... to 423.9 **[A1]**

(c) Volume of one sphere $= \frac{4}{3} \times \pi \times 2.5^3$ $(= 65.4...)$ **[M1]**

$\frac{480}{\text{their } 65.4...}$ **[M1]**

7 **[A1]**

(d) $\frac{1620}{480}$ or 3.375 **[M1]**

$\sqrt[3]{3.375}$ or 1.5 **[M1]**

15 **[A1]**

[Back to Question] *[Total Marks: 12]*