IGCSE 0607 Practice Questions — E5.3 — Combined Questions & Markscheme


Similarity

Total Questions: 39 — **Total Marks:** 264 Marks

Table of Contents & Quick Navigation

- **E5.3** Similarity
  → **Paper 2 (Non-Calculator)** *(16 Qs)* · **Paper 4 (Calculator)** *(23 Qs)*

1 The diagram shows triangle PQR.
Point S lies on PQ and point T lies on PR.
The line ST is parallel to the line QR.




NOT TO SCALE

Given that $PS = 6$ cm, $SQ = 3$ cm and $ST = 8$ cm, calculate the length of QR.

$QR =$ ..... cm **[2]**

2 The diagram shows triangle ABC with a line DE drawn parallel to BC.
$AD = 4$ cm, $DB = 6$ cm, and $DE = 5$ cm.




(a) Calculate the length of BC.

$BC =$ ..... cm **[2]**

(b) The area of triangle ADE is 16 cm^2.
Calculate the area of triangle ABC.

Area = ... cm^2 **[2]**

3 The diagram shows triangle ABC.
D is a point on AB and E is a point on AC such that DE is parallel to BC.
$AD = 4$ cm, $DB = 2$ cm and $DE = 5$ cm.




(a) Calculate the length of BC.

..... *cm* **[2]**

(b) The area of triangle ADE is 8 cm^2.
Work out the area of the trapezium $DBCE$.

..... *cm*^{2} **[2]**

4 Triangle ABC and triangle DEF are mathematically similar.



NOT TO SCALE

(a) Calculate the length DE.

$DE =$ ..... cm **[2]**

(b) The area of triangle DEF is 72 cm^2.
Calculate the area of triangle ABC.

..... cm^2 **[2]**

5 Two mathematically similar solid cylinders are shown as Cylinder A and Cylinder B.
Cylinder A has a height of 6 cm.
Cylinder B has a height of 15 cm.


(a) The volume of Cylinder A is 48 cm^3.
Calculate the volume of Cylinder B.

..... cm^3 **[2]**

(b) The curved surface area of Cylinder B is 200 cm^2.
Calculate the curved surface area of Cylinder A.

..... cm^2 **[2]**

6 Triangle ABC and triangle DEF are mathematically similar.
$AB = 3$ cm and $DE = 9$ cm.



NOT TO SCALE


(a) The length of BC is 5 cm.
Calculate the length of EF.

..... cm **[2]**

(b) The area of triangle DEF is 54 cm^2.
Calculate the area of triangle ABC.

..... cm^2 **[2]**

7 In the diagram, ADE is a triangle and DE is parallel to BC.
$AD = 4$ cm, $DB = 2$ cm and $DE = 5$ cm.




(a) Calculate the length of BC.

$BC =$ ..... cm **[2]**

(b) The area of triangle ADE is 8 cm^2.
Calculate the area of the trapezium $DBCE$.

Area = ... cm^2 **[3]**

8 In the diagram, ABC is a triangle and the line XY is parallel to BC.
$AX = 4$ cm, $XB = 2$ cm and $XY = 6$ cm.




(a) Calculate the length of BC.

$BC =$ ..... cm **[2]**

(b) The area of triangle AXY is 32 cm^2.
Calculate the area of the trapezium $XBCY$.

Area = ... cm^2 **[3]**

9 The diagram shows a triangle ABC.
D is a point on AB and E is a point on AC such that DE is parallel to BC.
$AD = 4$ cm, $DB = 2$ cm and $DE = 6$ cm.



(a) Calculate the length of BC.

..... cm **[2]**

(b) The area of triangle ADE is 12 cm^2.
Calculate the area of the trapezium $DBCE$.

..... cm^2 **[3]**

10 Two mathematically similar bottles have heights of 10 cm and 15 cm.


(a) The surface area of the smaller bottle is 120 cm^2.
Work out the surface area of the larger bottle.

..... cm^2 **[3]**

(b) The volume of the larger bottle is 540 cm^3.
Work out the volume of the smaller bottle.

..... cm^3 **[3]**

11 The diagram shows two mathematically similar triangles, ABC and DEF.
$AB = 4$ cm, $BC = 6$ cm, $DE = 10$ cm, and $DF = 12.5$ cm.



(a) Calculate the length of EF.

$EF =$ ..... cm **[2]**


(b) Calculate the length of AC.

$AC =$ ..... cm **[2]**

(c) Given that the area of triangle ABC is 10 cm^2, calculate the area of triangle DEF.

..... cm^2 **[2]**

12 In the diagram, the line ST is parallel to QR.
$PS = 6$ cm, $SQ = 3$ cm and $ST = 8$ cm.
The length of PR is 12 cm.



(a) Calculate the length of QR.

..... cm **[2]**


(b) Calculate the length of PT.

..... cm **[2]**

(c) The area of triangle PST is 20 cm^2.
Calculate the area of the trapezium $SQRT$.

..... cm^2 **[3]**

13 Cone A and Cone B are mathematically similar.
The total surface area of Cone A is 20 cm^2 and the total surface area of Cone B is 45 cm^2.




(a) The volume of Cone A is 16 cm^3.
Calculate the volume of Cone B.

..... cm^3 **[3]**

(b) The height of Cone B is 12 cm.
Calculate the height of Cone A.

..... cm **[2]**

14 The diagram shows two similar cones, P and Q.
Cone P has a volume of 400 cm^3 and a height of 12 cm.
Cone Q has a volume of 1350 cm^3.




(a) Calculate the height of cone Q.

Height = ... cm **[3]**

(b) The curved surface area of cone Q is 360 cm^2.
Calculate the curved surface area of cone P.

Surface area = ... cm^2 **[2]**

15 In the diagram, the straight lines AC and BD intersect at E, and AB is parallel to DC.
$AB = 6$ cm, $DC = 9$ cm, $AE = 4$ cm, and $BD = 12.5$ cm.



(a) Explain why triangle ABE is similar to triangle CDE.

.....

.....

..... **[3]**

(b) Calculate the length of

(i) EC,

$EC =$ ..... cm **[2]**


(ii) BE.

$BE =$ ..... cm **[2]**

(c) Given that the area of triangle ABE is 12 cm^2, calculate the area of triangle CDE.

..... cm^2 **[2]**

16 The diagram shows a triangle ABC.
The point D lies on AB and the point E lies on AC.
The angle ADE is equal to the angle ACB.



(a) Explain why triangle ADE is mathematically similar to triangle ACB.

[3]


(b) It is given that $AD = x$ cm, $DB = (x + 1)$ cm, $AE = 4$ cm and $EC = 5$ cm.
Find the value of x.

$x =$ ..... **[4]**

(c) Find the ratio of the area of triangle ADE to the area of the quadrilateral $DBCE$.
Give your answer in its simplest form.

..... **[2]**

17 Triangles ABC and DEF are mathematically similar.
In the diagram, $AB = 4$ cm, $BC = 6$ cm and $DE = 14$ cm.




(a) Calculate the length of EF.

..... cm **[2]**

(b) The area of triangle ABC is 8.5 cm^2.
Calculate the area of triangle DEF.

..... cm^2 **[2]**

18 Cone A and Cone B are mathematically similar.
The surface area of Cone A is 450 cm^2 and the surface area of Cone B is 800 cm^2.



Cone A Cone B


(a) The volume of Cone A is 1350 cm^3.
Calculate the volume of Cone B.

Volume = ... cm^3 **[3]**

(b) The height of Cone B is 48 cm.
Calculate the height of Cone A.

Height = ... cm **[2]**

19 Two solid cones, A and B, are mathematically similar.



(a) Cone A has a volume of 150 cm^3 and a height of 12 cm.
Cone B has a volume of 1200 cm^3.
Calculate the height of cone B.

..... cm **[3]**

(b) The surface area of cone B is 440 cm^2.
Calculate the surface area of cone A.

..... cm^2 **[2]**

20 Two mathematically similar containers, A and B, have volumes of 320 cm^3 and 1080 cm^3 respectively.

(a) Container A has a height of 18 cm.

Calculate the height of container B.


Height = ... cm **[3]**

(b) Container B has a surface area of 630 cm^2.

Calculate the surface area of container A.

Surface area = ... cm^2 **[3]**

21 Two mathematically similar containers, A and B, are shown in the diagram.
Container A has a height of 12 cm and container B has a height of 30 cm.



NOT TO SCALE

(a) Container A has a volume of 320 cm^3.
Calculate the volume of container B.

Volume = ... cm^3 **[2]**

(b) Container B has a surface area of 1125 cm^2.
Calculate the surface area of container A.

Surface area = ... cm^2 **[2]**

(c) The containers are completely filled with liquid.
The cost of filling container A is \$4.80.
Assuming the cost is directly proportional to the volume, calculate the cost of filling container B.

..... **[2]**

22 Two mathematically similar solids, P and Q, have volumes of 320 cm^3 and 8640 cm^3 respectively.

(a) The height of solid P is 12 cm.
Calculate the height of solid Q.

..... cm **[3]**


(b) The surface area of solid Q is 2250 cm^2.
Calculate the surface area of solid P.

..... cm^2 **[2]**

(c) Solid P is made of a metal with a density of 8.5 g/cm^3.
Calculate the mass of solid P in kilograms.

..... kg **[2]**

23 The diagram shows triangle ADE with a line BC drawn parallel to DE.
$AB = 6$ cm, $BD = 4$ cm and $BC = 7.5$ cm.



NOT TO SCALE

(a) Explain why triangle ABC is mathematically similar to triangle ADE.

[2]


(b) Calculate the length of DE.

$DE =$ ..... cm **[2]**

(c) The area of triangle ABC is 18 cm^2.
Calculate the area of the quadrilateral $BCED$.

..... cm^2 **[3]**

24 In the diagram, DE is parallel to BC.
$AD = 6$ cm, $DB = 4$ cm and $DE = 9$ cm.



NOT TO SCALE

(a) Explain why triangle ADE is similar to triangle ABC.

.....

.....

..... **[2]**


(b) Calculate the length of BC.

$BC =$ ..... cm **[3]**

(c) The area of triangle ADE is 27 cm^2.
Calculate the area of the trapezium $DBCE$.

..... cm^2 **[3]**

25 The diagram shows two mathematically similar solid statues, P and Q.
Statue P has a height of 15 cm and a mass of 500 g.
Statue Q has a height of 45 cm.
Assume that both statues are made from the same uniform material.



(a) Calculate the mass of statue Q.
Give your answer in kilograms.

..... kg **[3]**


(b) A third similar statue, R, has a mass of 4 kg.
Calculate the height of statue R.

..... cm **[3]**

(c) The surface area of statue Q is 2430 cm^2.
Calculate the surface area of statue P.

..... cm^2 **[2]**

26 The diagram shows two geometrically similar solid metal cones, P and Q.
The volume of cone P is 320 cm^3 and the volume of cone Q is 1080 cm^3.



(a) The height of cone P is 12 cm.
Calculate the height of cone Q.

..... cm **[3]**


(b) The surface area of cone Q is 450 cm^2.
Calculate the surface area of cone P.

..... cm^2 **[2]**

(c) Both cones are melted down to make a single new solid cone R, which is geometrically similar to P and Q.
Calculate the height of cone R.
Give your answer correct to 3 significant figures.

..... cm **[3]**

27 The diagram shows a trapezium $ABCD$ with AB parallel to DC.
The diagonals AC and BD intersect at point X.
$AB = 9$ cm, $DC = 15$ cm and $BX = 6$ cm.
The area of triangle ABX is 27 cm^2.



NOT TO SCALE

(a) Explain why triangle ABX is similar to triangle CDX.

[2]

(b) Calculate the length of BD.

..... cm **[3]**


(c) Calculate the area of triangle CDX.

..... cm^2 **[2]**

(d) Calculate the area of triangle BCX.

..... cm^2 **[2]**

28 In the diagram, the line XY is parallel to BC.
$AX = 4$ cm, $XB = x$ cm, $AY = 5$ cm and $YC = (x + 2)$ cm.



(a) Calculate the value of x.

$x =$ ..... **[3]**


(b) $XY = 3.5$ cm.
Calculate the length of BC.

..... cm **[2]**

(c) The area of triangle AXY is A cm^2.
Find an expression for the area of the trapezium $XBCY$ in terms of A.
Give your answer in its simplest form.

..... **[2]**

29 Cone A and Cone B are mathematically similar solids.



NOT TO SCALE


(a) The volume of Cone A is 108 cm^3 and the volume of Cone B is 500 cm^3.
The sum of the surface areas of Cone A and Cone B is 340 cm^2.
Calculate the surface area of Cone B.

..... cm^2 **[4]**

(b) Cone B has a total vertical height of 20 cm.
A smaller cone, mathematically similar to Cone B, is removed from the top of Cone B to leave a frustum.
The volume of the frustum is $\frac{7}{8}$ of the volume of Cone B.
Calculate the vertical height of the removed small cone.

..... cm **[3]**

30 The diagram shows a circle with points A, B, C and D on its circumference.
The chords AC and BD intersect at X.



(a) Show that triangle AXB is similar to triangle DXC.
Give a geometric reason for each statement you make.

[3]


(b) $AX = 4$ cm, $BX = 5$ cm, $CX = 7.5$ cm and $AB = 6$ cm.
Calculate the length of DX and the length of DC.

$DX =$ ..... , $DC =$ ..... **[3]**

(c) The area of triangle AXB is 11.8 cm^2.
Calculate the area of triangle DXC.

..... cm^2 **[2]**

31 Points A, B, C, and D lie on the circumference of a circle.
The straight lines AC and BD intersect at the point X.



(a) Show that triangle AXB is similar to triangle DXC, giving geometrical reasons for your statements.

[3]


(b) $AX = (x + 2)$ cm, $CX = (x - 2)$ cm, $BX = (x - 3)$ cm, and $DX = (x + 4)$ cm.
Calculate the value of x.

$x =$ ..... **[3]**

(c) The area of triangle DXC is 45 cm^2.
Calculate the area of triangle AXB.

Area = ... cm^2 **[2]**

32 In the diagram, DE is parallel to BC.
$AD = (x + 2)$ cm, $DB = (x - 1)$ cm, $AE = 8$ cm and $EC = x$ cm.



NOT TO SCALE

(a) Show that $x^2 - 6x + 8 = 0$.

[3]


(b) Solve the equation $x^2 - 6x + 8 = 0$.

$x =$ ..... , $x =$ ..... **[2]**

(c) Given that the area of triangle ADE is 24 cm^2 and $x = 4$, calculate the area of the trapezium $DBCE$.

..... cm^2 **[3]**

33 In the diagram, D is a point on AB and E is a point on AC.
Angle AED = Angle ABC.
$AD = 6$ cm, $AE = 5$ cm and $DB = 9$ cm.



(a) Show that triangle ADE is similar to triangle ACB.
Give reasons for your statements.

[3]


(b) Calculate the length of EC.

$EC =$ ..... cm **[3]**

(c) Find the ratio of the area of triangle ADE to the area of quadrilateral $BCED$ in its simplest form.

..... **[2]**

34 The diagram shows a trapezium $ABCD$ with AB parallel to DC.
The diagonals AC and BD intersect at X.
$AB = 7$ cm and $DC = 10.5$ cm.



(a) Explain why triangle ABX is similar to triangle CDX.

[2]


(b) $AX = 4$ cm.
Calculate the length of AC.

$AC =$ ..... cm **[3]**

(c) The area of triangle ABX is 16 cm^2.
Calculate the area of the trapezium $ABCD$.

..... cm^2 **[4]**

35 The diagram shows triangle ABC.
D is a point on AC and E is a point on AB.
Angle ABC = Angle AED.



NOT TO SCALE

(a) Explain why triangle ABC is similar to triangle AED.

.....

.....

..... **[2]**

(b) Given that $AC = 15$ cm and $AD = 6$ cm, write down the scale factor of the enlargement that maps triangle AED onto triangle ABC.

..... **[1]**


(c) $AE = x$ cm and $AB = (2x + 2.5)$ cm.
Use similarity to set up an equation and find the value of x.

$x =$ ..... **[3]**

(d) The area of the quadrilateral $BCDE$ is 42 cm^2.
Calculate the area of triangle ADE.

..... cm^2 **[3]**

36 The diagram shows a trapezium $ABCD$ with AB parallel to DC.
The diagonals AC and BD intersect at X.



(a) Explain, giving geometric reasons, why triangle ABX is similar to triangle CDX.

[3]

(b) $AX = 4$ cm and $CX = 6$ cm.
$AB = x$ cm and $DC = (2x - 3)$ cm.

Work out the value of x.

$x =$ ..... **[3]**

(c) The area of triangle ABX is 24 cm^2.
Calculate the area of the trapezium $ABCD$.

Area = ... cm^2 **[4]**

37 Two solid statues, A and B, are mathematically similar.

(a) Statue A has a height of 12 cm and a volume of 800 cm^3.
Statue B has a volume of 2700 cm^3.
Calculate the height of Statue B.

..... cm **[3]**

(b) The cost to paint a statue is directly proportional to its surface area.
It costs \$18 to paint Statue A.
Calculate the cost to paint Statue B.

\$ ..... **[3]**

(c) A third mathematically similar statue, C, has a surface area that is 44% greater than the surface area of Statue A.
Calculate the volume of Statue C.

..... cm^3 **[4]**

38 Solid Cone A has a base radius of 10 cm and a perpendicular height of 24 cm.

(a) Calculate the total surface area of Cone A.
Give your answer in terms of π.

..... cm^2 **[3]**


(b) Cone B is mathematically similar to Cone A.
The volume of Cone B is 100π cm^3.
Calculate the total surface area of Cone B.
Give your answer in terms of π.

..... cm^2 **[4]**

(c) A frustum is made by cutting a smaller cone, which is geometrically identical to Cone B, from the top of Cone A.
This frustum is melted down and recast completely into a solid sphere.
Calculate the radius of this sphere.

..... cm **[4]**

39 The diagram shows two mathematically similar solid metal trophies, Trophy X and Trophy Y.
Trophy X has a height of 15 cm and a total surface area of 320 cm^2.
Trophy Y has a height of 24 cm and a volume of 2048 cm^3.



(a) Calculate the total surface area of Trophy Y.

..... cm^2 **[2]**

(b) Calculate the volume of Trophy X.

..... cm^3 **[3]**

(c) A third trophy, Trophy Z, is mathematically similar to Trophy X and has a volume of 1372 cm^3.
Calculate the height of Trophy Z.

..... cm **[3]**

(d) Trophy Y is melted down to make as many complete copies of Trophy X as possible.
The remaining metal is used to make a solid sphere of radius r cm. Calculate the value of r, giving your answer correct to 3 significant figures.

$r =$ ..... **[4]**

1 Scale factor $= \frac{6+3}{6} = 1.5$ (or ratio $\frac{QR}{8} = \frac{9}{6}$) **[M1]**

12 **[A1]**

[Back to Question] *[Total Marks: 2]*

2 **(a)** Finds scale factor: $\frac{4+6}{4} = 2.5$ **[M1]**

12.5 **[A1]**

(b) Uses area scale factor: $16 \times (2.5)^2$ **[M1]**

100 **[A1]**

[Back to Question] *[Total Marks: 4]*

3 **(a)** Linear scale factor $= \frac{4+2}{4} = 1.5$ (or equivalent ratio $\frac{6}{4}$) **[M1]**

7.5 **[A1]**

(b) Area of $ABC = 8 \times 1.5^2 = 18$ **[M1]**

10 **[A1]**

[Back to Question] *[Total Marks: 4]*

4 **(a)** Scale factor $= \frac{18}{6} = 3$ **[M1]**

15 **[A1]**

(b) Area scale factor $= 3^2 = 9$ **[M1]**

$\frac{72}{9} = 8$ **[A1]**

[Back to Question] *[Total Marks: 4]*

5 **(a)** Volume scale factor $= \left(\frac{15}{6}\right)^3 = \frac{125}{8}$ **[M1]**

$V_B = 48 \times \frac{125}{8} = 750$ **[A1]**

(b) Area scale factor $= \left(\frac{15}{6}\right)^2 = \frac{25}{4}$ **[M1]**

$A_A = 200 \div \frac{25}{4} = 32$ **[A1]**

[Back to Question] *[Total Marks: 4]*

6 **(a)** Length scale factor $= \frac{9}{3} = 3$ **[M1]**

15 **[A1]**

(b) Area scale factor $= 3^2 = 9$ **[M1]**

6 **[A1]**

[Back to Question] *[Total Marks: 4]*

7 **(a)** Scale factor $= \frac{4+2}{4} = 1.5$ (or $\frac{6}{4}$ or $\frac{3}{2}$) **[M1]**

7.5 **[A1]**

(b) Area scale factor $= 1.5^2 = 2.25$ **[M1]**

Area of triangle $ABC = 8 \times 2.25 = 18$ **[M1]**

10 **[A1]**

[Back to Question] *[Total Marks: 5]*

8 **(a)** Scale factor $= \frac{4+2}{4}$ or 1.5 **[M1]**

9 **[A1]**

(b) Area scale factor $= 1.5^2$ or 2.25 **[M1]**

Area of triangle $ABC = 32 \times 2.25$ or 72 **[M1]**

40 **[A1]**

[Back to Question] *[Total Marks: 5]*

9 **(a)** Identifies the scale factor is $\frac{AD+DB}{AD} = \frac{6}{4}$ or 1.5 **[M1]**

9 **[A1]**

(b) Uses the area scale factor: 1.5^2 or $\frac{9}{4}$ or 2.25 **[M1]**

Calculates the area of triangle ABC: $12 \times 2.25 = 27$ **[M1]**

15 **[A1]**

[Back to Question] *[Total Marks: 5]*

10 **(a)** Finds the linear scale factor: $\frac{15}{10} = 1.5$ (or $\frac{3}{2}$) **[M1]**

Finds the area scale factor: $1.5^2 = 2.25$ (or $\frac{9}{4}$) **[M1]**

$120 \times 2.25 = 270$ **[A1]**

(b) Finds the volume scale factor: $1.5^3 = 3.375$ (or $\frac{27}{8}$) **[M1]**

Sets up the correct division: $540 \div 3.375$ (or $540 \times \frac{8}{27}$) **[M1]**

160 **[A1]**

[Back to Question] *[Total Marks: 6]*

11 **(a)** $\frac{EF}{6} = \frac{10}{4}$ (or scale factor $= 2.5$) **[M1]**

15 **[A1]**

(b) $AC = 12.5 \times \frac{4}{10}$ (or $12.5 \div 2.5$) **[M1]**

5 **[A1]**

(c) Area scale factor $= \left(\frac{10}{4}\right)^2 = 6.25$ (or $\frac{25}{4}$) **[M1]**

$10 \times 6.25 = 62.5$ **[A1]**

[Back to Question] *[Total Marks: 6]*

12 **(a)** $\frac{6}{9} = \frac{8}{QR}$ or scale factor $= \frac{9}{6}$ (or 1.5) **[M1]**

12 **[A1]**

(b) $\frac{6}{9} = \frac{PT}{12}$ or $PT = 12 \div 1.5$ **[M1]**

8 **[A1]**

(c) Area scale factor $= \left(\frac{9}{6}\right)^2$ or 1.5^2 or 2.25 **[M1]**

Area of triangle $PQR = 20 \times 2.25 = 45$ **[M1]**

25 **[A1]**

[Back to Question] *[Total Marks: 7]*

13 **(a)** Area scale factor $= \frac{45}{20}$ or $\frac{9}{4}$ **[M1]**

Linear scale factor $= \sqrt{\frac{9}{4}} = \frac{3}{2}$ **[M1]**

Volume $B = 16 \times \left(\frac{3}{2}\right)^3 = 16 \times \frac{27}{8} = 54$ **[A1]**

(b) Height $A = 12 \div \frac{3}{2}$ or $12 \times \frac{2}{3}$ **[M1]**

8 **[A1]**

[Back to Question] *[Total Marks: 5]*

14 **(a)** Volume scale factor $= \frac{1350}{400} = \frac{27}{8}$ (or 3.375) **[M1]**

Linear scale factor $= \sqrt[3]{\frac{27}{8}} = \frac{3}{2}$ (or 1.5) **[M1]**

18 **[A1]**

(b) Area scale factor $= \left(\frac{3}{2}\right)^2 = \frac{9}{4}$ (or 2.25) **[M1]**

$\frac{360}{2.25} = 160$ **[A1]**

[Back to Question] *[Total Marks: 5]*

15 **(a)** Angle AEB = angle CED (vertically opposite angles) **[B1]**

Angle BAE = angle DCE (alternate angles, AB parallel to DC) **[B1]**

Angle ABE = angle CDE (alternate angles, AB parallel to DC), so all three angles are equal **[B1]**

(b) **(i)** $\frac{EC}{4} = \frac{9}{6}$ **[M1]**

6 **[A1]**

(ii) $\frac{BE}{12.5 - BE} = \frac{6}{9}$ (or $BE = \frac{2}{5} \times 12.5$) **[M1]**

5 **[A1]**

(c) $12 \times \left(\frac{9}{6}\right)^2$ **[M1]**

27 **[A1]**

[Back to Question] *[Total Marks: 9]*

16 **(a)** Angle A (or $\angle DAE$ and $\angle CAB$) is common **[B1]**

Angle ADE = Angle ACB (given) **[B1]**

Therefore the third angles are equal ($\angle AED = \angle ABC$) and the triangles are similar (AAA) **[B1]**

(b) Sets up correct ratio: $\frac{AD}{AC} = \frac{AE}{AB}$ or $\frac{x}{4+5} = \frac{4}{x+(x+1)}$ **[M1]**

$\frac{x}{9} = \frac{4}{2x+1}$ **[M1]**

$2x^2 + x - 36 = 0$ **[M1]**

$(2x+9)(x-4) = 0$ implies $x = 4$ (ignoring negative root) **[A1]**

(c) Area scale factor $= \left(\frac{4}{9}\right)^2 = \frac{16}{81}$ **[M1]**

16 : 65 **[A1]**

[Back to Question] *[Total Marks: 9]*

17 **(a)** Linear scale factor $= 14 \div 4$ or 3.5 **[M1]**

21 **[A1]**

(b) Area scale factor $= 3.5^2$ or 12.25 **[M1]**

104.125 **[A1]**

[Back to Question] *[Total Marks: 4]*

18 **(a)** Area scale factor $= \frac{800}{450}$ (or $\frac{16}{9}$) **[M1]**

Length scale factor $= \sqrt{\frac{16}{9}} = \frac{4}{3}$ and Volume scale factor $= \left(\frac{4}{3}\right)^3 = \frac{64}{27}$ **[M1]**

3200 **[A1]**

(b) Uses length scale factor: $48 \div \frac{4}{3}$ (or $48 \times \frac{3}{4}$) **[M1]**

36 **[A1]**

[Back to Question] *[Total Marks: 5]*

19 **(a)** Volume scale factor $= \frac{1200}{150} = 8$ **[M1]**

Length scale factor $= \sqrt[3]{8} = 2$ **[M1]**

24 **[A1]**

(b) Area scale factor $= 2^2 = 4$ **[M1]**

110 **[A1]**

[Back to Question] *[Total Marks: 5]*

20 **(a)** Volume scale factor $= \frac{1080}{320}$ or $\frac{27}{8}$ or 3.375 **[M1]**

Linear scale factor $= \sqrt[3]{\frac{27}{8}}$ or 1.5 **[M1]**

27 **[A1]**

(b) Area scale factor $= 1.5^2$ or 2.25 or $\frac{9}{4}$ **[M1]**

Surface area of $A = 630 \div 2.25$ or $630 \times \frac{4}{9}$ **[M1]**

280 **[A1]**

[Back to Question] *[Total Marks: 6]*

21 **(a)** Volume scale factor $= \left(\frac{30}{12}\right)^3$ or 2.5^3 or 15.625 **[M1]**

5000 **[A1]**

(b) Area scale factor $= \left(\frac{30}{12}\right)^2$ or 2.5^2 or 6.25 **[M1]**

$1125 \div 6.25 = 180$ **[A1]**

(c) $4.80 \times \left(\frac{30}{12}\right)^3$ or 4.80×15.625 **[M1]**

75 or 75.00 **[A1]**

[Back to Question] *[Total Marks: 6]*

22 **(a)** Volume scale factor $= \dfrac{8640}{320} = 27$ **[M1]**

Length scale factor $= \sqrt[3]{27} = 3$ **[M1]**

36 **[A1]**

(b) Area scale factor $= 3^2 = 9$ **[M1]**

250 **[A1]**

(c) Mass $= 8.5 \times 320 = 2720\,\text{g}$ **[M1]**

2.72 **[A1]**

[Back to Question] *[Total Marks: 7]*

23 **(a)** Angle A is common to both triangles **[B1]**

Angle ABC = Angle ADE (corresponding angles as BC is parallel to DE) **[B1]**

(b) $\dfrac{DE}{7.5} = \dfrac{6+4}{6}$ **[M1]**

12.5 **[A1]**

(c) Area scale factor $= \left(\dfrac{10}{6}\right)^2 = \dfrac{25}{9}$ **[M1]**

Area of $ADE = 18 \times \dfrac{25}{9} = 50$ **[M1]**

Area of $BCED = 50 - 18 = 32$ **[A1]**

[Back to Question] *[Total Marks: 7]*

24 **(a)** States that angle A is common to both triangles. **[B1]**

States that angle ADE = angle ABC (and/or angle AED = angle ACB) because they are corresponding angles (due to parallel lines). **[B1]**

(b) Calculates the full length of AB: $6 + 4 = 10$ **[M1]**

Finds the linear scale factor: $\dfrac{10}{6} = \dfrac{5}{3}$ and sets up equation $BC = 9 \times \dfrac{5}{3}$ **[M1]**

15 **[A1]**

(c) Finds the area scale factor: $\left(\dfrac{5}{3}\right)^2 = \dfrac{25}{9}$ **[M1]**

Calculates the area of triangle ABC: $27 \times \dfrac{25}{9} = 75$ **[M1]**

Calculates the area of the trapezium: $75 - 27 = 48$ **[A1]**

[Back to Question] *[Total Marks: 8]*

25 **(a)** Linear scale factor $= \dfrac{45}{15} = 3$ **[M1]**

Mass (Volume) scale factor $= 3^3 = 27$ **[M1]**

13.5 **[A1]**

(b) Mass scale factor from P to $R = \dfrac{4000}{500} = 8$ **[M1]**

Linear scale factor $= \sqrt[3]{8} = 2$ **[M1]**

30 **[A1]**

(c) Area scale factor from P to $Q = 3^2 = 9$ **[M1]**

270 **[A1]**

[Back to Question] *[Total Marks: 8]*

26 (a) Calculates the volume ratio: $\dfrac{1080}{320} = \dfrac{27}{8}$ or 3.375 **[M1]**

Calculates the length scale factor: $\sqrt[3]{\dfrac{27}{8}} = \dfrac{3}{2}$ or 1.5 **[M1]**

18 **[A1]**

(b) Uses the area scale factor: $450 \div 1.5^2$ or $450 \times \left(\dfrac{2}{3}\right)^2$ **[M1]**

200 **[A1]**

(c) Calculates the volume of cone R: $320 + 1080 = 1400$ **[B1]**

Finds the length scale factor from P to R: $\sqrt[3]{\dfrac{1400}{320}}$ or $\sqrt[3]{4.375}$ **[M1]**

Calculates the height of R: $12 \times \sqrt[3]{4.375} = 19.626\ldots$ and rounds to 19.6 **[A1]**

[Back to Question] *[Total Marks: 8]*

27 (a) Angle AXB = Angle CXD (vertically opposite) **[B1]**

Angle ABX = Angle CDX (alternate angles, AB parallel to DC) **[B1]**

(Accept Angle BAX = Angle DCX for the second B1 mark)

(b) Length scale factor $= \dfrac{15}{9} = \dfrac{5}{3}$ **[M1]**

$DX = 6 \times \dfrac{5}{3} = 10$ **[M1]**

$BD = 6 + 10 = 16$ **[A1]**

(c) Area scale factor $= \left(\dfrac{15}{9}\right)^2 = \dfrac{25}{9}$ **[M1]**

Area $= 27 \times \dfrac{25}{9} = 75$ **[A1]**

(d) Ratio of bases $\dfrac{CX}{AX} = \dfrac{15}{9} = \dfrac{5}{3}$ **[M1]**

Area $= 27 \times \dfrac{5}{3} = 45$ **[A1]**

[Back to Question] *[Total Marks: 9]*

28 **(a)** $\dfrac{4}{4+x} = \dfrac{5}{7+x}$ OR $\dfrac{4}{x} = \dfrac{5}{x+2}$ **[M1]**

$4(x+7) = 5(x+4)$ OR $4(x+2) = 5x$ **[M1]**

$x = 8$ **[A1]**

(b) Linear scale factor $= \dfrac{4+8}{4} = 3$ **[M1]**

$BC = 3.5 \times 3 = 10.5$ **[A1]**

(c) Area of $\triangle ABC = 3^2 \times A = 9A$ **[M1]**

Area of trapezium $= 9A - A = 8A$ **[A1]**

[Back to Question] *[Total Marks: 7]*

29 **(a)** Volume ratio $A : B = \dfrac{108}{500} = \dfrac{27}{125}$ **[M1]**

Area ratio $= \left(\sqrt[3]{\dfrac{27}{125}}\right)^2 = \left(\dfrac{3}{5}\right)^2 = \dfrac{9}{25}$ **[M1]**

Let surface areas be $9x$ and $25x$. $9x + 25x = 340 \implies 34x = 340 \implies x = 10$ **[M1]**

$25 \times 10 = 250$ **[A1]**

(b) Volume of small cone $= 1 - \dfrac{7}{8} = \dfrac{1}{8}$ of Cone B **[M1]**

Ratio of heights $= \sqrt[3]{\dfrac{1}{8}} = \dfrac{1}{2}$ **[M1]**

Height of small cone $= 20 \times \dfrac{1}{2} = 10$ **[A1]**

[Back to Question] *[Total Marks: 7]*

30 **(a)** $\angle AXB = \angle DXC$ (vertically opposite angles) **[B1]**

$\angle BAX = \angle CDX$ OR $\angle ABX = \angle DCX$ (angles in the same segment) **[B1]**

Third angle in triangle OR states the other pair of angles in the same segment, concluding triangles are similar (AAA) **[B1]**

(b) Linear scale factor $= \dfrac{7.5}{5} = 1.5$ OR $\dfrac{DX}{4} = \dfrac{7.5}{5}$ **[M1]**

$DX = 6$ **[A1]**

$DC = 9$ **[A1]**

(c) Area scale factor $= 1.5^2 = 2.25$ **[M1]**

26.55 **[A1]**

[Back to Question] *[Total Marks: 8]*

31 **(a)** $\angle AXB = \angle DXC$ because they are vertically opposite angles **[B1]**

$\angle BAX = \angle CDX$ (or $\angle ABX = \angle DCX$) because they are angles subtended by the same arc in the same segment **[B1]**

Therefore, the triangles are similar by AAA similarity **[B1]**

(b) Uses property of intersecting chords (or similar triangle ratios):
$(x+2)(x-2) = (x-3)(x+4)$ **[M1]**

Expands brackets correctly: $x^2 - 4 = x^2 + x - 12$ **[M1]**

8 **[A1]**

(c) Calculates side lengths $AX = 10$ and $DX = 12$, and sets up area scale factor: $45 \times \left(\frac{10}{12}\right)^2$ **[M1]**

31.25 **[A1]**

[Back to Question] *[Total Marks: 8]*

32 (a) $\frac{x+2}{(x+2)+(x-1)} = \frac{8}{8+x}$ or $\frac{x+2}{x-1} = \frac{8}{x}$ **[M1]**

$(x+2)(x+8) = 8(2x+1)$ or $x(x+2) = 8(x-1)$ **[M1]**

$x^2 + 10x + 16 = 16x + 8$ or $x^2 + 2x = 8x - 8$ leading to $x^2 - 6x + 8 = 0$ **[A1]**

(b) $(x-2)(x-4) = 0$ **[M1]**

2 and 4 **[A1]**

(c) When $x = 4$, length ratio $\frac{AD}{AB} = \frac{6}{9} = \frac{2}{3}$ **[M1]**

Area of $ABC = 24 \div \left(\frac{2}{3}\right)^2 = 54$ **[M1]**

30 **[A1]**

[Back to Question] *[Total Marks: 8]*

33 (a) Angle A is common to both triangles **[B1]**

Angle AED = Angle ABC (given in the question) **[B1]**

Therefore, Angle ADE = Angle ACB (sum of angles in a triangle is 180°), so the triangles are similar (AAA) **[B1]**

(b) $AB = 6 + 9 = 15$ cm **[M1]**

$\frac{AC}{AD} = \frac{AB}{AE} \implies \frac{AC}{6} = \frac{15}{5}$ **[M1]**

$AC = 18$, so $EC = 18 - 5 = 13$ **[A1]**

(c) Area scale factor for the triangles $= \left(\frac{5}{15}\right)^2 = \frac{1}{9}$ **[M1]**

1 : 8 **[A1]**

[Back to Question] *[Total Marks: 8]*

34 (a) States that angle BAX = angle DCX OR angle ABX = angle CDX due to alternate angles (between parallel lines) **[B1]**

States a second valid pair of angles are equal (e.g. vertically opposite angles at X or the other pair of alternate angles) concluding the triangles are similar (AAA) **[B1]**

(b) Identifies the length scale factor: $\frac{10.5}{7}$ or 1.5 **[M1]**

Calculates $CX = 4 \times 1.5 = 6$ **[M1]**

10 **[A1]**

(c) Calculates the area of triangle CDX: $16 \times 1.5^2 = 36$ **[M1]**

Recognises the ratio of areas of triangle BCX to triangle ABX is equal to the ratio of bases $CX : AX = 1.5 : 1$ (as they share the same height from B) **[M1]**

Calculates the area of triangle BCX (or ADX): $16 \times 1.5 = 24$ **[M1]**

Total area $= 16 + 36 + 24 + 24 = 100$ **[A1]**

[Back to Question] *[Total Marks: 9]*

35 (a) Angle A is common to both triangles **[B1]**

Angle ABC = Angle AED (given), so the third angles must be equal, hence AA similarity **[B1]**

(b) 2.5 or $\frac{5}{2}$ **[B1]**

(c) $\frac{AB}{AE} = 2.5 \implies \frac{2x + 2.5}{x} = 2.5$ (or equivalent valid ratio) **[M1]**

$2x + 2.5 = 2.5x$ **[M1]**

$x = 5$ **[A1]**

(d) Area scale factor $= 2.5^2 = 6.25$ **[M1]**

Formulates correct equation for areas, e.g., $6.25A - A = 42$ or $5.25A = 42$ **[M1]**

8 **[A1]**

[Back to Question] *[Total Marks: 9]*

36 (a) $\angle AXB = \angle CXD$ because they are vertically opposite angles **[B1]**

$\angle BAX = \angle DCX$ (or $\angle ABX = \angle CDX$) because they are alternate angles, $AB \parallel DC$ **[B1]**

All three pairs of corresponding angles are equal, so the triangles are similar (AAA) **[B1]**

(b) $\frac{2x - 3}{x} = \frac{6}{4}$ or equivalent **[M1]**

$4(2x - 3) = 6x$ or $2x - 3 = 1.5x$ **[M1]**

$0.5x = 3$ leading to $x = 6$ **[A1]**

(c) Area of triangle $CDX = 24 \times 1.5^2$ or 54 **[M1]**

Recognises triangle BCX shares altitude with ABX and base ratio is $6 : 4$ **[M1]**

Area of triangle BCX (and triangle ADX) $= 24 \times 1.5$ or 36 **[M1]**

Total area $= 24 + 54 + 36 + 36 = 150$ **[A1]**

[Back to Question] *[Total Marks: 10]*

37 **(a)** Finds the volume scale factor: $\frac{2700}{800} = 3.375$ (or $\frac{27}{8}$) **[M1]**

Finds the linear scale factor by cube rooting: $\sqrt[3]{3.375} = 1.5$ **[M1]**

$12 \times 1.5 = 18$ **[A1]**

(b) Finds the area scale factor from the linear scale factor: $1.5^2 = 2.25$ **[M1]**

Sets up the multiplication for the cost: 18×2.25 **[M1]**

40.50 **[A1]**

(c) Identifies the area scale factor between C and A is 1.44 **[B1]**

Finds the linear scale factor: $\sqrt{1.44} = 1.2$ **[M1]**

Finds the volume scale factor: $1.2^3 = 1.728$ **[M1]**

Calculates the volume of C: $800 \times 1.728 = 1382.4$ **[A1]**

[Back to Question] *[Total Marks: 10]*

38 **(a)** Slant height $l = \sqrt{10^2 + 24^2} = 26$ **[M1]**

Surface Area $= \pi(10)^2 + \pi(10)(26)$ **[M1]**

360π **[A1]**

(b) $V_A = \frac{1}{3}\pi(10)^2(24) = 800\pi$ **[M1]**

Volume Ratio $= \frac{100\pi}{800\pi} = \frac{1}{8}$ **[M1]**

Area Ratio $= \left(\frac{1}{8}\right)^{\frac{2}{3}} = \frac{1}{4}$ **[M1]**

Surface Area of $B = 360\pi \times \frac{1}{4} = 90\pi$ **[A1]**

(c) Volume of frustum $= 800\pi - 100\pi = 700\pi$ **[M1]**

$\frac{4}{3}\pi R^3 = 700\pi$ **[M1]**

$R^3 = 700 \times \frac{3}{4} = 525$ **[M1]**

$R = \sqrt[3]{525} = 8.07$ (accept $8.066\ldots$) **[A1]**

[Back to Question] *[Total Marks: 11]*

39 **(a)** $320 \times \left(\frac{24}{15}\right)^2$ **[M1]**

819.2 **[A1]**

(b) $\frac{V_X}{2048} = \left(\frac{15}{24}\right)^3$ **[M1]**

Volume scale factor $= 1.6^3 = 4.096$ (or $\frac{512}{125}$) **[M1]**

500 **[A1]**

(c) $\dfrac{h_Z}{15} = \sqrt[3]{\dfrac{1372}{500}}$ **[M1]**

Scale factor $= \sqrt[3]{2.744} = 1.4$ **[A1]**

$15 \times 1.4 = 21$ **[A1]**

(d) Number of complete copies $= 4$ (from $\dfrac{2048}{500} = 4.096$) **[M1]**

Remaining volume $= 2048 - 4 \times 500 = 48$ cm^3 **[A1]**

$\dfrac{4}{3}\pi r^3 = 48$ giving $r^3 = \dfrac{36}{\pi}$ $(= 11.459\ldots)$ **[M1]**

2.25 **[A1]**

[Back to Question] *[Total Marks: 12]*