IGCSE 0607 Practice Questions — E5.6 — Combined Questions & Markscheme


Circle theorems I

Total Questions: 30 — **Total Marks:** 170 Marks

Table of Contents & Quick Navigation

- **E5.6** Circle theorems I
  → **Paper 2 (Non-Calculator)** *(17 Qs)* · **Paper 4 (Calculator)** *(13 Qs)*

1 Points A, B and C lie on a circle, centre O.
Angle $AOB = 130°$.




(a) Find the size of angle ACB.

..... ° **[1]**

(b) Find the size of angle OAB.

..... ° **[2]**

2 A, B and C are points on a circle, center O.
Angle $ABC = 58°$.




(a) Work out the obtuse angle AOC.

Angle $AOC =$ ..... ° **[1]**

(b) Work out angle OAC.

Angle $OAC =$ ..... ° **[2]**

3 A, B, C and D are points on a circle, centre O.
Angle $AOB = 110°$.



NOT TO SCALE

(a) Find the size of angle ACB.

Angle $ACB =$ ..... ° **[1]**


(b) Find the size of angle ADB.

Angle $ADB =$ ..... ° **[1]**

(c) State the geometrical reason for your answer to part (b).

..... **[1]**

4 A, B, C and D are points on a circle, center O.
Angle $ABC = 56°$.



(a) Calculate the obtuse angle AOC.

..... ° **[1]**


(b) Calculate angle ADC.

..... ° **[1]**

(c) State the geometric reason for your answer to part (b).

..... **[1]**

5 Points A, B, C and D lie on the circumference of a circle, center O.
Angle $AOB = 130°$.




(a) Calculate angle ACB.

..... ° **[1]**

(b) Calculate angle ADB.

..... ° **[2]**

6 A, B, C and D are points on the circumference of a circle, centre O.
Angle $BDC = 42°$ and angle $CBD = 65°$.



(a) Find angle BAC.

Angle BAC = ... ° **[1]**


(b) Find angle BCD.

Angle BCD = ... ° **[1]**

(c) Find angle BAD.

Angle BAD = ... ° **[2]**

7 The diagram shows a circle with centre O.
The points A, B, C and D lie on the circumference of the circle.
Angle $AOB = 110°$ and angle $BDC = 30°$.



(a) Calculate angle ACB.

..... ° **[1]**

(b) State the geometrical reason for your answer to part (a).

..... **[1]**


(c) Calculate angle BAC.

..... ° **[1]**

(d) Calculate angle OAB.

..... ° **[2]**

8 A, B, C and D are points on the circumference of a circle, centre O.
Angle $AOC = 124°$.



(a) Calculate angle ABC.

..... ° **[2]**


(b) Calculate angle ADC.

..... ° **[2]**

(c) Calculate angle OAC.

..... ° **[2]**

9 A, B and C are points on a circle, centre O.
TA is a tangent to the circle at A.
C is a point on the major arc AB.
Angle $TAB = 42°$ and angle $BOC = 110°$.



(a) Write down the value of

(i) angle BCA,

Angle $BCA =$ ..... ° **[1]**

(ii) angle BAC.

Angle $BAC =$ ..... ° **[1]**


(b) Calculate angle OAB.

Angle $OAB =$ ..... ° **[2]**

(c) Calculate angle ABC.

Angle $ABC =$ ..... ° **[2]**

10 P, Q, R and S are points on a circle.
TQU is a tangent to the circle at Q.
Angle $RQU = 55°$ and Angle $QPS = 100°$.



NOT TO SCALE

(a) Find the size of angle QSR.

Angle $QSR =$ ..... ° **[1]**


(b) Find the size of angle QRS.

Angle $QRS =$ ..... ° **[2]**

(c) Calculate the size of angle SQR.

Angle $SQR =$ ..... ° **[2]**

11 Points P, Q, R and S lie on a circle.
The straight line XPT is a tangent to the circle at P.
Angle $QPT = 42°$, angle $PQR = 105°$ and angle $SPR = 48°$.



(a) Find the size of angle PRQ.

..... ° **[1]**

(b) Find the size of angle PSR.

..... ° **[1]**


(c) Find the size of angle PRS.

..... ° **[2]**

(d) Find the size of angle XPS.

..... ° **[1]**

12 In the diagram, AB is a diameter of the circle, center O.
The line XAY is a tangent to the circle at A.
C and D are points on the circle.
Angle $XAC = 54°$.



(a) **(i)** Write down the size of angle ACB.

..... ° **[1]**

(ii) Give a geometric reason for your answer.

..... **[1]**


(b) Find angle ABC.

..... ° **[1]**

(c) Find angle ADC.

..... ° **[2]**

13 P, Q and R are points on a circle, centre O.
ST is a tangent to the circle at R.
Angle $PQR = 118°$.



(a) Find reflex angle POR.

Reflex angle $POR =$ ..... ° **[2]**


(b) Find obtuse angle POR.

Obtuse angle $POR =$ ..... ° **[1]**

(c) Find angle PRS.

Angle $PRS =$ ..... ° **[2]**

14 A, B, C and D are points on a circle.
AB is a diameter of the circle.
$CD = CB$ and angle $CAB = 28°$.



(a) (i) Find angle CBA.

Angle $CBA =$ ..... ° **[1]**

(ii) Give a geometrical reason for your answer.

..... **[1]**


(b) Find angle CAD.

Angle $CAD =$ ..... ° **[1]**

(c) Find angle ADC.

Angle $ADC =$ ..... ° **[2]**

15 A, B, C and D lie on a circle, centre O.
AB is a diameter of the circle.
The line XY is a tangent to the circle at B.
Angle $CBY = 58°$.



(a) (i) Find angle BAC.

..... ° **[1]**

(ii) State the circle theorem that gives this angle directly from angle CBY.

..... **[1]**


(b) Calculate angle ABC.

..... ° **[3]**

(c) Calculate angle ADC.

..... ° **[2]**

16 A, B, C and D are points on a circle, center O.
AD is a diameter of the circle.
PAT is a tangent to the circle at A.
Angle $PAB = 58°$ and angle $BDC = 22°$.



(a) Calculate angle ADB.

Angle ADB = ... ° **[2]**


(b) Calculate angle ABC.

Angle ABC = ... ° **[2]**

(c) Calculate angle OBC.

Angle OBC = ... ° **[3]**

17 A, B and C are points on a circle, center O.
The lines TA and TC are tangents to the circle at A and C respectively.
Angle $ATC = 48°$.



(a) Calculate angle AOC.

..... ° **[2]**


(b) Calculate angle ABC.

..... ° **[1]**

(c) Calculate angle OAC.

..... ° **[2]**

18 P, Q, R and S are points on a circle, center O.
PR is a diameter of the circle.
TPV is a tangent to the circle at P.
Angle $QPR = 32°$ and angle $RPS = 41°$.



(a) Calculate angle PRQ.

Angle $PRQ =$ ..... ° **[2]**


(b) Calculate angle TPQ.

Angle $TPQ =$ ..... ° **[2]**

(c) Calculate angle PQS.

Angle $PQS =$ ..... ° **[2]**

19 The diagram shows a circle with centre O.
The line PAQ is a tangent to the circle at the point A.
The points B, C and D lie on the circle.
Angle $QAB = 62°$.



(a) Calculate angle ACB and give a geometrical reason for your answer.

$Angle ACB =$ ..... ° , Reason: ..... **[2]**


(b) Calculate angle ADB.

..... ° **[2]**

(c) Calculate angle OBA.

..... ° **[2]**

20 A, B, C and Q are points on a circle, center O.
The line PQR is a tangent to the circle at Q.
The chord AB is parallel to PR.
Angle $AQR = 58°$.



(a) **(i)** Find the size of angle ABQ.

..... ° **[1]**

(ii) Give a geometric reason for your answer.

..... **[1]**


(b) Find angle AOB.

..... ° **[2]**

(c) Find angle ACB.

..... ° **[2]**

21 A, B, C and D are points on a circle, centre O.
AB is a diameter of the circle.
PQ is a tangent to the circle at C.
Angle $CAB = (2x - 5)°$ and Angle $BCQ = (x + 17)°$.



NOT TO SCALE

(a) Set up an equation in terms of x and solve it to show that $x = 22$.
Give a geometrical reason to justify your equation.

[3]


(b) Work out the size of angle CBA.

Angle $CBA =$ ..... ° **[2]**

(c) Find the size of angle ADC.

Angle $ADC =$ ..... ° **[2]**

22 Points A, B, C and D lie on a circle.
The straight line PAQ is a tangent to the circle at A.
Angle $PAB = (2x + 10)°$, angle $ABC = (3x - 5)°$ and angle $CAQ = (x + 25)°$.
D is a point on the major arc BC.



(a) Find the value of x.
Show all your working.

$x =$ ..... **[3]**


(b) Find the size of angle BAC.

..... ° **[2]**

(c) Find the size of angle BDC.

..... ° **[2]**

23 TA and TB are tangents to a circle, centre O, at the points A and B.
C is a point on the major arc AB and D is a point on the minor arc AB.
Angle $ATB = (x + 10)°$
Angle $TAB = (2y - 10)°$
Angle $ACB = (3y - 40)°$



(a) Find the value of y.

$y =$ ..... **[3]**


(b) Find the value of x.

$x =$ ..... **[2]**

(c) Find angle ADB.

Angle $ADB =$ ..... ° **[2]**

24 A, B, C and D are points on a circle, centre O.
TA and TC are tangents to the circle at A and C.
Angle $ATC = 48°$ and angle $CAD = 31°$.



(a) **(i)** Find angle ABC.

Angle $ABC =$ ..... ° **[2]**

(ii) Find angle ADC.

Angle $ADC =$ ..... ° **[2]**


(iii) Find angle ACD.

Angle $ACD =$ ..... ° **[1]**

(iv) Calculate angle AOC.

Angle $AOC =$ ..... ° **[2]**

25 A, B and C are points on a circle, center O.
The straight line PTQ is a tangent to the circle at the point T.
$\angle ATP = (4x - 5)^\circ$ and $\angle ABT = (2x + 25)^\circ$
$\angle BTQ = (3y)^\circ$ and $\angle BAT = (y + 12)^\circ$



(a) Use the alternate segment theorem to find the values of x and y.

$x =$ ..... , $y =$ ..... **[4]**


(b) Calculate angle ATB.

..... ° **[2]**

(c) C is a point on the minor arc AT.
Calculate angle ACT.

..... ° **[2]**

26 The diagram shows a circle with centre O.
The lines TA and TB are tangents to the circle at the points A and B.
C is a point on the major arc AB.
Angle $ATB = x°$ and angle $ACB = (2x - 30)°$.



(a) (i) Find the value of x.

$x =$ ..... **[4]**


(ii) Calculate angle OAB.

..... ° **[2]**

(b) D is a point on the minor arc AB.
Calculate angle ADB.

..... ° **[2]**

27 PA and PB are tangents to a circle, centre O, from a point P.
C is a point on the major arc AB.
Angle $APB = 4x°$.
Angle $ACB = (3x - 10)°$.



(a) Find an expression for angle PAB in terms of x.

..... ° **[3]**

(b) Use the alternate segment theorem to form an equation in x, and show that $x = 20$.

[3]


(c) Calculate angle AOB.

..... ° **[3]**

(d) D is a point on the minor arc AB.
Calculate angle ADB.

..... ° **[3]**

28 The diagram shows a circle, centre O.
A, B and P are points on the circumference.
AB is a diameter of the circle.
The line TC is a tangent to the circle at the point P.
Angle $BPC = 34°$.



NOT TO SCALE


(a) Write down the value of angle PAB.

Angle PAB = ... ° **[1]**

(b) Work out the value of angle POB.

Angle POB = ... ° **[2]**

29 A, B, C and D lie on a circle, centre O.
Angle $ABC = (x + 32)°$ and the obtuse angle $AOC = (4x - 20)°$.
The line AD is extended to the point E.




(a) Find the value of x.

$x =$ ..... **[3]**

(b) Work out the size of angle CDE.

Angle $CDE =$ ..... ° **[2]**

30 The diagram shows a circle containing the points A, B, C and D.
The straight line PAQ is a tangent to the circle at A.
The chords AC and BD intersect.
Angle $PAD = (2x + 3y)^\circ$ and angle $ABD = (x + 2y + 10)^\circ$.
Angle $BAC = (3x - y)^\circ$ and angle $BDC = (x + y + 8)^\circ$.



NOT TO SCALE

(a) **(i)** Use the circle theorems to write down two equations in x and y.

[2]

(ii) Solve your equations to find the value of x and the value of y.
Show all your working.

$x =$ ..... , $y =$ ..... **[3]**

(b) Given that angle $ABC = 95^\circ$, work out the size of angle QAB.

Angle $QAB =$ ..... ° **[3]**

1 **(a)** 65 **[B1]**

(b) Uses isosceles triangle OAB, e.g. $\frac{180-130}{2}$ **[M1]**

25 **[A1]**

[Back to Question] *[Total Marks: 3]*

2 **(a)** 116 **[B1]**

(b) $\frac{180-116}{2}$ **[M1]**

32 **[A1]**

[Back to Question] *[Total Marks: 3]*

3 **(a)** 55 **[B1]**

(b) 55 **[B1]**

(c) Angles in the same segment (are equal) **[B1]**

[Back to Question] *[Total Marks: 3]*

4 **(a)** 112 **[B1]**

(b) 124 **[B1]**

(c) Opposite angles of a cyclic quadrilateral sum to 180° **[B1]**

[Back to Question] *[Total Marks: 3]*

5 **(a)** 65 **[B1]**

(b) $180 - 65$ **[M1]**

115 **[A1]**

[Back to Question] *[Total Marks: 3]*

6 **(a)** 42 **[B1]**

(b) $180 - (42 + 65) = 73$ **[B1]**

(c) Angle BAD + Angle $BCD = 180$ (cyclic quadrilateral) **[M1]**

$180 - 73 = 107$ **[A1]**

[Back to Question] *[Total Marks: 4]*

7 **(a)** 55 **[B1]**

(b) Angle at the centre is twice the angle at the circumference. **[B1]**

(c) 30 **[B1]**

(d) $(180 - 110) \div 2$ **[M1]**

35 **[A1]**

[Back to Question] *[Total Marks: 5]*

8 **(a)** Angle at centre is twice the angle at the circumference **[M1]**

62 **[A1]**

(b) Opposite angles in a cyclic quadrilateral sum to 180° **[M1]**

$180 - 62 = 118$ **[A1]**

(c) Triangle OAC is isosceles ($OA = OC$) **[M1]**

$(180 - 124) \div 2 = 28$ **[A1]**

[Back to Question] *[Total Marks: 6]*

9 **(a)** **(i)** 42 **[B1]**

(ii) 55 **[B1]**

(b) $90 - 42$ **[M1]**

48 **[A1]**

(c) $180 - (55 + 42)$ **[M1]**

83 **[A1]**

[Back to Question] *[Total Marks: 6]*

10 **(a)** 55 **[B1]**

(b) Uses opposite angles of a cyclic quadrilateral (e.g., $180 - 100$) **[M1]**

80 **[A1]**

(c) Uses angles in a triangle sum to 180° (e.g., $180 - (55 + 80)$) **[M1]**

45 **[A1]**

[Back to Question] *[Total Marks: 5]*

11 **(a)** 42 **[B1]**

(b) 75 **[B1]**

(c) Uses sum of angles in triangle PRS equal to 180° $(180 - 75 - 48)$ **[M1]**

57 **[A1]**

(d) 57 **[B1]**

[Back to Question] *[Total Marks: 5]*

12 **(a)** **(i)** 90 **[B1]**

(ii) Angle in a semicircle is 90° **[B1]**

(b) 54 **[B1]**

(c) $180 - 54$ **[M1]**

126 **[A1]**

[Back to Question] *[Total Marks: 5]*

13 **(a)** Angle at centre = 2× angle at circumference **[M1]**

$118 \times 2 = 236$ **[A1]**

(b) $360 - 236 = 124$ **[B1]**

(c) Triangle POR is isosceles, so angle OPR = angle $ORP = \frac{180 - 124}{2} = 28°$ **[M1]**

Angle $ORS = 90°$ (tangent-radius), so angle $PRS = 90 - 28 = 62$ **[A1]**

[Back to Question] *[Total Marks: 5]*

14 **(a)** **(i)** 62 **[B1]**

(ii) Angle in a semicircle (is 90°) **[B1]**

(b) 28 **[B1]**

(c) Angle $ABC = 62°$ OR Angle $ADB = 90°$ **[M1]**

118 **[A1]**

[Back to Question] *[Total Marks: 5]*

15 **(a)** **(i)** 58 **[B1]**

(ii) Alternate segment theorem **[B1]**

(b) Angle in a semicircle is 90° (Angle $ACB = 90°$) **[M1]**

$180 - 90 - 58$ **[M1]**

32 **[A1]**

(c) $180 - 32$ **[M1]**

148 **[A1]**

[Back to Question] *[Total Marks: 7]*

16 **(a)** Angle $PAD = 90°$ OR Angle $DAB = 90 - 58 = 32°$ **[M1]**

58 **[A1]**

(b) Angle $ADC = 58 + 22 = 80°$ **[M1]**

$180 - 80 = 100$ **[A1]**

(c) Angle $BOC = 2 \times 22 = 44°$ **[M1]**

$\frac{180 - 44}{2}$ **[M1]**

68 **[A1]**

[Back to Question] *[Total Marks: 7]*

17 (a) Recognition that tangent meets radius at 90°, so $\angle OAT = \angle OCT = 90°$ **[M1]**

$180 - 48 = 132$ **[A1]**

(b) 66 **[B1]**

(c) Use of isosceles triangle OAC ($OA = OC$ radii): $(180 - 132) \div 2$ **[M1]**

OR $\angle TAC = (180 - 48) \div 2 = 66°$ leading to $\angle OAC = 90 - 66$ **[M1]**

24 **[A1]**

[Back to Question] *[Total Marks: 5]*

18 (a) Angle $PQR = 90°$ **[M1]**

$180 - 90 - 32 = 58$ **[A1]**

(b) Angle $TPR = 90°$ **[M1]**

$90 - 32 = 58$ **[A1]**

(c) Angle $PRS = 180 - 90 - 41 = 49°$ **[M1]**

49 **[A1]**

[Back to Question] *[Total Marks: 6]*

19 (a) Angle $ACB = 62$ **[B1]**

Alternate segment theorem **[B1]**

(b) $180 - 62$ **[M1]**

118 **[A1]**

(c) Angle $OAB = 90 - 62 = 28°$ **[M1]**

28 (since triangle OAB is isosceles) **[A1]**

[Back to Question] *[Total Marks: 6]*

20 (a) (i) 58 **[B1]**

(ii) Alternate segment theorem **[B1]**

(b) Angle $AQB = 180 - 58 - 58 = 64°$ or Angle $BAQ = 58°$ **[M1]**

128 **[A1]**

(c) Angle $ACB = 180 - 64$ (using cyclic quadrilateral $ACBQ$) **[M1]**

116 **[A1]**

[Back to Question] *[Total Marks: 6]*

21 **(a)** States Angle CAB = Angle BCQ because of the alternate segment theorem **[B1]**

$2x - 5 = x + 17$ **[M1]**

$x = 22$ **[A1]**

(b) Identifies angle $ACB = 90°$ (angle in a semicircle) or calculates angle $CAB = 39°$ **[M1]**

51 **[A1]**

(c) Angle $ADC = 180 - 51$ (Opposite angles of cyclic quadrilateral sum to 180°) **[M1]**

129 **[A1]**

[Back to Question] *[Total Marks: 7]*

22 **(a)** Identifies angle ABC = angle CAQ (alternate segment theorem) OR angle ACB = angle PAB **[M1]**

Sets up the equation: $3x - 5 = x + 25$ **[M1]**

$x = 15$ **[A1]**

(b) Calculates angle $ABC = 40°$ and angle $ACB = 40°$ (or uses angles on straight line PQ) **[M1]**

100 **[A1]**

(c) Uses opposite angles of cyclic quadrilateral $ABDC$ sum to 180° $(180 - 100)$ **[M1]**

80 **[A1]**

[Back to Question] *[Total Marks: 7]*

23 **(a)** Angle TAB = angle ACB (alternate segment theorem) **[M1]**

$2y - 10 = 3y - 40$ **[M1]**

30 **[A1]**

(b) $x + 10 = 180 - 2(50)$ **[M1]**

70 **[A1]**

(c) Angle $ADB = 180 - 50$ (opposite angles of cyclic quadrilateral) **[M1]**

130 **[A1]**

[Back to Question] *[Total Marks: 7]*

24 **(a)** **(i)** Angle ACT = Angle $CAT = \dfrac{180 - 48}{2} = 66°$ **[M1]**

Angle ABC = Angle $ACT = 66$ (alternate segment theorem) **[A1]**

(ii) Cyclic quadrilateral $ABCD$, so angle $ADC = 180 - 66$ **[M1]**

114 **[A1]**

(iii) $180 - (114 + 31) = 35$ **[B1]**

(iv) Angle at centre $= 2\times$ angle at circumference **[M1]**

$2 \times 66 = 132$ **[A1]**

[Back to Question] *[Total Marks: 7]*

25 **(a)** Sets up equation for x: $2x + 25 = 4x - 5$ **[M1]**

$x = 15$ **[A1]**

Sets up equation for y: $y + 12 = 3y$ **[M1]**

$y = 6$ **[A1]**

(b) Evaluates angles on straight line: $180 - (4(15) - 5) - 3(6)$ OR evaluates angles in triangle $180 - (2(15) + 25) - (6 + 12)$ **[M1]**

107 **[A1]**

(c) Recognises $ABTC$ is a cyclic quadrilateral and uses $180 - \angle ABT$: $180 - (2(15) + 25)$ **[M1]**

125 **[A1]**

[Back to Question] *[Total Marks: 8]*

26 **(a)** **(i)** Angle $OAT = 90°$ and angle $OBT = 90°$ **[B1]**

Angle $AOB = 180 - x$ **[M1]**

$180 - x = 2(2x - 30)$ **[M1]**

$180 - x = 4x - 60 \implies 5x = 240 \implies x = 48$ **[A1]**

(ii) Angle $AOB = 180 - 48 = 132°$ **[M1]**

Angle $OAB = (180 - 132) \div 2 = 24$ **[A1]**

(b) Angle $ACB = 2(48) - 30 = 66°$ **[M1]**

Angle $ADB = 180 - 66 = 114$ (opposite angles of cyclic quad) **[A1]**

[Back to Question] *[Total Marks: 8]*

27 **(a)** Triangle PAB is isosceles ($PA = PB$) **[M1]**

$\dfrac{180 - 4x}{2}$ **[M1]**

$90 - 2x$ **[A1]**

(b) Angle $ACB =$ Angle PAB (Alternate segment theorem) **[M1]**

$3x - 10 = 90 - 2x$ **[M1]**

$5x = 100 \implies x = 20$ **[A1]**

(c) $x = 20 \implies$ Angle $APB = 80°$ **[M1]**

Angles in quadrilateral $PAOB$ sum to 360°, with $OAP = OBP = 90°$ **[M1]**

$360 - 90 - 90 - 80 = 100$ **[A1]**

(d) Angle $ACB = 3(20) - 10 = 50°$ **[M1]**

$180 - 50$ (opposite angles of cyclic quad sum to 180°) **[M1]**

130 **[A1]**

[Back to Question] *[Total Marks: 12]*

28 (a) 34 **[B1]**

(b) Recognises angle at centre is twice angle at circumference $\implies 2 \times 34$ **[M1]**

68 **[A1]**

[Back to Question] *[Total Marks: 3]*

29 (a) Forms correct equation using angle at centre theorem: $4x - 20 = 2(x + 32)$ **[M1]**

$4x - 20 = 2x + 64 \implies 2x = 84$ **[M1]**

$x = 42$ **[A1]**

(b) Recognises angle CDE = angle ABC (exterior angle of cyclic quadrilateral) OR finds angle $ADC = 180 - (42 + 32) = 106°$ **[M1]**

74 **[A1]**

[Back to Question] *[Total Marks: 5]*

30 (a) (i) $2x + 3y = x + 2y + 10$ (from Alternate Segment Theorem) **[B1]**

$3x - y = x + y + 8$ (from Angles in Same Segment) **[B1]**

(ii) Rearranges to linear equations: $x + y = 10$ and $2x - 2y = 8 \implies x - y = 4$ **[M1]**

Valid method to solve simultaneous equations (e.g. adds equations to get $2x = 14$) **[M1]**

$x = 7$ and $y = 3$ **[A1]**

(b) Uses opposite angles of cyclic quadrilateral: angle $ADC = 180° - 95° = 85°$ **[B1]**

Calculates angle $BDC = (7) + (3) + 8 = 18°$ OR angle $BAC = 18°$ **[B1]**

Finds angle $ADB = 85° - 18° = 67°$ and uses alternate segment theorem $\implies$ angle $QAB = 67°$ **[B1]**

[Back to Question] *[Total Marks: 8]*