| Fac | Err # | Code | Sev | Message |
|------------|--------|--------------------|--------|-------------------------------------------------------------------------------|
| CMD | 1 | DEGDIG | | |
| CMP | 1 6 | RECBIG | E E | %s size too large |
| CMP CMP | 14 | WROARG BIGALPHA | E | Incorrect number of subroutine arguments Alpha temporary result exceeds 65535 |
| CMP | 15 | BIGNUM | E | Arithmetic operand exceeds maximum size |
| CMP | 25 | BDQUOT | E | Unmatched quotes |
| CMP | 30 | DIVIDE | E | Attempt to divide by zero |
| CMP | 32 | BNDXP | E | Bind name expected |
| CMP | 37 | CLOSIN | E | Cannot close: %s |
| CMP | 44 | XTRENDC | E | Too many .ENDC statements |
| CMP | 77 | GLCMN | E | COMMON invalid in GLOBAL sections |
| CMP | 82 | NUMINCL | F | Too many nested .INCLUDE levels |
| CMP | 90 | INVFF | E | Invalid fixed field size |
| CMP | 99 | INVOCB | F | Invalid OCB index: %d |
| CMP | 102 | INVPOS | F | Invalid OCB load position |
| CMP | 104 | AMBOPT | E | Ambiguous option: %s |
| CMP | 107 | INVSIZ | E | Invalid buffer size (1 to 16 only) |
| CMP | 112 | IVBAD | E | Initial value not allowed here |
| CMP | 115 | IVLNG | E | Initial value too long |
| CMP | 116 | IVXP | E | Initial value expected |
| CMP | 126 | LSTXP | E | List file name expected |
| CMP | 132 | NAMESUB | W | .NAME not allowed in subroutines |
| CMP | 134 | NLREC | W | Preceeding RECORD empty |
| CMP | 136 | NOGLB | E | Not processing a GLOBAL section |
| CMP | 138 | NOPROSEC | E | No procedural section |
| CMP | 144 | OBJWRI | F | Cannot write to object file |
| CMP | 145 | BDIGXP | E | Binary digits expected in argument (%s) |
| CMP | 146 | HDIGXP | E | Hexadecimal digits expected in argument (%s) |
| CMP | 147 | ODIGXP | E | Octal digits expected in argument (%s) |
| CMP | 148 | NULPR | F | No primary files specified |
| CMP | 149 | OBJXP | W | Object file name expected |
| CMP | 150 | OLYBD | E | Overlay not allowed |
| CMP | 155 | RNDVAL | E | Invalid round value: %s |
| CMP | 158 | OPENIN | F | Cannot open: %s |
| CMP | 159 | OPENOUT | F | Cannot open: %s |
| CMP | 160 | WRIFIL | F | Error writing %s |
| CMP | 161 | MAXTF | F | Exceeded maximum number of files |
| CMP | 183 | SYMND | E | Record or field not declared |
| CMP | 185 | STRTOPT | W | Unrecognized .START option: %s |
| CMP | 187 | TOKUDF | E | Symbol %salready uniquely defined%s |
| CMP | 195 | TRUNC | E | Source line too long |
| CMP | 197 | BADCDIR | E | Invalid compiler directive: %s |
| CMP | 201 | WRNGRC | E | Field not in this %s |
| CMP | 202 | UTLXP | E | UNTIL statement expected |
| CMP | 213 | LISWRI | F | Cannot write to listing file |
| CMP | 214 | LSWIDX | W | Listing width expected |
| CMP | 215 | LSLENX | W | Listing length expected |
| CMP | 216 | VRNTXP | E | Variant value expected |
| CMP | 224 | INVPRC | E | Invalid fractional precision |
| CMP | 301 | LINLNG | E | Logical line too long |
| CMP | 302 | NUMTOK | E | Too many subtokens in logical line |
| CMP | 303 | ERRCNT | E | Too many errors |
| CMP | 307 | NOIDENT | E | Identifier expected |
| CMP | 310 | NOENDC | E | .ENDC expected |
| CMP | 311 | NOSPECL | E | %s expected |
| CMP | 312 | SYMDEFD | W | Symbol already defined: %s |
| CMP | 313 | NOTIMPLE | E | Feature not yet implemented: %s |
| CMP | 314 | LNGTITL | W | Title too long |

| Fac | Err # | Code | Sev | Message |
|------------|------------|---------------------|--------|--------------------------------------------------------------------------|
| CMP | 316 | BIGIDEN | W | Identifier too long: %s |
| CMP | 317 | CLSYN | E | Invalid command line syntax: %s |
| CMP | 319 | NOQUOTE | E | Quoted string expected |
| CMP | 320 | NOCND | W | Previous .IFDEF/.IFNDEF statement expected |
| CMP | 322 | NOTDEF | W | Identifier not defined: %s |
| CMP | 323 | BIGPATH | E | Path name too long |
| CMP | 327 | INVARG | E | Invalid argument: %s |
| CMP | 329 | ARGNUM | E | Invalid number of arguments |
| CMP | 331 | WRILIT | E | Writing to a literal or missing argument |
| CMP | 332 | ARGSIZ | E | Argument specified with wrong size |
| CMP | 336 | XTRAEND | E | Too many END statements |
| CMP | 337 | ENDXP | W | END statement expected |
| CMP | 338 | UNDEFLBL | E | Undefined label: %s |
| CMP | 339 | LBLDEF | W | Label previously declared |
| CMP | 340 | STMTXP | E | Statement expected |
| CMP | 341 | ARGTYP | E | %s type argument expected (%s) |
| CMP | 345 | OPTTYP | E | %s expression expected for %s value |
| CMP | 346 | OPTEXP | E | %s option requires an assigned value |
| CMP | 347 | OPTNOEXP | E | %s option does not allow an assigned value |
| CMP | 348 | OPENMD | E | Invalid OPEN mode: %s |
| CMP | 349 | OPENSB | E | Invalid OPEN submode: %s |
| CMP | 350 | INVKSW | E | Invalid key switch: %s |
| CMP | 351 | MRGFILS1 | E | MERGE requires at least 2 input files |
| CMP | 352 | MRGFILS2 | E | Too many input files for MERGE |
| CMP | 353 | INVRSW | E | Invalid record switch: %s |
| CMP | 354 | IFSTMT | E | Statement part of IF missing |
| CMP | 355 | INTOXP | E | INTO expected in TRAP statement |
| CMP | 356 | NOLOOP | E | Not currently within a loop statement |
| CMP | 357 | LOGTOOBIG | W | Logical expression too large |
| CMP | 358 | NOBLOCK | E | Not within a BEGIN-END block |
| CMP | 359 | NOTINSUB | E | Not within function or subroutine |
| CMP | 360 | INVSCRFNC | E | Invalid screen function or parameter {%s} |
| CMP | 362 | INVRERR | E | Invalid error literal |
| CMP | 363 | NOTSAMFIL | W | .PROC not in same file as routine header |
| CMP | 364 | ALIGN | E | Invalid .ALIGN value (%d) |
| CMP | 365 | NOALIGN | W | Alignment not performed |
| CMP CMP | 366 367 | OUTOFRANGE | W | Select value is outside defined range Statement can never be executed |
| CMP | 368 | NOTEXE | W W | Only one character allowed: %s |
| CMP | 368 | ONEALPHA SFLDREQ | E | STRUCTURE field required |
| CMP | 370 | SFLDREQ | E | Invalid usage of STRUCTURE field |
| CMP | 370 371 | WRODEFARG | E | Wrong argument count in define reference |
| CMP | 371 | INVDEFARG | E | Invalid define parameter specified |
| CMP | 372 | BADRNG | E | Invalid range specified |
| CMP | 401 | NUMXP1 | E | Numeric operand required (unary %s) |
| CMP | 402 | ALPHXP | E | Alpha operands required (%s) |
| CMP | 403 | SAMXP | E | Operands must be both alpha or both numeric (%s) |
| CMP | 404 | PARSE | E | %s at or near {%s} |
| CMP | 405 | NUMXP2 | E | Numeric operands required (%s) |
| CMP | 406 | NOFXD | E | Only integer and decimal operands allowed (%s) |
| CMP | 407 | DECXP | E | Decimal or integer operand required (%s) |
| CMP | 408 | EOLXP | E | End of line expected at {%s} |
| CMP | 409 | INVARGTYP | E | Invalid argument type |
| CMP | 410 | NUMREQ | E | Numeric expression required |
| CMP | 411 | NOTCEXP | E | Not a compile-time expression |
| CMP | 412 | DEXPREQ | E | Decimal or integer expression required |
| CMP | 413 | INVTYPSIZ | E | Invalid data type/size specification {%s} |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------|--------|----------------------------------------------------------------|
| CMP | 414 | IDXP | E | "%s" expected at or near {%s} |
| CMP | 415 | INVRQUAL | E | Invalid routine qualifier {%s} |
| CMP | 416 | ALPHAXP | E | Alpha expression expected |
| CMP | 417 | INVEXFTYP | Ē | Invalid external function data type |
| CMP | 418 | INVDECSIZ | W | Invalid data size specification {%s} |
| CMP | 419 | AMBIGUOUS | E | Path specification is ambiguous ({%s}) |
| CMP | 420 | NOENDUSING | E | Missing ENDUSING statement |
| CMP | 421 | INVNUMDIM | E | Incorrect number of dimensions for {%s} |
| CMP | 422 | NOENDCASE | E | No ENDCASE for current CASE |
| CMP | 423 | INVFNCIDO | E | Invalid function identifier {%%s} |
| CMP | 424 | INVINTFNC | E | Unknown intrinsic function {%s} |
| CMP | 425 | EXACTPATH | W | Exact specification of ambiguous path used ([%s]) |
| CMP | 426 | INVFNCID | E | Invalid function identifier {%s} |
| CMP | 500 | GLSTC | E | STATIC RECORD invalid in GLOBAL sections |
| CMP | 501 | NOGROUP | E | No GROUP to end |
| CMP | 502 | NOENDGRP | E | No ENDGROUP allowed |
| CMP | 503 | NOAUTO | E | Autosizing not allowed here |
| CMP | 504 | ENDGRPEXP | E | ENDGROUP expected |
| CMP | 505 | GLLIT | E | LITERAL invalid in GLOBAL sections |
| CMP | 506 | BDINITVAL | E | Too many initial values |
| CMP | 507 | GRPBIG | E | GROUP %s size too large |
| CMP | 508 | ILLQUAL | E | Illegal duplicate qualifier |
| CMP | 509 | EFDEF | E | External function already declared |
| CMP | 510 | GDSDEF | E | Global data section already defined |
| CMP | 511 | OLYBG | E | Overlay record too big |
| CMP | 512 | REQDIM | E | Dimension specifications required for {%s} |
| CMP | 513 | AMBIGIF | W | Ambiguous IF statement - ELSE without THEN |
| CMP | 514 | SEGBIG | F | %s segment too big |
| CMP | 515 | INVCMDLN | E | Invalid option(s), possibly missing argument {%s} |
| CMP | 516 | INVOPT | F | Invalid option: %s |
| CMP | 517 | INTERR | F | Internal error number: %d |
| CMP | 518 | STXPFOR | M | Statement expected following FOR |
| CMP | 519 | ALPHARG | E F | Alpha argument required |
| CMP CMP | 520 521 | BADSYS LMFAIL | F | License management problem - %s Licensing failure %s |
| CMP | 521 | NOLMD | F | Cannot access Synergy License Manager |
| CMP | 523 | DDRD | F | Cannot read repository's main file |
| CMP | 523 | DDRD DDTXTRD | F | Cannot read repository's text file |
| CMP | 525 | DDIXIRD | F | Cannot open repository's main file: %s |
| CMP | 526 | DDTXTOPN | F | Cannot open repository's text file: %s |
| CMP | 527 | DDNOLOG | F | Logical for repository name expected |
| CMP | 528 | DDBADLOG | F | %s is not defined |
| CMP | 529 | EXPAN | I | Within expansion: %s |
| CMP | 530 | DDAPIERR | F | Internal DDapi error %s %s |
| CMP | 531 | INCFIL | I | Occurring in the source file: %s |
| CMP | 532 | NOGRP | Ē | No GROUP specification allowed |
| CMP | 533 | XTRASRC | W | Only the first source file on the command line was compiled |
| CMP | 534 | IDIGN | W | .IDENT ignored |
| CMP | 535 | DDINVLOG | F | Invalid specification for repository files: "%s" |
| CMP | 536 | ARGREQ | E | Field not an argument {%s} |
| CMP | 537 | NOLEN | E | Length not allowed |
| CMP | 538 | GLLCL | E | LOCAL RECORD invalid in GLOBAL sections |
| CMP | 539 | GLSTK | E | STACK RECORD invalid in GLOBAL sections |
| CMP | 540 | GLSTR | E | STRUCTURE invalid in GLOBAL sections |
| CMP | 541 | YIELD | I | Resulting in: %s |
| CMP | 542 | ENDGBLEXP | E | ENDGLOBAL expected |
| CMP | 543 | TOOMANYSYM | W | More than 65534 symbols in debug source module. Excess ignored |

| Fac | Err # | Code | Sev | Message |
|------------|------------|-----------------------|--------|-----------------------------------------------------------------------------|
| CMP | 544 | SRCLINBIG | E | More than 65534 source lines (%s). Debug not possible |
| CMP | 545 | SRCLINBIGW | l w | More than 65534 source lines (%s). Reported error line incorrect |
| CMP | 546 | TOOMNYSRC | E | More than 254 source modules |
| CMP | 547 | DDBADVERS | F | Incompatible repository version |
| CMP | 548 | SYNOBJSUP | E | Synergy objects not supported |
| CMP | 549 | DDSTRUCT | E | Structure %s not found in repository %s |
| CMP | 550 | LBLSCOPE | E | Label %s out of scope |
| CMP | 551 | DDENUM | E | Enumeration %s not found in repository %s |
| CMP | 560 | INVCLASS | E | Invalid class: %s |
| CMP | 561 | INVPROP | E | Invalid property: %s |
| CMP | 562 | INVMTHD | E | Invalid method: %s |
| CMP | 563 | INVOHND | E | Invalid object handle: %s |
| CMP | 564 | NOOBJHND | E | Object handle/function not allowed {%s} |
| CMP | 565 | OBJHNDXP | E | Object handle/function expected |
| CMP | 566 | OBJHNDEQ | E | Only both sides of a '=' can be object handles |
| CMP | 568 | INMTHD | E E | MRETURN %s within a method |
| CMP | 569 570 | INVMRET | E | Invalid MRETURN: %s |
| CMP CMP | 570 571 | VOIDMTHD PARMISMCH | E | Cannot reference a void method as a function {%s:%s} Parameter mismatch: %s |
| CMP | 572 | INVPARM | E | Invalid parameter: %s |
| CMP | 590 | UNXPTOK | E | %s (%s) |
| CMP | 599 | PARSERR | F | Fatal parsing error: %d |
| CMP | 600 | INVCLIDEF | F | Invalid/obsolete command verb "%s" used to invoke compiler |
| CMP | 601 | ENDLCLXP | W | .END LOCAL ROUTINE expected |
| CMP | 602 | BEGLCLXP | W | BEGIN LOCAL ROUTINE expected |
| CMP | 603 | NOTIMP | W | %s not yet implemented |
| CMP | 604 | NOTALIGNED | W | Physical memory alignment not guaranteed |
| CMP | 605 | INTLEXERR | E | Internal lexer error: invalid state %s |
| CMP | 606 | INTLEXERR2 | E | Internal lexer error: invalid token %s |
| CMP | 650 | BCUDEF | E | Base %s %s cannot be found |
| CMP | 651 | NVRTM | E | Cannot resolve return type for method %s |
| CMP | 652 | NVRTF | E | Cannot resolve return type for function %s |
| CMP | 653 | NVTP | E | Cannot resolve type for parameter %s |
| CMP | 654 | NVTF | E | Cannot resolve type for field %s |
| CMP | 655 | NVTG | E | Cannot resolve type for group %s |
| CMP | 656 | NVTPR | E | Cannot resolve type for property %s |
| CMP | 657 | INVUCDLIT | W | Invalid UNICODE literal encountered |
| CMP | 658 | IMPTYPARG | E | Cannot determine implicit type arguments in call of generic method %s |
| CMP CMP | 659 660 | MISTYP MBOTH | E E | Missing expected type for %s %s cannot be both %s |
| CMP | 661 | NSRES | E | %s namespace reserved |
| CMP | 662 | NFND | E | %s not found |
| CMP | 663 | DUPSYM | E | Duplicate symbol %s not allowed |
| CMP | 664 | DUPSYP | E | Duplicate symbol %s for same parent not allowed |
| CMP | 665 | SYMADD | E | %s %s could not be added |
| CMP | 667 | DEFVALMIS | E | Default value for parameter missing |
| CMP | 668 | AMBSYM | E | Ambiguous symbol %s |
| CMP | 669 | ACCESS | E | %s is inaccessible |
| CMP | 670 | TYPPARM | E | Type mismatch for parameter %s in routine %s |
| CMP | 671 | TYPRET | E | Type mismatch for return type |
| CMP | 672 | MOREARGS | E | More argument values than declared parameters in routine %s |
| CMP | 673 | REQPARM | E | Missing required parameter %s in routine %s |
| CMP | 674 | INVSTX | E | Invalid syntax |
| CMP | 675 | MULTMAIN | E | More than one main routine encountered |
| CMP | 676 | NMETHODARG | E | %s not allowed as %s |
| CMP | 677 | STARFIELD | E | '*' not allowed in parameter field specification |
| CMP | 678 | INVOBJREF | E | Object references not allowed in %s |

| Fac | Err # | Code | Sev | Message |
|------------|------------|-------------------------|--------|-------------------------------------------------------------------------------------|
| CMP | 679 | NONCLSUNSP | E | Non-CLS structures not supported %s |
| CMP | 680 | ARRAYBOUND | E | Array dimension out of bounds for {%s} |
| CMP | 681 | BADFLDPOS | E | Bad field position for %s |
| CMP | 682 | NOEXTEND | E | Cannot extend record by %s bytes with overlay field %s |
| CMP | 683 | NOTALLOWED | E | %s not allowed in %s |
| CMP | 684 | RETEXP | E | %s expected in %s |
| CMP | 685 | INTCMPERR | F | Internal compiler error: %s |
| CMP | 686 | TYPMISMCH | E | Type mismatch between %s and %s |
| CMP | 687 | DUPQUAL | E | Qualifier %s can only be specified once |
| CMP | 688 | INVQUAL | E | %s qualifier is incompatible with %s |
| CMP | 689 | NOFIELDS | Ε | NOFIELDS cannot be used with another qualifier |
| CMP | 690 | NUMALPHARQ | Ε | Numeric or alpha type required: %s |
| CMP | 691 | INITCONST | W | CONST/LITERAL field missing initialization value |
| CMP | 692 | UNSUPPORT | Ε | Unsupported syntax |
| CMP | 693 | NOOPER | Ε | No operator %s |
| CMP | 694 | TOOSHORT | E | Argument too short for %s |
| CMP | 695 | INVFUNCNAM | Ε | .IF directive does not support function %s%s |
| CMP | 696 | NARROWING | W | Narrowing conversion could cause loss of data |
| CMP | 697 | RECWHANDLE | E | Cannot %s a record that contains a handle |
| CMP | 698 | OUTPARM | E | Must be able to write to argument %s because parameter was declared as OUT or INOUT |
| CMP | 699 | INVCAST | E | Invalid cast |
| CMP | 700 | BADIMPORTD | E | Invalid directory specified for import: %s |
| CMP | 701 | IMPORT | E | Namespace %s not found |
| CMP | 702 | CONSARGS | E | Constructor requires argument list |
| CMP | 703 704 | BADDSTRCTR | E | Destructor %s does not match class %s |
| CMP CMP | 704 | DUPMETH | E | Class %s already defines a method %s with the same parameter types |
| CMP | 705 | PROTOMISMC SYSRTNOVR | E W | %s does not match prototype%s System routine overridden. Invalid binding may occur |
| CMP | 707 | BCSEAL | E | Cannot extend a sealed class |
| CMP | 707 | BCOUTER | E | Cannot extend enclosing class |
| CMP | 708 | HANDRQD | E | Handle to %s required |
| CMP | 710 | BADOPDECL | E | Cannot declare operator %s |
| CMP | 711 | OPSTPUB | E | Operator must be declared STATIC and PUBLIC |
| CMP | 712 | OPVOID | E | Operator cannot return void |
| CMP | 713 | TRUEINT | Ē | Operator op_True must return integer |
| CMP | 714 | OPARGTYP | Ē | Operator must have at least one argument of the enclosing type |
| CMP | 715 | BSTMTCH | Ē | Best match for %s has an argument type or quantity that doesn't match |
| CMP | 716 | NOTSTAT | Ē | %s required to access non-static member %s |
| CMP | 717 | ISSTAT | Ē | %s required to access static member %s |
| CMP | 718 | CLSREFRQD | E | Class type required: %s |
| CMP | 719 | INITEXP | W | Initial value expected, defaulting to %s |
| CMP | 720 | DEFSIZE | W | Default size may not match %s definition |
| CMP | 721 | INITIGN | W | Initial value on external field ignored |
| CMP | 722 | NOTINPR | E | Previous .NOPROTO expected |
| CMP | 723 | ALRINPR | E | Already in a .NOPROTO section |
| CMP | 724 | EMPTYA | E | Invalid usage of empty alpha string |
| CMP | 725 | INVALIGN | E | Invalid .ALIGN value (%s) |
| CMP | 726 | NOGLOBAL | E | %s cannot be declared globally |
| CMP | 727 | INVDEFNS | E | Invalid default namespace %s |
| CMP | 728 | CIRCBASE | E | Circular base class not allowed |
| CMP | 729 | NOFCSUB | E | Cannot call subroutine %s as a function because it has no parameters |
| CMP | 730 | INTCMPWARN | W | Internal warning: %s |
| CMP | 731 | EMPTYUCSTM | W | Empty USING or CASE statement |
| CMP | 732 | ALPHDIM | E | Alpha not allowed for dimension specification |
| CMP | 733 | XCALLHFUNC | E | Cannot XCALL a ^ function |
| CMP | 734 | READONLY | E | Cannot write to read-only data |
| CMP | 735 | VALREQD | E | ^VAL required for argument %s |

| Fac | Err # | Code | Sev | Message |
|-----|------------|------------|--------|------------------------------------------------------------------------------------------------------|
| CMP | 736 | NOWRITE | E | Cannot write to this entity |
| CMP | 730 | INVHFNC | E | Invalid ^ function (%s) |
| CMP | 737 | OVRERR | E | Cannot override %s because it is not declared VIRTUAL, OVERRIDE, or ABSTRACT in class %s |
| CMP | 739 | INVMOD | E | Invalid modifier %s on %s |
| CMP | 740 | INVDSTRCTR | Ē | Destructor cannot have %s |
| CMP | 741 | NOTCALLABL | E | Cannot directly call this method |
| CMP | 742 | NOTINFUNC | Ē | Not within a function |
| CMP | 743 | INVEXC | E | Invalid exception type |
| CMP | 744 | INVRTHRW | E | Cannot rethrow outside of CATCH |
| CMP | 745 | NOTINTRY | E | Not in TRY statement |
| CMP | 746 | INTCMPERR2 | E | Internal compiler error: %s |
| CMP | 747 | OPENIN2 | E | Cannot open: %s |
| CMP | 748 | NUMINCL2 | E | Too many nested .INCLUDE levels |
| CMP | 749 | DDBADLOG2 | E | %s is not defined |
| CMP | 750 | DDNOLOG2 | E | Logical for repository name expected |
| CMP | 751 | DDOPN2 | E | Cannot open repository's main file: %s |
| CMP | 752 | DDAPIERR2 | Е | Internal DDapi error %s %s |
| CMP | 753 | DDINVLOG2 | Е | Invalid specification for repository files: "%s" |
| CMP | 754 | INVCALL | E | Invalid calling convention |
| CMP | 755 | NOENDC2 | W | .ENDC expected |
| CMP | 756 | ABSTINST | E | Cannot instantiate abstract class %s |
| CMP | 757 | REDEFGBL | E | Cannot redefine macro %s that is defined in DBLDIR:dbl.def |
| CMP | 758 | UNDEFGBL | E | Cannot undefine macro %s that is defined in DBLDIR:dbl.def |
| CMP | 759 | BADACCESS | E | Inconsistent accessibility |
| CMP | 760 | RESWORD | E | Reserved word %s |
| CMP | 761 | INCMODIF | E | The modifier %s is incompatible with %s |
| CMP | 762 | INVPASSED | W | ^PASSED on required parameter is always true |
| CMP | 763 | INVINIT | E | Invalid initializer |
| CMP | 764 | DUPMODIF | E | Modifier %s can only be specified once |
| CMP | 765 | ABSRTN | E | ABSTRACT %s must be in an ABSTRACT class |
| CMP | 766 | ABSIMP | E | ABSTRACT or EXTERNAL routine cannot have statements |
| CMP | 767 | NAMEREQ | Е | Name must be specified with group modifier %s |
| CMP | 768 | MISIMP | E | Does not implement %s |
| CMP | 769 | BADSLD | Е | SEALED modifier can only be used on %s marked as OVERRIDE |
| CMP | 770 | NEWREQ | W | NEW modifier is required on %s since it hides a member of an inherited class |
| CMP | 771 | INVNEW | W | NEW modifier not required and will be ignored |
| CMP | 772 | ABSSEAL | Е | Method cannot be ABSTRACT or VIRTUAL in a SEALED class |
| CMP | 773 | UNQOVR | Е | A UNIQUE method cannot be overloaded, overridden, or redeclared |
| CMP | 774 | NORETURN | E | %s cannot have a return type |
| CMP | 775 | VALREF | E | Cannot convert parameter %s from value to reference |
| CMP | 776 | OPTOBJ | Е | REQUIRED modifier must be used on object parameters |
| CMP | 777 | IMPSTOP | W | Implicit STOP added to end of routine |
| CMP | 778 | BADSTATIC | E | Non-static reference not allowed in this context |
| CMP | 779 | BADSTATLOC | E | Static field has improper location |
| CMP | 780 | BADCNVCLS | E | Cannot convert %s class within class hierarchy |
| CMP | 781 | BADCNVTYP | E | Conversion operator must have a return or parameter type that is the enclosing class |
| CMP | 782 | CIRCINIT | E | Circular initializer not allowed |
| CMP | 783 | IDXRPARM | E | Indexer property must have at least one parameter |
| CMP | 784 | PROPPARM | E | Properties that are not indexers cannot have parameters |
| CMP | 785 | BADPROP | E | Improper use of property %s |
| CMP | 786 | NOOVR | E | No suitable %s found to override |
| CMP | 787 | OVRVIRT | W | %s hides inherited member in class %s. OVERRIDE or NEW required |
| CMP | 788 780 | HIDEERR | W | %s hides method that is not VIRTUAL, OVERRIDE, or ABSTRACT in class %s. NEW required |
| CMP | 789 | DUPACC | E | Property cannot have multiple get or set methods |
| CMP | 790 | EXPHVAL | E | ^VAL function expected |
| CMP | 791 | ARGMSMCH | W E | Parameter must be declared with the MISMATCH modifier %s must be completely inside the FINALLY block |
| CMP | 792 | INFINALLY | ᄩ | es mast be combined inside the linard, block |

| Fac | Err # | Code | Sev | Message |
|------------|------------|--------------------------|--------|----------------------------------------------------------------------------------------------|
| CMP | 793 | NETSUPRT | W | %s not supported in .NET |
| CMP | 794 | ATRUNC | W | Alpha expression too long for %s. Truncation may occur |
| CMP | 795 | NETRFA | W | RFA variable must be type a in .NET |
| CMP | 796 | IMPFLD | W | Position of field %s causes an implicit field to be added |
| CMP | 797 | IMPORTNS | E | Invalid import namespace %s |
| CMP | 798 | DIMNDIM | W | Dimensioned access of non-dimensioned item %s |
| CMP | 799 | INTRNG | W | Ranged access of integer fields not portable between machines of different endian types |
| CMP | 800 | NOPSEUDO | Ε | Pseudo arrays not allowed in this context |
| CMP | 801 | XMLDOC | W | %S |
| CMP | 802 | INVIMP | E | Invalid IMPORT declaration |
| CMP | 803 | IMPOUTNS | E | IMPORT statement must be declared outside of a namespace |
| CMP CMP | 804 805 | INVPROGENT | E | Invalid program entry at or near {%s} |
| CMP | 806 | INVNSENT INVCLSENT | E | Invalid namespace entry at or near {%s} Invalid class member at or near {%s} |
| CMP | 807 | INVCRECENT | E | Invalid class member at or hear {%s} |
| CMP | 808 | INVSTRUCEN | E | Invalid structure entry at or near {%s} |
| CMP | 809 | INVMETHINI | E | Invalid method initialization list at or near {%s} |
| CMP | 810 | INVENUMFLD | E | Invalid enum field at or near {%s} |
| CMP | 811 | INVPARAMEN | E | Invalid parameter entry at or near {%s} |
| CMP | 812 | INVRECFLD | E | Invalid record field at or near {%s} |
| CMP | 813 | INVDATAENT | E | Invalid data division entry at or near {%s} |
| CMP | 814 | INVGDSENT | E | Invalid global data section entry at or near {%s} |
| CMP | 815 | INVEXTENT | E | Invalid external function entry at or near {%s} |
| CMP | 816 | INVSTMT | E | Invalid statement at or near {%s} |
| CMP | 817 | INVEXPR | E | Invalid expression at or near {%s} |
| CMP | 818 | INVKWD | E | Invalid keyword at or near {%s} |
| CMP | 819 820 | INVIOERRCO | E | Invalid I/O error code at or near {%s} |
| CMP CMP | 820 821 | INVSTMTHDR INVSTMTBDY | E E | Invalid header in %s at or near {%s} Invalid %s body at or near {%s} |
| CMP | 822 | INVTERM | E | Invalid termination of %s at or near {%s} |
| CMP | 823 | VALIDXP | E | Valid identifier expected at or near {%s} |
| CMP | 824 | GRPETY | W | Group is empty |
| CMP | 825 | XRETVAL | W | XRETURN cannot return a value on .NET |
| CMP | 826 | RETRQD | W | %s missing in %s |
| CMP | 827 | NETALLOW | W | %s not allowed %s on .NET |
| CMP | 828 | INVBGNHDR | E | BEGIN should be followed by end of line |
| CMP | 829 | INVPROTOCX | E | Prototypes must be imported using the IMPORT statement |
| CMP | 830 | OVRSLD | Ε | Cannot override a SEALED %s |
| CMP | 831 | STKMAIN | W | STACK not allowed on MAIN and has therefore been ignored |
| CMP | 832 | REFARYSCP | E | Cannot apply scope to reference array |
| CMP | 833 834 | PMETHODARG | E | %s not allowed as %s |
| CMP CMP | 834 | INVDATASTM PARTACC | E E | Invalid data statement syntax Accessibility declarations of partial %s %s do not match |
| CMP | 836 | REFREQD | E | ^REF required for argument %s |
| CMP | 837 | ARGPASS | E | Parameter passing convention does not match method declaration for argument %s in routine %s |
| CMP | 838 | REFLIT | E | Integer literals cannot be passed by reference due to optimization |
| CMP | 839 | RECETY | E | Record is empty |
| CMP | 840 | MISNGFIL | E | Missing source file |
| CMP | 841 | HIDEW | W | %s hides a member of an enclosing scope |
| CMP | 842 | INVDATALOC | E | Invalid DATA statement location |
| CMP | 843 | IDXCLSARY | E | Cannot index real array %s |
| CMP | 844 | STRUCTHIDE | W | Local structure %s hides non-local structure %s |
| CMP | 845 | INVDATADEC | E | Invalid %s declaration at or near {%s} |
| CMP | 846 | BOXLCLSTR | E | Boxing or unboxing of local structures not allowed |
| CMP | 847 | BADCPATH | E | Complex path not supported |
| CMP | 848 | ARRLCLSTR | E | Cannot use a local structure in a dynamic array |
| CMP | 849 | INVPARMGRP | 뇬 | Invalid parameter group declaration at or near {%s} |

| CMP 850 INVMTHDHDR E Invalid method header at or near {%s} CMP 851 RECURSE E Recursion not allowed on %s CMP 852 NOPRPMTH E Operation not allowed with missing or unmatched %s on proceedings of the composition of the compos | roperty %s |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| CMP 851 RECURSE E Recursion not allowed on %s CMP 852 NOPRPMTH E Operation not allowed with missing or unmatched %s on position of the process of the control of the contro | roperty %s |
| CMP 852 NOPRPMTH E Operation not allowed with missing or unmatched %s on proceedings of the control of the cont | roperty %s |
| CMP 853 INDIMGRP E %XTRNL not allowed within a dimensioned group CMP 854 INVMAINDEC E Invalid MAIN declaration at or near {%s} CMP 855 BADCONSTLO E CONST field not allowed in non-CONST record CMP 856 BADROLOC E READONLY field not allowed in non-READONLY record | |
| CMP 854 INVMAINDEC E Invalid MAIN declaration at or near {%s} CMP 855 BADCONSTLO E CONST field not allowed in non-CONST record CMP 856 BADROLOC E READONLY field not allowed in non-READONLY record | |
| CMP 855 BADCONSTLO E CONST field not allowed in non-CONST record CMP 856 BADROLOC E READONLY field not allowed in non-READONLY record | |
| CMP 856 BADROLOC E READONLY field not allowed in non-READONLY record | |
| CMD 857 DPNPOD F Derentheses required on call to method %s | |
| Leve L 02. Levando Le Leatencheses redatted on catt co mechod &2 | |
| CMP 858 PRNPROP E Parentheses not needed for property %s | |
| CMP 859 RETTYP W Return type for %s assumed to be %s | |
| CMP 860 INVTYP E Invalid use of type %s | |
| CMP 861 NOCONS E Cannot find matching constructor in class %s. %s | |
| CMP 862 HIDABS E %s hides an inherited abstract member | |
| CMP 863 BLTID W Potential name conflict with built-in type | |
| CMP 864 BOXSTROBJ E Cannot box structure %s that contains a handle | |
| CMP 865 LHSBOX E Explicit box invalid on left side of equate statement | |
| CMP 866 UNBXCNCL W Auto unbox cancels out boxing of %s. Boxing removed | |
| CMP 867 INVINTECEN E Invalid interface entry at or near {%s} | |
| CMP 868 PASSIMPL W Implied decimal argument %s passed to non-implied parame | eter %s |
| CMP 869 ATTRTARG E Attribute not valid on this target CMP 870 XFMTHSTR E Structure %s used in XFMethod %s must come from reposit | 0.007.7 |
| | ory |
| CMP | |
| CMP 873 ASMLOAD E Unable to load assembly %s: %s | |
| CMP 874 ONERRDTA E Local data cannot be defined in a routine containing ON | FPPOP /OFFFPPOP |
| CMP 875 DUPRMV W Duplicate %s in class %s has been removed | ERROR OF FERROR |
| CMP 876 PARMOVR E New or overridden method changes parameter type from %s | to %g |
| CMP 877 ITOPBAD E Unable to do interop for %s | |
| CMP 878 PARTIAL W %s %s is declared as partial | |
| CMP 879 MAXLINE F Exceeded maximum number of lines in file %s | |
| CMP 880 NOINSTAT E Cannot declare instance member in static class | |
| CMP 881 PSCTRUNC W Psect name truncated | |
| CMP 882 NOTBEXP W Assignment in Boolean expression! Did you intend "=="? | |
| CMP 883 INVSCTOR E Cannot declare %s on static constructor | |
| CMP 884 NVTREF E Cannot find %s used in %s | |
| CMP 885 OBJDIS W Object returned from %s discarded | |
| CMP 886 BIGSIZ E Size of %s %s too large | |
| CMP 887 PROPCONF E Property %s conflicts with %s in same class | |
| CMP 888 IFCIMP E Interface %s not implemented by class %s | |
| CMP 889 NUMFILES F Too many files | |
| CMP 890 METHDEL E Method %s does not match delegate | |
| CMP 891 NVTEVT E Cannot resolve type for event %s | |
| CMP 892 DELEVT E Delegate type expected for event %s | |
| CMP 893 EVTHDLR E Event handler %s does not match event signature | |
| CMP 894 EVTEXP E Event expected for %s | |
| CMP 895 EVTCLS E Event %s must be raised from within %s | |
| CMP 896 INVEVT E Incorrect use of event %s | hlda on hea the sman soltions to a |
| CMP 897 MISIMP2 E Does not implement %s since it is either static, not pull CMP 898 NONCLS E Non-CLS type used in CLS declaration | DIIC, or has the wrong return type |
| | |
| CMP 899 MODLOAD E Unable to load module %s : %s CMP 900 ILASM E ILASM error: %s | |
| CMP | |
| CMP 901 DOPATIR E Dupitcate %s attribute CMP 902 VARGOBJ E Cannot pass object type for %s as a vararg value | |
| CMP 903 INVHMP E Partial structure cannot be used in ^m function | |
| CMP 904 PARTALPH E Cannot pass partial structure to an alpha parameter | |
| CMP 905 LYTPARTS E Cannot apply StructLayout attribute on partial structure | re l |
| CMP 906 DECLORDER E Cannot use %s before declaring it | |

| Fac | Err # | Code | Sev | Message |
|------------|------------|--------------------|-----|-----------------------------------------------------------------------------------------------------------------|
| CMP | 907 | EFNFND | E | Call to external function %s cannot be resolved |
| CMP | 908 | TYPUNEXP | E | Type %s unexpected here |
| CMP | 909 | COLLECTTYP | E | Incompatible collection type %s in FOREACH |
| CMP | 910 | ACCIGNORED | W I | Accessibility on %s %s ignored |
| CMP | 911 | FENEWINDXR | E | A class with an indexer marked NEW is not supported in FOREACH |
| CMP | 912 | INVARGOBJ | E | ^ARGDIM not allowed on objects; use method to get length |
| CMP | 913 | LVARTYP | E | Incompatible loop variable type %s in FOREACH |
| CMP | 914 | DUPOPTS | E | Class %s already defines a method %s that differs only by optional parameters |
| CMP | 915 | INVUSNGENT | E | Invalid entry within using statement |
| CMP | 916 | HIDEHAT | W | Routine hides data reference operation %s |
| CMP | 917 | ANYMTH | W | Using type any in method %s may cause unexpected call resolution |
| CMP | 918 | NETAPI | W | Routine %s not supported in .NET |
| CMP | 919 | NUMSEGS | W | Too many files/includes (more than 255). Subsequent debug line information ignored |
| CMP | 920 | NUMLINES | W | Too many file lines. Subsequent debug line information ignored |
| CMP | 921 | NUMTYPARG | E | Incorrect number of type arguments passed to %s |
| CMP | 922 | INVGENSYNT | E | Invalid generics syntax at or near %s |
| CMP | 923 | PRTYPPRM | E | Type parameter %s for partial declaration does not match original declaration |
| CMP | 924 | CIRCCONS | E | Circular constraint dependency |
| CMP | 925 | TYPCONS | E | Type %s does not meet constraint |
| CMP | 926 | CONSSPC | E | Cannot use special class %s in constraint |
| CMP | 927 | CONSSEAL | E | Cannot use sealed class %s in constraint |
| CMP | 928 | CONSDUP | E | Duplicate constraint %s |
| CMP | 929 | CONSONE | E | Cannot have more than one %s constraint |
| CMP | 930 | GNCEXT | E | Generic class cannot extend %s |
| CMP | 931 | TPRMTYP | E | Type parameter %s must be an identifier and not a type |
| CMP | 932 | CONSBOTH | E | Cannot have both %s and %s constraints |
| CMP | 933 | CONSREQD | E | %s constraint required |
| CMP | 934 | REFTYPMSMC | E | Parameter %s must match type exactly because it is passed by reference, OUT, INOUT or unspecified |
| CMP | 935 | DESCTYPRQD | E | %s is not a descriptor type. |
| CMP | 936 | TPSTAT | E | Keyword %s is invalid with static class member |
| CMP | 937 | NOTINI | E | Global data section '%s' not initialized |
| CMP | 938 | GBLTNM | E | Type or size for %s does not match global declaration |
| CMP | 939 | GBLND | E | Global declaration does not contain %s |
| CMP | 940 | GBLTYP | E | Type %s not allowed in common declaration |
| CMP | 941 | TYP32 | E | Type %s cannot be %s on 32-bit platforms |
| CMP | 942 | ASNWR | E | Assignment within write not allowed for %s |
| CMP | 943 | BMRET | E | %s cannot be used as method return type |
| CMP | 944 | STKETY | E | Stack is empty. %s |
| CMP | 945 | ALGFLD | E | Alignment performed on %s |
| CMP | 946 | VARARGARY | E | If ^VARARGARRAY used, no other extra arguments allowed |
| CMP | 947 | PRTLOAD | E | Unable to load prototype %s : %s |
| CMP | 948 | DELAYSGN | M | delay signing was requested, but no keyfile was given |
| CMP | 949 | NOWRITE2 | E | Cannot write to %s |
| CMP | 950 | GDSMSMCH | E | Global data section '%s' does not match initialized Global%s |
| CMP | 951 | SGN2USGN | W | Assigning negative literal value to unsigned field |
| CMP | 952 | DIMMISMCH | M | Parameter dimensions mismatch: %s |
| CMP | 953 054 | | E | Duplicate directive |
| CMP | 954 055 | NOARYBASE | E | 0 or 1 expected |
| CMP | 955 956 | MTHOUTCLS | E | Cannot declare method outside of a class/interface Data division stack larger than reserved stack |
| CMP CMP | 956 957 | STKOVRSZ | E | Class %s already defines a method %s whose signature only differs by rank |
| | 957 958 | DUPMRNK CHGCASE | 1 1 | Class %s already defines a method %s whose signature only differs by rank Case changed on override to match %s |
| CMP CMP | 958 959 | | W | %s compares instance not contents |
| CMP | 959 | REFCOMPARE | E | BYVAL not supported on %s. Use ^VAL instead |
| CMP | 960 961 | NOBYVAL LVARBOX | E | Explicit box invalid on loop variable in %s |
| CMP | 961 | NOINTCFLD | E | Cannot use loose integer class field in this context |
| CMP | 963 | IMPBOXCAST | W | Implicit argument boxing cast (@a/@d/@i); explicit cast recommended |
| CMIP | 203 | TMLDOVCAPI | VV | Implified algament boxing cast (@a/@i// explicit cast feconumended |

| Fac | Err # | Code | Sev | Message |
|------------|--------------|-----------------------|--------|---------------------------------------------------------------------------------------------------|
| CMP | 964 | UNTYPDCAST | W | Boxing of untyped literal; explicit boxing cast (@a/@d/@i/@int) recommended |
| CMP | 965 | NOPRPSET | E | Cannot set read-only property %s |
| CMP | 966 | NEWARRINIT | E | Invalid syntax for dynamic array initialization on new |
| CMP | 967 | DUPRTN | E | Duplicate routine %s |
| CMP | 968 | TYPHID | W | Built-in type %s can be hidden by %s |
| CMP | 969 | MISIMP3 | E | Does not implement %s since case does not match |
| CMP | 970 | ATTRERR | E | %s error: %s |
| CMP | 971 | PASSUR | W | Passing %s for %s could give unexpected results |
| CMP | 972 | INVFCALL | W | Function %s should be called using function call convention |
| CMP | 973 | USDBDECL | E | Data statement %s used before declared |
| CMP | 974 | BADGENTYP | E | Unconstructed generic type not allowed in %s |
| CMP | 975 | MAININDLL | E | MAIN not allowed in DLL |
| CMP | 976 | SRCLINLNG | E | Source line too long |
| CMP | 977 | EXTMERR | E | Extension method %s %s |
| CMP | 978 | LAMBDA | E | Lambda error: %s |
| CMP | 979 980 | ATOS | W E | Passing alpha to structure %s |
| CMP CMP | 981 | EVTCUST ACCERR | W | Custom event error: %s Accessibility %s |
| CMP | 982 | INITVERR | E | Initial value error: %s |
| CMP | 983 | DLLIMP | E | DllImport error: %s |
| CMP | 984 | MISMAIN | E | Missing MAIN in EXE |
| CMP | 985 | ZEROSIZ | W | %s has zero size |
| CMP | 986 | INVNIND | W | Invalid number of indices |
| CMP | 987 | PLATSUPT | E | %s not supported in %s |
| CMP | 988 | EVTIMP | E | Event interface implementation error: %s |
| CMP | 989 | AWTERR | E | Await error: %s |
| CMP | 990 | NOMETRO | Е | %s not supported in metro |
| CMP | 991 | ASNCERR | E | Async error: %s |
| CMP | 992 | YLDERR | E | Yield error: %s |
| CMP | 993 | UNSPFMT | E | Unsupported file format |
| CMP | 994 | BOXSTRSTRC | E | Cannot save a string to a boxed non-CLS structure |
| CMP | 995 | GENSTRCLS | E | Generic structure type must be CLS |
| CMP | 996 | OPTRUE | W | Calling op_True on %s%s: may not be what is intended |
| CMP | 997 | NOTSUPT | E | %s is not supported %s |
| CMP | 998 | INVDEFTYP | E | Invalid type used for default parameter (or descriptor type default used on a non-internal routin |
| CMP | 999 | INVINITMBR | E | Invalid initializer member |
| CMP | 1000 | MISDECL | E | Missing declaration of %s |
| CMP | 1001 | INITIGN2 | W | Initial value on %s ignored |
| CMP | 1002 | HIDEW2 | W | %s hides %s |
| CMP CMP | 1003 1004 | NOWINRT INVDEFPARM | E E | %s not supported in WinRT REQUIRED parameters cannot follow DEFAULT parameters |
| CMP | 1004 | UTFALPHA | W | UTF16 literal used as Alpha, may not work as expected |
| CMP | 1005 | SCPRNG | W | Scope used instead of range on %s |
| CMP | 1007 | GBLDR | W | External common record name containing %s does not match global common record name %s |
| CMP | 1007 | STKSIZ | W | Stack data size greater than %s |
| CMP | 1009 | MONOSIZLIM | E | %s exceeds MONO %s size limit |
| CMP | 1010 | | E | %s cannot be called with %s |
| CMP | 1011 | CONSERR | Ē | Type constraint error: %s |
| CMP | 1012 | CIRC | E | Circular %s not allowed |
| CMP | 1013 | OPTREQ | W | Passing optional parameter to required parameter %s in routine %s |
| CMP | 1014 | PEVERIFY | W | Peverify error: %s |
| CMP | 1015 | TERNMSMCH | E | Type mismatch between %s and %s on each side of the ':' in a ternary operator |
| CMP | 1016 | INVTYPINIT | E | Initializer applied to unknown or missing class |
| CMP | 1017 | GLOBDUPIGN | W | Duplicate global %s ignored |
| CMP | 1018 | WALIGN | M | Align warning: %s |
| CMP | 1019 | REUSE | E | A local variable named '%s' cannot be declared in this scope, it would give a different meaning t |
| CMP | 1020 | INITVALMIS | E | Missing initialization value |

| Fac | Err # | Code | Sev | Message |
|-----|-------|------------|-----|---------------------------------------------------------------------------------------------------|
| CMP | 1021 | INVPASSED2 | W | ^PASSED is always true %s |
| CMP | 1021 | RNGARY | W W | Range on array acts on first element |
| CMP | 1022 | RFAERR | E | RFA error: %s |
| CMP | 1023 | UXPLOOPBHV | W | Narrowing of data when comparing to loop control variable, potential unexpected behavior |
| CMP | 1025 | ATTRARG | E | An attribute argument must be a constant expression, typeof expression or array creation expressi |
| CMP | 1026 | NULLCOAL | E | Left side of a null coalescing operator must be a reference type or nullable |
| CMP | 1027 | DELEGEXP | Ē | Delegate type expected |
| CMP | 1028 | UNSIGNED | l w | Loading unsigned assembly %s |
| CMP | 1029 | IMPDIRIGN | l w | Import directory clause no longer used, ignored |
| CMP | 1052 | ERTEXT | l ï | *S |
| CMP | 1053 | ERTXT2 | Ī | 95 95 |
| CMP | 1143 | OPWRED | Ī | Operation was READ |
| CMP | 1144 | OPWFND | Ī | Operation was FIND |
| CMP | 1145 | OPWRDS | Ī | Operation was READS |
| CMP | 1146 | OPWDEL | I | Operation was DELETE |
| CMP | 1147 | OPWSTO | I | Operation was STORE |
| CMP | 1148 | OPWWRI | I | Operation was WRITE |
| CMP | 1149 | OPWCRE | Ī | Operation was ISAMC |
| CMP | 1217 | BADDSCR | I | Corrupted descriptor: type = %d, class = %d |
| CMP | 1218 | BADDIR | I | Specified directory %s does not exist |
| CPS | 1 | CREATFAIL | | The Create failed because you must first select a valid containing object |
| CPS | 2 | NONWINDOW | | This change only affects non-Windows environments. Therefore, although the change has been added |
| CPS | 3 | GRPBADCONT | | Cannot add object to current group because they do not share the same containing object |
| CPS | 4 | NAMECONFLT | | "%a" already exists |
| CPS | 5 | DELETEOBJ | | Are you sure you want to delete "%a"? |
| CPS | 6 | SAVECHANGS | | Do you want to save changes to "%a"? |
| CPS | 7 | REPLACEFIL | | Do you want to replace the existing "%a"? |
| CPS | 8 | DELETEGRP | | Are you sure you want to delete the selected objects? |
| CPS | 9 | REMOVESCRP | | Are you sure you want to remove script "%a"? |
| CPS | 10 | FILEEXISTS | | The file could not be found. "%a" |
| CPS | 11 | DECORINT | | %a can only be used with numeric fields |
| CPS | 12 | RTJUST | | Right justification cannot be used with text fields |
| CPS | 13 | CNTRJUST | | Center justification cannot be used with numeric or text fields |
| CPS | 14 | BADSIZE | | Invalid field size specified |
| CPS | 15 | NOALPHA | | A field viewed as a check box cannot be alphanumeric |
| CPS | 16 | NOCHECKBOX | | An alphanumeric field cannot be viewed as a check box |
| CPS | 17 | BADDCSSIZE | | Internal error: SYNDICT_DCS_SIZE is incorrect. Size specified was %d, correct size is %d. |
| CPS | 18 | DDINITFAIL | | Failed to initialize repository. %a. Main file "%a". Text file "%a". |
| CPS | 19 | DDNOFIND | | Repository record not found |
| CPS | 20 | DDOPNERR | | Repository file open error |
| CPS | 21 | DDINVFNC | | Invalid repository function code |
| CPS | 22 | DDSTRINF | | Failed to load Structure information. %a. Structure name "%a" |
| CPS | 23 | DDFLDINF | | Failed to load Field information. %a. Field name "%a" |
| CPS | 24 | DDTXTFAIL | | Failed to load repository text entry. %a |
| CPS | 25 | SCRERROR | | Error: |
| CPS | 26 | SCRWARNING | | Warning: |
| CPS | 27 | SCRSUMMARY | | Errors: %d, Warnings: %d |
| CPS | 28 | SCRBADCMD | | Unrecognized command |
| CPS | 29 | SCRBADQUAL | | Unrecognized qualifier |
| CPS | 30 | SCREXPECT | | %a expected |
| CPS | 31 | SCRALREADY | | %a already encountered |
| CPS | 32 | SCRBADEOF | | Unexpected end of file encountered |
| CPS | 33 | SCRBADEOL | | Unexpected end of line encountered |
| CPS | 34 | SCRHUH | | Invalid object (<%a> created) |
| CPS | 35 | SCROPNFAIL | | Could not open script file |
| CPS | 36 | SCRQUOTE | | Invalid quoted string: Both single and double quotes encountered |
| CPS | 37 | SCRLINLEN | | Input line too long: Maximum %d characters |

| Fac | Err # | Code | Sev | Message |
|------------|----------|-------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CPS | 38 | SCRTOKEN | | Token |
| CPS | 39 | SCRTRUNCAT | | Token truncated to "%a" (%d characters) |
| CPS | 40 | SCRTYPSIZE | | Type and size |
| CPS | 41 | SCRDIMNUM | | Dimension not allowed on numeric fields |
| CPS | 42 | SCRBADPREC | | Precision not allowed on fields of type %a |
| CPS | 43 | SCRPREC | | Precision |
| CPS | 44 | SCRMAXSIZ | | Maximum size exceeded for fields of type %a (%d) |
| CPS | 45 | SCRINTSIZ | | Size for integer fields must be 1, 2, 4, or 8 |
| CPS | 46 | SCRUNSUPP | | Feature not supported (yet) |
| CPS | 47 | SCRNUMERIC | | Oualifier invalid on non-numeric fields |
| CPS | 48 | SCRALPHA | | Qualifier invalid on numeric fields |
| CPS | 49 | SCROUTSIDE | | Position of %a extends outside container's bounds |
| CPS | 50 | INVNAME | | Invalid name specified |
| CPS | 51 | SCRFIXED | | Qualifier only valid on decimal fields with one or more decimal places |
| CPS | 52 | SCRNOTEXT | | Qualifier not allowed on dimensioned fields |
| CPS | 53 | SCRBADNAME | | Invalid name: Must begin with A-Z; subsequent characters A-Z, 0-9, \$ or _; maximum length %d |
| CPS | 54 | SCRDSPAREA | | Display area must lie within window bounds. Modified to row %d, column %d, height %d, width %d. |
| CPS | 55 | FIELDNAME | | Field name |
| CPS | 56 | SCRNOTFND | | %a not defined |
| CPS | 57 | SCRFLDNSTR | | Field already included in structure "%a" |
| CPS | 58 | FLDNINSTR | | Field not a member of structure "%a" |
| CPS | 59 | STREMPTY | | Structure "%a" contains no fields |
| CPS | 60 | STRUCTURE | | Structure name |
| CPS | 61 | SCRBADSPOS | | Illegal structure position specified (%d). Changed to 1. |
| CPS | 62 | STRINVPOS | | "%a" is referenced in an input window structure. Deleting, moving or cutting it may invalidate o |
| CPS | 63 | SCREOLEXP | | End-of-line expected |
| CPS | 64 | DDCONTROL | | Failed to read repository control record |
| CPS | 65 | DDSTRDUP | | "%a" already exists. Do you want to include the structure under a different name? |
| CPS | 66 | DDOPNERRM | | Cannot open main repository file |
| CPS | 67 | DDOPNERRT | | Cannot open repository text file |
| CPS | 68 | DDBADVERS | | Incompatible repository version |
| CPS | 69 | DDTYPCHG | | Cannot change repository field type from %a to %a |
| CPS | 70 | DDDEFSTR | | One or more sets reference the default structure. Composer will create a structure for those set |
| CPS | 71 | DDFORMATNF | | Error retrieving field format. %a. Failed to find a format "%a" of the correct type for the fie |
| CPS | 72 | DCTBADSIZE | | The field type cannot be changed. The size or number of decimal places is invalid for a date or |
| CPS | 73 | READONLY | | This file is read only. "%a" |
| CPS | 74 | STRHASSETS | | This structure cannot be deleted. It is referenced by one or more sets. |
| CPS | 75 | SCRUNEXPEC | | "%a" unexpected |
| CPS | 76 | PASTEFAIL | | The Paste failed because you must first select a valid containing object |
| CPS | 77 | OBJNOTFIT | | The %a failed because the object does not fit within the destination container |
| CPS | 78 70 | BTNINVRANG | | Buttons per row or column must be between 0 and %d. |
| CPS | 79 | DICTFAIL | | The %a failed because one or more of the repository fields already exists |
| CPS | 80 | PASTE | | Paste |
| CPS | 81 | MOVE | | Move |
| CPS | 82 | COPY | | Copy Structure cannot be renamed to its original name because one or more chiest names would not be un |
| CPS | 83 01 | INVRENAME | | Structure cannot be renamed to its original name because one or more object names would not be un |
| CPS | 84 85 | INVBITMAP | | The bitmap file "%a" could not be found or is invalid. |
| CPS | | CREATE | | Create Incompatible field qualifiers: %a and %a |
| CPS | 86 87 | INCOMPQUAL | | and the compatible field qualifiers: to and to see that the Application Window. Minimum Application are seen to see that the Application Window. Minimum Application within the Application window. |
| CPS CPS | 88 | WNDTOOBIG | | "%a" cannot be displayed because it does not lit within the Application window. Minimum Application "%a" cannot be compiled until it is saved. |
| | 88 89 | NOCOMPILE | | Font name too long: Maximum %d characters |
| CPS | 90 | SCRFONTLEN | | "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru |
| CPS CPS | 90 | FONTINIFIL NUMVALEXP | | Numeric value expected. |
| CPS | 91 | SCRNOREAD | | Check box, selection window, and radio button fields cannot be read-only. |
| CPS | 93 | SCRNOREAD | | Read-only fields cannot be viewed as check box, selection window, or radio buttons. |
| CPS | 94 | SCRFLDONLI | | Button "%a" is not defined in window "%a". |
| CPS | フサ | SCIVIODIN | | baccon sa is not defined in window sa. |

| Fac | Err # | Code | Sev | Message |
|------------|------------|-------------------------|-----|------------------------------------------------------------------------------------------------------------------|
| CPS | 95 | FOINUSE | | The file "%a" is in use by another application and cannot be opened. |
| CPS | 96 | FSINUSE | | The file "%a" is in use by another application and cannot be saved. |
| CPS | 97 | RPSFLDSIZ | | The Create failed because the Repository defines this field as %d bytes, and no more than 99 are |
| CPS | 98 | NOSLICKEDT | | Workbench must be running before you can define or edit a method routine. Start Workbench and try |
| CPS | 99 | DDFLDDUP | | Field name not unique among members of structure. %a. Field name "%a" |
| CPS | 100 | BKPPROJ | | A backup project "%a" was found. Do you want to recover it? |
| CPS | 101 | DCTDUPOMIT | | %d fields were omitted from the list because their names were not unique within the structure. |
| CPS | 102 | LOSTOPTS | | Saving as a version 6 project will not save any project-specific settings. Do you want to continu |
| CPS | 103 | NOTSYNPROJ | | "%a" is not a Synergy project. |
| CPS | 104 | PRJWBSAVE | | You must save the project file before Workbench can open it. Do you want to save now? |
| CPS CPS | 105 106 | PRJSILENTS PRJSAVBEF | | &Automatically save without prompting You must save the project before Composer can %a. Do you want to save now? |
| CPS | 107 | NOBACKUP | | Cannot back up existing file "%a". %a. Save cancelled. |
| CPS | 108 | AUTOVIEWLN | | Field %a does not fit in window; the visible width has been changed to %d. |
| CPS | 109 | BADINPDSPL | | Invalid %a length for field: %d. Must be in the range of 0 to %d. |
| CPS | 110 | BADELEM | | Invalid array element specification; must contain only comma-separated numbers enclosed in bracke |
| CPS | 111 | RPSELEM | | Array element specification does not match Repository dimension definition; dimension %d |
| CPS | 112 | NOSCRIPTS | | No scripts in this project |
| CPS | 113 | NOTCMPSPRJ | | %a is not a Composer project |
| CPS | 114 | FLDNAMLEN | | Input field name "%a" is longer than the maximum of %d characters |
| CPS | 115 | TXTTRUNC | | %d text line%a longer than 255 characters encountered; truncated to 255 characters |
| CPS | 116 | OPENERR | | The file "%a" could not be opened.\nError #%d: %a |
| DTK | 1 | DTKVER | | UI Toolkit V%a - Compiled for %a |
| DTK | 2 | SYSMAX | | Overall system maximums: DBL chns = %d, wnds = %d, env/dsp lvls = %d, |
| DTK DTK | 3 4 | WNDINF COLINF | | wnd plc sav list = %d, hdr/ftr lins = %d, menu ctl area = %d, |
| DTK | 5 | WNDINF2 | | columns per menu = %d, entries per menu column = %d, flds per input window = %d, sets per input window = %d, |
| DTK | 6 | WNDINF3 | | info text per input wnd fld = %d, chars per text wnd row = %d |
| DTK | 7 | ENVSTS | | Environment level %d, display level %d |
| DTK | 8 | ON | | on |
| DTK | 9 | OFF | | off |
| DTK | 10 | UCONLY | | upper case only |
| DTK | 11 | LCALLOWED | | lower case allowed |
| DTK | 12 | ALLOWED | | allowed |
| DTK | 13 | IGNORED | | ignored |
| DTK | 14 | TERMSTAT | | Terminal states: Echo %a, cursor %a, %a, intr %a |
| DTK | 15 16 | DONTW | | Don't w |
| DTK | 16 17 | M | | W Don't |
| DTK DTK | 17 18 | DONT WAITSTS | | DBL prog states: %aait on record locks, %a wait on messages |
| DTK | 19 | LCLCHNS | | Local channels: |
| DTK | 20 | LCLWNDS | | Local windows: |
| DTK | 21 | LCLCOLS | | Local columns: |
| DTK | 22 | PLCDCOLS | | Placed columns: |
| DTK | 23 | PLCDWNDS | | Placed windows: |
| DTK | 24 | NONE1 | | None. |
| DTK | 25 | CURLVL | | Curr env level = %d, Curr disp level = %d |
| DTK | 26 | MEMSTS | | Total window memory = %d, in use = %d (%d free) |
| DTK | 27 | ALLWNDS | | All windows: |
| DTK | 28 | ALLCHNS | | All channels: |
| DTK DTK | 29 30 | INVARG INVWND | | Invalid argument |
| DTK | 30 | NOWND | | Invalid window No windows in list |
| DTK | 32 | ERROR | | *** ERROR *** ERROR *** ERROR *** ERROR *** ERROR *** ERROR *** |
| DTK | 33 | ERRTITLE | | *** ERROR *** ERROR *** |
| DTK | 34 | EXPROMPT | | Examine the window system (Y/N)? |
| DTK | 35 | TERMMSG | | Press RETURN to terminate: |

| Fac | Err # | Code | Sev | Message |
|------------|----------------------|-----------------------|-----|--------------------------------------------------------------------------------------------|
| DTK | 36 | MAXCHN | | Maximum of %d channels already in use |
| DTK | 37 | MAXENV | | No more environment channels available |
| DTK | 38 | INVCODE | | Invalid %a code (%d) |
| DTK | 39 | BADOPN | | Error opening file "%a" with |
| DTK | 40 | OPTS | | OPTIONS = "%a" |
| DTK | 41 | NOWNDLOG | | Could not log window %a |
| DTK | 42 | CLSADVICE | | (class should have been %d, was %d) |
| DTK | 43 | WNOTFREE | | Window not classed as available |
| DTK | 44 | WNDNFND | | Window %a not found in library %a |
| DTK | 45 | ENVOVFLW | | Maximum of %d levels already in use |
| DTK | 46 | NONEWENV | | Could not enter new local environment |
| DTK | 47 | NOOLDENV | | Could not exit to previous environment |
| DTK | 48 | HDR | | Header |
| DTK | 49 | INF | | Information |
| DTK | 50 | FTR | | Footer |
| DTK | 51 | UNK | | **Unknown** |
| DTK | 52 | SECTNDEF | | %a section not defined |
| DTK DTK | 53 54 | FLDTOOSML RENDNOCP | | Return field too small (was %d, needed %d) Could not copy display renditions on D_REND_ALL |
| DTK | 5 4 55 | WNDISCOL | | Window %a is a menu column |
| DTK | 56 | MCOLONLY | | These can only be processed by M_COLUMN |
| DTK | 57 | WNDNOTCOL | | Window %a is not a menu column |
| DTK | 58 | MNUOFLOW | | Menu control area overflow (max of %d allowed) |
| DTK | 59 | COLNDSMOR | | Column %a needed %d bytes, only %d left |
| DTK | 60 | CHN | | channel |
| DTK | 61 | WND | | window |
| DTK | 62 | MCOL | | menu column |
| DTK | 63 | INVIDENT | | Invalid %a identifier |
| DTK | 64 | IDOUTRANG | | ID %d not in range %d to %d |
| DTK | 65 | FILE | | file |
| DTK | 66 | REL | | release |
| DTK | 67 | DEL | | delete |
| DTK | 68 | COL | | column |
| DTK | 69 | NOPROMO | | Cannot promote local %a %a to global |
| DTK | 70 | NOTLCL | | Cannot %a local %a %a |
| DTK | 71 | CURRENV | | Current environment level is %d |
| DTK | 72 73 | LCL2LVL | | %a is local to level %d |
| DTK DTK | 73 74 | COLNPLC MAXCOLS | | Could not place column %a Maximum of %d columns already placed |
| DTK | 7 4 75 | NOCOLACC | | Could not access menu column %a |
| DTK | 75 76 | COLNOTPLC | | Not placed on the current menu |
| DTK | 77 | IDNOACC | | Could not access %a identifier %a |
| DTK | 78 | IDNOTEND | | Not found in menu column %a |
| DTK | 79 | FLD | | field |
| DTK | 80 | CHR | | character |
| DTK | 81 | INVINP | | Could not perform %a input using window %a |
| DTK | 82 | INS | | insert |
| DTK | 83 | OVRSTRK | | overstrike |
| DTK | 84 | FLDSTS | | Input field at (%d,%d), length %d, in %a mode |
| DTK | 85 | FAILDINP | | Failed with data length %d, input position %d, |
| DTK | 86 | CANTDEL | | Cannot delete %a %a |
| DTK | 87 | CURRDISP | | Current display level is %d |
| DTK | 88 | WNDPLCMNT | | %a is placed at level %d |
| DTK | 89 90 | REM | | remove |
| DTK DTK | 90 91 | PLC MOV | | place |
| DTK | 91 | MOV CLOSE | | move close |
| עזע | ラム | CHOSE | | CLOBC |

| Fac | Err # | Code | Sev | Message |
|------------|------------|-----------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DTK | 93 | PROCESS | | process |
| DTK | 94 | OPERATE | | <pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre> |
| DTK | 95 | RES | | <pre><resource?></resource?></pre> |
| DTK | 96 | SYSRSRC | | Cannot %a %a %a |
| DTK | 97 | CHN1 | | Channel |
| DTK | 98 | NOTOWNER | | %a is owned by the utility system |
| DTK | 99 | NOENTENV | | Could not enter environment level %d, display level %d |
| DTK | 100 | STKOVF | | Maximum of %d entries in the stack, needed %d |
| DTK | 101 | DSPSTKOVF | | Display level save stack overflow |
| DTK | 102 | LINTOOLON | | Text window %a lines are too long |
| DTK | 103 | MAXLINLEN | | Required %d characters, max of %d allowed |
| DTK | 104 | NOTTXT | | Window %a is not a text window |
| DTK | 105 | NOTTEXTEN | | Entry %a in library %a not a text entry) |
| DTK | 106 | INVEXP | | Text entry has invalid expansion control of %d |
| DTK | 107 | LIBENT | | Entry %a in library %a |
| DTK | 108 | CORRENT | | Entry is probably corrupted |
| DTK | 109 | NOTINPWND | | Window %a is not an input set window |
| DTK | 110 | SET | | Set This is a second of the se |
| DTK | 111 | FLD1 | | Field |
| DTK DTK | 112 113 | INPNOTFND NOTINSET | | Input window %a does not contain %a %a Field %a not member of set %a for window %a |
| DTK | 113 | NOTSELWND | | Window %a is not a selection window |
| DTK | 114 | WRONGDBL | | The version was %a, but %a or greater is required |
| DTK | 116 | BADDBL | | Set created using an incompatible compiler |
| DTK | 117 | COLNOPRO | | Could not promote menu column %a to global |
| DTK | 118 | GBLONLY | | Columns can only be specified as global when loadedby the M LDCOL routine |
| DTK | 119 | FILEINF | | File "%a", mode "%a" |
| DTK | 120 | FILINF | | File "%a" |
| DTK | 121 | NEEDMORE | | Needed %d bytes, but only max of %d allowed |
| DTK | 122 | TXTTOOBIG | | Channel entry text too large |
| DTK | 123 | DATAOVF | | Data space overflow for channel %d |
| DTK | 124 | MOREBYTES | | Needed %d bytes, but only %d available |
| DTK | 125 | WDNNOTPLC | | Window %a not placed on the screen |
| DTK | 126 | EDTWND | | Edit window %a, row %d, column %d |
| DTK | 127 | COVERED | | Editing position covered by another window |
| DTK | 128 | NOTFND | | Could not load %a "%a" from library %a |
| DTK | 129 | NOTCREATE | | Could not create %a "%a" |
| DTK | 130 | DUPNAME | | A window with that name already exists |
| DTK | 131 | WND2BIG | | Window %a is too large to fit on screen |
| DTK | 132 | NOMEM | | NOT Enough window memory for %a on the screen |
| DTK | 133 | UNKINTERR | | Unknown internal error code of %d |
| DTK | 134 | WNDID | | %a (ID %d) |
| DTK | 135 | CHNID | | %a (chn %d) Value not in range %a to %a |
| DTK | 136 137 | RNGERR | | Value not in range %a to %a Invalid numeric digit for value |
| DTK DTK | 137 | VALERR LSTERR | | Not an allowed entry |
| DTK | 130 | REQERR | | Not an allowed entry Non-zero value required |
| DTK | 140 | NONBLK | | Non-blank entry required |
| DTK | 141 | DATERR | | Invalid date |
| DTK | 142 | NEGERR | | Negative value not allowed |
| DTK | 143 | OVFERR | | Too many characters (maximum of %d allowed, including "." and "-") |
| DTK | 144 | UNKINPERR | | ** UNKNOWN INPUT ERROR CONDITION ** |
| DTK | 145 | DUPWND | | input window |
| DTK | 146 | INPTRUNC | | .INPUT name truncated to 15 characters |
| DTK | 147 | IGNFILE | | Remainder of file will be ignored |
| DTK | 148 | UEOF | | Unexpected End-of-File |
| DTK | 149 | NOEND | | No .END for previous .INPUT |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------------|-----|-------------------------------------------------------------------------------------------------|
| DTK | 150 | UNRECG | | Unrecognized command |
| DTK | 151 | INVCOLR | | Invalid color palette code (not 1-16) |
| DTK | 152 | INVOPT | | Invalid option |
| DTK | 153 | SINGLECH | | Only a single character is allowed |
| DTK | 154 | DEL1 | | DELETE |
| DTK | 155 | EOF | | EOF |
| DTK | 156 | LEFT | | LEFT |
| DTK | 157 | RIGHT | | RIGHT |
| DTK | 158 | UP | | UP |
| DTK | 159 | DOWN | | DOWN |
| DTK | 160 | NONMNUTYP | | Non-menu function %a_KEY typed |
| DTK | 161 | ENTRY | | entry |
| DTK | 162 | LIST | | list |
| DTK | 163 | NEEDEOL | | EOL expected |
| DTK | 164 | EXPECT | | "%a" expected |
| DTK | 165 | NOTERMNAT | | Unterminated quoted string |
| DTK | 166 | NULLNALLW | | Null string not allowed |
| DTK | 167 | IDEXP | | Identifier expected |
| DTK | 168 | SIDEXP | | "%a" expected |
| DTK DTK | 169 170 | STNGEXP NUMEXP | | String expected Number expected |
| DTK | 170 | PROCR | | Processor |
| DTK | 172 | VER | | Version |
| DTK | 172 | SCRPRMPT | | Window Libr: |
| DTK | 174 | HORVEREXP | | "HORIZONTAL" or "VERTICAL" expected |
| DTK | 175 | NOTVALINP | | Not valid within input windows |
| DTK | 176 | POSEXP | | LEFT, CENTERED, RIGHT or FILLED expected |
| DTK | 177 | INVTXTCMD | | Invalid text command |
| DTK | 178 | TOOMANYFL | | Too many fields to be created |
| DTK | 179 | ROWLTZRO | | Number of rows must be greater than zero |
| DTK | 180 | WNDEXISTS | | Selection Window |
| DTK | 181 | EXFLDMAX | | Exceded Maximum number of selection fields |
| DTK | 182 | MNTHS | | JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC |
| DTK | 183 | CTLGCONT | | Press ^G to continue |
| DTK | 184 | RETCONT | | Press RETURN to continue |
| DTK | 185 | TERMPROC | | Make corrections or press RETURN to complete input |
| DTK | 186 | FWD | | Forward |
| DTK | 187 | REV | | Reverse |
| DTK | 188 | INSRT | | Insert |
| DTK | 189 | OVR | | Overstrike |
| DTK | 190 | TXTRDCNT | | T_TXTRD control |
| DTK | 191 | TXTWRTCNT | | T_TXTWRT control |
| DTK | 192 | UNKUTL | | Unknown utility entry "%a" received |
| DTK | 193 | NOHELP | | No help available for identifier "%a" |
| DTK | 194 | NOHLP | | No help available |
| DTK | 195 196 | NOUSRSET | | No user data set is defined Invalid field specification |
| DTK DTK | 196 | INVFLDSPC DUPUSRSET | | User data set has already been defined |
| DTK | 197 | URECDBG | | Unrecognized debug command |
| DTK | 199 | BADSIZ | | Library record size %d incorrect, %d required |
| DTK | 200 | OBSWND | | Window %a obsolete or 32-64bit Mismatch; window library %a needs to be re-created using Script. |
| DTK | 201 | LIBRDERR | | Error reading window library %a [#%d, %a]; loading window %a |
| DTK | 202 | LIBWRTERR | | Error storing window %a into library %a [#%d] |
| DTK | 203 | NONE | | * None ** |
| DTK | 204 | MOS | | JANFEBMARAPRMAYJUNJULAUGSEPOCTNOVDEC |
| DTK | 205 | SCRPRMT | | Script File: |
| DTK | 206 | CIWEXP | | .SCRIPT, .COLUMN, .INPUT, .SELECT, .LISTCLASS or .WINDOW expected |

| Fac | Err # | Code | Sev | Message |
|------------|------------|-------------------|-----|------------------------------------------------------------------|
| DTK | 207 | DTKBAN | | Developer's ToolKit v%a |
| DTK | 207 | RESTERR | | Error restoring window |
| DTK | 209 | NOENDCOL | | No .END for previous .COLUMN |
| DTK | 210 | ENTIDEXST | | Entry identifier already exists |
| DTK | 211 | NOENTNCOL | | No entries in the menu column |
| DTK | 212 | TOOMNYLST | | Too many lists |
| DTK | 213 | HDENTALL | | HEADER, ENTRIES, or ALL expected |
| DTK | 214 | TOOMNYROW | | Too many rows |
| DTK | 215 | DUPLISTID | | List identifier already exists |
| DTK | 216 | ENTIDNUL | | Entry ID not defined |
| DTK | 217 | INVFNCT | | Invalid function key code |
| DTK | 218 | INVSHCUT | | Invalid shortcut specification |
| DTK | 219 | UNKOPT | | Unrecognized option |
| DTK | 220 | SETCTLS | | %a ctls for %a (in user data set) |
| DTK | 221 | EMWS | | Exceeded Maximum Work Space |
| DTK | 222 | DUPFLD | | Field name already defined |
| DTK | 223 | TOOMNYFDE | | Too many .FIELD definitions (max of %d) |
| DTK | 224 | ADFEXP | | A, D, or F expected |
| DTK | 225 | DIMTXTONL | | Only text fields can be dimensioned |
| DTK | 226 | MXLNNUM | | Maximum numeric length is 28 |
| DTK | 227 | DUPRNG | | RANGE already specified |
| DTK | 228 | BRKQUAL | | ALWAYS, CHANGE, or RETURN expected |
| DTK | 229 | LFRICTR | | LEFT, RIGHT, or CENTER expected |
| DTK | 230 | DUPALLOW | | ALLOW already specified |
| DTK | 231 | ZEROINV | | Zero value invalid |
| DTK | 232 | DUPUSRDAT | | USER data already defined Unrecognized .FIELD option |
| DTK | 233 234 | UNKFLDOPT | | |
| DTK DTK | 234 | DUPFLDQUA D0RF | | SELECT, SELWND, or ALLOW already specified Field must be numeric |
| DTK | 236 | ALPH | | Field must be alpha type |
| DTK | 237 | NOTEXT | | Field cannot be text type |
| DTK | 238 | MATCH | | EXACT or ALL expected |
| DTK | 239 | DUPDFLTSP | | COPY, INCREMENT, DECREMENT, or DEFAULT already specified |
| DTK | 240 | DUPSTR | | Structure name already defined |
| DTK | 241 | TOOMNYSTR | | Too many .STRUCTURE definitions (max of %d) |
| DTK | 242 | PREVSTR | | Cannot use all fields; previous .STRUCTURES defined |
| DTK | 243 | NOFLDS | | No fields defined for the structure |
| DTK | 244 | FLDINSTR | | Field already part of a structure |
| DTK | 245 | FLDNOTDEF | | Field %a not previously defined within the structure |
| DTK | 246 | DUPSETNM | | Set name already defined |
| DTK | 247 | MAXSETDEF | | Too many .SET definitions (max of %d) |
| DTK | 248 | NOSTRNM | | Structure name not defined |
| DTK | 249 | NOFLDSNSE | | No fields defined for the input set |
| DTK | 250 | FLDNOTNSE | | Field not within this set's structure |
| DTK | 251 | FLDNMUNDE | | Field name not defined: %a |
| DTK | 252 | NOFLDNDFL | | No fields defined for default structure |
| DTK | 253 | INVDEC | | Invalid decimal value |
| DTK | 254 | DTYPE | | Type must be D4 through D8, I2 or I4 |
| DTK | 255 | BADQUAL | | PERIOD only allowed on D4 and D6 fields |
| DTK | 256 | PERORTDY | | PERIOD, TODAY, or SHORT expected |
| DTK | 257 | NOENVSAVD | | Already at base level (No prior environment saved) |
| DTK | 258 | NOFLDRECS | | No field records available |
| DTK | 259 | CTLRECNN | | CTL NN - Dump generated ctl record NN |
| DTK | 260 | DSPCURRWND | | DISPLAY - Display the current input window |
| DTK | 261 | DMPHDT | | DMPHDR - Dump header info |
| DTK | 262 | DMPFLD | | DMPFLD - Dump field info |
| DTK | 263 | DMPBUF | | DMPBUF - Dump work buffer info |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------------|-----|----------------------------------------------------------------------------------------------|
| DTK | 264 | DUMP | | DUMP - Dump all current info |
| DTK | 265 | EXIT | | EXIT - Exit debug routine |
| DTK | 266 | FLDNN | | FLD NN - Dump generated field NN controls |
| DTK | 267 | GDMP | | GDMP - DoDUMP just prior to window generation |
| DTK | 268 | HELP | | HELP - Display available commands |
| DTK | 269 | INPUT | | INPUT - Switch to input mode |
| DTK | 270 | NOLIB | | NOLIB - Don't store generated windows |
| DTK | 271 | PAUSE | | PAUSE - Pause and wait for terminal input to continue |
| DTK | 272 | REDRAW | | REDRAW - Redraw the window screen |
| DTK | 273 | SELNN | | SEL NN - Dump generated selection ctl rec NN |
| DTK | 274 | TEST | | TEST - Don't do any input window generation |
| DTK | 275 | NOSELCTL | | No selection control records available |
| DTK | 276 | INVDBGCOM | | Invalid debug command (try HELP) |
| DTK | 277 | DBGCOM | | Debug cmd: |
| DTK | 278 | UEOL | | Unexpected End-of-Line |
| DTK | 279 | PROC | | Compiler |
| DTK | 280 | DUPENUM | | Duplicate enumeration specification |
| DTK DTK | 281 282 | ENUMLEN | | Enumeration display length must be non-zero ALLOW, SELECT or SELWND required for enumeration |
| DTK | 282 | NOENUM DUPPROMPT | | Duplicate PROMPT qualifier |
| DTK | 284 | RNDMNUENA | | Enabled Menu Entry |
| DTK | 285 | RNDMNUDSA | | Disabled Menu Entry |
| DTK | 286 | RNDMNUSEL | | Selected Menu Entry |
| DTK | 287 | RNDMNUHQS | | Menu Header Quick-Select |
| DTK | 288 | RNDMNUEQS | | Menu Entry Quick-Select |
| DTK | 289 | RNDINPDSP | | Input Field Display |
| DTK | 290 | RNDINPPRC | | Input Field Processing |
| DTK | 292 | RNDINPCLR | | Cleared Input Field |
| DTK | 293 | RNDINPBCK | | Input Window Background |
| DTK | 294 | RNDINPTTL | | Input Window Title |
| DTK | 295 | RNDINPBDR | | Input Window Border |
| DTK | 296 | RNDSELSEL | | Select Wnd Selected Item |
| DTK | 297 | RNDSELBCK | | Selection Window Body |
| DTK | 298 | RNDSELTTL | | Selection Window Title |
| DTK DTK | 299 300 | RNDSELBDR | | Selection Window Border Generic Window Body |
| DTK | 300 | RNDWINBCK RNDWINTTL | | Generic Window Body Generic Window Title |
| DTK | 301 | RNDWINIIL | | Generic Window Border |
| DTK | 302 | RNDMSGBCK | | Message Window Body |
| DTK | 304 | RNDMSGBDR | | Message Window Border |
| DTK | 305 | RNDHLPBCK | | Help Window Body |
| DTK | 306 | RNDHLPTTL | | Help Window Title |
| DTK | 307 | RNDHLPBDR | | Help Window Border |
| DTK | 308 | RNDHDR | | Screen Header |
| DTK | 309 | RNDINFO | | Information Line |
| DTK | 310 | RNDFTR | | Screen Footer |
| DTK | 311 | RNDDLGBCK | | Dialog Box Body |
| DTK | 312 | RNDDLGBDR | | Dialog Box Border |
| DTK | 313 | RNDUSR1 | | User Rendition 1 |
| DTK DTK | 314 315 | RNDUSR2 RNDUSR3 | | User Rendition 2 User Rendition 3 |
| DTK | 315 | RNDUSR3 RNDUSR4 | | User Rendition 4 |
| DTK | 310 | RNDUSR4 RNDUSR5 | | User Rendition 5 |
| DTK | 317 | RMREND | | Renditions |
| DTK | 319 | RMCOLORS | | Colors: |
| DTK | 320 | RMBOLD | | Bold |
| DTK | 321 | RMBLNK | | Blink |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------------|-----|------------------------------------------------------------------------------------------------|
| DTK | 322 | RMRVRS | | Reverse |
| DTK | 323 | RMUNDR | | Underscore |
| DTK | 324 | RMCLRCDS | | Color Codes |
| DTK | 325 | RMBCKCLR | | Background Color: |
| DTK | 326 | RMFORCLR | | Foreground Color: |
| DTK | 327 | RMSAMPLE | | Sample Windows |
| DTK | 328 | RMMNUHDR | | Menu Header |
| DTK | 329 | RMMNUBAR | | Menu Bar |
| DTK | 330 | RMMNUENA | | Menu Enabled |
| DTK | 331 | RMMNUSEL | | Menu Selected |
| DTK | 332 | RMMNUDSA | | Menu Disabled |
| DTK | 333 | RMINPTTL | | Input Window |
| DTK | 334 | RMINPDSP | | Display |
| DTK | 335 | RMINPPRC | | Process |
| DTK | 336 | RMINPCLR | | Cleared |
| DTK | 337 | RMINPXXX | | xxxxx |
| DTK | 338 | RMSELWIN | | Select Window |
| DTK | 339 | RMSELITM | | Selected Item |
| DTK | 340 | RMSELBCK | | Background |
| DTK | 341 | RMWINTTL | | Window |
| DTK | 342 | RMWINBCK | | Background |
| DTK | 343 | RMMSG | | Message |
| DTK | 344 | RMHLPTTL | | Help |
| DTK | 345 | RMHLPTXT | | Help Text |
| DTK | 346 | RMHDR | | Screen Header |
| DTK | 347 | RMINFO | | Information Line |
| DTK | 348 | RMFTR | | Screen Footer |
| DTK | 349 | RMDLG | | Dialog? X |
| DTK | 350 | RMSELTTL | | Select Screen Area |
| DTK | 351 | RMSELRND | | Select Renditions for |
| DTK | 352 | RMNOTCLR | | Not on a Color |
| DTK | 353 | RMBADCLR | | Numeric code from 0-255 required |
| DTK | 354 355 | EDTRNDSEL | | Select Scheme Scheme Name: |
| DTK DTK | 355 356 | EDTRNDSCH STORNDRPL | | Replace %a? |
| DTK | 357 | EDTRNDNON | | No schemes currently defined |
| DTK | 358 | EDTRNDNON | | Delete %a? |
| DTK | 359 | BADKEYNM | | Invalid Key Code passed to M_KEYTXT: %d - Valid range 1-99 |
| DTK | 360 | NOMAPFIL | | Cannot open the Toolkit key mapping file: |
| DTK | 361 | NOMAPREC | | Key map for %a not defined in key map file |
| DTK | 362 | WRTMAPREC | | Error %d saving key definitions for terminal type %a to file |
| DTK | 363 | ADDIT | | Do you wish to add it? |
| DTK | 364 | TERMTYP | | Enter New Terminal Type to Modify: |
| DTK | 365 | DELTRMSUR | | Delete key map for %a? |
| DTK | 366 | KEYBIGTRE | | Defined key sequences overflow key map tree modifications abandoned |
| DTK | 367 | KEYSEQLNG | | Key sequence exceeds maximum length |
| DTK | 368 | KEYBADCOD | | Illegal function code (%d) defined for key. |
| DTK | 369 | KEY2MNYSYN | | More than 3 keys target the same function code: %d |
| DTK | 370 | KEYCNTNS | | Key sequence for function code %d (%a) contains another defined sequence (code %d, %a) ignored |
| DTK | 371 | KEYCNTND | | Key sequence for function code %d (%a) is contained in another defined sequence (code %d, %a) |
| DTK | 372 | KEYSELTTL | | Select Function for %a |
| DTK | 373 | KEYSEQTTL | | Key Definition |
| DTK | 374 | UP_KEY | | Up Arrow |
| DTK | 375 | DOWN_KEY | | Down Arrow |
| DTK | 376 | RIGHT_KEY | | Right Arrow |
| DTK | 377 | LEFT_KEY | | Left Arrow |
| DTK | 378 | F1_KEY | | Function 1 |

| Fac | Err # | Code | Sev | Message |
|------------|------------|--------------------|-----|-------------------------|
| DTK | 379 | F2_KEY | | Function 2 |
| DTK | 380 | F3_KEY | | Function 3 |
| DTK | 381 | F4_KEY | | Function 4 |
| DTK | 382 | F5_KEY | | Function 5 |
| DTK | 383 | F6_KEY | | Function 6 |
| DTK | 384 | F7_KEY | | Function 7 |
| DTK | 385 | F8_KEY | | Function 8 |
| DTK | 386 | F9_KEY | | Function 9 |
| DTK | 387 | F10_KEY | | Function 10 |
| DTK | 388 | F11_KEY | | Function 11 |
| DTK | 389 | F12_KEY | | Function 12 |
| DTK | 390 | F13_KEY | | Function 13 |
| DTK | 391 | F14_KEY | | Function 14 |
| DTK | 392 | F15_KEY | | Function 15 |
| DTK | 393 | F16_KEY | | Function 16 |
| DTK | 394 | F17_KEY | | Function 17 |
| DTK | 395 | F18_KEY | | Function 18 |
| DTK | 396 | F19_KEY | | Function 19 |
| DTK DTK | 397 398 | F20_KEY F21_KEY | | Function 20 Function 21 |
| DTK | 399 | F21_KEY | | Function 22 |
| DTK | 400 | F23_KEY | | Function 23 |
| DTK | 401 | F24_KEY | | Function 24 |
| DTK | 402 | F25_KEY | | Function 25 |
| DTK | 403 | F26_KEY | | Function 26 |
| DTK | 404 | F27_KEY | | Function 27 |
| DTK | 405 | F28_KEY | | Function 28 |
| DTK | 406 | F29_KEY | | Function 29 |
| DTK | 407 | F30_KEY | | Function 30 |
| DTK | 408 | F31_KEY | | Function 31 |
| DTK | 409 | F32_KEY | | Function 32 |
| DTK | 410 | F33_KEY | | Function 33 |
| DTK | 411 | F34_KEY | | Function 34 |
| DTK | 412 | F35_KEY | | Function 35 |
| DTK | 413 | F36_KEY | | Function 36 |
| DTK | 414 | F37_KEY | | Function 37 |
| DTK | 415 | F38_KEY | | Function 38 |
| DTK | 416 | F39_KEY | | Function 39 |
| DTK | 417 | F40_KEY | | Function 40 |
| DTK DTK | 418 419 | F41_KEY F42_KEY | | Function 41 Function 42 |
| DTK | 419 | F42_KEY F43_KEY | | Function 42 Function 43 |
| DTK | 420 | F43_KEY | | Function 44 |
| DTK | 421 | F44_KEY | | Function 45 |
| DTK | 423 | F46_KEY | | Function 46 |
| DTK | 424 | F47_KEY | | Function 47 |
| DTK | 425 | F48_KEY | | Function 48 |
| DTK | 426 | F49_KEY | | Function 49 |
| DTK | 427 | F50_KEY | | Function 50 |
| DTK | 428 | F51_KEY | | Function 51 |
| DTK | 429 | F52_KEY | | Function 52 |
| DTK | 430 | F53_KEY | | Function 53 |
| DTK | 431 | F54_KEY | | Function 54 |
| DTK | 432 | F55_KEY | | Function 55 |
| DTK | 433 | F56_KEY | | Function 56 |
| DTK | 434 | F57_KEY | | Function 57 |
| DTK | 435 | F58_KEY | | Function 58 |

| DTK 436 FS9 KEY DTK 437 F60_KEY DTK 440 F62_KEY DTK 440 F62_KEY DTK 440 F62_KEY DTK 441 SUB_MEMU DTK 442 SENTENT DTK 442 SENTENT DTK 442 SENTENT DTK 443 SENTENT DTK 443 SENTENT DTK 444 SEVENEX DTK 444 SEVENEX DTK 444 SEVENEX DTK 445 SENTENT DTK 447 SEVENEX DTK 448 SEVENEX DTK 449 SEVENEX DTK 451 SEVENEX DTK 451 SEVENEX DTK 451 SEVENEX DTK 452 NOENDSEL DTK 453 NOENDSEL DTK 455 TOOMNYSEL DTK 456 FLOOVER DTK 457 NOENDSEL DTK 457 NOENDSEL DTK 458 NOCOLS DTK 458 NOCOLS DTK 459 FISSBADCHN DTK 450 FISSBADCHN DTK 450 FISSBADCHN DTK 451 SEVENEX DTK 455 FLOOVER DTK 456 FLOOVER DTK 457 NOENDLE DTK 458 NOCOLS DTK 458 NOCOLS DTK 458 NOCOLS DTK 458 NOCOLS DTK 459 FISSBADCHN DTK 450 FISSBADCHN DTK | Fac | Err # | Code | Sev | Message |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|-----------|-----|-----------------------------------------------------------------|
| DTK 437 F60_KEY DTK 449 F61_KEY DTK 440 F63_KEY DTK 440 F63_KEY DTK 440 F63_KEY DTK 440 F63_KEY DTK 441 SUB_MEND F DTK 441 SUB_MEND F DTK 442 SUB_MEND F DTK 443 SUB_MEND F DTK 444 SEXTERS DTK 445 KEYCHR3 DTK 446 KEYSELINF DTK 446 KEYSELINF DTK 446 KEYSELINF DTK 447 KEYSENINF DTK 448 KEYTXINF DTK 449 KEYACCINF DTK 440 KEYTXINF DTK 440 KEYTXINF DTK 440 KEYDEDTTL DTK 451 NORMSEL DTK 451 NORMSEL DTK 453 SELZDPIT DTK 454 NORNINSEL DTK 455 TOOMNYSEL DTK 455 TOOMNYSEL DTK 456 FLOOVER DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 NOCOLS DTK 450 NOCOLS DTK 450 NOCOLS DTK 451 FLORMSEL DTK 452 NORMSEL DTK 453 SELZDPIT DTK 454 NORNINSEL DTK 455 TOOMNYSEL DTK 455 TOOMNYSEL DTK 456 FLOOVER DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 458 NOCOLS DTK 458 NOCOLS DTK 459 FLORMSEL DTK 459 FLORMSEL DTK 450 FLORMSEL DTK 450 FLORMSEL DTK 451 FLORMSEL DTK 452 FLORMSEL DTK 454 FLORMSEL DTK 455 TOOMNYSEL DTK 455 TOOMNYSEL DTK 455 TOOMNYSEL DTK 457 NOWNDLIB DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 458 NOCOLS DTK 459 FLORMSEL DTK 457 NOWNDLIB DTK 458 PLORMSEL DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 458 NOCOLS DTK 459 FLORMSEL DTK 457 NOWNDLIB DTK 457 LORNING AND | חייע | 126 | EEO VEV | | Function 50 |
| DYK 438 F61_KEY Function 61 DYK 440 F63_KEY Function 62 DYK 441 SUB_MENU DYK 442 KENNOMS DYK 442 SENORTOT DYK 443 SHORTOT DYK 443 SHORTOT DYK 445 SENORTOT DYK 446 KEYSELINF DYK 446 KEYSELINF DYK 447 KEYSELINF DYK 447 KEYSELINF DYK 449 KEYSELINF DYK 449 KEYSELINF DYK 450 KEYUEDTIL DYK 451 KEYCHRS DYK 451 KEYCHRS DYK 451 NORNINSEL DYK 452 NORNISEL DYK 453 SELZDFUT DYK 453 NORNINSEL DYK 454 NORNINSEL DYK 455 NORNISEL DYK 456 NORNISEL DYK 457 NORNILE DYK 457 NORNILE DYK 458 NORNINSEL DYK 458 PLISTKINVI DYK 460 FLISTKINVI DYK 460 FLISTKINVI DYK 460 FLISTKINVI DYK 461 FLISTKINVI DYK 462 FLISTKINVI DYK 463 FLISTKINVI DYK 464 FLISTKINVI DYK 465 FLISTKINVI DYK 467 PLISTKINVI DYK 467 NORNINSEL DYK 467 NORNINSEL DYK 468 PLISTKINVI DYK 479 DM DYK 471 TIMERR DYK 472 LIMOCURR DYK 473 LIMOCURR DYK 473 LIMOCURR DYK 473 LIMOCURR DYK 475 LIMOCURR DYK 476 LIMOCURR DYK 477 LIMOCURR DYK 478 LIMOCURR DYK 479 DICTEXIT DYK 480 DICTERU | | | | | |
| DTK 440 F53. KEY DTK 441 SUB_MENU DTK 442 KEYNUNS DTK 443 SHORTCUT DTK 443 SHORTCUT DTK 444 KEYCHR2 DTK 445 KEYCHR2 DTK 445 KEYCHR2 DTK 445 KEYCHR2 DTK 445 KEYCHR2 DTK 446 KEYSELINF DTK 446 KEYSELINF DTK 447 SHORTCUT DTK 447 SHORTCUT DTK 448 KEYCHR3 DTK 446 KEYSELINF DTK 447 SHORTCUT DTK 447 SHORTCUT DTK 448 KEYCHR3 DTK 446 KEYSELINF DTK 450 DTK 450 SHORTCUT DTK 450 NORNDSL DTK 451 SELEDFIT DTK 452 NORNDSEL DTK 453 SELEDFIT DTK 454 NORNDSEL DTK 455 PLOVER DTK 456 PLDOVER DTK 457 NONNDLIB DTK 458 NOCOLS DTK 458 PLSEADCIN DTK 458 PLSEADCIN DTK 458 PLSEADCIN DTK 459 PLSEADCIN DTK 460 PLSTKARCT DTK 461 PLSTKARCT DTK 462 PLSTKARCT DTK 463 PLSTKALFIL DTK 465 PLSTKARCT DTK 467 PLSTKANCT DTK 468 PLSTKANCT DTK 469 PLSTKANCT DTK 467 PLSTKANCT DTK 467 PLSTKANCT DTK 467 PLSTKANCT DTK 468 PLSTKANCT DTK 467 PLSTKANCT DTK 468 PLSTKANCT DTK 469 PLSTKANCT DTK 469 PLSTKANCT DTK 460 PLSTKANCT DTK 460 PLSTKANCT DTK 460 PLSTKANCT DTK 460 | | | | | |
| DTK 440 SUB_MENU DTK 441 SUB_MENU DTK 442 SKYNUMS Codes: Menu Shortcut Text: Alternate #1: Alternate #2: Alternate #2: Alternate #2: Alternate #3: Alternat | | | | | |
| DTK 441 SUB_MENU DTK 442 KEYUMS DTK 443 SHORTCUT DTK 444 KEYCHR2 DTK 445 KEYCHR2 DTK 446 KEYSELINF DTK 446 KEYSELINF DTK 447 KEYSEQINF DTK 448 KEYTTINF DTK 449 KEYLTINF DTK 449 KEYLCINN DTK 449 KEYLCINN DTK 449 KEYLCINN DTK 450 KOENCOLL DTK 451 KEYCHR2 DTK 452 NOENDSEL DTK 452 NOENDSEL DTK 454 NOENTNSEL DTK 455 TOOMNYSEL DTK 456 FLDOVER DTK 456 PLDOVER DTK 458 PLSEADCHN DTK 459 FLSBACHN DTK 459 FLSBACHN DTK 460 FLSTKNACT DTK 461 FLSTKOFL DTK 461 FLSTKOFL DTK 462 PLSTKINKR2 DTK 463 SELECT DTK 465 FLSTKINKR2 DTK 466 FLSTKINKR2 DTK 467 FLSTKINKR2 DTK 467 FLSTKINKR2 DTK 468 FLSTKINKR2 DTK 467 DLTCTLD DTK 467 FLSTKINKR2 DTK 467 FLSTKINKR3 DTK 468 FLSTKINKR3 DTK 467 FLSTKINKR3 DTK 468 FLSTKINKR3 DTK 468 FLSTKINKR3 DTK 469 AM DTK 467 FLSTKINKR3 DTK 468 FLSTKINKR3 DTK 468 FLSTKINKR3 DTK 469 AM DTK 467 FLSTKINKR3 DTK 468 FLSTKINKR3 DTK 468 FLSTKINKR3 DTK 468 FLSTKINKR3 DTK 468 FLSTKI | | | | | |
| DTK 443 SHORTCUT DTK 444 SHORTCUT DTK 445 KEYCHR3 DTK 446 KEYCHR3 DTK 446 KEYSELINF DTK 446 KEYSELINF DTK 447 KEYSEQINF DTK 448 KEYSTITHF DTK 448 KEYTATINF DTK 449 KEYACCINF DTK 449 KEYACCINF DTK 450 KEYUDDTTL UNGARRAN DTK 450 KEYUDDTTL UNGARRAN DTK 451 KEYCHRS DTK 452 NOENDSEL DTK 453 SELEDINIL DTK 456 FLOOVER DTK 457 NOWNDLIB DTK 456 FLOOVER DTK 457 NOWNDLIB DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSBADCHN DTK 461 FISTROYFL DTK 462 FISTRANZ DTK 463 FLSTRINET DTK 463 FLOOVER DTK 465 FLOOVER DTK 466 FLSTRINET DTK 467 FLOOVER DTK 468 FLSTRINET DTK 468 FLSTRINET DTK 467 FLSTRINET DTK 468 FLSTRINET DTK 467 FLSTRINET DTK 467 FLSTRINET DTK 468 FLSTRINET DTK 467 FLSTRINET DTK 468 FLSTRINET DTK 468 FLSTRINET DTK 469 AM DTT 469 AM DTT 469 AM DTT 469 AM DTT 470 FLSTRINET DTK 467 FLSTRINET DTK 468 FLSTRINET DTK 468 FLSTRINET DTK 469 AM DTT 460 AM DTT | | | | | |
| DTK 444 KEVENR2 DTK 445 KEVER2 DTK 446 KEVESLINF DTK 446 KEVESLINF DTK 447 KEVESDINF DTK 447 KEVESDINF DTK 447 KEVESDINF DTK 448 KEVETINF DTK 449 KEVETINF DTK 450 KEVEDTTL DTK 451 NOENDSEL DTK 452 NOENDSEL DTK 453 SELZPFIT DTK 455 TOOMNYSEL DTK 456 FLOOVER DTK 457 NOWNDLIB DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSTRANT DTK 450 FLSTRANT DTK 451 FLSTRONFL DTK 451 PLSTRONFL DTK 452 FLSTRANT DTK 453 NOCOLS DTK 455 TOOMNYSEL DTK 456 FLOOVER DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSTRANT DTK 451 FLSTRONFL DTK 451 FLSTRONFL DTK 452 FLSTRANT DTK 453 FLSTRANT DTK 454 FLSTRINFL DTK 455 TLOOVER DTK 456 FLOOVER DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSTRANT DTK 451 FLSTRONFL DTK 452 FLSTRANT DTK 453 FLSTRANT DTK 454 FLSTRINFL DTK 457 NOWNDLIB DTK 457 NOWNDLIB DTK 458 FLSTRINFL DTK 457 NOWNDLIB DTK 458 FLSTRINFL DTK 457 NOWNDLIB DTK 457 NOWNDLIB DTK 458 FLSTRANT DTK 457 NOWNDLIB DTK 457 NOWNDLIB DTK 457 NOWNDLIB DTK 458 FLSTRANT DTK 457 NOWNDLIB DTK 458 FLSTRANT DTK 457 NOWNDLIB DTK 458 FLSTRANT DTK 459 FLSTRANT DTK 457 NOWNDLIB DTK 458 FLSTRANT DTK 459 FLSTRANT DTK 470 FLSTRONT DTK 470 FLSTRONT DTK 470 FLSTRONT DTK 477 DTCTATT DTK 478 DTCTSTROT DTK 478 DTCTSTROT DTK 478 DTCTSTROT DTK 478 DTCTSTROT DTK 479 DTCTSTROT DTK 470 DTCTSTROT DTK 479 DTCTSTROT DTCTSTROT DTCTSTROT DTCTSTROT DTCTSTROT DTCTSTRO | | | | | |
| DTK 444 KEYCHR2 DTK 445 KEYCHR3 DTK 446 KEYSELINF DTK 446 KEYSELINF DTK 446 KEYSELINF DTK 447 KEYSEQINF DTK 448 KEYTXTINF DTK 448 KEYTXTINF DTK 450 KEYUPDTLL DTK 451 KEYCHRS DTK 450 NORNOSEL DTK 451 NORNOSEL DTK 452 NORNOSEL DTK 453 SELEDFLT DTK 454 NORNOSEL DTK 455 TOOMNYSEL DTK 456 FLDOWER DTK 457 NONNDLIB DTK 458 NOCOLS DTK 459 FLSBADCIN DTK 459 FLSBADCIN DTK 460 FLSTKNACT DTK 461 FLSTKOVFL DTK 462 FLSTKNACT DTK 462 FLSTKNACT DTK 463 FLSTKNLFIL DTK 465 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 468 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 468 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 468 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 468 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 468 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 467 FLSTKNLFIL DTK 468 FLSTKNLFI DTK 470 PM DTK 471 TIMER DTK 472 LLMOCURR DTK 473 LLMOCURR DTK 474 LLFSERR DTK 475 LLMOCURR DTK 476 LLMOTOPD DTK 476 LLMOTOPD DTK 477 DICTRITT DTK 478 DICTRITT DTK 479 DICTRICT DTK 480 DI | | | | | |
| DTK 446 KEYSELINF DTK 447 KEYSEQINF DTK 448 KEYTINF DTK 449 KEYACINF DTK 449 KEYACINF DTK 450 KEYUPDTIL DTK 451 KEYCHRS DTK 452 NORNDSEL DTK 452 NORNDSEL DTK 453 SELZDPLT DTK 455 PLOVER DTK 456 FLOVER DTK 457 NOWNDLIB DTK 457 NOWNDLIB DTK 458 NOWNDLIB DTK 459 FLSBADCIN DTK 450 FLSTKNACT DTK 470 DTK | DTK | 444 | | | Alternate #1: |
| DTK 448 KEYSEQINF DTK 449 KEYACTINF DTK 450 KEYDPTTL DTK 451 KEYCHRS DTK 452 NOEMDESL DTK 452 NOEMDESL DTK 453 SELDDLT DTK 454 NOEMTNSEL DTK 456 FLOVER DTK 457 NOEMDESL DTK 458 NOCOLS DTK 459 NOEMDESL DTK 459 NOEMDESL DTK 459 NOEMDESL DTK 450 KEYCHRS DTK 450 KEYCHRS DTK 450 NOEMDESL DTK 450 SELDDLT DTK 451 TOOMNYSEL DTK 452 NOEMDESL DTK 453 NOCOLS DTK 456 FLOVER DTK 457 NOEMDESL DTK 458 NOCOLS DTK 459 PLSSRACCT DTK 459 PLSSRACCT DTK 450 FLSSKNACT DTK 450 FLSSKNACT DTK 450 FLSSKNACT DTK 451 DTK 452 NOEMDESL DTK 452 NOEMDESL DTK 453 NOCOLS DTK 454 FLSSKNACT DTK 455 PLSSKNEFTL DTK 456 FLSSKNEFTL DTK 457 PLSSKNEFTL DTK 458 PLSSKNEFTL DTK 459 PLSSKNEFTL DTK 450 PLSSKNEFTL DTK 470 PLSSKNEFTL DT | DTK | 445 | KEYCHR3 | | Alternate #2: |
| DTK 448 KEYTKINF DTK 450 KEYUPDTL DTK 451 KEYCHRS DTK 451 KEYCHRS DTK 452 MOENDSEL DTK 452 MOENDSEL DTK 453 SEL2DFLT DTK 454 NOENTNSEL DTK 455 MOENTNSEL DTK 456 FLOVER DTK 457 NOWNDLIB DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 PISBADCHN DTK 450 FLOXER DTK 451 KEYENRS DTK 452 NOENTSEL DTK 453 SEL2DFLT DTK 454 NOENTNSEL DTK 455 FLOVER DTK 456 FLOVER DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 PISBADCHN DTK 450 FLOXER DTK 450 PISTRNACT DTK 461 FLOXEN DTK 462 FLOXEN DTK 462 FLOXEN DTK 463 FLOXEN DTK 464 FLOXEN DTK 465 FLOXEN DTK 466 FLOXEN DTK 467 FLOXEN DTK 467 FLOXEN DTK 468 FLOXEN DTK 468 FLOXEN DTK 469 PISTRINNCT DTK 467 FLOXEN DTK 468 FLOXEN DTK 468 FLOXEN DTK 469 AM DTK 470 PM DTK 471 LINOTEND DTK 473 LINOTEND DTK 475 LINOTEND DTK 476 LINOTEND DTK 477 DICTINIT DTK 477 DICTINIT DTK 478 DICTEXT DTK 478 DICTEXT DTK 478 DICTEXT DTK 478 DICTEXT DTK 479 DICTEXT DTK 479 DICTEXT DTK 478 DICTEXT DTK 479 DICTEXT DTK 478 DICTEXT DTK 479 DICTEXT DTK 478 DICTEXT DTK 478 DICTEXT DTK 478 DICTEXT DTK 479 DICTEXT DTK 479 DICTEXT DTK 479 DICTEXT DTK 478 DICTEXT DTK 479 DICTEXT DTK 478 DICTEXT DTK 479 DICTEXT DTK 479 DICTEXT DTK 479 DICTEXT DTK 480 DICTELD DTK 481 DICTERP DTK 481 DICTER | DTK | 446 | KEYSELINF | | Select the Shortcut Function to Define |
| DTK 449 KEYACCINF DTK 450 KEYUPDTL 451 KEYCHES DTK 451 KEYCHES DTK 452 NOENDSEL DTK 453 SEL2DFLT DFFAULT already specified on a previous ENTRY Noentries in the selection window Too many entries in selection window Warning: Field overlaps prompt Window % not found; no library supplied No columns currently placed Channel % does not access a file stack The file stack system has overflowed. DTK 456 FLSTKNART The file stack system has overflowed. DTK 461 FLSTKNART The file stack system has overflowed. DTK 462 FLSTKNARX AND THE FLSTKINVLV Invalid file stack level DTK 463 FLSTKINVLV Invalid record number for stack level % d. DTK 464 FLSTKINVR2 Currently % records are at that level. DTK 467 FLSTKINVR2 Currently % records are at that level. DTK 470 PM DTK 471 TIMERR Invalid Time DTK 471 LINOTEND DTK 473 LINOTEND DTK 474 LINESER LINESEL STROYS LIN | DTK | 447 | KEYSEQINF | | Enter the Decimal character codes for the Key Sequence |
| DTK 450 KEUUPDTTL DTK 451 KEVCHES DTK 452 NOENDSEL DTK 453 SELOPLT DTK 454 NOENTSEL DTK 455 TOOMNYSEL DTK 455 TOOMNYSEL DTK 456 FLDOVER DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSBADCHN DTK 460 FLSTKNACT DTK 461 FLSTKNACT DTK 462 FLSTKNACT DTK 465 FLSTKNACT DTK 465 FLSTKNACT DTK 467 FLSTKNACT DTK 467 FLSTKNACT DTK 467 FLSTKNACT DTK 468 FLSTKNACT DTK 467 FLSTKNACT DTK 467 FLSTKNACT DTK 467 FLSTKNACT DTK 467 FLSTKNACT DTK 468 FLSTKNACT DTK 467 FLSTKNACT DTK 467 FLSTKNACT DTK 467 FLSTKNACT DTK 468 FLSTKNACT DTK 467 FLSTKNACT DTK 467 FLSTKNACT DTK 468 FLSTKNACT DTK 467 FLSTKNACT DTK 468 FLSTKNACT DTK 469 AM DTK 470 PM DTK 471 TIMERR DTK 472 LLNOCURR DTK 473 LLNOCURR DTK 474 LLFSERR DTK 475 LLNOTOPN DTK 476 LLNOTOPN DTK 477 DICTINIT DTK 478 DICTEXT DTK 478 DICTEXT DTK 479 DICTINIT DTK 470 DTK 479 DICTINIT DTK 479 DICTINIT DTK 479 DICTINIT DTK 479 DICTINIT DTK 470 DTG AND DICTINIT DTK 479 DICTINIT DTK 470 DTG AND DICTINIT DTG AND DIC | DTK | | KEYTXTINF | | Enter the Shortcut Text to appear on the menu for this function |
| DTK 451 KEYCHRS DTK 452 NOENDSEL DTK 453 SELDPLT DTK 454 NOENTNSEL DTK 455 TOOMNYSEL DTK 455 TOOMNYSEL DTK 456 FLDOVER DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSBADCHN DTK 460 FLSTKNACT DTK 461 FLSTKANZ DTK 462 FLSTKANZ DTK 463 FLSTKNIVLV DTK 464 FLSTKINVLV DTK 465 FLSTKINVR1 DTK 466 FLSTKINVR1 DTK 467 FLSTKINVR2 DTK 467 FLSTKINVR2 DTK 468 FLSTKINVR3 DTK 467 FLSTKINVR3 DTK 467 FLSTKINVR3 DTK 470 PM DTK 471 TIMERR DTK 472 LINOTUPD DTK 473 LINOTUPD DTK 474 LISPERR DTK 475 LINOTOPN DTK 476 LINOTOPN DTK 477 DTK 477 DICTINIT DTK 478 DICTSTRUT DTK 479 DICTSTRUT DTK 480 DICTSTLU DTK 480 DICTSTLU DTK 479 DICTSTRUT DTK 479 DICTSTRUT DTK 479 DICTSTRUT DTK 479 DICTSTRUT DTK 480 DICTSTRUT DTK 480 DICTSTRUT DTK 480 DICTSTRUT DTK 479 DICTSTRUT DTK 479 DICTSTRUT DTK 480 DICTSTRUT DTK 480 DICTSTRUT DTK 480 DICTSTRUT DTK 480 DICTSTRUT DTK 479 DICTSTRUT DTK 480 DICTSTRUT DTK 481 DICTERR DTK 481 DIC | DTK | | KEYACCINF | | Press the desired key(s), followed by RETURN |
| DTK 452 NGENDSEL DTK 453 SEL2PLT DTK 454 NOENTNSEL DTK 455 TOOMNYSEL DTK 456 FLOVER Warning: Field overlaps prompt DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSBADCHN DTK 460 FLSTKNACT DTK 461 FLSTKNVPL DTK 461 FLSTKNVPL DTK 462 FLSTKNAK DTK 463 FLSTKNLFIL DTK 464 FLSTKINVL DTK 465 FLSTKNLFIL DTK 465 FLSTKNLFIL DTK 465 FLSTKNLFIL DTK 466 FLSTKINVR1 DTK 467 FLSTKNVR2 DTK 468 FLSTKINVR2 DTK 470 PM DTK 471 TIMER DTK 471 LINOTIPN DTK 472 LLNOCURR DTK 473 LLNOTFND DTK 474 LLNOTOPN DTK 475 LLNOTOPD DTK 476 LINOTOPD DTK 477 DTK 477 DTK 478 DICTENT TO MANY ASSOCIATION OF THE PROME TO MANY ASSOCIAT | | | | | |
| DTK 454 SEL2DFLT DTK 455 TOOMMYSEL DTK 456 FLDOVER DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSTKANAT DTK 460 FLSTKANACT DTK 461 FLSTKANACT DTK 462 FLSTKANAX DTK 463 FLSTKNIPLI DTK 464 FLSTKINVLV DTK 465 FLSTKNIPLI DTK 467 FLSTKINVLV DTK 467 FLSTKINVLV DTK 468 FLSTKINVL1 DTK 467 FLSTKINVR1 DTK 468 FLSTKINVR1 DTK 468 FLSTKINVR1 DTK 470 PM DTK 471 TIMERR DTK 472 LLNOCUPR DTK 473 LLNOTIPD DTK 474 LLNOTOPD DTK 475 LLNOTOPD DTK 476 FLSTKIT DTK 477 DTK 477 DICTINIT DTK 477 DTK 478 DICTERT DTK 479 DICTSTRUCT DTK 480 DICTELD DTK 480 DICTERN DTK 479 DICTERN DTK 479 DICTERN DTK 479 DICTERN DTK 480 DICTERN DTK 481 DICTERN DTK 482 DICTERN DTK 482 DICTERN DTK 482 DICTERN DTK 482 | | | | | |
| DTK 454 NOENTHSEL DTK 455 TOOMNYSEL DTK 456 FLOOVER DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSBADCHN DTK 460 FLSTKNACT DTK 461 FLSTKOVFL DTK 462 FLSTKNACT DTK 463 FLSTKNLFIL DTK 463 FLSTKNLFIL DTK 464 FLSTKINVIV DTK 465 FLSTKNVEL DTK 465 FLSTKNVEL DTK 466 FLSTKINVEL DTK 467 FLSTKVEV DTK 467 FLSTKVEV DTK 467 FLSTKNVEZ DTK 468 FLSTKINVEZ DTK 469 AM DTK 470 PM DTK 471 TIMERR DTK 472 LLNOCURR DTK 473 LLNOTFND DTK 474 LLNOTOPD DTK 475 LLNOTOPD DTK 476 LINOTTOP DTK 477 DICTINIT DTK 478 DICTENT DTK 479 DICTENT DTK 480 DICTELD DTK 481 DICTERR Unknown error accessing repository | | | | | |
| DTK 455 TOOMNYSEL DTK 456 FLDOVER DTK 457 NOWNDLIB Window %a not found; no library supplied No columns currently placed Channel %d does not access a file stack DTK 461 FLSTKINACT DTK 462 FLSTKINFIL DTK 463 FLSTKINFIL DTK 464 FLSTKINFIL DTK 465 FLSTKINFIL DTK 466 FLSTKINVIV DTK 466 FLSTKINVIV DTK 467 FLSTKINVIV DTK 468 FLSTKINVI DTK 468 FLSTKINVI DTK 469 AM DTK 470 PM DTK 470 PM DTK 471 LINOTFND DTK 472 LLNOCURR DTK 474 LLNOTOPN DTK 475 LLNOTTOP DTK 476 LLNOTTOP DTK 477 DICTINIT DTK 478 DICTSTRUCT DTK 479 DICTSTRUCT DTK 478 DICTSTRUCT DTK 479 DICTSTRUCT DTK 478 DICTSTRUCT DTK 479 DICTSTRUCT DTK 479 DICTSTRUCT DTK 480 DICTFLD DTK 477 DICTSTRUCT DTK 478 DICTSTRUCT DTK 479 DICTSTRUCT DTK 479 DICTSTRUCT DTK 480 DICTFLD DTK WAND AM Uniform of very laps prompt Warning: Field overlaps prompt Warning: Field overlaps prompt Warning: Field overlaps prompt Warning: Field overlaps prompt No columns currently placed No clumns currently placed No columns currently placed No currently placed No columns plac | | | | | |
| DTK 456 FLDOVER DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSBADCHN DTK 460 FLSTKNACT DTK 461 FLSTKOVFL DTK 461 FLSTKOVFL DTK 462 FLSTKNACT DTK 463 FLSTKNIFIL DTK 463 FLSTKNIFIL DTK 464 FLSTKINIVLV DTK 465 FLSTKINIVLV DTK 465 FLSTKNIVLV DTK 466 FLSTKINVLV DTK 467 FLSTKINVLV DTK 468 FLSTKINVR1 DTK 469 AM DTK 470 DM DTK 471 LINDCTURA DTK 473 LLNOTOPN DTK 474 LLFSER DTK 475 LLNOTOPN DTK 476 ARBODICTERR DTK 477 DICTINIT DTK 478 DICTSTRUCT DTK 479 DICTERR Unknown and to found; no library supplied No columns currently placed Channel %d does not access a file stack System is not currently active. The file stack system has overflowed. A maximum of %d file stack excessing repository structure %a Channel %d does not access a file stack Channel %d does not accessing repository Bit stack system has overflowed. A maximum of %d file stack system has overflowed. A file stack system has outrently place Channel %d does not accessing repository Bit stack system is not currently poen. The file stack system has overflowed. A maximum of %d file stack level valides. The file stack system has overflowed. A maximum of %d file stack level valides. The file stack system has overflowed. A maximum of %d file | | | | | |
| DTK 457 NOWNDLIB DTK 458 NOCOLS DTK 459 FLSBADCHN DTK 460 FLSTKNACT DTK 461 FLSTKOVFL DTK 462 FLSTKOVFL DTK 463 FLSTKNLFIL DTK 464 FLSTKNLFIL DTK 465 FLSTKNLFIL DTK 466 FLSTKINVLV DTK 466 FLSTKINVR1 DTK 467 FLSTKNVLV DTK 468 FLSTKNNVL DTK 469 DTK 470 DTK 470 DTK 470 DTK 471 LINCOTOPD DTK 472 LINCOURR DTK 473 LLNOTTOPD DTK 474 LLNOTTOPD DTK 475 LLNOTTOPD DTK 476 A77 DICTINIT DTK 477 DTK 477 DICTINIT DTK 478 DTK 479 DICTSTRUCT DTK 478 DICTSTRUCT DTK 479 DICTSTRUCT DTK 480 DICTFLD DTK A80 DICTFLD DTK A81 DICTERR Unknown ex to found character accessing repository field %a in structure %a Unknown error accessing repository FISSACH Accessing repository DTK 481 DICTERR Unknown ex to found no courrently placed No columns currently placed The file stack system is not currently active. The file stack system las not currently occursor. The file stack system las not currently occursor. The file stack system las not currently occursor. The file stack system las not currently open. The file stack system l | | | | | - |
| DTK 458 NCCOLS DTK 459 FLSBADCHN DTK 460 FLSTKNACT DTK 461 FLSTKOVFL DTK 462 FLSTKNAX DTK 463 FLSTKNLFIL DTK 464 FLSTKINVLV DTK 465 FLSTKINVLV DTK 466 FLSTKINVLV DTK 466 FLSTKINVLV DTK 466 FLSTKINVR1 DTK 467 FLSTKINVR2 DTK 468 FLSTKINVR3 DTK 470 PM DTK 471 TIMERR DTK 472 LLNOCURR DTK 473 LLNOTTOP DTK 474 LLFSERR DTK 475 LLNOTTOP DTK 476 LLNOTOPN DTK 477 DTCTINIT DTK 478 DICTSTRUCT DTK 479 DICTFLD DTK 478 DICTFLR DTK 479 DICTFLR DTK 478 DICTFLR DTK 479 DICTFLR DTK 470 DICTFLR DTK 47 | | | | | |
| DTK 459 FLSBADCHN PLSTKNACT The file stack system has overflowed. DTK 461 FLSTKOYFL The file stack system has overflowed. DTK 462 FLSTKNACT The file stack system has overflowed. DTK 463 FLSTKNLFIL DTK 464 FLSTKINVLV DTK 465 FLSTKINVLV DTK 465 PLSTKINVLV DTK 466 FLSTKINVR1 DTK 467 DTK 467 DTK 467 DTK 470 DTK 471 DTK 471 DTK 471 DTK 472 LLNOTFND Linked List Error: Requested record not found DTK 473 LLNOTFND Linked List Error: Requested record not found Linked List Error: File Stack Error DTK 476 DTK 476 DTK 477 DTK 477 DTK 478 DICTSINUT Error exiting repository DTK 479 DTK 478 DICTSINUT Error exiting repository DTK 479 DT | | | | | * ** |
| DTK 460 FLSTKNACT DTK 461 FLSTKOVFL DTK 462 FLSTKMAX DTK 463 FLSTKNLFIL DTK 464 FLSTKINVLV DTK 465 FLSTKNVEV DTK 466 FLSTKINVR1 DTK 466 FLSTKINVR1 DTK 467 FLSTKINVR2 DTK 468 FLSTKINVR3 DTK 469 AM DTK 470 PM DTK 471 TIMERR DTK 472 LLNOCURR DTK 473 LLNOTFND DTK 474 LLFSERR DTK 475 LLNOTOPN DTK 476 LLNOTOPN DTK 477 DTK 477 DTK 478 DTK 478 DTK 478 DTK 479 DTK 477 DTK 478 DTK 478 LLNOTOPN DTK 479 DTK 479 DTK 479 DTK 479 DTK 479 DTCTINIT DTK 470 DTCTINIT DTCTINI | | | | | |
| DTK 461 FLSTKOVFL 462 FLSTKMAX A maximum of %d files has already been stacked. DTK 463 FLSTKNLFIL No logical file is currently open. DTK 464 FLSTKINVLV FLSTKVLEV Valid levels are currently 1 to %d. DTK 465 FLSTKINVR1 FLSTKINVR2 Currently %d records are at that level. DTK 467 FLSTKINVR2 Requested transfer record number was %d. DTK 468 DTK 470 PM DTK 471 TIMER Invalid Time DTK 472 LLNOCURR Linked List Error: No Current Record DTK 473 LLNOTFND Linked List Error: Requested record not found DTK 474 LLFSER Linked List Error: File Stack Error DTK 475 LLNOTOPN Linked List Error: Cannot extend list, not at top level of file stack Linked List in ot opened; use LL_OPEN DTK 478 DICTINIT Error initializing repository DTK 479 DICTSTRUCT Error accessing repository structure %a DTK 480 DICTFLD Unknown error accessing repository DTK 481 DICTERR Unknown error accessing repository DTK 481 DICTERR Unknown error accessing repository DTK 481 DICTERR Unknown error accessing repository | | | | | |
| DTK 462 FLSTKMAX FLSTKNIVEV 463 FLSTKNIVEV DTK 464 FLSTKNIVEV DTK 465 FLSTKNIVEV Valid levels are currently 1 to %d. Invalid file stack level Valid levels are at that level. DTK 466 FLSTKINVR1 Currently %d records are at that level. DTK 467 FLSTKINVR2 Requested transfer record number was %d. DTK 469 AM AM DTK 470 PM DTK 471 TIMERR DTK 472 LLNOCURR Linked List Error: No Current Record Linked List Error: Requested record not found Linked List Error: File Stack Error DTK 475 LLNOTOP Linked List Error: Cannot extend list, not at top level of file stack Linked List not opened; use LL_OPEN DTK 478 DICTSTRUCT Error accessing repository but when the propository on the propository on the propository filed %a in structure %a Unknown error accessing repository DTK 480 DICTFLD Unknown error accessing repository DTK 481 DICTERR Unknown error accessing repository DTK 481 DICTERR Unknown error accessing repository DTK 481 DICTERR Unknown error accessing repository | | | | | |
| DTK 463 FLSTKNLFIL Invalid file is currently open. DTK 464 FLSTKINVLV Invalid file stack level DTK 465 FLSTKINVR1 Valid levels are currently 1 to %d. DTK 467 FLSTKINVR2 Currently %d records are at that level. DTK 469 AM Requested transfer record number was %d. DTK 470 PM PM PM DTK 471 TIMERR DTK 472 LLNOCURR Linked List Error: No Current Record DTK 473 LLNOTFND Linked List Error: Requested record not found DTK 474 LLFSERR Linked List Error: Requested record not found DTK 475 LLNOTTOP Linked List Error: Cannot extend list, not at top level of file stack DTK 476 LLNOTOPN Linked List not opened; use LL_OPEN DTK 477 DICTINIT Error initializing repository DTK 478 DICTEXIT Error accessing repository structure %a DTK 479 DICTERT Unknown error accessing repository DTK 480 DICTER Unknown error accessing repository Unknown error accessing repository Unknown error accessing repository | | | | | • |
| DTK 464 FLSTKINVLV Valid levels are currently 1 to %d. DTK 465 FLSTKVLEV Valid levels are currently 1 to %d. Invalid record number for stack level %d. Currently %d records are at that level. BY 468 FLSTKINVR3 Requested transfer record number was %d. DTK 469 AM AM DTK 470 PM DTK 471 TIMERR Invalid Time DTK 472 LLNOCURR Linked List Error: No Current Record DTK 473 LLNOTFND Linked List Error: Requested record not found DTK 474 LLSERR Linked List Error: File Stack Error DTK 475 LLNOTOP Linked List Error: Cannot extend list, not at top level of file stack DTK 476 LLNOTOPN Linked List not opened; use LL_OPEN DTK 477 DICTINIT Error initializing repository DTK 478 DICTEXIT Error accessing repository structure %a DTK 480 DICTERR Unknown error accessing repository Unknown error accessing repository Unknown error accessing repository Unknown error accessing repository | | | | | |
| DTK 465 FLSTKINVR1 DTK 466 FLSTKINVR1 DTK 467 FLSTKINVR2 DTK 468 FLSTKINVR3 DTK 469 AM DTK 470 PM DTK 471 TIMERR DTK 472 LLNOCTRD DTK 474 LLFSERR DTK 475 LLNOTTOP DTK 476 LLNOTOPN DTK 477 DICTINIT DTK 478 DICTSTRUCT DTK 479 DICTSTRUCT DTK 479 DICTSTRUCT DTK 480 DICTERR DTK 481 DICTERR Valid levels are currently 1 to %d. Invalid record number for stack level %d. Currently %d records are at that level. Requested transfer record number was %d. AM PM Invalid Time Linked List Error: No Current Record Linked List Error: Requested record not found Linked List Error: File Stack Error Cannot extend list, not at top level of file stack Linked List not opened; use LL_OPEN Error initializing repository Error accessing repository Error accessing repository field %a in structure %a Unknown error accessing repository | | | | | 5 |
| DTK 466 FLSTKINVR1 DTK 467 FLSTKINVR2 DTK 468 FLSTKINVR3 DTK 469 AM DTK 470 PM DTK 471 TIMERR DTK 472 LLNOCURR DTK 473 LLNOTFND DTK 475 LLNOTTOP DTK 476 LLNOTOPN DTK 477 DICTINIT DTK 478 DICTEXIT DTK 478 DICTEXIT DTK 480 DICTERR DTK 480 DICTERR DTK 480 DICTERR DTK 480 DICTERR DTK 481 DICTERR DTK 486 FLSTKINVR2 Currently %d records are at that level. Requested transfer record number was %d. AM PM Invalid Time Currently %d records are at that level. Requested transfer record number was %d. AM PM Invalid Time Linked List Error: No Current Record Linked List Error: Requested record not found Linked List Error: File Stack Error Linked List Error: Cannot extend list, not at top level of file stack Linked List not opened; use LL_OPEN Error initializing repository Error exiting repository Error accessing repository structure %a DTK 480 DICTERR Unknown error accessing repository | | | | | |
| DTK 467 FLSTKINVR2 DTK 468 FLSTKINVR3 DTK 469 AM DTK 470 PM DTK 471 TIMERR DTK 472 LLNOCURR DTK 473 LLNOTFND DTK 475 LLNOTTOP DTK 476 LLNOTOPN DTK 477 DICTINIT DTK 478 DICTEXIT DTK 479 DICTSTRUCT DTK 479 DICTSTRUCT DTK 480 DICTERR DTK 481 DICTERR DTK 481 DICTERR Currently %d records are at that level. Requested transfer record number was %d. AM PM PM Invalid Time Linked List Error: No Current Record Linked List Error: Requested record not found Linked List Error: File Stack Error Linked List Error: Cannot extend list, not at top level of file stack Linked List not opened; use LL_OPEN Error initializing repository Error accessing repository structure %a Error accessing repository Unknown error accessing repository | | | | | • |
| DTK 468 FLSTKINVR3 Requested transfer record number was %d. DTK 470 PM PM PM DTK 471 TIMERR DTK 472 LLNOCURR DTK 473 LLNOTFND Linked List Error: No Current Record DTK 474 LLFSERR Linked List Error: Requested record not found DTK 475 LLNOTTOP Linked List Error: File Stack Error DTK 476 LLNOTOPN Linked List Error: Cannot extend list, not at top level of file stack DTK 477 DICTINIT Error initializing repository DTK 478 DICTEXIT Error exiting repository DTK 479 DICTSTRUCT Error accessing repository structure %a DTK 480 DICTERR Unknown error accessing repository | | | | | |
| DTK 469 AM PM PM PM PM Invalid Time DTK 471 TIMERR Invalid Time DTK 472 LLNOCURR Linked List Error: No Current Record DTK 473 LLNOTFND Linked List Error: Requested record not found DTK 474 LLFSERR Linked List Error: File Stack Error DTK 475 LLNOTTOP Linked List Error: Cannot extend list, not at top level of file stack DTK 476 LLNOTOPN Linked List not opened; use LL_OPEN DTK 477 DICTINIT Error initializing repository DTK 478 DICTEXIT Error exiting repository DTK 479 DICTSTRUCT Error accessing repository structure %a DTK 480 DICTFLD Error accessing repository DTK 481 DICTERR Unknown error accessing repository | | | | | - |
| DTK 471 TIMERR DTK 472 LLNOCURR DTK 473 LLNOTFND DTK 474 LLFSERR DTK 475 LLNOTTOP DTK 476 LLNOTOPN DTK 477 DICTINIT DTK 478 DICTEXIT DTK 479 DICTSTRUCT DTK 480 DICTFLD DTK 481 DICTERR DTK 481 DICTERR Invalid Time Linked List Error: No Current Record Linked List Error: Requested record not found Linked List Error: File Stack Error Linked List Error: Cannot extend list, not at top level of file stack Linked List not opened; use LL_OPEN Error initializing repository Error exiting repository Error accessing repository structure %a Unknown error accessing repository | | | | | - |
| DTK 472 LLNOCURR DTK 473 LLNOTFND DTK 474 LLFSERR DTK 475 LLNOTFOP DTK 476 LLNOTOPN DTK 477 DICTINIT DTK 478 DICTEXIT DTK 479 DICTSTRUCT DTK 480 DICTFLD DTK 481 DICTERR Linked List Error: No Current Record Linked List Error: Requested record not found Linked List Error: File Stack Error Linked List Error: Cannot extend list, not at top level of file stack Linked List not opened; use LL_OPEN Error initializing repository Error exiting repository Error accessing repository structure %a Error accessing repository Unknown error accessing repository | DTK | 470 | PM | | PM |
| DTK 473 LLNOTFND Linked List Error: Requested record not found DTK 474 LLFSERR DTK 475 LLNOTTOP Linked List Error: Cannot extend list, not at top level of file stack DTK 476 LLNOTOPN DTK 477 DICTINIT Error initializing repository DTK 478 DICTEXIT Error exiting repository DTK 479 DICTSTRUCT Error accessing repository structure %a DTK 480 DICTERR Unknown error accessing repository | DTK | 471 | TIMERR | | Invalid Time |
| DTK 474 LLFSERR DTK 475 LLNOTTOP Linked List Error: File Stack Error Linked List Error: Cannot extend list, not at top level of file stack Linked List not opened; use LL_OPEN DTK 477 DICTINIT DTK 478 DICTEXIT DTK 479 DICTSTRUCT DTK 480 DICTFLD DTK 480 DICTFR DTK 481 DICTERR Linked List Error: File Stack Error Linked List not opened; use LL_OPEN Error initializing repository Error exiting repository Error accessing repository structure %a Error accessing repository Unknown error accessing repository | DTK | 472 | LLNOCURR | | Linked List Error: No Current Record |
| DTK 475 LLNOTTOP DTK 476 LLNOTOPN DTK 477 DICTINIT DTK 478 DICTEXIT DTK 479 DICTSTRUCT DTK 480 DICTFLD DTK 481 DICTERR DTK 481 DICTERR Linked List Error: Cannot extend list, not at top level of file stack Linked List not opened; use LL_OPEN Error initializing repository Error exiting repository Error accessing repository structure %a Error accessing repository Unknown error accessing repository | DTK | 473 | LLNOTFND | | Linked List Error: Requested record not found |
| DTK 476 LLNOTOPN Linked List not opened; use LL_OPEN DTK 477 DICTINIT Error initializing repository DTK 478 DICTEXIT Error exiting repository DTK 479 DICTSTRUCT Error accessing repository structure %a DTK 480 DICTERR Unknown error accessing repository | DTK | | LLFSERR | | |
| DTK 477 DICTINIT Error initializing repository DTK 478 DICTEXIT Error exiting repository DTK 479 DICTSTRUCT Error accessing repository structure %a DTK 480 DICTFLD Error accessing repository field %a in structure %a Unknown error accessing repository | | | | | |
| DTK 478 DICTEXIT Error exiting repository DTK 479 DICTSTRUCT Error accessing repository structure %a DTK 480 DICTFLD Error accessing repository field %a in structure %a Unknown error accessing repository | | | | | |
| DTK 479 DICTSTRUCT Error accessing repository structure %a DTK 480 DICTFLD Error accessing repository field %a in structure %a Unknown error accessing repository | | | | | 9 1 1 |
| DTK 480 DICTFLD Error accessing repository field %a in structure %a DTK 481 DICTERR Unknown error accessing repository | | | | | |
| DTK 481 DICTERR Unknown error accessing repository | | | | | |
| | | | | | 3 1 1 |
| DIK 402 DICINOFND Kequested repository record not found | | | | | |
| | | | | | |
| DTK 483 DICTOPEN Could not open file DTK 484 DICTFUNC Unknown repository function code | | | | | |
| DTK 484 DICIFORC ORRHOWN repository function code DTK 485 SAVTOMAP Save current changes to %a ? | | | | | |
| DTK 486 SAVTERM Enter name of terminal to save current changes | | | | | |
| DTK 487 SBNOTSB Window id %d is not a scroll bar window | | | | | |
| DTK 488 RNDLSTENA Enabled List | | | | | |
| DTK 489 RNDLSTBDR Enabled List Border | | | | | |
| DTK 490 RNDLSTTTL Enabled List Title | | | | | |
| DTK 491 RNDLSTDSA Disabled List | | | | | |
| DTK 492 RNDLSTSEL Selected Item in List | | | | | Selected Item in List |

| Fac | Err # | Code | Sev | Message |
|------------|------------|----------------------|-----|------------------------------------------------------------------------------------------------------|
| DTK | 493 | RNDSCRBAR | | Scroll Bar |
| DTK | 494 | RNDSCRIND | | Scroll Bar Indicators |
| DTK | 495 | RMMLSTENA | | Enabled List |
| DTK | 496 | RMMLSTBCK | | List Item |
| DTK | 497 | RMMLSTSEL | | Selected Item |
| DTK | 498 | RNDLSTDSS | | Disabled Selected Item |
| DTK | 499 | MAXLIST | | Maximum number of list entries (99) exceeded |
| DTK | 500 | IBBADCOL | | Column specified (%d) lies outside window (1-%d) |
| DTK | 501 | IBBADROW | | Row specified (%d) lies outside window (1-%d) |
| DTK | 502 | NEGQUAL | | ALLOWED, ONLY, or ORZERO expected |
| DTK | 503 | TTYPE | | Type must be D4, D6, I2 or I4 |
| DTK | 504 | AMPMORNOW | | AMPM or NOW expected |
| DTK | 505 | UNKNLSTOPT | | Unknown .LISTCLASS option: %a |
| DTK | 506 | RNDLSTHDR | | Enabled List Header |
| DTK | 507 | RNDLSTFTR | | Enabled List Footer |
| DTK | 508 | RMMLSTHDR | | List Header |
| DTK | 509 | RMMLSTFTR | | List Footer |
| DTK | 510 | TERMCOPY | | Enter terminal type to copy from: |
| DTK | 511 | MNUSEL | | Menu entry "%a" selected |
| DTK | 512 | CHRTYPED | | Character "%a" typed |
| DTK | 513 | CTLTYPED | | Control character "^%a" typed |
| DTK | 514 | NONMNUTYPD | | Non-menu function "%a_KEY" typed |
| DTK | 515 | FINDPRMPT | | Find: |
| DTK | 516 | NOTINST | | UI Toolkit is not configured Please contact your Synergy supplier |
| DTK | 517 | MAXUSER | | Exceeded concurrent user capacity |
| DTK | 518 519 | TIMEOUT | | This system has timed out Please contact your Synergy supplier List Class %a already defined |
| DTK DTK | 520 | DUPCLASS CLSCREAT | | Cannot create List class %a: %a |
| DTK | 520 | NOCLASS | | List class %a not found |
| DTK | 522 | NOCLSLIB | | List Class %a not loaded - no library supplied |
| DTK | 523 | NOTCLSWND | | Id %d not a List class |
| DTK | 524 | PLCDPRLVL | | List ID %d placed at a prior level |
| DTK | 525 | NOTLOCAL | | List ID %d not local to the current environment |
| DTK | 526 | NOTFREE | | List ID %d already in use |
| DTK | 527 | NOFREE | | No List ID's available Maximum number of active Lists (%d) already reached. |
| DTK | 528 | NOTLST | | ID %d is not an active List |
| DTK | 529 | CMDQOVF | | List Request queue overflow |
| DTK | 530 | INPINUSE | | Input window %d already associated with a List |
| DTK | 531 | NOSECT | | List section %d not found |
| DTK | 532 | RMMLSTDSA | | Disabled List |
| DTK | 533 | FLSTKDFLT | | Default file stack already initialized |
| DTK | 534 | NEGOERR | | Negative value only allowed |
| DTK | 535 | RPOSTXT | | RETAIN_POSITION only valid for text fields |
| DTK | 536 | TXTPOS | | I_TXTPOS can only be used for text fields |
| DTK | 537 | HELPINFO | | Browse help text, then press RETURN or [O_EXIT] to exit |
| DTK | 538 | FLAGOLD | | Warning: .FLAG no longer supported; use renditions |
| DTK | 539 | | | Sel Wnd Quick-Selects |
| DTK | 540 | SNAPLEN | | I_SNAPSHOT argument too small: %d |
| DTK | 541 | LISTLEN | | Maximum storage capacity for list data exceeded; max=%d, needed=%d |
| DTK | 542 | LLSIZE | | Maximum storage capacity for linked list data exceeded; max=%d, needed=%d |
| DTK | 543 | ABOUT | | About %a |
| DTK | 544 | VERSION | | Version %a |
| DTK | 545 | COMPILED | | Compiled on %a |
| DTK | 546 | DTKVERS | | UI Toolkit Version %a |
| DTK | 547 548 | STRCTOVR | | Too many item definitions in structure maximum of %d Too many fields in set definition maximum of %d |
| DTK | 548 549 | SETOVR | | Invalid size specified for integer field: %d |
| DTK | 343 | BADINTLEN | | invalid bize specified for integer field. %d |

| Fac | Err # | Code | Sev | Message |
|------------|---------------------------------------|-------------------------|-----|-------------------------------------------------------------------------------------------------|
| DTK | 550 | INTOVF | | Value too large for field; range %a thru %a |
| DTK | 551 | HELPINFO2 | | Press RETURN or [O_EXIT] to exit help |
| DTK | 552 | BADDICTTYP | | Fields of type %a not supported by the Toolkit |
| DTK | 553 | NAMESETID | | %d is not a valid name set ID |
| DTK | 554 | NAMNOTUNIQ | | "%a" is not a unique name within the set of %a |
| DTK | 555 | MAXNAME | | Maximum number of %a exceeded |
| DTK | 556 | NOROUTINE | | %a (or a routine it calls) missing, or GDS uninitialized. |
| DTK | 557 | NOARRIVE | | Specified as the arrive method for field %a |
| DTK | 558 | BTNOK | | o k |
| DTK | 559 | BTNCANCEL | | Cancel |
| DTK | 560 | BTNABORT | | Abort |
| DTK | 561 | BTNRETRY | | Retry |
| DTK | 562 | BTNIGNORE | | Ignore |
| DTK | 563 | BTNYES | | Yes |
| DTK | 564 | BTNNO | | No |
| DTK | 565 | LISTINP | | Input window %d is associated with list %d - you must use L_INPUT(_P) or L_INPFLD(_P) for input |
| DTK | 566 | WNDPLC | | Could not place window |
| DTK | 567 | BADFLDLEN | | Field %a must be in range %d-%d: %d |
| DTK | 568 | WROVERS | | Wrong version of Toolkit library: %a\nExpected version: %a |
| DTK | 569 | COLORS | | ANSI: 0=Black,1=Blue,2=Green,3=Cyan,4=Red,5=Purple,6=Yellow,7=White |
| DTK | 570 571 | FIND_MSG | | Searching list - please wait |
| DTK | 571 572 | TOOMNYEOF | | %d EOF characters encountered |
| DTK | 572 | BTNHELP | | Help |
| DTK DTK | 573 574 | BADBTN SCRBADBTN | | Invalid button code passed to IB_STDBUTTONS: %d Invalid button name: %a |
| DTK | 57 4 575 | DEFFILTER | | All files (*.*) |
| DTK | 575 576 | BIGFILTER | | %U_GETFILENAME Error: Specified filters too large. Maximum of 8192 characters allowed |
| DTK | 577 | FILENAME | | File |
| DTK | 578 | DIRCMD | | Unable to build directory list.\nCommand was:\n%a |
| DTK | 579 | ALLFILES | | All files (*.*) |
| DTK | 580 | MAXITEM | | Max token length (%d) exceeded: %d chars encountered - token truncated |
| DTK | 581 | TOOLKIT | | UI Toolkit |
| DTK | 582 | BADVERSN | | Incompatible version of %a |
| DTK | 583 | MINVERSN | | Minimum version required: %a |
| DTK | 584 | GOTVERSN | | Version in use: %a |
| DTK | 585 | TIMOUT | | O_TIMEOUT |
| DTK | 586 | INVWAIT | | Invalid wait qualifier |
| DTK | 587 | NODRILL | | Specified as the drill method for field %a |
| DTK | 588 | NOLSTDATA | | List has no associated data |
| DTK | 589 | LSTHASDATA | | List has associated data but no parameter passed |
| DTK | 590 | NOLEAVE | | Specified as the leave method for field %a |
| DTK | 591 | SCR2WIDE | | Application screen width specified (%d) exceeds maximum of %d |
| DTK | 592 | NOSELRADIO | | 'Radio' specified without associated selection window |
| DTK | 593 | NOHYPER | | Specified as the hyperlink method for field %a |
| DTK | 594 | SCRINCOMP | | Incompatible field qualifiers: %a and %a |
| DTK | 595 506 | NOENUMLIST | | Field specified as enumerated, but no selection or allow list specified |
| DTK | 596 | | | Could not open main repository |
| DTK | 597 | DICTOPENT | | Could not open repository text file Repository is not a version %a repository |
| DTK DTK | 599 600 | DICTWROVER DICTFLDNA | | Repository is not a version %a repository Repository field %a not available to the Toolkit |
| DTK | 601 | SCRALREADY | | %a already encountered |
| DTK | 602 | NOTTSET | | %d is not a tabset id in routine %a. |
| DTK | 603 | MAXTABS | | Maximum number of tab items created for tabset %d. |
| DTK | 604 | NOTTITM | | %d is not a valid tab item. |
| DTK | 605 | TABITEM | | tab item |
| DTK | 606 | TASSOC | | Window ID %d is already associated with a tab set. |
| DTK | 607 | RTNNFDTK | | Method %a not found in routine %a. |
| | , , , , , , , , , , , , , , , , , , , | | 1 | |

| Fac | Err # | Code | Sev | Message |
|------------|------------|--------------------------|-----|-------------------------------------------------------------------------------------------------------------------------|
| DTK | 608 | TOOMNYBTNS | | Maximum number of buttons per window (%d) exceeded. |
| DTK | 609 | SCRMAXLIB | | Maximum number of libraries (%d) exceeded. |
| DTK | 610 | SCRMAXSCR | | Maximum number of scripts (%d) exceeded. |
| DTK | 611 | SFWFSETDEL | | Illegal operation attempted which would result in the destruction of the input set which is being |
| DTK | 612 | INPUTWND | | Script compiler used for input window %a |
| DTK | 613 | LWNDEVENT | | Failed to assign window event set %d to list ID %d |
| DTK | 614 | WNDEVENT | | Failed to assign window event set %d to window ID %d |
| DTK | 615 | BADFONT | | Invalid font name specified. |
| DTK | 616 | FONTSPEC | | Invalid font name specified in %a - "%a". |
| DTK | 617 | CRWNDFAIL | | Could not create window %a with %d rows and %d columns. |
| DTK | 618 | NOTAXWID | | %d is not the ID of an ActiveX Container window. |
| DTK | 619 | BTNNAME | | %a is not a valid button name in window ID %d |
| DTK | 620 621 | INPOVELOW | | Insufficient data space passed to input routine for storage of field: |
| DTK DTK | 621 622 | INPOVFLOW2 AXLISTLOAD | | %a. Needed %d, passed data size is %d. ActiveX list control load failure: OCX/DLL file(s) missing or not registered. |
| DTK | 623 | BADAXLSVRS | | Mismatched ActiveX list control version: %a; expected %a |
| DTK | 624 | WROVERSN | | Mismatched versions of %a and %a |
| DTK | 625 | REQVERSN | | Version of %a: %a |
| DTK | 626 | BADMCLASS | | U_WNDEVENTS: Argument 2 (%d) is not a valid method set ID for D_ASSIGN |
| DTK | 627 | BADBLDID | | %a: %d is not a valid input window build ID |
| DTK | 628 | NOAXCNTR | | AX_TKWIN: Could not create ActiveX container window. For more information, run again with AXDEBU |
| DTK | 629 | RNGERROR | | Value %d not in range %d to %d in %a |
| DTK | 630 | INVADDRSIZ | | Integer address must be of size %d |
| DTK | 631 | INVUTYP | | Invalid user type: %d. Alphanumeric argument required. |
| DTK | 632 | RPSDUPFLD | | Repository field name %a is not unique among members of structure %a |
| DTK | 633 | BADENV | | Environment level specified (%d) not in range 1 to %d |
| DTK | 634 | LABORT | | List %d aborted; reason code %d (%a) |
| DTK DTK | 635 636 | LABTNORECS LABTILLREQ | | Empty list not allowed NONULL specified in list class but no records loaded Illegal request |
| DTK | 637 | LABTILLREQ | | Load request not honored check the load method |
| DTK | 638 | LABTUNKNWN | | Unknown abort reason |
| DTK | 639 | TOOMNYTBS | | Maximum number of toolbars (%d) exceeded. |
| DTK | 640 | NOTBLOG | | Could not log Toolbar %d. |
| DTK | 641 | TBNOTFREE | | Toolbar not classed as available. |
| DTK | 642 | NOSUCH | | No such %a logged with the Toolkit. |
| DTK | 643 | TOOLBAR | | Toolbar |
| DTK | 644 | SELTOOBIG | | Selection window exceeds 32767 bytes. |
| DTK | 645 | NOUSTART | | The Synergy/DE UI Toolkit has not been initialized (U_START was not called) |
| DTK | 646 | BTNPOS | | Invalid button position specified for window %d: %d (Valid range is 1 through %d) |
| DTK | 647 | BADDEC | | Decimal places specified (%d) not in range 0-28 |
| DTK | 648 | FLDTOOBIG | | Field %a does not fit in the window; maximum width: %d, field width: %d. |
| DTK | 649 | LDNAMOVF | | Overflow loading %a names: %as beginning with %a (index %d) will not be accessible by name. |
| DTK | 650 651 | RPSRTNNF | | Repository access routine %a not found. %d is not a valid button index in window ID %d |
| DTK DTK | 651 652 | BTNNDX FLDNAMOVF | | Field name with element specification exceeds maximum of %d characters. |
| DTK | 653 | BADELEMSPC | | Invalid array element: %a, at character %d: '%a' |
| DTK | 654 | LNGELEMSPC | | Element specification results in field name longer than %d characters: %a |
| DTK | 655 | MNYELEMSPC | | Element specification contains more than 4 dimensions: %a |
| DTK | 656 | RPSELEMERR | | Element does not match Repository dimension specification: |
| DTK | 657 | RPSELEMER2 | | %a, dimension %d |
| DTK | 658 | ELEMNORPS | | Element specification not allowed on local field: %a |
| DTK | 659 | BLANKENTRY | | Menu entry name may not be blank |
| DTK | 660 | INPEXACT | | Incorrect size of data space passed to routine for storage of field: |
| DTK | 661 | FLDSELENUM | | Field %a is enumerated and has no allow list; cannot remove selection window. |
| DTK | 662 | NOTCTR | | %d is not the ID of a valid UI Toolkit container window |
| DTK | 663 | CHLDALREDY | | ID %d (type %d) is already a child of container %d |
| DTK | 664 | NOTCHLD | | %d is not the ID of a contained window |

| Fac | Err # | Code | Sev | Message |
|------------|----------|------------------|--------|---------------------------------------------------------------------------------------------------|
| DTK | 665 | TOOMNYROWS | | Field %a does not fit in the window; number of rows specified: %d; truncated to %d. |
| DTK | 666 | KEYFRDONLY | | Keymap file is read-only |
| DTK | 667 | NORNDFIL | | Unable to update renditions file: %a |
| DTK | 668 | RNDFRDONLY | | Renditions file is read-only |
| DTK | 669 | MSIGCONF | | M_SIGNAL overwriting pending menu entry: %a with %a\nContinue? |
| DTK | 670 | DICTFLDLST | | Error building field list for repository structure %a; validate repository |
| DTK | 671 | NOSTARTM | | Specified as the USTART_METHOD passed to U_START |
| DTK | 672 | CONTINUE | | Continue? |
| DTK | 673 | IUSERARG | | I_USER argument %d smaller than user string for field %a (%d passed, needed %d) |
| DTK | 674 | IUSERARGE | | I_USER argument %d is not exactly the same size as the user string for field %a (%d passed, expec |
| DTK | 675 | BOUNDSFAIL | | DTK_BOUNDS failure (level %d) |
| DTK | 676 | BADRTNADDR | | Invalid method address: %d |
| DTK | 677 | INCOMPTYP | | Incompatible data type passed to %a for field %a |
| DTK | 678 | TSTYPE | | Type must be I8 for timestamp fields |
| DTK | 679 | AMPMORSHRT | l _ l | AMPM or SHORT expected |
| LBR | 1 | BADFIL | F | Corrupted file: %s |
| LBR | 2 | CLOSIN | F | Cannot close: %s |
| LBR LBR | 3 4 | CMDBIG CONOPT | F F | Command line too long: %s Conflicting options on command line |
| LBR | 5 | DNXSTMD | F | Cannot delete non-existing module: %s |
| LBR | 6 | EXSTMOD | F | Cannot add existing module: %s |
| LBR | 7 | INFXP | F | Indirect command file name expected |
| LBR | 8 | INPFXP | F | Input file expected |
| LBR | 9 | INSMEM | F | Insufficient memory for attempted operation |
| LBR | 10 | INVFN | F | Invalid command file name |
| LBR | 11 | INVOPT | F | Invalid command line option |
| LBR | 12 | INVTR | F | Invalid command file option, [NO]TRACE expected |
| LBR | 13 | LERROR | F | Internal error: %s |
| LBR | 14 | MAXIF | F | Exceeded maximum input file limit |
| LBR | 15 | MAXIND | F | Exceeded maximum indirect command file limit |
| LBR | 16 | MAXMOD | F | Exceeded maximum number of module names |
| LBR | 17 | MAXTF | F | Exceeded maximum number of files |
| LBR | 18 | MODXP | F | Module name expected |
| LBR | 19 | NONAME | F | No name specified for command line option |
| LBR | 20 | NOTSUBR | F | Module %s is not a subroutine |
| LBR | 21 | OBJXP | F | Object file expected: %s |
| LBR | 22 | OLBXP | F | Object library expected: %s |
| LBR | 23 | OPENIN | F | Cannot open input file: %s |
| LBR | 24 | OPOUT | F | Cannot open output file: %s |
| LBR | 25 | RNXSTMD | W | Warning - Replacing non-existing module: %s |
| LBR | 26 | XNXSTMD | F | Extracting non-existing module: %s |
| LBR | 28 | OPTXP | F | Option expected Warning Dunligate module &g in library &g |
| LBR LBR | 29 30 | DUPMOD WDTFDD | W F | Warning - Duplicate module %s in library %s Out of disk space for output file |
| LBR | 31 | WRTERR MODSIZ | F | Module length too large %s |
| LBR | 32 | DUPMTH | F | Duplicate method specified: %s |
| LBR | 33 | IOERR | F | I/O error reading file: %s |
| LBR | 34 | OPPNDN | F | Module %s built opposite 'endian' |
| LBR | 35 | BADNDN | F | Unrecognized module id in %s |
| LBR | 36 | OPPBIT | F | Module %s built with opposite bit size |
| LBR | 37 | NDNOPP | F | Library built with opposite 'endian' |
| LBR | 38 | NDNBAD | F | Unrecognized library ID |
| LBR | 39 | BITOPP | F | Library built with opposite bit size |
| LBR | 517 | INTERR | F | Internal Error: %d |
| LNK | 1 | BIGSEG | F | Segment exceeds maximum size in module: %s |
| LNK | 2 | CMDBIG | F | Command line exceeds maximum length |
| LNK | 3 | COMERR | F | Compiler errors in module: %s |

| Fac | Err # | Code | Sev | Message |
|-----|----------|----------|-----|-------------------------------------------------------------|
| LNK | 4 | COMNF | F | COMMON record undefined: %s in module %s |
| LNK | 5 | COMWAR | W | Compile warnings in module: %s |
| LNK | 6 | DUPMOD | F | Duplicate module name: %s |
| LNK | 7 | DUPSYM | F | Duplicate symbol definition: %s |
| LNK | 8 | GLOBNF | F | Global psect %s not in module %s |
| LNK | 9 | INSMEM | F | Insufficient memory for attempted operation |
| LNK | 10 | INVFN | F | Invalid command file name |
| LNK | 11 | INVOPT | F | Invalid option |
| LNK | 12 | INVSOF | F | Invalid switch or file name |
| LNK | 13 | INVSTK | F | Invalid stack size specification |
| LNK | 14 | INVTR | F | Invalid trace option, -T or -N expected |
| LNK | 15 | LIBMAX | F | Too many library input files |
| LNK | 16 | MAXIF | F | Too many input files open |
| LNK | 17 | MAXIND | F | Too many indirect command files |
| LNK | 18 | MAXTF | F | Too many files |
| LNK | 19 | NOGLOB | F | No global or common records allowed in library |
| LNK | 20 | NOLIB | F | No library input allowed for library output |
| LNK | 21 | NOMAIN | F | No main-line or primary module specified |
| LNK | 22 | NONAME | F | No file name specified with OUTPUT |
| LNK | 23 | ONEINI | W | Global data section %s has duplicate , INIT |
| LNK | 24 | ONEPRI | F | Second main-line or primary module illegal: %s |
| LNK | 25 | OPENIN | F | Cannot open: %s |
| LNK | 26 | OPFNF | F | Cannot open input file: %s |
| LNK | 27 | OPOUT | F | Cannot open output file: %s |
| LNK | 28 | OPTXP | F | Option expected |
| LNK | 29 | SUBRLB | F | No main-line's allowed in executable libraries |
| LNK | 30 | WRTERR | F | Out of disk space for output file |
| LNK | 31 | XCLREF | F | Too many subroutine references from ELB module |
| LNK | 32 | XUNDEF | F | XCALL routine undefined: %s |
| LNK | 34 | INVNUM | F | Option requires numeric value specification |
| LNK | 35 | NOTELB | F | Invalid ELB format in file: %s |
| LNK | 36 | ERRCNT | F | Too many errors; compilation aborted |
| LNK | 37 | BADFIL | F | Bad record format in file: %s |
| LNK | 38 | GBLPSNF | F | Global psect {%d} not found |
| LNK | 39 | E65K | F | Modules or shared data symbols > 65K |
| LNK | 40 | NOMOD | F | Module %s not found in library |
| LNK | 41 | NOTINI | W | Global data section '%s' not initialized |
| LNK | 42 | NOENDMOD | F | Internal error: No ENDMOD record in %s |
| LNK | 43 | ELBNAM | F | ELB name specified is too long |
| LNK | 44 | ELBREF | W | Undefined global data reference '%s' |
| LNK | 45 | REFER | F | Fatal referencing errors |
| LNK | 46 | ELBSUB | W | In subroutine '%s', ELB '%s' |
| LNK | 47 | SUNDEF | M | COMMON symbol '%s' undefined in module %s |
| LNK | 48 | OPPNDN | F | Module %s built opposite 'endian' (%s) |
| LNK | 49 | BADNDN | F | Unrecognized module id 0x%x in %s |
| LNK | 50 | CMNGBL | M | COMMON '%s' conflicts with GLOBAL DATA SECTION in module %s |
| LNK | 51 | COMDUP | F | Duplicate common symbol definition: %s in module %s |
| LNK | 52 | FILINUSE | F | File %s is open by another user |
| LNK | 53 | PROTEC | F | File %s is not writable |
| LNK | 54 | CIRELB | F | Circular ELB reference in file %s |
| LNK | 55 | NOCOMP | F | Incompatible options specified: %s |
| LNK | 56 | OLDELB | F | Old ELB file format%s detected: relink %s |
| LNK | 57 | NOCLS | F | Class not found |
| LNK | 58 | CLSERR | F | Class definition error |
| LNK | 59 60 | CLSCRC | F | Class CRC mismatch: class %s in module %s |
| LNK | 60 61 | CLSUND | F | Undefined class: %s |
| LNK | 61 | OLDDBG | F | Old debug object record, recompile: %s |

| Fac | Err # | Code | Sev | Message |
|-----|-------|------------|-----|-------------------------------------------------------|
| LNK | 62 | TEXT | I | %S |
| LNK | 63 | DUPCOMN | E | Duplicate Global Common: %s in ELB %s |
| LNK | 64 | DUPLIT | E | Duplicate Global Literal: %s in ELB %s |
| LNK | 65 | DUPGDS | E | Duplicate Global Data Section: %s in ELB %s |
| LNK | 66 | DUPSREC | E | Duplicate Static Record: %s in ELB %s |
| LNK | 67 | DUPGBL | E | Duplicate global: %s in ELB %s |
| LNK | 68 | DUPCLS | E | Duplicate class: %s in ELB %s |
| LNK | 69 | DUPRTN | W | Duplicate routine: %s in %s |
| LNK | 70 | DUPLICATES | E | Duplicate symbols |
| LNK | 71 | FRSTDEF | Ī | Symbol %s first defined in %s |
| LNK | 72 | FRSTRTN | Ī | Routine %s first found in %s |
| LNK | 73 | COMNDUP | W | Duplicate Global Common: %s in ELB %s |
| LNK | 74 | LITDUP | W | Duplicate Global Literal: %s in ELB %s |
| LNK | 75 | GDSDUP | W | Duplicate Global Data Section: %s in ELB %s |
| LNK | 76 | SRECDUP | W | Duplicate Static Record: %s in ELB %s |
| LNK | 77 | GBLDUP | W | Duplicate global: %s in ELB %s |
| LNK | 78 | CLSDUP | W | Duplicate class: %s in ELB %s |
| LNK | 79 | MODSIZ | F | Module length too large %s |
| LNK | 80 | NAMSIZ | F | Module name table too large %d |
| LNK | 81 | NOINF | F | No input module specified |
| LNK | 82 | NOTOLB | F | Invalid OLB format in file: %s |
| LNK | 83 | RUNDEF | W | Undefined routine: %s in %s |
| LNK | 84 | REFBIG | W | Global data reference larger than definition: '%s' |
| LNK | 85 | NORTN | F | No routines in OLB file: %s |
| LNK | 86 | IOERR | F | I/O error reading file: %s |
| LNK | 87 | NDNOPP | F | File %s built with opposite 'endian' |
| LNK | 88 | NDNBAD | F | Unrecognized file ID in %s |
| LNK | 89 | BITOPP | F | File %s built with opposite bit size |
| LNK | 90 | OPPBIT | F | Module %s built with opposite bit size (%d) |
| LNK | 91 | BADOBJ | F | Bad DBO file: %s |
| LNK | 92 | BADCMP | F | Bad module compile: %s compiled for %s |
| LNK | 517 | INTERR | F | Fatal internal error %d |
| PRO | 1 | VERSLBL | 1 - | UI Toolkit Prototyping System |
| PRO | 2 | KEYINFO | | [O_HELP]-Help [U_DIR]-Dir [U_VIEW]-View [O_EXIT]-Exit |
| PRO | 3 | NOLIB | | No library open |
| PRO | 4 | DIRHDR | | Directory, pg %d of %d |
| PRO | 5 | EMPTYLIB | | Empty window library |
| PRO | 6 | LIBEXIST | | Error: %a already exists |
| PRO | 7 | CREATERR | | Cannot create %a\n%a |
| PRO | 8 | LIBNF | | Library %a not found |
| PRO | 9 | OPENERR | | Cannot open %a |
| PRO | 10 | NOCOLS | | No columns in current window library |
| PRO | 11 | NOWNDS | | No non-input windows in current window library |
| PRO | 12 | NOINPS | | No input windows in current window library |
| PRO | 13 | ALRDYLD | | %a already loaded by Proto |
| PRO | 14 | COLLOD | | Column %a loaded (not placed) |
| PRO | 15 | COLNF | | Column %a not found |
| PRO | 16 | MAXCOL | | Reached maximum number of loaded columns |
| PRO | 17 | WNDNF | | Window %a not found |
| PRO | 18 | MAXWND | | Reached maximum number of loaded windows |
| PRO | 19 | INPNF | | Input window %a not found |
| PRO | 20 | MAXINP | | Reached maximum number of input windows |
| PRO | 21 | NOINPLD | | No input windows loaded |
| PRO | 22 | BRKFLD | | Processing break field %a |
| PRO | 23 | MENUENT | | Processing menu entry %a |
| PRO | 24 | RDERR | | Error reading window library |
| PRO | 25 | WORKING | | Working |
| | | | | 3 |

| Fac | Err # | Code | Sev | Message |
|------------|----------|------------------------|-----|---------------------------------------------------------------------------------------------------|
| PRO | 26 | SCRERR | | Errors processing script file |
| PRO | 27 | SELHDR | | Page %d of %d |
| PRO | 28 | MENUSEL | | Selected menu entry %a |
| PRO | 29 | NOCOLLD | | No columns loaded |
| PRO | 30 | ALLCOLRM | | All columns removed |
| PRO | 31 | NOWNDPLC | | No windows placed |
| PRO | 32 | NOWNDLD | | No windows loaded |
| PRO | 33 | NOHELP | | No help text available |
| PRO | 34 | APPKEY | | Application keypad mode set |
| PRO | 35 36 | NOAPPKEY | | Application keypad mode reset |
| PRO | 36 37 | NOSELS | | No selection windows in current window library Selection window %a not found |
| PRO PRO | 38 | SELNF MAXSEL | | Reached maximum number of selection windows |
| PRO | 39 | NOSELLD | | No selection windows loaded |
| PRO | 40 | SELENT | | Processing selection window entry %a (#%d) |
| PRO | 41 | HDRCL | | Create Library |
| PRO | 42 | HDRMM | | Main Menu |
| PRO | 43 | HDROL | | Open Library |
| PRO | 44 | HDRPS | | Process Scripts |
| PRO | 45 | HDRTW | | Test Windows |
| RDL | 1 | RPTNOT1ST | | REPORT must be first keyword in RDL file. |
| RDL | 2 | INVMAINKW | | Invalid main keyword. |
| RDL | 3 | TMPFLDNOT | | Temp field %a not unique. |
| RDL | 4 | INVCALTYP | | Invalid type for calculation field (%a). |
| RDL | 5 | INVCALEXP | | Invalid expression (%a) for calculation field (%a). |
| RDL | 6 | INVCALJST | | Invalid justification for calculation field (%a). |
| RDL | 7 | RELUNDEFI | | Relation undefined for file (%a). |
| RDL | 8 | INVCALFLD | | Invalid calculation field (%a). |
| RDL | 9 | INVCALDAT | | Invalid date storage type for calculation field (%a). |
| RDL RDL | 10 11 | INVQRYTYP | | Invalid type for question field (%a). |
| RDL | 12 | INVQRYDAT INVQRYJST | | Invalid date storage type for question field (%a). Invalid justification for question field (%a). |
| RDL | 13 | INVQRYFLD | | Invalid question field (%a). |
| RDL | 14 | INVENVTYP | | Invalid type for environment field (%a). |
| RDL | 15 | INVENVDAT | | Invalid date storage type for environment field (%a). |
| RDL | 16 | INVENVJST | | Invalid justification for environment field (%a). |
| RDL | 17 | INVENVFLD | | Invalid environment field (%a). |
| RDL | 18 | INVSUBFLD | | Invalid subtotal field (%a). |
| RDL | 19 | INVLINTYP | | Invalid type for line statement. |
| RDL | 20 | NOPOSSPEC | | No position specified in text statement. |
| RDL | 21 | INVTXTPOS | | Invalid position for text statement. |
| RDL | 22 | INVFILEID | | Invalid file ID in file statement. |
| RDL | 23 | INVPARENT | | Invalid parent file ID in file statement. |
| RDL | 24 | INVRELNAM | | Invalid relation name in file statement. |
| RDL | 25 | INVFLDPOS | | Invalid position for field statement. |
| RDL | 26 27 | INVFLDJST | | Invalid justification for field statement. |
| RDL RDL | 27 28 | INVFMTTRN INVOPRTOR | | Invalid format truncation for field statement. Invalid operator in conditional specification. |
| RDL | 26 29 | INVOPRIOR | | Invalid operator in conditional specification. Invalid subscript in field specification. |
| RDL | 30 | INVSUBSCR | | Sort fields can not be subscripted. |
| RDL | 31 | INVRANGED | | Invalid range in field specification. |
| RDL | 32 | INVSRTRNG | | Sort fields can not be ranged. |
| RDL | 33 | INVNSTING | | Nested subscripts and ranges are not allowed. |
| RDL | 34 | MAXREFS | | Maximum number of referenced fields (%d) has been defined. |
| RDL | 35 | NOTRNG | | You must use a numeric field for ranges. |
| RDL | 36 | FILE | | File %a loading |
| RDL | 37 | SELECTION | | Selection loading |

| RDL 38 SOFT SOFT Calculation temp field % loading | Fac | Err # | Code | Sev | Message |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|------------|-----|----------------------------------------------------|
| RDL 40 TEMPTEXT RDL 41 QUESTION RDL 42 ENVIRON RDL 42 ENVIRON RDL 43 SUBTOTAL RDL 44 LINE RDL 45 FIELD RDL 47 MISC RDL 47 MISC RDL 48 GFILE RDL 48 GFILE RDL 49 GSELECT RDL 50 GSORT RDL 51 GCALC RDL 52 GTEMPTEXT RDL 55 GSUSTION RDL 57 GGENVIRON RDL 58 GSUSTOTAL RDL 59 GREVIRON RDL 59 GREVIRON RDL 59 GREVIRON RDL 50 GSORT RDL 50 GSORT RDL 51 GCALC RDL 52 GTEMPTEXT RDL 53 GQUESTION RDL 54 GENVIRON RDL 55 GSUSTOTAL RDL 56 GLINE RDL 57 GGENVIRON RDL 57 GGENVIRON RDL 58 GSUSTOTAL RDL 59 GREVIRON RDL 50 GSORT RDL 50 GSORT RDL 51 GCALC RDL 52 GTEMPTEXT RDL 53 GQUESTION RDL 54 GENVIRON RDL 55 GSUSTOTAL RDL 56 GSUSTOTAL RDL 57 GGENVIRON RDL 58 GSUSTOTAL RDL 59 GREVIRON RDL 50 GSUSTOTAL RDL 50 GSUS | RDI. | 38 | SORT | | Sort loading |
| RDL 40 TEMPTEXT RDL 41 QUESTION RDL 42 ENVIRON RDL 42 ENVIRON RDL 43 SUBTOTAL RDL 44 LINE RDL 44 LINE RDL 44 LINE RDL 45 FEAT RDL 46 FEAT RDL 46 FEAT RDL 47 MISC RDL 47 MISC RDL 49 GSELECT RDL 49 GSELECT RDL 51 GCALC RDL 52 GTEMPTEXT RDL 53 GOUESTION RDL 55 GSILECT RDL 55 GSILECT RDL 56 GSILECT RDL 57 GFIELD RDL 56 GSILECT RDL 56 GSILECT RDL 56 GSILECT RDL 57 GFIELD RDL 57 GFIELD RDL 58 GTEXT RDL 56 GSILECT RDL 58 GSILECT RDL 57 GFIELD RDL 57 GFIELD RDL 57 GFIELD RDL 58 GTEXT RDL 56 GSILECT RDL 57 GFIELD RDL 57 GFIELD RDL 58 GTEXT RDL 58 GSILECT RDL 58 GSILECT RDL 58 GSILECT RDL 57 GFIELD RDL 57 GFIELD RDL 58 GSILECT RDL 58 GSIL | | | | | |
| RDL 41 QUESTION RDL 42 ENVIRON RDL 43 SUBTOTAL RDL 44 LINE RDL 45 FIELD RDL 46 TEXT RDL 47 TEXT RDL 47 GYBLE RDL 49 GYBLE RDL 49 GYBLE RDL 49 GYBLE RDL 50 GSORT RDL 51 GCALC RDL 52 GTEMPTEXT RDL 51 GCALC RDL 52 GTEMPTEXT RDL 55 GSURTON RDL 55 GSURTON RDL 56 GSINE RDL 57 GFENDREXT RDL 57 GSURTON RDL 58 GSEVITON RDL 59 GYBLE RDL 50 GYBRE RDL 61 ICSVER RDL 61 ICSVER RDL 62 GENSUMMARY RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LDEXIST RDL 65 LDEXIST RDL 65 LDEXIST RDL 66 LDEXIST RDL 67 REPEXAGE RDL 67 REPEXAGE RDL 67 REPEXAGE RDL 68 LODSUMMARY RDL 64 INVSRT RDL 65 LDEXIST RDL 67 REPEXAGE RDL 67 REPEXAGE RDL 67 REPEXAGE RDL 68 LODSUMMARY RDL 67 REPEXAGE RDL 69 REPEXAGE RDL 67 REPEXAGE RDL 68 LODSUMMARY RDL 67 REPEXAGE RDL 69 REPEXAGE RDL 67 REPEXAGE RDL 68 LODSUMMARY RDL 69 REPEXAGE RDL 60 REPEXAG | | | | | |
| RDL 42 ENVIRON RDL 43 SUBTOTAL RDL 44 LINE RDL 45 FIELD RDL 46 TEXT RDL 47 MISC RDL 47 MISC RDL 48 GYTLE RDL 48 GYTLE RDL 48 GYTLE RDL 50 GYMPTEXT RDL 51 GYMPTEXT RDL 52 GYMPTEXT RDL 53 GYMPTEXT RDL 54 GENEVIRON RDL 55 GSUSTOTAL RDL 55 GSUSTOTAL RDL 56 GLINE RDL 57 GFIELD RDL 57 GFIELD RDL 57 GFIELD RDL 57 GYMPTEXT RDL 58 GYMPTEXT RDL 59 GMISC RDL 57 GYMPTEXT RDL 56 GLINE RDL 57 GYMPTEXT RDL 57 GYMPTEXT RDL 58 GYMPTEXT RDL 59 GMISC RDL 57 GYMPTEXT RDL 56 GLINE RDL 57 GYMPTEXT RDL 57 GYMPTEXT RDL 58 GYMPTEXT RDL 59 GMISC RDL 50 GMISC RDL 51 INVIRON RDL 52 GYMPTEXT RDL 53 GYMPTEXT RDL 55 GSUSTOTAL RDL 55 GSUSTOTAL RDL 56 GLINE RDL 57 GYMPTEX RDL 57 GYMPTEX RDL 58 GYMPTEX RDL 59 GMISC RDL 50 GMISC RDL 50 GMISC RDL 50 GMISC RDL 50 GMISC RDL 51 INVIRON RDL 52 GYMPTEX RDL 53 GYMPTEX RDL 55 GSUSTOTAL RDL 55 GSUSTOTAL RDL 56 GLINE RDL 57 GYMPTEX RDL 57 GYMPTEX RDL 58 GYMPTEX RDL 59 GMISC RDL 50 GMISC RDL 50 GMISC RDL 50 GMISC RDL 51 INVIRON RDL 52 GWISC RDL 53 GYMPTEX RDL 55 GSUSTOTAL RDL 56 GLINE RDL 57 GYMPTEX RDL 57 GYMPTEX RDL 58 GYMPTEX RDL 59 GMISC RDL 50 GMISC RDL 5 | | - | | | |
| RDL 44 LINE RDL 45 FIELD RDL 46 TEXT RDL 47 MISC RDL 48 GPILE RDL 49 GSELECT RDL 50 GSOKT RDL 51 GCALC RDL 52 GTEMPTEXT RDL 53 GQUESTION RDL 56 GREET RDL 57 GREET RDL 58 GTEXT RDL 56 GREET RDL 56 GREET RDL 57 GREET RDL 57 GREET RDL 58 GTEXT RDL 58 GTEXT RDL 58 GTEXT RDL 58 GTEXT RDL 59 GREET RDL 59 GREET RDL 50 GREET RDL 50 GREET RDL 51 GCALC RDL 52 GTEMPTEXT RDL 53 GREET RDL 55 GREET RDL 56 GREET RDL 57 GREET RDL 57 GREET RDL 58 GTEXT RDL 58 GTEXT RDL 58 GTEXT RDL 59 GREET RDL 60 INVERKEEF RDL 61 ICSVER RDL 62 GRENSUMMARY RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LDERFLACE RDL 66 LDERFLACE RDL 67 EXISTINFO RDL 68 GREET RDL 66 LDERFLACE RDL 67 EXISTINFO RDL 68 GREET RDL 69 BLANK RDL 70 CREMENINFO RDL 71 INVSRM RDL 72 RRTEXISTS RDL 73 BRRTL RNT 6 MROCAL RNT 6 MROARG RNT 7 SUBSCR E RNT 8 MRTLIT E RNT 10 ILLCHN E RNT 11 NOOPEN E RNT 12 NOLLW E RNT 12 NOLLW E RNT 12 NOLLW E RNT 13 NORM E RNT 11 NOOPEN E RNT 11 NOOPEN E RNT 12 NOLLW E RNT | | | | | |
| RDL 44 LINE TEXT RDL 45 FIELD RDL 46 TEXT RDL 47 MISC RDL 48 GFILE RDL 48 GFILE RDL 50 GSORT RDL 51 GCALC RDL 52 GGEMPTEXT RDL 55 GSUSTION RDL 55 GSUSTION RDL 56 GLINE RDL 57 GFIELD RDL 58 GGEXT RDL 58 GGEXT RDL 59 GRINSRON RDL 56 GLINE RDL 57 GFIELD RDL 58 GGEXT RDL 58 GGEXT RDL 59 GRESTON RDL 56 GLINE RDL 57 GFIELD RDL 58 GGEXT RDL 58 GRESTON RDL 58 GGEXT RDL 59 GRESTON RDL 59 GRESTON RDL 50 GRESTON RDL 50 GRESTON RDL 51 GCEXT RDL 51 GCEXT RDL 52 GGEXT RDL 53 GGEXT RDL 54 GEXT RDL 55 GREST RDL 56 GRESTON RDL 57 GFIELD RDL 58 GGEXT RDL 58 GGEXT RDL 59 GRESTON RDL 59 GRESTON RDL 50 GRESTON | | | | | |
| RDL 45 FIELD FIELD | | - | | | |
| RDL 46 TEXT RDL 47 MISC RDL 48 GFILE RDL 49 GSELECT RDL 50 GSORT RDL 51 GCALC RDL 52 GTEMPTEXT RDL 53 GOUESTION RDL 54 GENVIRON RDL 55 GSURTON RDL 56 GLINE RDL 57 GFIELD RDL 58 GTEXT RDL 58 GENVIRON RDL 58 GTEXT RDL 58 GENVIRON RDL 58 GTEXT RDL 58 GENVIRON RDL 58 GTEXT RDL 58 GTEXT RDL 50 GENVIRON RDL 58 GTEXT RDL 58 GTEXT RDL 50 GENVIRON RDL 58 GTEXT RDL 57 GFIELD RDL 60 INVBRKREF RDL 61 ICSVER RDL 62 GENSIMMARY RDL 63 LODSUMMARY RDL 64 INVSKT RDL 65 LERELACE RDL 66 LERELACE RDL 67 GENSIMMARY RDL 67 GENSIMMARY RDL 68 GENSIMMORP RDL 70 CRENEWINFO RDL 71 INVDAM RDL 72 RPPEXISTS RDL 67 REFERIL RDL 73 RERETL RDL 74 NOLIN RNT 1 EOP RNT 7 SUBSCR RNT 10 NOMEM E NAMED AND AND AND AND AND AND AND AND AND AN | | 45 | | | |
| RDL 48 GFILE RDL 49 GSELECT RDL 50 GSORT RDL 51 GCALC RDL 52 GTEMPTEXT RDL 53 GQUESTION RDL 55 GSUBTOTAL RDL 55 GSUBTOTAL RDL 57 GFIELD RDL 57 GFIELD RDL 58 GTEXT RDL 59 GMISC RDL 59 GMISC RDL 59 GMISC RDL 61 ICSVER RDL 62 GENSUMMARY RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LOBENJACE RDL 65 CERNEW RDL 66 LORENJACE RDL 67 EXISTINFO RDL 67 CRENEWINFO RDL 67 CRENEWINFO RDL 68 CRENEW RDL 69 BLANK RDL 70 CRENEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 73 ERRFIL RDL 74 NOLIN RDL 75 RDCALL RNT 6 WROAGE RNT 7 NOCALL RNT 6 WROAGE RNT 7 SUBSCR RNT 11 NOOPEN RNT 12 NOLIVE RESERVATION. Selecting | | | | | |
| RDL 48 GFILE RDL 49 GSELECT RDL 50 GSORT Selection generating Selection generating Sort generating Sort generating RDL 51 GCALC RDL 52 GTEMPTEXT RDL 53 GOUESTION RDL 54 GENVIRON RDL 55 GSUBTOTAL RDL 56 GLINE RDL 56 GLINE RDL 57 GFIELD RDL 58 GTEXT RDL 51 INVBRYREF RDL 61 ICSVER RDL 60 INVBRYREF RDL 61 ICSVER RDL 62 GENSUMMARY RDL 64 INVSET RDL 65 LDEXIST RDL 65 LDEXIST RDL 66 LDEXIST RDL 66 LDEXIST RDL 67 EXISTINFO RDL 68 CRENEW RDL 67 CRENEW RDL 67 CRENEW RDL 67 CRENEW RDL 69 BLANK RDL 70 CRENEW RDL 71 INVINAM RDL 72 RPTEXISTS RDL 73 ERRFIL RDL 74 NOLIN RNT 1 EOF RNT 7 SUBSCR RNT 7 SUBSCR ENTY RNT 6 WROAG ENTY RNT 1 SUBSCR ENTY RNT 1 ENTY RNT 7 SUBSCR ENTY RNT 9 NOMEM ENTY RNT 1 ILCHN RNT 7 SUBSCR ENTY RNT 1 ILCHN RNT 1 INVOPEN RNT 1 INVOPE | | 47 | | | Miscellaneous loading |
| RDL 49 GSELECT RDL 50 GSORT RDL 51 GCALC RDL 52 GTEMPTEXT RDL 53 GQUESTION RDL 55 GGUESTON RDL 56 GLINE RDL 57 GFIELD RDL 58 GTEXT RDL 59 GMISC RDL 59 GMISC RDL 61 ICSVER RDL 62 GENSUMMARY RDL 63 LOSSUMMARY RDL 63 LOSSUMMARY RDL 64 INVSRT RDL 65 LDEXIST RDL 65 LDEXIST RDL 66 LDERPLACE RDL 67 EXISTINFO RDL 68 CREWE RDL 67 EXISTINFO RDL 68 RCREWE RDL 69 RLANK RDL 70 CREMENTO RDL 69 RLANK RDL 71 INVNAM RDL 72 RPTEXISTS RDL 73 RERFIL RDL 74 NOLIN RDL 75 RECEXTCAL RNT 5 RECEXTCAL RNT 5 RECEXTCAL RNT 7 SUBSCR RNT 7 NOMEM RNT 11 LOOPEN RNT 11 INVOWEM RNT 10 ILLIH RNT 9 NOMEM RNT 11 NOOPEN RNT 12 NOLWR RNT 10 NOOPEN RNT 10 NOO | RDL | 48 | | | |
| RDL 51 GCALC RDL 52 GEMPTEXT RDL 53 GQUESTION RDL 55 GQUESTION RDL 55 GSUBTOTAL RDL 55 GSUBTOTAL RDL 56 GLINE RDL 57 GFIELD RDL 58 GTEXT RDL 58 GTEXT RDL 59 GMISC RDL 60 INVBRKREF RDL 61 ICSVER RDL 62 GENSUMMARY RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LDREISTS RDL 66 LDREFLACE RDL 66 LDREFLACE RDL 66 LDREFLACE RDL 67 EXISTINFO RDL 68 CRENEW RDL 69 BLANK RDL 69 BLANK RDL 70 CRENEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 74 NOLIN RNT 1 EOF RDT 75 WROARG RDT 76 WROARG RDT 77 SUBSCR RDT 78 WRILT RDT 5 WROARG RDT 78 WROARG RDT 78 WROARG RDT 78 WROARG RDT 78 WROARG RDT 79 NOMEM RDT 10 ILICIN RDT 10 NOMEM RDT 10 NOMEM RDT 10 NOMEM RDT 11 INVBRCET RDT 78 WROARG RDT 78 WROARG RDT 79 SUBSCR RDT 79 NOMEM RDT 10 ILICIN RDT 10 NOMEM RDT 10 NOMEM RDT 11 NOOPEN RDT 11 NOOPEN RDT 11 NOOPEN RDT 11 INVBRCET RDT 12 NOOPEN RDT 13 USSCR RDT 78 SUBSCR RDT 78 SUBSCR RDT 79 SUBSCR RDT 79 SUBSCR RDT 79 NOMEM RDT 10 ILICIN RDT 11 NOOPEN RDT 12 ONLYWE RDT 11 NOOPEN RDT 12 ONLYWE RDT 11 NOOPEN RDT 12 ONLYWE RDT 11 NOOPEN RDT 12 NOTENTATION. RDT 12 NOTENTAT | RDL | 49 | GSELECT | | |
| RDL 52 GTEMPTEXT RDL 53 GQUESTION RDL 54 GENVIRON RDL 54 GENVIRON RDL 55 GGUESTION RDL 55 GGUESTION RDL 55 GGUESTION RDL 56 GGUNZ RDL 57 GFIELD FIELD SPECIFICATION RDL 57 GFIELD FIELD FIELD FIELD SPECIFICATION RDL 59 GMISC RDL 60 INVERKEF RDL 61 ICSVER RDL 62 GENSUMMARY RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LDEXIST RDL 65 LDEXIST RDL 66 LDEXIST RDL 66 LDEXIST RDL 66 LDEXIST RDL 67 EXISTINFO RDL 68 CRENEW RDL 68 BLANK RDL 69 BLANK RDL 69 BLANK RDL 70 CRENEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 73 SERFIL RDL 74 NOLIN RNT 1 EOF RNT 2 NOCALL RRT RNT 5 RECEXTICAL REQUIRED RATE RDL 74 NOLIN RNT 1 EOF RNT 2 NOCALL RRT RNT 5 RECEXTICAL ROLL RNT 8 WRILT E HOLD RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Attent to open output device in input mode | RDL | 50 | GSORT | | Sort generating |
| RDL 54 GENVIRON RDL 55 GSUBTOTAL RDL 55 GSUBTOTAL RDL 56 GLINE RDL 57 GFIELD RDL 57 GFIELD RDL 58 GSUBTOTAL RDL 58 GSUBTOTAL RDL 59 GMISC RDL 59 GMISC RDL 60 INVERKREF RDL 61 ICSVER RDL 62 GENSUMMARY RDL 63 LODSIMMARY RDL 64 INVSRT RDL 65 LDRENIST RDL 66 LDRENIST RDL 66 LDRENISC RDL 66 LDRENISC RDL 67 EXISTINFO RDL 68 CRNEW RDL 69 BLANK RDL 69 BLANK RDL 70 CRENENINFO RDL 71 INVAM RDL 72 RPTEXISTS RDL 73 RRFIL RDT 74 NOLIN RNT 1 EOF RNT 7 SUBSCR E RECURSION RNT 7 SUBSCR E Invalid subscript specified RNT 7 SUBSCR E Invalid subscript specified RNT 7 SUBSCR E Invalid subscript specified RNT 9 NOMEM RNT 10 ILLCHN B ROLE RNT 9 NOMEM RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Attent to reposit and present in grund made RNT 11 NOOPEN E Attent to peon output device in input mode | RDL | 51 | GCALC | | Calculation temp field %a generating |
| RDL 55 GUSTOTAL SUSTORMARY RDL 56 GUSTOWARY RDL 57 GMISC RDL 57 GMISC RDL 60 INVERKREF RDL 61 ICSVER RDL 62 GENSUMMARY RDL 63 LODSUMMARY RDL 64 INVEST RDL 65 LDEXIST RDL 65 LDEXIST RDL 66 LDEXIST RDL 66 LDEXIST RDL 67 EXISTINFO RDL 67 EXISTINFO RDL 68 CRENEW RDL 69 BLANK RDL 70 CREMEWINFO RDL 71 INVAM RDL 72 RPTEXISTS RDL 73 ERRIL RDL 74 NOLIN RNT 1 EOF RNT 2 NOCALL RNT 5 RECEXTCAL RNT 6 WROARG RNT 7 SUBSCR RNT 7 SUBSCR RNT 7 SUBSCR RNT 7 SUBSCR RNT 11 INCOPEN RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Channel has not been opened RNT 11 NOOPEN E Channel has not been opened RNT development from the proport of the proper and the prope | RDL | 52 | GTEMPTEXT | | Text temp field %a generating |
| RDL 55 GSUBTOTAL RDL 56 GLINE RDL 57 GFIELD RDL 58 GIEXT RDL 58 GIEXT RDL 59 GMISC RDL 60 INVBRKREF RDL 61 ICSVER RDL 63 LODSUMMARY RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LDEXIST RDL 65 LDEXIST RDL 66 LDREPLACE RDL 66 LDREPLACE RDL 67 EXISTINFO RDL 68 CREW RDL 69 BLANK RDL 70 CREMEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 74 NOLIN RNT 1 EOF RNT 2 NOCALL RNT 5 RECEXTCAL RNT 6 WROARG RNT 7 SUBSCR RNT 8 WRTLIT E RNT 1 LICHN E RLEGHZAMARY Rd reports agenerating Text generating Text generating Miscellaneous generating Miscellaneous generating Miscellaneous generating Miscellaneous generating Miscellaneous generating Miscellaneous generating Miscellaneous generating Miscellaneous generating Miscellaneous derectors of the person line. Report %a cristing Report %d reports loaded. Rep | RDL | 53 | GQUESTION | | Question temp field %a generating |
| RDL 56 GLINE RDL 57 GFIELD RDL 58 GTEXT RDL 59 GMISC RDL 60 INVBRKREF RDL 61 ICSVER RDL 62 GENSUMMARY RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LDEXIST RDL 66 LDREPLACE RDL 66 LDREPLACE RDL 67 EXISTINFO RDL 69 BLANK RDL 70 CRENEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 73 ERRFIL RDL 74 NOLIN RNT 1 EOF RNT 2 NOCALL RNT 5 RECEXTCAL RNT 6 WROARG RNT 7 SUBSCR RNT 8 WRTLIT RNT 10 ILICHN RNT 11 NOOPEN RNT 12 ONLYWR R ta type line generating Text generating Text generating Miscellaneous generating Miscellaneous generating Miscellaneous deference for (%a) temp field. Miscellaneous deneit fext field. Report %a already exists. Do you want to replace the existing report. Report %a cartement. Report %a create a new report? No you want to create a new report? Report %a cartement. Report %a cre | RDL | 54 | GENVIRON | | Environment temp field %a generating |
| RDL 56 GINE RDL 57 GFIELD RDL 58 GTEXT RDL 59 GMISC RDL 60 INVERKREF RDL 61 ICSVER RDL 62 GENSIMMARY RDL 63 LODSIMMARY RDL 65 LDEXIST RDL 66 LDEXIST RDL 66 LDEXIST RDL 66 LDEXIST RDL 67 EXISTINFO RDL 68 CRENEW RDL 69 BLANK RDL 70 CRENEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 73 ERRFIL RDL 74 NOLIN RNT 1 EOF RNT 2 NOCALL RNT 5 RECEXTCAL RNT 6 WROARG RNT 7 SUBSCR RNT 8 WRTLIT E RNT 10 ILLCHN RNT 11 NOOPEN RATE Age generating Text generating Text generating Miscellaneous generating Invalid report name specified. Poyou want to create a new report? Report %a atraement. Report %a catement. | RDL | 55 | GSUBTOTAL | | |
| RDL 58 GMISC RDL 60 INVBRKREF RDL 61 ICSVER RDL 62 GENSUMMARY RDL 65 LDEXIST RDL 66 LDEXIST RDL 66 LDEXIST RDL 67 EXISTINFO RDL 68 CREMEW RDL 69 BLANK RDL 70 CREMEWINFO RDL 71 INVNAM RDL 72 RRFFIL RDL 73 ERRFIL RDL 74 NOLIN RNT 1 EOF RNT 2 NOCALL RNT 5 RECEXTCAL RNT 6 WROARG RNT 7 SUBSCR RNT 7 SUBSCR RNT 7 SUBSCR RNT 7 SUBSCR RNT 8 WRTLIT RNT 10 ILLCHN RNT 11 NOOPEN RATE SHORWARY Rd reports loaded. Rnt selectors (% a) temp field. Miscellaneous generating Miscellaneous generated. Report % d reports loaded. Not reports loaded. Report % d reports loaded. Report % a report sloaded. Report % a report name specified. Poyou want to create a new report? No you want to create a new report? No you want to create a new report? Report % a creating Miscellaneous generate. Report % d reports | RDL | 56 | GLINE | | %a type line generating |
| RDL 59 GMISC RDL 60 INVBRKREF RDL 61 ICSVER RDL 62 GENSUMMARY RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LDEXIST RDL 66 LDERPLACE RDL 67 EXISTINFO RDL 68 CREMEW RDL 69 BLANK RDL 70 CREMEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 73 ERRFIL RDL 74 NOLIN RNT 1 EOF RNT 2 NOCALL RNT 5 RECEXTCAL RNT 5 RECEXTCAL RNT 6 WROARG RNT 7 SUBSCR RNT 7 SUBSCR RNT 7 SUBSCR RNT 8 WRTLIT RNT 10 ILLCHN RNT 11 NOOPEN RNT 12 ONLYWR RNT 11 NOOPEN RNT 12 ONLYWR RNT 12 ONLYWR RNT 12 ONLYWR RATE PROFITS A treeports loaded. Invalid break field reference for (%a) temp field. Invalid sort statement. Report %a exists. Do you want to replace it? Select "Yes" to replace the existing report. Do you want to create a new report? Select "Yes" to replace the existing report. Pov ou want to reate a new report? Select "Yes" to replace the existing report. Report %a exists. Do you wish to create a new report? Select "Yes" to replace the existing report. Report %a exists. Do you want to reate a new report? Select "Yes" to replace the existing report. Report %a exists. Do you want to reate a new report? Select "Yes" to replace the existing report. Report %a create a new report? No "No" to skip the feather to reate a new report? Select "Yes" to replace the existing report. Report %a creat | RDL | 57 | GFIELD | | |
| RDL 60 | RDL | 58 | GTEXT | | Text generating |
| RDL 61 ICSVER RDL 62 GENSUMMARY RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LDEXIST RDL 66 LDREPLACE RDL 67 EXISTINFO RDL 68 CRENEW RDL 69 BLANK RDL 70 CRENEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 74 NOLIN RNT 1 EOF RNT 5 RECEXTCAL RNT 5 RECEXTCAL RNT 7 SUBSCR RNT 7 SUBSCR RNT 7 SUBSCR RNT 7 SUBSCR RNT 8 WRTLIT E NOMEM RNT 1 9 NOMEM RNT 10 ILLCHN RNT 1 9 NOMEM RNT 11 NOPEN RNT 9 NOMEM RNT 10 ILLCHN RNT 1 9 NOMEM RNT 11 NOPEN RNT 10 OXLYWR RNT 10 OXLYWR RNT 11 NOPEN RNT 11 NOPEN RNT 11 NOPEN RNT 12 NOMEM RNT 11 NOPEN RNT 12 NOMEM RNT 11 NOPEN RNT 12 NOMEM RNT 12 OXLYWR RNT 12 NOLIV RNT 11 NOPEN RNT 12 NOMEM RNT 10 OXLYWR RNT 10 OXLYWR RNT 11 NOPEN RNT 12 NOLIV RNT 11 NOPEN RNT 12 NOLIV RNT 12 NOLIV RNT 12 NOLIV RNT 10 OXLYWR RNT 12 OXLYWR | RDL | 59 | GMISC | | |
| RDL 62 GENSUMMARY RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LDEXIST RDL 66 LDREPLACE REPORT % a already exists. Do you wish to create a new report? RDL 67 EXISTINFO Select "Yes" to replace the existing report. RDL 70 CRENEWINFO RDL 71 INVMAM RDL 72 RPTEXISTS RDL 73 ERRFIL RDL 74 NOLIN FIELD Select "Yes" to create a new report; "No" to skip this report. Invalid report name specified. RDL 74 NOLIN FIELD SPECIFIED ROLL FIELD SPECIF | RDL | 60 | INVBRKREF | | Invalid break field reference for (%a) temp field. |
| RDL 63 LODSUMMARY RDL 64 INVSRT RDL 65 LDEXIST RDL 65 LDEXIST RDL 66 LDEXIST RDL 66 CRENEW RDL 67 EXISTINFO RDL 68 CRENEW RDL 70 CRENEWINFO RDL 71 INVNAM RDL 72 RFTEXIST RDL 73 ERRFIL RDL 74 NOLIN RNT 1 EOF RNT 5 RDL 75 RDL 76 RNT 5 RDL 77 RDCALL RNT 5 RDL 77 RDL 78 RDL 79 NOCALL RNT 7 RDL 70 NOCALL ERROR FROM TO SUBSCR RNT 7 SUBSCR RNT 7 SUBSCR RNT 7 SUBSCR E Invalid subscript specified RNT 10 NOOPEN RNT 10 NOOPEN RNT 11 NOOPEN RNT 11 NOOPEN CALL RNT 11 RDL 70 RNT 10 NOOPEN RNT 11 NOOPEN RNT 11 NOOPEN RNT 11 NOOPEN RNT 11 NOOPEN CALL RNT 11 NOOPEN RNT 11 NOOPEN RNT 11 NOOPEN RNT 12 NOOPEN A Attempt to open output device in input mode **d errors logged % d reports loaded.** Invalid sort statement. Invalid sort statement. Report % a exists. Do you wish to create a new report? Report % a exists. Do you wish to create a new report? Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exists. Do you want to reate a new report? Report % a exists. Do you want to reate a new report? Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exists. Do you want to replace it? Select "Yes" to replace the existing report. Report % a exist s. Do you want to replace it? Select "Yes" to replace the existing report. Rep | RDL | 61 | ICSVER | | |
| RDL 64 INVSRT | RDL | 62 | GENSUMMARY | | |
| RDL 65 LDEXIST Report %a already exists. Do you wish to create a new report? RDL 66 EXISTINFO Select "Yes" to replace the existing report. RDL 67 CRENEW DO you want to replace it? Select "Yes" to replace the existing report. DO you want to create a new report? RDL 69 BLANK RDL 70 CRENEWINFO RDL 71 INVNAM Invalid report name specified. RDL 72 RPTEXISTS RERFIL Report %a could not be deleted. RDL 73 ERRFIL REPORT %a could not be deleted. RNT 1 EOF E Return with no CALL or XCALL RETURN SUBSCR E Invalid subscript specified RNT 6 WROARG E Incorrect number of subroutine arguments RNT 7 SUBSCR E Invalid subscript specified RNT 8 WRTLIT E Writing to a literal or missing argument RNT 9 NOMEM E Not enough memory for desired operation RNT 10 ILLCHN E Illegal channel number specified RNT 10 ONLYWR E Attempt to open output device in input mode | RDL | 63 | LODSUMMARY | | %d errors logged. %d reports loaded. |
| RDL 66 LDREPLACE RDL 67 EXISTINFO GRL 68 CRENEW RDL 69 BLANK RDL 70 CRENEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 73 ERRFIL RDL 74 NOLIN RNT 1 EOF ENT 6 WROARG ENT 7 SUBSCR E Invalid subscript specified RRT 7 SUBSCR E Invalid subscript specified RRT 7 SUBSCR E Invalid subscript specified RRT 9 NOMEM ENT 10 ILLCHN E Illegal channel number specified RRT 10 ILLCHN E Illegal channel number specified RRT 10 ILLCHN E Illegal channel number specified RRT 11 NOOPEN E Attempt to open output device in input mode | RDL | 64 | INVSRT | | |
| RDL 67 EXISTINFO RDL 68 CRENEW RDL 70 CRENEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 73 ERRFIL RDL 74 NOLIN RNT 1 EOF E End of file RNT 5 RECEXTCAL RNT 5 RECEXTCAL RNT 6 WROARG E Incorrect number of subroutine arguments RNT 7 SUBSCR E Invalid subscript specified RNT 8 WRTLIT E Writing to a literal or missing argument RNT 9 NOMEM E Not enough memory for desired operation RNT 10 ILLCHN E Illegal channel number specified RNT 11 NOOPEN E Attempt to open output device in input mode | RDL | | LDEXIST | | |
| RDL 68 CRENEW 69 BLANK RDL 70 CRENEWINFO CRENEWISTS 71 INVNAM RDL 72 RPTEXISTS RDL 74 NOLIN | | | | | |
| RDL 69 BLANK RDL 70 CRENEWINFO RDL 71 INVNAM RDL 72 RPTEXISTS RDL 73 ERRFIL RDL 74 NOLIN RNT 1 EOF RNT 2 NOCALL RNT 5 RECEXTCAL RNT 6 WROARG RNT 77 SUBSCR RNT 7 SUBSCR RNT 7 SUBSCR RNT 8 WRTLIT RNT 8 WRTLIT RNT 9 NOMEM RNT 10 ILLCHN RNT 10 ILLCHN RNT 11 NOOPEN RNT 12 ONLIWR RNT 12 ONLIWR RNT 13 NOOPEN RNT 14 NOOPEN RNT 15 RECEXTOR ILLCHN RNT 15 RECEXTOR ILLCHN RNT 16 WROARG ILLCHN RNT 17 SUBSCR RNT 7 SUBSCR RNT 8 WRTLIT RNT 9 NOMEM RNT 10 ILLCHN RNT 10 ILLCHN RNT 11 NOOPEN RNT 11 NOOPEN RNT 12 ONLIWR RNT 12 ONLIWR RATE OPPORTUNITY Select "Yes" to create a new report; "No" to skip this report. Invalid report name specified. Please enter another report name. Report %a could not be deleted. FIELD specified when LINE is not defined. FIELD specified when LINE is not defined. FIELD specified when LINE is not defined. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not be deleted. FIELD specified of subroutine arguments Report %a could not | | | | | |
| RDL 70 CRENEWINFO 71 INVNAM 71 INVNAM 72 RPTEXISTS RDL 73 ERRFIL 74 NOLIN 74 NOLIN 75 RECEXTCAL 75 RECEXTCAL 76 WROARG 77 SUBSCR 77 SUBSCR 78 RNT 78 WRTLIT 79 NOMEM 79 NOMEM 79 NOMEM 79 NOMEM 70 NOMEM | | | | | Do you want to create a new report? |
| RDL 71 INVNAM 72 RPTEXISTS 73 ERRFIL 74 NOLIN 74 NOLIN 75 RECEXTCAL 75 RECEXTCAL 76 WROARG 77 SUBSCR 77 SUBSCR 78 WRTLIT 79 NOMEM | | | | | |
| RDL 72 RPTEXISTS RDL 73 ERRFIL RDL 74 NOLIN RNT 1 EOF RNT 2 NOCALL RNT 5 RECEXTCAL RNT 6 WROARG RNT 7 SUBSCR RNT 7 SUBSCR RNT 8 WRTLIT RNT 9 NOMEM RNT 10 ILLCHN RNT 11 NOOPEN RNT 11 NOOPEN RNT 11 NOOPEN RNT 12 ONLYWR REPORT Name specified. Please enter another report name. Report %a could not be deleted. FIELD specified when LINE is not defined. FIELD specified wh | | - | | | |
| RDL 73 ERRFIL Report %a could not be deleted. RDL 74 NOLIN RNT 1 EOF E End of file RNT 2 NOCALL E Return with no CALL or XCALL RNT 5 RECEXTCAL E Recursive XCALL or .NET CALL exceeds 64 RNT 6 WROARG E Incorrect number of subroutine arguments RNT 7 SUBSCR E Invalid subscript specified RNT 8 WRTLIT E Writing to a literal or missing argument RNT 9 NOMEM E Not enough memory for desired operation RNT 10 ILLCHN E Illegal channel number specified RNT 11 NOOPEN E Channel has not been opened RNT 12 ONLYWR E Attempt to open output device in input mode | | | | | |
| RDL 74 NOLIN FIELD specified when LINE is not defined. RNT 1 EOF E End of file RNT 2 NOCALL E Return with no CALL or XCALL RNT 5 RECEXTCAL E Recursive XCALL or .NET CALL exceeds 64 RNT 6 WROARG E Incorrect number of subroutine arguments RNT 7 SUBSCR E Invalid subscript specified RNT 8 WRTLIT E Writing to a literal or missing argument RNT 9 NOMEM E Not enough memory for desired operation RNT 10 ILLCHN E Illegal channel number specified RNT 11 NOOPEN E Channel has not been opened RNT 12 ONLYWR E Attempt to open output device in input mode | | | | | |
| RNT | | | | | |
| RNT 2 NOCALL E Return with no CALL or XCALL RNT 5 RECEXTCAL E Recursive XCALL or .NET CALL exceeds 64 RNT 6 WROARG E Incorrect number of subroutine arguments RNT 7 SUBSCR E Invalid subscript specified RNT 8 WRTLIT E Writing to a literal or missing argument RNT 9 NOMEM E Not enough memory for desired operation RNT 10 ILLCHN E Illegal channel number specified RNT 11 NOOPEN E Channel has not been opened RNT 12 ONLYWR E Attempt to open output device in input mode | | | | _ | |
| RNT | | | - | | |
| RNT 6 WROARG E Incorrect number of subroutine arguments RNT 7 SUBSCR E Invalid subscript specified RNT 8 WRTLIT E Writing to a literal or missing argument RNT 9 NOMEM E Not enough memory for desired operation RNT 10 ILLCHN E Illegal channel number specified RNT 11 NOOPEN E Channel has not been opened RNT 12 ONLYWR E Attempt to open output device in input mode | | | | | |
| RNT 7 SUBSCR E Invalid subscript specified RNT 8 WRTLIT E Writing to a literal or missing argument RNT 9 NOMEM E Not enough memory for desired operation RNT 10 ILLCHN E Illegal channel number specified RNT 11 NOOPEN E Channel has not been opened RNT 12 ONLYWR E Attempt to open output device in input mode | | | | | |
| RNT 8 WRTLIT E Writing to a literal or missing argument RNT 9 NOMEM E Not enough memory for desired operation RNT 10 ILLCHN E Illegal channel number specified RNT 11 NOOPEN E Channel has not been opened RNT 12 ONLYWR E Attempt to open output device in input mode | | | | | |
| RNT 9 NOMEM E Not enough memory for desired operation RNT 10 ILLCHN E Illegal channel number specified RNT 11 NOOPEN E Channel has not been opened RNT 12 ONLYWR E Attempt to open output device in input mode | | | | | |
| RNT 10 ILLCHN E Illegal channel number specified RNT 11 NOOPEN E Channel has not been opened RNT 12 ONLYWR E Attempt to open output device in input mode | | | | | |
| RNT 11 NOOPEN E Channel has not been opened RNT 12 ONLYWR E Attempt to open output device in input mode | | | | | |
| RNT 12 ONLYWR E Attempt to open output device in input mode | | | | | |
| | | | | | |
| 1 MAT 1 | | | | | Racking mode is On |
| RNT 14 BIGALPHA E Alpha temporary result exceeds 65535 | | | | | |
| RNT 15 BIGNUM E Arithmetic operand exceeds maximum size | | | | | |
| RNT 16 CHNUSE E Channel is in use | | | | | |
| RNT 17 FILSPC E Bad filename | | | | | |
| RNT 18 FNF E File not found | | | | | |
| RNT 19 NOTAVL E Device not available | | | | | |
| RNT 20 DIGIT E Bad digit encountered | | | | | |
| RNT 21 FILOPT E Invalid operation for file type | | | | | |
| RNT 22 IOFAIL E Failure during I/O operation | | | | | |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------|--------|-------------------------------------------------------------------------------------------|
| RNT | 23 | TOOBIG | E | Input data size exceeds destination size |
| RNT | 24 | NOSPAC | E | No space exists for file on device |
| RNT | 25 | FILFUL | E | Output file is full |
| RNT | 27 | UPDNFD | E | Update of non-file device |
| RNT | 28 | RECNUM | E | Illegal record number specified |
| RNT | 29 | BADCMP | F | Compile not compatible with execution system |
| RNT | 30 | DIVIDE | E | Attempt to divide by zero |
| RNT | 31 | ARGSIZ | E | Argument specified with wrong size |
| RNT | 32 | REPLAC | E | Cannot supersede existing file |
| RNT | 33 37 | CHNEXC | E | Too many files open Device in use |
| RNT RNT | 38 | DEVUSE | E E | File in use by another user |
| RNT | 36 39 | FINUSE OUTRDO | E | Output to read-only device |
| RNT | 40 | LOCKED | E | Record is locked |
| RNT | 41 | BACKUPMODE | E | Backup mode error or SYNERGYDE64/32 improperly set |
| RNT | 44 | ELBREF | W | Undefined global data reference '%s' |
| RNT | 52 | BADKEY | E | Illegal key specified |
| RNT | 53 | KEYNOT | E | Key not same |
| RNT | 54 | NODUPS | E | Duplicate key specified |
| RNT | 56 | NOTISM | E | Not an ISAM file |
| RNT | 61 | NOCURR | E | No current record |
| RNT | 62 | PROTEC | E | Protection violation |
| RNT | 64 | RNF | E | Record not found |
| RNT | 67 | VMSERROR | F | Unexpected VMS system error |
| RNT | 77 | ARGORD | E | Arguments out of order for PAK or UNPAK |
| RNT | 78 | ARGREC | E | PAK/UNPAK fields not in record |
| RNT RNT | 80 82 | NOSQL | E E | SQL Connection installation error or DBLOPT 48 not set Alpha or decimal variable expected |
| RNT | 86 | AORDXP RECLNG | E | Invalid record length |
| RNT | 87 | ARGMIS | E | Argument missing |
| RNT | 95 | OPNERR | E | OPEN error |
| RNT | 98 | INTRPT | E | Interrupt character detected |
| RNT | 100 | RMSERROR | E | Unexpected RMS error |
| RNT | 101 | NOCHAIN | E | Stop chain not allowed in callback on Windows 7 or Windows X64 |
| RNT | 102 | RUNERR | F | Internal runtime failure: %s |
| RNT | 103 | FILORG | E | Invalid file organization |
| RNT | 104 | OUTRNG | E | Value out of range |
| RNT | 106 | EXQUOTA | E | Exceeded quota |
| RNT | 107 | DEVNOTRDY | E | Device not ready |
| RNT | 108 | IOMODE | E | Bad mode specified |
| RNT | 111 | TIMOUT | E | Terminal input operation timeout Invalid value specified for BLKSIZ |
| RNT RNT | 115 120 | BLKSIZ EXCACT | E E | Invalid value specified for BLKS12 Too many activation characters |
| RNT | 120 | QUEUENOTAV | E | Invalid queue specified on LPQUE |
| RNT | 128 | VMSRMS | F | Unexpected VMS or RMS error |
| RNT | 129 | TSXERR | F | Unexpected TSX error |
| RNT | 131 | SMERR | E | SORT or MERGE error |
| RNT | 132 | SAMOP | E | Operands must be both alpha or both numeric |
| RNT | 141 | MAXIF | E | Too many input files open |
| RNT | 144 | ARGDIGPT | E | Numeric digit(s) and at most one decimal point expected |
| RNT | 145 | BDIGXP | E | Binary digits expected in argument (%s) |
| RNT | 146 | HDIGXP | E | Hexadecimal digits expected in argument (%s) |
| RNT | 147 | ODIGXP | E | Octal digits expected in argument (%s) |
| RNT | 151 | ARGDIG | E | Numeric digit(s) expected in argument |
| RNT | 153 | DECXPT | E | Decimal expected |
| RNT | 154 | IORDXP | E | Only integer and decimal operands allowed |
| RNT | 155 | RNDVAL | E | Invalid round value: %s |

| Fac | Err # | Code | Sev | Message |
|------------|------------|----------------------|--------|----------------------------------------------------------------------|
| RNT | 156 | IRNDVAL | E | Invalid round value for integer operand: %d |
| RNT | 157 | INVFORENT | E | Invalid entry to FOR loop |
| RNT | 158 | IDXP | E | Implied data type required |
| RNT | 159 | INVHDL | E | Invalid memory handle |
| RNT | 160 | ADDRSIZ | E | Invalid address size |
| RNT | 161 | HSIZERR | E | Map outside bounds of field or handle |
| RNT | 162 | NOMETHOD | E | Method's routine not found |
| RNT | 163 | INVCLASS | E | Class is invalid for operation |
| RNT | 164 | DUPEVENT | E | Event code already specified |
| RNT | 165 | NOTOBJID | E | Not an object identifier |
| RNT | 166 | NUMXP | E | Numeric argument expected |
| RNT | 216 | FLSPCW | I | File specification was %s |
| RNT | 223 | INVDIM | E | Invalid number of dimensions |
| RNT | 224 | INVPRC | E | Invalid fractional precision |
| RNT | 226 | MRGERR | E E | Merge error |
| RNT RNT | 243 254 | SRTFAI NOXCAL | E | SORT failure |
| RNT | 254 | DUPFIL | E | Undefined XCALL referenced Too many duplicate files open |
| RNT | 256 | LPQERR | E | LPQUE failed |
| RNT | 301 | RECBLK | E | Record size must be a multiple of block size |
| RNT | 302 | INTISM | E | Internal Isam error - File may be corrupt |
| RNT | 303 | INTLCK | E | Unexpected system locking error |
| RNT | 308 | MAXPRC | E | Too many processes |
| RNT | 309 | INVACT | E | Invalid action for XCALL FATAL |
| RNT | 311 | NOFORK | E | Cannot fork |
| RNT | 313 | RELREC | E | Invalid relative record |
| RNT | 316 | IRCSIZ | E | Invalid record size |
| RNT | 317 | INVALRFA | E | Invalid record's file address |
| RNT | 318 | DELREC | E | Deleted record |
| RNT | 319 | CLNTERR | E | Client server error, host: %s |
| RNT | 320 | NETPROB | E | Network problem reaching server %s |
| RNT | 321 | NOSERVER | E | Synergy server on %s is not running or has been shut down |
| RNT | 322 | NULARG | E | Improper use of null argument |
| RNT | 323 | SETTYP | E | SET data types must be the same |
| RNT | 324 | MSGFAIL | E | SEND/RECV message failure |
| RNT RNT | 325 326 | BADHOST | E E | Unknown host "%s" in server spec |
| RNT | 326 327 | BADUSER UNDEFERR | E | Bad username, login rejected on %s Undefined error |
| RNT | 327 | WNDERR | E | Window Manager error %d: %s |
| RNT | 330 | LIBMAX | E | Maximum open libraries exceeded |
| RNT | 331 | NETCONFIG | E | Local network configuration error |
| RNT | 332 | SQLERR | E | SQL Connection error |
| RNT | 333 | NOMORECURS | E | SQL: No more available open cursors |
| RNT | 334 | CURSERR | E | SQL: Error on cursor |
| RNT | 335 | BADDATATYP | E | SQL: Invalid data type for this operation |
| RNT | 336 | SQLSTACK | E | SQL: Stack variable still bound/defined on routine exit |
| RNT | 337 | | E | SQL: ^M variable still bound/defined on dynamic memory deletion |
| RNT | 338 | RCBDYN | E | RCB: ^M variable still bound on dynamic memory deletion%s |
| RNT | 339 | RCBSTACK | E | RCB: Stack variable still bound on routine exit%s |
| RNT | 340 | INVKVAL | E | Invalid key value |
| RNT | 341 | INVPKEY | E | Invalid partial key |
| RNT | 342 | BADXDLF | E E | Bad XDL file |
| RNT RNT | 343 400 | BADXDLS MSGNOTFND | L T | Bad XDL string Error message number %d not found or internal failure |
| RNT | 417 | INVEXFTYP | E | Invalid external function data type |
| RNT | 417 | INVEXFIIP | E | Invalid external function data type Invalid argument |
| RNT | 421 | AXERR | E | Error HRESULT (0x%08X) while processing an ActiveX control |
| 1/1/1 | 177 | 7 JAZTOT/T/ | تد | HITOI INCLUDED (OX 8000X) WHITE PLOCESSING ON ACCIVEX CONCLOS |

| Fac | Err # | Code | Sev | Message |
|------------|------------|-----------------------|--------|-----------------------------------------------------------------------------------------|
| RNT | 422 | AXNOLOAD | E | Could not load ActiveX control |
| RNT | 423 | AXNOSUB | E | Could not find subroutine or function |
| RNT | 424 | AXUNSUP | E | Unsupported feature |
| RNT | 425 | AXNOFIND | E | ActiveX parameter not found |
| RNT | 426 | MISSMETH | E | Method/Delegate not found |
| RNT | 427 | MISSFLD | E | Field/Type/Property/Event not found |
| RNT | 428 | NOLOAD | E | Could not load assembly |
| RNT | 429 | NULLREF | E | Invalid use of NULL object |
| RNT | 430 | NODOTNET | E | Could not load the .NET CLR |
| RNT | 431 | RECNOT | E | Record not same |
| RNT | 432 | NETCRYPT | E | File requires network encryption |
| RNT | 433 | DATACRYPT | E | Error %s data field: %s |
| RNT RNT | 434 500 | SALTIV INVFATERR | E F | Error getting salt/initialization vector: %s Invalid fatal error number for XCALL FATAL |
| RNT | 503 | NOTDBR | F | %s is not a DBR file |
| RNT | 506 | STKOVR | F | Runtime stack overflow |
| RNT | 507 | UNSUP | E | Unsupported command |
| RNT | 508 | SIGNAL | F | Signal trap |
| RNT | 509 | OPENF | E | Cannot open %s |
| RNT | 510 | STPMSG | S | STOP |
| RNT | 511 | RTNNF | E | Cannot access external routine %s |
| RNT | 512 | GBLNF | E | Cannot access named global %s |
| RNT | 513 | BADSYS | F | License management problem |
| RNT | 514 | LMFAIL | F | Licensing failure |
| RNT | 515 | CMDBIG | F | Command line too long |
| RNT | 516 | INVOPT | F | Invalid option |
| RNT | 517 | INTERR | F | Internal failure: %d |
| RNT | 518 | NODBLOPT | E | DBLOPT %d is obsolete, use %s Alpha argument required |
| RNT RNT | 519 520 | ALPHARG WRTERR | E F | write failure |
| RNT | 521 | INTARG | E | Integer argument required |
| RNT | 522 | AORIARG | E | Integer or alpha argument required |
| RNT | 523 | FNOTFOUND | E | Function not found |
| RNT | 524 | NOTWIN32S | E | Not running with Win32s |
| RNT | 525 | BADFORMAT | E | Bad format string |
| RNT | 526 | BADHANDLE | E | Bad DLL handle |
| RNT | 527 | INVDATE | E | Invalid date |
| RNT | 528 | DLLOPNERR | E | DLL could not be opened: %s |
| RNT | 529 | DLLCLSERR | E | DLL could not be closed |
| RNT | 530 | PURGE | E | DCL purge error |
| RNT | 531 | BADADDR | E | Bad address detected: %s |
| RNT | 532 | BADELB | E | Bad ELB detected: %s |
| RNT | 533 524 | NOFDL | E | Invalid open mode for FDL usage |
| RNT | 534 535 | SRVRLICNS | E E | Server license limit reached on %s Operation would cause deadlock |
| RNT RNT | 535 | DEADLOCK SRVLICERR | E | Licensing error on server %s |
| RNT | 537 | SRVLICTIMO | E | Licensing timed out on server %s |
| RNT | 538 | WINRSRC | E | Windows resource exhausted |
| RNT | 539 | BADFONTNAM | Ē | Invalid font name specified: %s |
| RNT | 540 | DUPFONTNAM | E | Duplicate font name specified: %s |
| RNT | 541 | FONTINUSE | E | Font %d in use, cannot delete |
| RNT | 542 | BADFONTID | E | Invalid font ID specified: %d |
| RNT | 543 | WNFNCERR | E | Windows API function failure: %s |
| RNT | 544 | INVRPTHND | E | Invalid report handle |
| RNT | 545 | INVPNHAND | E | Invalid pen handle |
| RNT | 546 | INVCLLSEQ | E | Invalid calling sequence |
| RNT | 547 | OPTINV | E | Invalid option |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------------|--------|---------------------------------------------------------------------------------------------|
| RNT | 548 | DLLOPNMOD | E | Associated DLL not in path or not found |
| RNT | 549 | BADWNDID | Ē | Window %d bad or no longer open |
| RNT | 550 | XFBADPKTID | E | Incorrect packet identifier |
| RNT | 551 | XFBADMTHID | E | Method ID too long |
| RNT | 552 | XFNUMPARMS | E | Invalid parameter count |
| RNT | 553 | XFBADPKT | E | Packet format error |
| RNT | 554 | XFBADTYPE | E | Invalid parameter type |
| RNT | 555 | XFREQPARM | E | Required parameter not sent |
| RNT | 556 | XFBADARRAY | E | Error mapping array element |
| RNT | 557 | XFIOERR | E | File I/O error occurred on server |
| RNT | 558 | XFMETHKNF | E | Method key not found |
| RNT | 559 | XFRTNNF | Ε | Cannot access remote routine |
| RNT | 560 | XFNOCONN | Ε | No connection to remote host |
| RNT | 561 | XFHALT | Ε | Fatal error occurred on server |
| RNT | 562 | XFNOINIT | Ε | RX_DEBUG_START called without RX_DEBUG_INIT |
| RNT | 563 | SRVNOTSUP | E | Unsupported server version/Feature not available |
| RNT | 564 | XFUNKERR | E | Unknown error reported by xfServerPlus |
| RNT | 565 | XFNOCDT | E | Unable to open method catalog file |
| RNT | 566 | XFNOCMPDT | E | Unable to open method parameter file |
| RNT | 567 | XFNOELB | E | Unable to open ELB file |
| RNT | 568 | INVDSCR | E | Invalid descriptor |
| RNT | 569 | SYNSOCK | E | Synsock error %d |
| RNT | 570 571 | INVRCBHND | E | Invalid RCB handle |
| RNT | 571 572 | INVNETHND | E E | Invalid network handle Invalid window handle |
| RNT RNT | 572 573 | INVWNDHND | E | Invalid window handle Invalid namespace handle |
| RNT | 573 574 | INVNAMHND | E | Invalid class handle |
| RNT | 575 | INVCLSHND INVOBJHND | E | Invalid object handle |
| RNT | 575 576 | PRTOBJHND | E | Protected object handle cannot be deleted |
| RNT | 580 | NOTRCBHND | E | Handle is not an RCB handle |
| RNT | 581 | NOTNETHND | E | Handle is not a network handle |
| RNT | 582 | NOTWNDHND | E | Handle is not a window handle |
| RNT | 583 | NOTNAMHND | Ē | Handle is not a namespace handle |
| RNT | 584 | NOTCLSHND | Ē | Handle is not a class handle |
| RNT | 585 | NOTOBJHND | E | Handle is not an object handle |
| RNT | 588 | NOTRPTHND | E | Handle is not a report handle |
| RNT | 589 | NOTPNHAND | E | Handle is not a pen handle |
| RNT | 590 | EXECF1 | E | Cannot execute: %s |
| RNT | 591 | SDMSERR | E | SDMS error |
| RNT | 592 | XFINCALL | E | Remote call already in progress |
| RNT | 593 | XFNOCALL | E | No current call in progress |
| RNT | 594 | OLDDBR | F | Old DBR file format%s detected: relink %s |
| RNT | 595 | OLDELB | E | Old ELB file format%s detected: relink %s |
| RNT | 596 | XFMETHCRYP | E | Method requires encryption |
| RNT | 597 | XFSERVNOSE | Ε | Encryption not enabled on server |
| RNT | 598 | NDNOPP | Ε | File built with opposite 'endian': %s |
| RNT | 599 | BITOPP | E | File built with opposite bit size: %s |
| RNT | 600 | INCPTCLS | E | Incompatible classes |
| RNT | 601 | NOOBJ | E | No object for handle |
| RNT | 602 | NOTOHND | E | Both source and destination must be object handles |
| RNT | 603 | CLSMTCH | E | Class mismatch between routines |
| RNT | 604 | OHNDREQ | E | Object handle required |
| RNT | 605 606 | IDPARMREQ OHNDCPY | E E | Implied-decimal parameter required Invalid copy of an object handle |
| RNT RNT | 607 | NODBGPORT | E | Debug port number not specified: %s |
| RNT | 608 | BADDBGPORT | E | Invalid debug port number: %s. Must be an integer within the range 1024 to 65535, inclusive |
| RNT | 609 | BADDBGFORT | E | Invalid remote debug timeout value: %s |
| 1/1/1 | 009 | ווווטםרישה | L 25 | Invalla lemote debug timeout value. 15 |

| Fac | Err # | Code | Sev | Message |
|------------|------------|-----------------------|--------|----------------------------------------------------------------------------------------------------------------------------------|
| RNT | 610 | DBGNOSOCK | E | Unable to attach to remote debug port |
| RNT | 611 | DBGNOCONN | E | No debug client connection was established |
| RNT | 612 | DBGSOCKER | Ē | Remote debug socket error; continuing without debug |
| RNT | 613 | DBGCLOSED | E | Remote debug client closed the connection; continuing without debug |
| RNT | 614 | TOOLKIT | E | Toolkit error |
| RNT | 615 | SEQRDS | E | Sequential read caching error |
| RNT | 616 | EXCEPT | E | Exception of type '%s' |
| RNT | 617 | INVCAST | E | Invalid cast operation |
| RNT | 618 | SINGLEDIM | E | Array is not a one-dimensional array |
| RNT | 619 | ARRAYBNDS | E | Index is outside the bounds of the array |
| RNT | 620 | DIFDIMS | E | Arrays must have the same number of dimensions |
| RNT RNT | 621 622 | UNHANDLED | E E | Unhandled exception: %s |
| RNT | 623 | NORETURN OBJPASSED | E | Leaving local scope where a CALLed subroutine is still active Unexpected object handle passed as argument |
| RNT | 624 | STRMTCH | E | Structure mismatch between routines |
| RNT | 625 | HNDCORUPT | E | Handle has been modified; possible subscripting violation |
| RNT | 626 | ALCOMPAT | F | ArrayList compatibility issue. See the 9.1.5 release notes |
| RNT | 627 | INVOPER | E | Invalid operation: %s |
| RNT | 628 | HKNOOPS | E | No I/O hook operations specified; at least one is required |
| RNT | 629 | HKNOTACT | E | I/O hooks no longer active on channel |
| RNT | 630 | HKNOTIMP | E | Referenced I/O hook operation(s) not implemented: %s |
| RNT | 631 | HKACTIVE | E | Attempted I/O on hooked channel from within hook routine |
| RNT | 632 | COMPATISAM | E | Incompatible ISAM file - unsupported by this Synergy version |
| RNT | 633 | INVATIME | E | Invalid timestamp key exceeds current time |
| RNT | 634 | NONETSHR | E | Network share is not allowed with this file |
| RNT | 635 | REVUNSUP | E | Specified file revision not supported (ISAMC_REV) |
| RNT | 636 637 | SRVREXP | E | Server session has expired or has been terminated Server connection retry failure |
| RNT RNT | 638 | SRVCONRTY SIZLIMIT | E E | File size limit exceeded |
| RNT | 639 | RECLIMIT | E | File record limit exceeded |
| RNT | 640 | SRVFILCL | E | Remote file has been closed |
| RNT | 641 | GBLSIZ | F | Reference exceeds allocated size of global data: %s |
| RNT | 642 | JOINKEYREQ | E | Inner table requires key reference: %s |
| RNT | 643 | JOINOUTREF | E | Outer table reference required for inner table: %s |
| RNT | 644 | JOINOPER | E | Invalid Join predicate operator |
| RNT | 645 | JOINONREQ | E | Valid On expression required |
| RNT | 646 | JOINISMREQ | E | ISAM file required for inner table: %s |
| RNT | 647 | JOINENUM | E | Invalid enumerator type for Select object with Join |
| RNT | 700 | BADALLOC | E | Bad file pre-allocation control - Only read-only access allowed |
| RNT | 701 | WRONGTHREA | E | .NET xfServer client I/O on wrong thread |
| RNT | 900 | CATCH | E | new catch error menemonic |
| RNT | 901 902 | SQLOBJ | F F | SQL: Class variable still bound/defined on destruction SQL: Variable bound/defined to local record on memory reclaim Routine: %s |
| RNT RNT | 902 | SQLREL RCBREL | F | RCB: Variable bound/delined to local record on memory reclaim Routine: %s%s |
| RNT | 903 | RCBCALL | E | RCB: Call in progress |
| RNT | 905 | RCBOBJ | E | RCB: Class variable still bound/defined on destruction%s |
| RNT | 1001 | ACCVIO | I | Access violation |
| RNT | 1002 | ALITXP | Ī | Alpha literal expected |
| RNT | 1003 | ARGWAS | I | Argument number was %d |
| RNT | 1011 | BADIND | I | Bad index: %d |
| RNT | 1012 | BADRNG | I | Bad range value: %d,%d |
| RNT | 1013 | BADRNGR | I | Bad range value: %d:%d |
| RNT | 1021 | CHNWAS | I | Channel specified: %u |
| RNT | 1022 | CHRSPC | I | Character specified: %s |
| RNT | 1029 | COLEQL | I | Colon or equal sign expected |
| RNT | 1030 | CREFIL | I | Error creating file |
| RNT | 1040 | DBLDIR | I | DBLDIR not set |

| Fac | Err # | Code | Sev | Message |
|------------|--------------|------------------|-----|------------------------------------------------|
| RNT | 1041 | DCMPER | I | Data compression/uncompression error |
| RNT | 1042 | DECXP | Ī | Decimal expected |
| RNT | 1043 | DELFIL | I | Error deleting file |
| RNT | 1046 | DINCON | I | Data incongruity |
| RNT | 1047 | DRCSIZ | I | Destination record size: %d |
| RNT | 1052 | ERTEXT | I | శిక |
| RNT | 1053 | ERTXT2 | I | ⁸ ଓ ବ୍ୟ |
| RNT | 1054 | ERTXTN | I | %s %d |
| RNT | 1055 | EQLEXP | I | Equal sign expected |
| RNT | 1056 | EXECF | I | Cannot execute: %s |
| RNT | 1061 | FILWAS | I | File specification was %s File record size: %d |
| RNT RNT | 1063 1070 | FRCSIZ | I | |
| RNT | 1076 | IINCON INVCMD | I | Index incongruity Invalid I/O command: %s |
| RNT | 1070 | OPTWAS | I | Invalid option: %s |
| RNT | 1078 | INVSW | I | Invalid switch |
| RNT | 1079 | INVSMD | Ī | Invalid OPEN submode ?? |
| RNT | 1080 | INVVAL | Ī | Invalid value for %s |
| RNT | 1084 | IOOPN | I | Cannot open %s |
| RNT | 1088 | IOERR2 | I | Channel %d, open mode %s |
| RNT | 1101 | KEYSPC | I | Could not locate key with identifier %s |
| RNT | 1120 | MAXSIZ | I | Maximum record size is %u |
| RNT | 1132 | NOEOFC | I | No EOF character found. Physical EOF was used |
| RNT | 1134 | NUMSPC | I | Number specified: %ld |
| RNT | 1140 | OPNFIL | I | Cannot open file |
| RNT | 1142 | OPTSPC | I | Option specified %s |
| RNT | 1143 | OPWRED | I | Operation was READ |
| RNT | 1144 | OPWFND | I | Operation was FIND |
| RNT | 1145 | OPWRDS | I | Operation was READS |
| RNT RNT | 1146 1147 | OPWDEL | I | Operation was DELETE |
| RNT | 1147 | OPWSTO OPWWRI | I | Operation was STORE Operation was WRITE |
| RNT | 1149 | OPWCRE | I | Operation was ISAMC |
| RNT | 1160 | RBKXP | Ī | Right bracket expected |
| RNT | 1162 | READER | Ī | Cannot read input file |
| RNT | 1163 | NUMWAS | I | Record number: %ld |
| RNT | 1164 | RECWAS | I | Record size specified: %u |
| RNT | 1166 | RENFIL | I | Error renaming file |
| RNT | 1168 | RORKXP | I | Record or key expected |
| RNT | 1169 | RPEXP | I | Right parenthesis expected |
| RNT | 1185 | TTSBMD | I | Submode ignored for terminal open |
| RNT | 1191 | VALSPC | I | Value specified is %ld |
| RNT | 1192 | VALRNG | I | Value range is %d to %d |
| RNT | 1193 | ATLIN | I I | At line %d in routine %s |
| RNT | 1194 | CALFRO | I | Called from line %d |
| RNT RNT | 1195 1196 | ATLINE CALFRM | I | At line %s in routine %s Called from line %s |
| RNT | 1205 | WRTFIL | I | Cannot write to file |
| RNT | 1203 | MSGBIG | l i | Message exceeds maximum size |
| RNT | 1207 | MSGEXP | I | Message communication timeout |
| RNT | 1209 | SYSFLT | Ī | System fault (%d) |
| RNT | 1210 | NOLMD | Ī | Cannot access Synergy License Manager |
| RNT | 1211 | DEVFUL | I | Device full |
| RNT | 1212 | INTCON | I | Internal consistency failure |
| RNT | 1213 | EXPDEMO | I | This system has timed out |
| RNT | 1214 | EXUSER | I | Exceeded concurrent user capacity |
| RNT | 1215 | NOTCONF | I | Synergy Runtime license is not configured |

| RNT 1216 CONS | | |
|---------------|-------|-------------------------------------------------|
| | JP I | Please contact your Synergy/DE supplier |
| RNT 1217 BADI | SCR I | Corrupted descriptor: type = %d, class = %d |
| RNT 1218 AMBR | VD I | Ambiguous XDL keyword: %s |
| RNT 1219 MLTR | | Keyword specified multiple times: %s |
| RNT 1220 REQ | VD I | Missing required keyword: %s |
| RNT 1221 NOVA | i I | No value supplied with keyword: %s |
| RNT 1222 INV | | Invalid %s value: %s |
| RNT 1223 INVI | | Invalid %s value: %d |
| RNT 1224 AMBV | | Ambiguous %s value: %s |
| RNT 1225 KEYS | | Key specified: %d |
| RNT 1226 INVI | | Numeric return argument expected |
| RNT 1227 INVE | | Alpha return argument expected |
| RNT 1228 ERTE | | %s |
| RNT 1229 DIMS | | Dimension specified: %d |
| RNT 1230 DIME | | Dimensions of passed argument: %d in %s:line %s |
| RPS 1 DDT1 | - | Repository |
| RPS 2 YES | تا تا | Y |
| RPS 3 NO | | N N |
| | PCHRS | |
| RPS 5 BLAN | | |
| RPS 6 AVLS | | Available Structures |
| RPS 7 AVLT | /IP | Available Templates |
| RPS 8 AVLE | LD | Available Fields |
| RPS 9 AVLE | ſΤ | Available Formats |
| RPS 10 AVL | EY | Available Keys |
| RPS 11 AVLE | [L | Available Files |
| RPS 12 AVLA | | Available Aliases |
| RPS 13 AVLE | | Available Enumerations |
| RPS 15 MAIN | | Main Menu |
| RPS 16 MODS | | Modify Structures |
| RPS 17 VEWS | | View Structures |
| RPS 18 ADDS | | Add Structure Copy Structure |
| RPS 20 EDTS | | Edit Structure |
| RPS 21 FNDS | | Find Structure |
| RPS 22 VIWS | | View Structure |
| RPS 23 MODE | | Modify Files |
| RPS 24 VEWE | | View Files |
| RPS 25 ADDE | | Add File |
| RPS 26 CPYE | [L | Copy File |
| RPS 27 EDTE | | Edit File |
| RPS 28 FNDE | | Find File |
| RPS 29 VIWE | | View File |
| RPS 30 MOD7 | | Modify Templates |
| RPS 31 VEWT | | View Templates |
| RPS 32 ADD7 | | Add Template |
| RPS 33 CPYT | | Copy Template |
| RPS 34 EDTT | | Edit Template Find Template |
| RPS 36 VIWI | | View Template |
| RPS 36 VIWI | | Modify Formats |
| RPS 38 VEWO | | View Formats |
| RPS 39 ADDO | | Add Format |
| RPS 40 CPY | | Copy Format |
| RPS 41 EDTG | | Edit Format |
| RPS 42 FNDG | | Find Format |

| RPS | Fac | Err # | Code | Sev | Message |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------|---------|-----|-----------------------|
| RES | RPS | 43 | VTWGFMT | | View Format |
| RFS | | | | | |
| RPS | | | | | |
| RPS | | | | | |
| RPS | | 47 | | | Copy Enumeration |
| RPS | RPS | 48 | EDTENM | | |
| RPS | | 49 | | | Find Enumeration |
| RPS | | | VIWENM | | |
| RPS 53 MODFLDA RPS 55 MODRETA RPS 55 MODRETA RPS 55 MODRETA RPS 55 MODRETA RPS 56 MODFRIDA RPS 57 MODTAGA RPS 58 MODTAGA RPS 58 MODTAGA RPS 58 MODTAGA RPS 59 MODTAGA RPS 50 MODTAGA RPS 50 MODTAGA RPS 51 VINRELA RPS 60 VINKEYA RPS 61 VINRELA RPS 62 VINFWIA RPS 63 VINTAGA RPS 63 VINTAGA RPS 64 VINASA RPS 64 VINASA RPS 65 ADDFLD RPS 67 ADDFLD RPS 69 VINFLD RPS 69 VINFLD RPS 69 VINFLD RPS 69 MODFLD RPS 70 MOVPLD RPS 71 ADDKEY RPS 73 EDYKEY RPS 73 EDYKEY RPS 74 FINKEY RPS 75 ADDREL RPS 75 ADDREL RPS 76 COYNEL RPS 77 ADDREL RPS 78 RPS 78 COYNER RPS 78 RPS 78 COYNER RPS 79 EDYREL RPS 79 EDY | | | | | |
| RPS | | | | | |
| RPS 59 VINFLDA View Field Attributes RPS 61 VINRELA View Rey Attributes RPS 61 VINTAGA View Relation Attributes RPS 63 VINTAGA View Tag Attributes RPS 65 ADDFLD Add Field RPS 66 CPYFLD COpy Field RPS 67 EDTFLD Edit Field RPS 67 FNPFLD Find Field RPS 70 MOVFLD Move Field RPS 71 ADDKEY Add Key RPS 71 ADDKEY Add Key RPS 73 EDTKEY Edit Key RPS 74 FNDKEY View Key RPS 75 VINKEY View Key RPS 76 MOVEY Move Key RPS 77 ADDRIL Add Relation RPS 80 FULL Add Relation RPS 81 MOVEREL View Field | | | | | |
| RPS 60 VINKEYA View Key Attributes RPS 61 VINFMIA View Format Attributes RPS 62 VINFMIAGA View Format Attributes RPS 63 VINFMIAGA View Tag Attributes RPS 65 ADDFLD Add Field RPS 66 CPYFLD Copy Field RPS 67 EDITED Edit Field RPS 70 MOVFLD Move Field RPS 71 ADDKEY Add Key RPS 72 CPYKEY Copy Key RPS 73 EDITKEY Edit Key RPS 74 FNDKEY Find Key RPS 76 MOVKEY Move Key RPS 78 CPYREL Copy Relation RPS 78 CPYREL CPYREL Copy Relation RPS 80 FNDREL Find Relation Move Relation RPS 81 VINFEL Move Relation Move Relation | | | | | |
| RPS 61 VIMMELA View Relation Attributes RPS 62 VIEWMTA View Tormat Attributes RPS 63 VIWTAGA View Tag Attributes RPS 65 ADDFLD Add Field RPS 67 EDTFLD Edit Field RPS 68 FNDPLD Edit Field RPS 70 MOVPLD Move Field RPS 71 ADDKEY Add Key RPS 72 CPYKEY Add Key RPS 73 EDITKEY Edit Key RPS 74 FNDKEY Find Key RPS 75 VIWKEY View Key RPS 76 MOVKEY Move Key RPS 77 ADDREL Add Relation RPS 78 CPYREL CPYREL RPS 79 EDITEL Edit Relation RPS 81 PONDEL View Relation RPS 82 MOWERL View Relation <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | |
| RPS 62 VIWMTAGA View Format Attributes RPS 64 VIWALSA View Tag Attributes RPS 65 ADDPLD View Tag Attributes RPS 66 CPYFLD Copy Field RPS 67 EDTFLD Edit Field RPS 68 FNDFLD Find Field RPS 70 MOVFLD Move Field RPS 71 ADDKY Add Key RPS 72 CPYKEY Copy Key RPS 73 EDTKEY Edit Key RPS 74 FNDKEY Find Key RPS 75 VIMKEY View Rey RPS 76 MOVKEY Move Key RPS 77 ADDREL Copy Relation RPS 78 CPYREL Copy Relation RPS 80 FNDREL Find Relation RPS 81 VIWEL Move Relation RPS 84 ADDFMT Add Format <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | |
| RPS 63 VIWTAGA View Tag Attributes RPS 65 ADDFLD Add Field RPS 66 CPYFLD Add Field RPS 67 EDTFLD Edit Field RPS 69 FNDFLD ViwFLD RPS 70 MOVPLD View Field RPS 71 ADDKEY Add Key RPS 72 CPYKEY Add Key RPS 73 EDTKEY Add Key RPS 74 FNDKEY FNDKEY RPS 75 VIWKEY View Key RPS 76 MOVKEY Move Key RPS 78 CPYREL Copy Relation RPS 78 DITMEL CPYREL Copy Relation RPS 80 FNDEREL Find Relation Relation RPS 81 VIWREL Move Relation Relation RPS 84 ADDFMT Add Pormat Add Pormat RPS | | | | | |
| RPS 64 VIWALSA View Alias Attributes RPS 66 ADDFLD Add Field RPS 68 FNDFLD Edit Field RPS 68 FNDFLD Find Field RPS 70 MOVFLD Move Field RPS 71 ADDKEY Add Key RPS 72 CPYKEY Copy Key RPS 73 BDTKEY Edit Key RPS 74 FNDKEY Find Key RPS 75 VIWKEY View Key RPS 77 ADDKEL Add Relation RPS 77 ADDKEL Add Relation RPS 79 EDTREL Edit Relation RPS 80 FNDREL Find Relation RPS 81 VIWREL View Relation RPS 83 EXPEL Examine Relation RPS 84 ADDFMT Copy Format RPS 85 CPYFMT Copy Format | | 63 | | | View Tag Attributes |
| RPS 66 CPYFLD Copy Field RPS 68 FNDFLD Edit Field RPS 69 VIWFLD Find Field RPS 70 MOVFLD Move Field RPS 71 ADDKEY Add Key RPS 72 CPYKEY Bdit Key RPS 73 EDTKEY Bdit Key RPS 74 FNDKEY Find Key RPS 75 VIWKEY View Key RPS 76 MOVKEY Move Key RPS 77 ADDREL Add Relation RPS 79 EDTREL Edit Relation RPS 79 EDTREL Edit Relation RPS 81 VIWREL View Relation RPS 81 VIWREL View Relation RPS 83 EXEL Examine Relation RPS 85 CPYFMT Copy Format RPS 86 EDTFMT Find Format | RPS | 64 | VIWALSA | | View Alias Attributes |
| RPS 67 EDTFLD Edit Field RPS 68 FNDPLD View Field RPS 70 MOVPLD Move Field RPS 71 ADDKEY Add Key RPS 72 CPYKEY Copy Key RPS 74 FNDKEY Find Key RPS 75 VIWEY Find Key RPS 76 MOVKEY Move Key RPS 77 ADDEL Add Relation RPS 78 CPYREL Copy Relation RPS 79 EDTREL Edit Relation RPS 80 FNDREL Find Relation RPS 81 VIWEL View Relation RPS 82 MOVREL Move Relation RPS 83 EXEL Examine Relation RPS 85 CPYFMT Copy Format RPS 87 FNDFMT Find Format RPS 89 MOVFMT Move Format < | RPS | 65 | | | |
| RPS 68 PNDFLD Find Field RPS 70 MOVFLD Move Field RPS 71 ADDKEY Add Key RPS 72 CPYKEY Copy Key RPS 73 EDITKEY Edit Key RPS 74 FNDKEY Find Key RPS 75 VIWKEY View Key RPS 76 MOVEEY Move Key RPS 77 ADDREL Add Relation RPS 78 CPYREL Copy Relation RPS 79 EDITREL Edit Relation RPS 80 FNDREL Find Relation RPS 81 VIWEL Move Relation RPS 82 MOVEEL Move Relation RPS 84 ADDFMT Add Format RPS 85 CPYEMT Copy Format RPS 87 FNDFMT Find Format RPS 89 MOVEMT Move Format <td< td=""><td></td><td></td><td></td><td></td><td></td></td<> | | | | | |
| RPS 69 VIWFLD View Field RPS 70 MOVFLD Move Field RPS 71 ADDKEY Add Key RPS 72 CPYKEY COPY KEY RPS 73 EDTKEY Edit Key RPS 74 FNDKEY Find Key RPS 75 VIWEY Move Key RPS 77 ADDREL Add Relation RPS 78 CPYREL Copy Relation RPS 79 EDTREL Edit Relation RPS 80 FNDREL Find Relation RPS 81 VIWREL Move Relation RPS 82 MOVREL Move Relation RPS 84 ADDFMT Add Format RPS 85 CPYFMT Copy Format RPS 87 FNDFMT Find Format RPS 89 MOVFMT Move Format RPS 90 ADDTAG Copy Tag R | | | | | |
| RPS 70 MOVFLD Move Field RPS 71 ADDKEY Add Key RPS 73 EDTKEY Edit Key RPS 74 FNDKEY Find Key RPS 75 VIWKEY View Key RPS 76 MOVKEY Move Key RPS 77 ADDREL Add Relation RPS 78 CPYREL Copy Relation RPS 79 EDTREL Find Relation RPS 80 FNDREL Find Relation RPS 81 VIWREL Move Relation RPS 82 MOVREL Move Relation RPS 84 ADDFMT Add Format RPS 85 CPYFMT Copy Format RPS 87 FNDFMT Find Format RPS 89 MOVFMT Move Format RPS 91 CPYTAG Copy Tag RPS 94 VIWTAG Find Tag RP | | | | | |
| RPS 71 ADDKEY RPS 72 CPYKEY RPS 73 EDTKEY Edit Key RPS 74 FNDKEY RPS 75 VIMKEY RPS 76 MOVKEY RPS 77 ADDREL RPS 77 ADDREL RPS 78 CPYREL RPS 79 EDTREL RPS 79 EDTREL RPS 80 FNDREL RPS 81 VIWREL RPS 81 VIWREL RPS 82 MOVREL RPS 83 EXREL RPS 84 ADDFMT RPS 85 CPYFMT RPS 86 EDTFMT RPS 86 EDTFMT RPS 87 FNDFMT RPS 88 VIMFMT RPS 88 VIMFMT RPS 89 MOVFMT RPS 90 ADDTAG RPS 93 FNDTAG RPS 94 VIWTAG RPS 95 MOVTAG RPS 96 MOVMBR RPS 96 MOVMBR RPS 97 ADDALS Add Alias | | | | | |
| RPS 72 CPYREY COPY Key RPS 73 EDTKEY Edit Key RPS 74 FNDKEY Find Key RPS 75 VIWKEY RPS 76 MOVKEY Move Key RPS 77 ADDREL Add Relation RPS 78 CPYREL Edit Relation RPS 79 EDTREL Edit Relation RPS 80 FNDREL View Relation RPS 81 VIWREL View Relation RPS 82 MOVREL Move Relation RPS 83 EXREL Examine Relation RPS 84 ADDEMT Add Format RPS 85 CPYRMT COPY Format RPS 86 EDTFMT Edit Format RPS 87 FNDPMT Find Format RPS 88 VIWRMT View Format RPS 89 MOVPMT Wove Format RPS 89 MOVPMT Move Format RPS 89 MOVPMT Move Format RPS 90 ADDTAG Add Tag RPS 93 FNDTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Member RPS 96 MOVMER MOVE Member RPS 97 ADDALS Add Alias | | | | | |
| RPS | | | | | |
| RPS | | | | | |
| RPS 75 VIWKEY NOVEY NOVEY NOVE KEY NOVE | | | | | |
| RPS 76 MOVKEY ADDREL Add Relation RPS 77 ADDREL Copy Relation RPS 78 CPYREL Copy Relation RPS 80 FNDREL Edit Relation RPS 81 VIWREL View Relation RPS 82 MOVREL Examine Relation RPS 83 EXREL Examine Relation RPS 85 CPYRMT Copy Format RPS 86 EDTFMT Edit Format RPS 87 FNDRMT Find Format RPS 88 VIWFMT View Format RPS 89 MOVFMT Move Format RPS 89 MOVFMT Move Format RPS 89 MOVFMT Move Format RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG MOVMER Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 77 ADDREL Add Relation RPS 78 CPYREL Copy Relation RPS 79 EDTREL Edit Relation RPS 80 FNDREL Find Relation RPS 81 VIWREL View Relation RPS 82 MOVREL Move Relation RPS 83 EXREL Examine Relation RPS 84 ADDFMT Add Format RPS 85 CPYFMT Copy Format RPS 86 EDTFMT Edit Format RPS 87 FNDFMT Find Format RPS 89 MOVFMT Move Format RPS 89 MOVFMT Move Format RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 94 VIWTAG View Tag RPS 95 MOVMBR Move Member | | 76 | | | |
| RPS 79 EDTREL Find Relation RPS 80 FNDREL Find Relation RPS 81 VIWREL View Relation RPS 82 MOVREL Examine Relation RPS 83 EXREL Examine Relation RPS 85 CPYFMT Copy Format RPS 86 EDTFMT Edit Format RPS 86 EDTFMT Edit Format RPS 87 FNDFMT View Format RPS 88 VIWFMT View Format RPS 89 MOVFMT Move Format RPS 89 MOVFMT Move Format RPS 89 MOVFMT Move Format RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | RPS | 77 | ADDREL | | |
| RPS 80 FNDREL Viwrel View Relation RPS 81 VIWREL View Relation RPS 82 MOVREL Move Relation RPS 83 EXREL Examine Relation RPS 84 ADDFMT Add Format RPS 85 CPYFMT Copy Format RPS 86 EDTFMT Edit Format RPS 87 FNDFMT Find Format RPS 88 VIWFMT View Format RPS 88 VIWFMT View Format RPS 89 MOVFMT Move Format RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Member RPS 97 ADDALS Add Alias | | 78 | | | |
| RPS 81 VIWREL Wiew Relation RPS 82 MOVREL Examine Relation RPS 83 EXREL Examine Relation RPS 84 ADDFMT Add Format RPS 85 CPYFMT Copy Format RPS 86 EDTFMT Edit Format RPS 87 FNDFMT Find Format RPS 88 VIWFMT View Format RPS 89 MOVFMT Move Format RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 82 MOVREL Examine Relation RPS 84 ADDFMT Add Format RPS 85 CPYFMT Copy Format RPS 86 EDTFMT Edit Format RPS 87 FNDFMT Find Format RPS 88 VIWFMT View Format RPS 89 MOVFMT Move Format RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Edit Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR RPS 97 ADDALS Move Member Add Alias | | | | | |
| RPS 83 EXREL ADDFMT Add Format RPS 85 CPYFMT Copy Format RPS 86 EDTFMT Edit Format RPS 87 FNDFMT Find Format RPS 88 VIWFMT View Format RPS 89 MOVFMT Move Format RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS MOVE MEMBER Add Alias | | | | | |
| RPS 84 ADDFMT Copy Format Copy Format Edit Format Edit Format Find Format Find Format View Format RPS 88 VIWFMT Wove Format Add Tag Copy Tag Edit Tag RPS 91 CPYTAG Copy Tag Edit Tag RPS 92 EDTTAG Edit Tag Find Tag View Tag RPS 95 MOVTAG Move Tag RPS 95 MOVTAG Move Tag RPS 96 MOVTAG Move Move Tag Move Move Tag RPS 97 ADDALS Add Alias | | | | | |
| RPS 85 CPYFMT Edit Format RPS 86 EDTFMT Edit Format RPS 87 FNDFMT Find Format RPS 88 VIWFMT View Format RPS 89 MOVFMT Move Format RPS 90 ADDTAG RPS 91 CPYTAG RPS 92 EDTTAG RPS 92 EDTTAG RPS 93 FNDTAG RPS 94 VIWTAG RPS 95 MOVTAG RPS 95 MOVTAG RPS 97 ADDALS RPS PS 97 ADDALS RPS | | | | | |
| RPS 86 EDTFMT FIND FMT Find Format RPS 88 VIWFMT View Format RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 87 FNDFMT View Format RPS 88 VIWFMT View Format RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 88 VIWFMT View Format RPS 89 MOVFMT Move Format RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 89 MOVFMT Move Format Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 90 ADDTAG Add Tag RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 91 CPYTAG Copy Tag RPS 92 EDTTAG Edit Tag RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 93 FNDTAG Find Tag RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 94 VIWTAG View Tag RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 95 MOVTAG Move Tag RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 96 MOVMBR Move Member RPS 97 ADDALS Add Alias | | | | | |
| RPS 97 ADDALS Add Alias | | | | | |
| | | | | | |
| | RPS | 98 | CPYALS | | Copy Alias |
| RPS 99 EDTALS Edit Alias | | | | | |

| Fac | Err # | Code | Sev | Message | |
|------------|------------|----------------------|-----|---------------------------------------------|------------------------------------------|
| RPS | 100 | FNDALS | | Find Alias | |
| RPS | 101 | VIWALS | | View Alias | |
| RPS | 102 | MOVALS | | Move Alias | |
| RPS | 103 | GENDEF | | Generate Definition File | |
| RPS | 104 | PRTDCT | | Print Repository Definitions | |
| RPS | 105 | VFYDCT | | Verify Repository | |
| RPS | 106 | GSCHEM | | Generate Repository Schema | |
| RPS | 107 | LSCHEM | | Load Repository Schema | |
| RPS | 108 | CRTDCT | | Create New Repository | |
| RPS | 109 | XGENU | | Generate Cross-Reference File | |
| RPS | 110 | VALIDA | | Validate Repository | |
| RPS | 111 | SETDFLT | | Set Default Repository | |
| RPS | 112 | CMPR | | Compare Repository to Files | |
| RPS | 113 | CREATE | | Creating | |
| RPS | 114 | WORK | | Working | |
| RPS | 115 | DELETE | | Deleting | |
| RPS | 116 | ADD | | Adding | |
| RPS | 117 | COPY | | Copying | |
| RPS | 118 | FIND | | Finding | |
| RPS | 119 | SAVE | | Saving | |
| RPS | 120 | EXIT | | Exiting | |
| RPS | 121 | ABANDON | | Abandoning | |
| RPS | 122 | TERMINATE | | Terminating | |
| RPS | 123 | UPDATE | | Updating | |
| RPS | 124 | LDATTR | | Loading Attributes | |
| RPS | 125 | LDFLDS | | Loading Fields | |
| RPS | 126 | GENDEF_P | | Generating Definition File | |
| RPS | 127 | PRTDCT_P | | Printing Definitions | |
| RPS | 128 | VFYDCT_P | | Verifying Repository | |
| RPS | 129 | GSCHEM_P | | Generating Schema | |
| RPS | 130 | LSCHEM_P | | Loading Schema | |
| RPS | 131 | CRTDCT_P | | Creating New Repository | |
| RPS | 132 | XGENU_P | | Generating Cross-Reference File | 2 |
| RPS | 133 | VALDCT_P | | Validating Repository | |
| RPS | 134 | STRHDR | | STRUCTURE NAME | DESCRIPTION TYPE |
| RPS | 135 | STRFTR | | STRUCTURES [%04d] | |
| RPS | 136 | STRTITLE | | Structure Definitions | |
| RPS | 137 | FILHDR | | FILE NAME | DESCRIPTION TYPE |
| RPS | 138 | FILFTR | | FILES [%04d] | |
| RPS | 139 | FILTITLE | | File Definitions | |
| RPS | 140 | FSTRHDR | | STRUCTURE NAME | |
| RPS | 141 | FSTRFTR | | STRUCTURES [%04d] | |
| RPS | 142 | FSTRTITLE | | Assigned Structures | DECORTORION |
| RPS | 143 | TMPHDR | | TEMPLATE NAME | DESCRIPTION |
| RPS | 144 | TMPFTR | | TEMPLATES [%04d] | |
| RPS | 145 | TMPTITLE FMTHDR | | Template Definitions | TYPE FORME CEPINO |
| RPS | 146 | | | FORMAT NAME | TYPE FORMAT STRING |
| RPS | 147 | FMTFTR | | FORMATS [%04d] | DECCRIPTION |
| RPS | 148 149 | ENMHDR | | ENUMERATION NAME | DESCRIPTION |
| RPS RPS | 149 | ENMFTR | | ENUMERATIONS [%04d] Enumeration Definitions | |
| RPS | 150 | ENMTITLE FMTTITLE | | Format Definitions | |
| RPS | 151 | FLDHDR | | FIELD NAME | TYPE SIZE PREC DIMENSION OVERLAY? GROUP? |
| RPS | 152 | FLDHDR FLDFTR | | FIELD NAME FIELDS [%03d] SIZE [%05d] | TIPE SIZE FREC DIMENSION OVERPHI: GROOD: |
| RPS | 153 | FLDFIR | | Field Definitions | |
| RPS | 154 | KEYHDR | | KEY NAME | TYPE ORDER DUPS SEGMENTS SIZE |
| RPS | 156 | KEYFTR | | KEYS [%02d] | IIIE OUDEU DOES SEGMENIS SIZE |
| KPS | T 2 0 | VEILIV | | VETO [9020] | |

| Fac | Err # | Code | Sev | Message | |
|------------|------------|--------------------|-----|------------------------------------------|--|
| RPS | 157 | KEYTITLE | | Key Definitions | |
| RPS | 158 | RELHDR | | NAME FROM KEY TO STRUCTURE : TO KEY | |
| RPS | 159 | RELFTR | | RELATIONS [%02d] | |
| RPS | 160 | RELTITLE | | Relation Definitions | |
| RPS | 161 | LFMTHDR | | FORMAT NAME TYPE FORMAT STRING | |
| RPS | 162 | LFMTFTR | | FORMATS [%03d] | |
| RPS | 163 | LFMTTITLE | | Format Definitions | |
| RPS | 164 | TAGHDR | | NAME FIELD VALUE | |
| RPS | 165 | TAGFTR | | TAGS [%02d] | |
| RPS | 166 | TAGTITLE | | Tag Definitions | |
| RPS | 167 | ALSHDR | | ALIAS NAME | |
| RPS | 168 | ALSFTR | | ALIASES [%04d] | |
| RPS | 169 | ALSTITLE | | Alias Definitions | |
| RPS | 170 | FSTRASG | | %d structures assigned | |
| RPS | 171 | FNDFRWD | | Find forward | |
| RPS | 172 | FNDRVRS | | Find reverse | |
| RPS | 173 | NAMHDR | | NAME | |
| RPS RPS | 174 175 | DSCHDR FMTLHDR | | DESCRIPTION | |
| | | | | FORMAT WALLE | |
| RPS RPS | 176 177 | EMBRHDR EMBRFTR | | MEMBER NAME VALUE MEMBERS [%03d] | |
| RPS | 178 | BLANK2 | | MEMBERS [*03G] | |
| RPS | 180 | PRTREFTMP | | Template %a | |
| RPS | 181 | PRTTREFCT | | Referenced by %d templates | |
| RPS | 182 | GDHDRLIN1 | | ; Structure : %a | |
| RPS | 183 | GDHDRLIN1 | | ; File Type : %a | |
| RPS | 184 | GDHDRLIN3 | | ; Creation Date : %a, %a | |
| RPS | 185 | GDHDRLIN4 | | ; Description : %a | |
| RPS | 186 | GDHDRLIN5 | | ; Record Size : %d | |
| RPS | 187 | GDHDRLIN6 | | ; # of Files : %d | |
| RPS | 188 | GDHDRLIN7 | | ; # of Fields : %d | |
| RPS | 189 | GDHDRLIN8 | | ; # of Keys : %d | |
| RPS | 190 | GDHDRLIN9 | | ; # of Relations : %d | |
| RPS | 191 | PRTHDR1 | | ; "PRINT REPOSITORY DEFINITIONS" OUTPUT | |
| RPS | 192 | PRTHDR3 | | ; REPOSITORY : %a | |
| RPS | 193 | PRTHDR4 | | ; | |
| RPS | 194 | PRTHDR5 | | ; : Version %a | |
| RPS | 195 | PRTHDR7 | | ; GENERATED : %a, %a | |
| RPS | 196 | PRTHDR8 | | ; : Version %a | |
| RPS | 197 | TMPPRT | | Template %a printed Format %a printed | |
| RPS RPS | 198 199 | FMTPRT | | Format %a printed Structure %a printed | |
| RPS | 200 | STRPRT ENMPRT | | Enumeration %a printed | |
| RPS | 200 | FLDPRT | | Field %a printed for structure %a | |
| RPS | 201 | GRPPRT | | Group %a printed for structure %a | |
| RPS | 202 | FLPRT | | File %a printed | |
| RPS | 203 | KEYPRT | | Key %a printed for structure %a | |
| RPS | 205 | RELPRT | | Relation %a printed for structure %a | |
| RPS | 206 | LFMTPRT | | Format %a printed for structure %a | |
| RPS | 207 | PRTTMPREF | | Structure %a Field %a | |
| RPS | 208 | PRTFLDREF | | Referenced by %d fields | |
| RPS | 209 | PRTFLASG | | Assigned structures : %d | |
| RPS | 210 | PRTFLDCT | | Field count : %d | |
| RPS | 211 | PRTFMTCT | | Format count : %d | |
| RPS | 212 | PRTKEYCT | | Key count : %d | |
| RPS | 213 | PRTRELCT | | Relation count: %d | |
| RPS | 214 | PRTRECSZ | | Record size [%d] | |

| Fac | Err # | Code | Sev | Message |
|-----|-------|------------|-----|-----------------------------------------------------------------|
| RPS | 215 | PRTSTRFL | | Files assigned to : %d |
| RPS | 216 | PRTFLINE | | |
| RPS | 217 | PRTKLINE | | |
| RPS | 218 | PRTRLINE | | |
| RPS | 219 | PRTLLINE | | |
| RPS | 220 | XGENCOMP | | Generated cross-reference file "%a". |
| RPS | 221 | CRCOMP | | Created repository files "%a" and "%a". |
| RPS | 222 | VFYCMP1 | | Repository files created : %a\n |
| RPS | 223 | VFYCMP2 | | : %a\n\n |
| RPS | 224 | VFYCMP3 | | Verification log file created : %a |
| RPS | 225 | VFYCOMP | | %d logical records read: %d logical records written |
| RPS | 226 | VFYMSG1 | | %d logical records read |
| RPS | 227 | VFYMSG2 | | %d logical records written |
| RPS | 228 | VFYMSG3 | | %d structures verified |
| RPS | 229 | VFYMSG4 | | %d files verified |
| RPS | 230 | VFYMSG5 | | %d formats verified |
| RPS | 231 | VFYMSG6 | | %d templates verified |
| RPS | 232 | VFYMSG7 | | %d aliases verified |
| RPS | 233 | VFYMSG8 | | %d enumerations verified |
| RPS | 234 | ALSVFYD | | Alias structure %a verified |
| RPS | 235 | ALFVFYD | | Alias field %a verified |
| RPS | 236 | ELVFYD | | Template %a verified |
| RPS | 237 | FLVFYD | | File %a verified |
| RPS | 238 | FMTVFYD | | Format %a verified |
| RPS | 239 | STRVFYD | | Structure %a verified |
| RPS | 240 | ENMVFYD | | Enumeration %a verified |
| RPS | 241 | FLDVFYD | | Field %a verified for structure %a |
| RPS | 242 | KEYVFYD | | Key %a verified for structure %a |
| RPS | 243 | RELVFYD | | Relation %a verified for structure %a |
| RPS | 244 | LFMTVFYD | | Format %a verified for structure %a |
| RPS | 245 | TAGVFYD | | Tag %a verified for structure %a |
| RPS | 246 | FLSTRVFYD | | Assigned structures verified for file %a |
| RPS | 247 | ENMBRVFYD | | Members verified for enumeration %a |
| RPS | 248 | FDREFVFYD | | Field reference verified for template %a |
| RPS | 249 | TMREFVFYD | | Template reference verified for template %a |
| RPS | 250 | ENMREFVFYF | | Enumeration reference verified for field %a |
| RPS | 251 | ENMREFVFYT | | Enumeration reference verified for template %a |
| RPS | 252 | STRREFVFYD | | Structure reference verified for field %a |
| RPS | 253 | FLREFVFYD | | File reference verified for structure %a |
| RPS | 254 | KYREFVFYD | | Key reference verified for structure %a |
| RPS | 255 | FDSREFVFYD | | Field reference verified for structure %a |
| RPS | 256 | FILREFVFYD | | References verified for file %a's assigned structures. |
| RPS | 257 | KEYREFVFYD | | References verified for structure %a's keys. |
| RPS | 258 | RELREFVFYD | | References verified for structure %a's relations. |
| RPS | 259 | RECVFYD | | %a verified |
| RPS | 260 | STRNDFLD | | Checking for stranded field definitions |
| RPS | 261 | STRNDALS | | Checking for stranded alias field definitions |
| RPS | 262 | BADDICT | | "%a" is not a version 7 or version 10 repository. |
| RPS | 263 | BADDICT10 | | "%a" is not a version 10 repository. |
| RPS | 264 | BADDICT10C | | "%a" is not a version 10 repository. Do you want to convert it? |
| RPS | 265 | SDCOMP | | Default repository changed to "%a" and "%a". |
| RPS | 266 | CMPRCOMP | | Comparison complete. See %a for details. |
| RPS | 267 | CMPRFAIL | | Could not open %a. Try: %a at the command line. |
| RPS | 270 | BLANK5 | | |
| RPS | 271 | PRTD | | printed. |
| RPS | 272 | GND | | generated. |
| RPS | 273 | ELGND | | Template %a generated |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------|-----|----------------------------------------------------------------------------------|
| RPS | 274 | FLGND | | File %a generated |
| RPS | 275 | FMTGND | | Format %a generated |
| RPS | 276 | STRGND | | Structure %a generated |
| RPS | 277 | ENMGND | | Enumeration %a generated |
| RPS | 278 | FLDGND | | Field %a generated for structure %a |
| RPS | 279 | GRPGND | | Group %a generated for structure %a |
| RPS | 280 | KEYGND | | Key %a generated for structure %a |
| RPS | 281 | RELGND | | Relation %a generated for structure %a |
| RPS | 282 | LFMTGND | | Format %a generated for structure %a |
| RPS | 283 | TAGGND | | Tag generated for structure %a |
| RPS | 284 | FLSTRGND | | Assigned structure generated for file %a |
| RPS | 285 286 | ALFGND | | Alias field %a generated for structure %a |
| RPS RPS | 287 | ALSGND NODEF | | Alias structure %a generated No definitions |
| RPS | 288 | CRCTSCH | | Review the log file. Correct errors in schema file and reload. |
| RPS | 289 | INVKEYWD | | Load terminatedunrecognized keyword found at line %1d |
| RPS | 290 | BLANK6 | | 2000 0011 |
| RPS | 300 | RELS | | %d relations |
| RPS | 301 | STRUCTS | | %d structures |
| RPS | 302 | FILES | | %d files |
| RPS | 303 | TEMPS | | %d templates |
| RPS | 304 | FMTS | | %d formats |
| RPS | 305 | ALIASES | | %d aliases |
| RPS | 306 | ENUMS | | %d enumerations |
| RPS | 307 | LDDERR | | %d errors logged |
| RPS | 308 | LDD | | loaded |
| RPS | 309 310 | UPD | | updated added |
| RPS RPS | 310 | ADDD ELLDD | | Template %a loaded |
| RPS | 312 | FLLDD | | File %a loaded |
| RPS | 313 | FMTLDD | | Format %a loaded |
| RPS | 314 | STRLDD | | Structure %a loaded |
| RPS | 315 | ENMLDD | | Enumeration %a loaded |
| RPS | 316 | FLDLDD | | Field %a loaded for structure %a |
| RPS | 317 | GRPLDD | | Group %a loaded for structure %a |
| RPS | 318 | KEYLDD | | Key %a loaded for structure %a |
| RPS | 319 | RELLDD | | Relation %a loaded for structure %a |
| RPS | 320 | LFMTLDD | | Format %a loaded for structure %a |
| RPS | 321 | TAGLDD | | Tag loaded for structure %a |
| RPS | 322 | ALSLDD | | Alias structure %a loaded |
| RPS | 323 | ALFLDD | | Alias field %a loaded |
| RPS RPS | 324 325 | FLSTRLDD | | Assigned structures loaded for file %a Field reference loaded for template %a |
| RPS | 325 326 | ${	t FLDREFLDD}$ | | Parent reference loaded for template %a Parent reference loaded for template %a |
| RPS | 320 | FLREFLDD | | File reference loaded for structure %a |
| RPS | 327 | KYREFLDD | | Key reference loaded for structure %a |
| RPS | 329 | FLDREFLDD2 | | Field reference loaded for structure %a |
| RPS | 330 | FLDREFLDD3 | | Field reference loaded for enumeration %a |
| RPS | 331 | TMPREFLD | | Template reference loaded for enumeration %a |
| RPS | 339 | BLANK7 | | |
| RPS | 340 | TMPCNV | | Template %a converted |
| RPS | 341 | FLCNV | | File %a converted |
| RPS | 342 | FMTCNV | | Format %a converted |
| RPS | 343 | STRCNV | | Structure %a converted |
| RPS | 344 | FLDCNV | | Field %a for structure %a converted |
| RPS | 345 | KEYCNV | | Key %a for structure %a converted |
| RPS | 346 | RELCNV | | Relation %a for structure %a converted |

| Fac | Err # | Code | Sev | Message |
|------------|------------|----------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RPS | 347 | LFMTCNV | | Format %a for structure %a converted |
| RPS | 348 | TAGCNV | | Tag %a for structure %a converted |
| RPS | 349 | NOTINST | | Repository is not configured Please contact your Synergy supplier |
| RPS | 350 | MAXUSER | | Exceeded concurrent user capacity |
| RPS | 351 | TIMEOUT | | This system has timed out Please contact your Synergy supplier |
| RPS | 352 | NOMSGAVL | | No message available |
| RPS | 353 | NOHELPAVL | | No help available |
| RPS | 354 | NOHELPAVL1 | | No help available at this level |
| RPS | 355 | NOSHARE | | SHARE not loaded/NOSHR not set. Program will terminate. |
| RPS | 356 | BLANK8 | | |
| RPS | 357 | SREFINUSE | | Record locked. Structure references cannot be saved. After exiting this dialog, select Cancel to |
| RPS | 358 | TREFINUSE | | Record locked. Template references cannot be saved. After exiting this dialog, select Cancel to d |
| RPS | 360 361 | STREXIT | | Structure has been modified. Do you want to save changes? |
| RPS | 361 362 | INUSE | | Record locked. Please try again later. Record locked. Do you want to view the definition? |
| RPS RPS | 362 363 | DCTINUSE DCTVIEW | | You have chosen to "view" a definition. Modifications will not be saved. |
| RPS | 364 | STRDEL | | Delete structure "%a"? |
| RPS | 365 | FILDEL | | Delete file "%a"? |
| RPS | 366 | TMPDEL | | Delete template "%a"? |
| RPS | 367 | FMTDEL | | Delete format "%a"? |
| RPS | 368 | ENMDEL | | Delete enumeration "%a"? |
| RPS | 369 | ENMBRDEL | | Delete member "%a"? |
| RPS | 370 | FLDDEL | | Delete field "%a"? |
| RPS | 371 | KEYDEL | | Delete key "%a"? |
| RPS | 372 | RELDEL | | Delete relation "%a"? |
| RPS | 373 | FLSTRDEL | | Delete structure assignment "%a"? |
| RPS | 374 | TAGDEL | | Delete tag "%a"? |
| RPS | 375 | ALSDEL | | Delete alias "%a"? |
| RPS | 376 | BLANK10 | | |
| RPS | 380 | NOSTRAVL | | No available structure definitions |
| RPS | 381 | NOFILAVL | | No available file definitions |
| RPS | 382 | NOTMPAVL | | No available template definitions |
| RPS | 383 | NOFMTAVL | | No available format definitions |
| RPS RPS | 384 385 | NOENMAVL NOKEYAVL | | No available enumeration definitions No available key definitions |
| RPS | 386 | NOFLDAVL | | No available field definitions |
| RPS | 387 | NOALSAVL | | No available alias definitions |
| RPS | 388 | BLANK11 | | NO available arras derinitions |
| RPS | 390 | MAXALFS | | Maximum number of alias fields (%d) has been defined. |
| RPS | 391 | MAXFLSTR | | Maximum number of structures (%d) has been assigned to the file. |
| RPS | 392 | MAXSTRCTS | | Maximum number of structures (%d) has been defined. |
| RPS | 393 | MAXFILS | | Maximum number of files (%d) has been defined. |
| RPS | 394 | MAXTMPS | | Maximum number of templates (%d) has been defined. |
| RPS | 395 | MAXGFMTS | | Maximum number of formats (%d) has been defined. |
| RPS | 396 | MAXALS | | Maximum number of alias structures (%d) has been defined. |
| RPS | 397 | MAXENUMS | | Maximum number of enumerations (%d) has been defined. |
| RPS | 398 | MAXENMBR | | Maximum number of members (%d) has been defined. |
| RPS | 399 | MAXFLDS | | Maximum number of fields (%d) has been defined. |
| RPS | 400 | MAXFLDLOD | | Maximum number of fields (%d) has been loaded. |
| RPS | 401 | MAXKEYS | | Maximum number of keys (%d) has been defined. |
| RPS | 402 | MAXRELS | | Maximum number of relations (%d) has been defined. |
| RPS | 403 | MAXFMTS | | Maximum number of structure-specific formats (%d) has been defined. Maximum number of key references (%d) has been defined for structure "%a". |
| RPS RPS | 404 405 | MAXKREF MAXFLREF | | Maximum number of key references (%d) has been defined for structure "%a". Maximum number of file references (%d) has been defined for structure "%a". |
| RPS | 405 406 | MAXFLREF | | Maximum number of file references (%d) has been defined for structure "%a". Maximum number of template references (%d) has been defined for parent template "%a". |
| RPS | 407 | MAXIFREF | | Maximum number of field references (%d) has been defined for template "%a". |
| RPS | 408 | MAXTAGS | | Maximum number of tags (%d) has been defined. |
| | 100 | | | The state of the s |

| Fac | Err # | Code | Sev | Message |
|------------|------------|--------------------------|-----|----------------------------------------------------------------------------------------------------------------------------|
| RPS | 409 | DUPSTR | | A structure with the same name already exists. |
| RPS | 410 | DUPFIL | | A file with the same name already exists. |
| RPS | 411 | DUPTMP | | A template with the same name already exists. |
| RPS | 412 | DUPFMT | | A format with the same name already exists. |
| RPS | 413 | DUPENM | | An enumeration with the same name already exists. |
| RPS | 414 | DUPFLD | | A field or group with the same name already exists. |
| RPS | 415 | DUPKEY | | A key with the same name already exists. |
| RPS | 416 | DUPREL | | A relation with the same name already exists. |
| RPS | 417 | DUPALIAS | | An alias with the same name already exists. |
| RPS | 418 | DUPMBR | | A member with the same name already exists. |
| RPS | 419 420 | DUPTAG | | A tag with the same name already exists. |
| RPS RPS | 420 | INCVAL INCXGEN | | Validation specifications are incomplete. Cross-reference specifications are incomplete. |
| RPS | 421 | INCGENDEF | | Definition specifications are incomplete. |
| RPS | 423 | INCPRTDD | | Print specifications are incomplete. |
| RPS | 424 | INCVFY | | Verification specifications are incomplete. |
| RPS | 425 | INCINST | | Creation specifications are incomplete. |
| RPS | 426 | INCSCHEMA | | Schema specifications are incomplete. |
| RPS | 427 | BLANK15 | | |
| RPS | 430 | INCSTR | | Structure definition is incomplete. |
| RPS | 431 | INCFIL | | File definition is incomplete. |
| RPS | 432 | INCTMP | | Template definition is incomplete. |
| RPS | 433 | INCENM | | Enumeration definition is incomplete. |
| RPS | 434 | INCFLD | | Field definition is incomplete. |
| RPS | 435 | INCKEY | | Key definition is incomplete. |
| RPS | 436 | INCREL | | Relation definition is incomplete. |
| RPS | 437 438 | INCFMT | | Format definition is incomplete. |
| RPS RPS | 430 | INCTAG INCALS | | Tag definition is incomplete. Alias definition is incomplete. |
| RPS | 440 | INCFLDLD | | Load fields information is incomplete. |
| RPS | 441 | INCSETDEF | | Set specifications are incomplete. |
| RPS | 442 | BLANK16 | | See Specifications and incomplete. |
| RPS | 448 | INVALSDEL | | Alias cannot be deleted. Field reference exists. |
| RPS | 449 | INVSTRDELK | | Structure cannot be deleted. Key reference exists. |
| RPS | 450 | INVSTRDELR | | Structure cannot be deleted. File reference exists. |
| RPS | 451 | INVSTRDELD | | Structure cannot be deleted. Field reference exists. |
| RPS | 452 | INVTMPDEL | | Template cannot be deleted. Field reference exists. |
| RPS | 453 | INVTMPDEL2 | | Template cannot be deleted. Template reference exists. |
| RPS | 454 | INVENMDEL | | Enumeration cannot be deleted. Field reference exists. |
| RPS | 455 456 | INVENMDEL2 | | Enumeration cannot be deleted. Template reference exists. |
| RPS RPS | 456 457 | INVFLDDELK | | Field cannot be deleted. It is defined as a key. Field cannot be deleted. It is defined as an external key segment. |
| RPS | 457 458 | INVFLDDELS INVFLDDELT | | Field cannot be deleted. It is defined as an external key segment. Field cannot be deleted. It is defined as a tag field. |
| RPS | 450 | INVFLDDELI | | Field cannot be deleted. It is defined as a tag field. Field cannot be deleted. It is defined as an alias. |
| RPS | 460 | INVFLDDELL | | Structure is assigned to a file, and therefore at least one field must be defined. |
| RPS | 461 | INVFLDDELG | | Structure is referenced as a group or structfield, and therefore at least one field must be defin |
| RPS | 462 | INVKEYDELR | | Key cannot be deleted. Key reference exists. |
| RPS | 463 | INVKEYDELF | | Key cannot be deleted. It is defined as a "FROM" KEY in a relation. |
| RPS | 464 | INVFMTDEL | | Format cannot be deleted. It is assigned to a field. |
| RPS | 465 | BLANK17 | | |
| RPS | 470 | NOTGTYPMOD | | Tag fields are defined for this structure. Tag type cannot be modified. |
| RPS | 471 | NOSTRFTMOD | | Structure is assigned to a file. File type cannot be modified. |
| RPS | 472 | NOFTMODACC | | Access keys are defined for this structure. File type cannot be modified. |
| RPS | 473 | MAXTMPREF | | Internal reference buffer is full. Please exit to save changes. |
| RPS | 474 | BLANK18 | | File no lenger eviata |
| RPS RPS | 480 481 | NOLFILEXST NOLSTREXST | | File no longer exists. Structure no longer exists. |
| KPS | +0T | NOTISTKEVSI | | Structure no ronger exists. |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------------|-----|------------------------------------------------------------------------------------------------------|
| RPS | 482 | NOLENMEXST | | Enumeration no longer exists. |
| RPS | 483 | DUPFILSTR | | Selected structure is already assigned. |
| RPS | 484 | NOFILFTMOD | | Structures are assigned to this file. File type cannot be modified. |
| RPS | 485 | DIFFILTYP | | File type of specified structure does not match that of the file definition. |
| RPS | 486 | DIFKEYDEF | | Structure's primary key does not match those of other assigned structures. |
| RPS | 487 | NOFLDDEF | | At least one field must be defined for the structure you are trying to assign. |
| RPS | 488 | NOFLDGDEF | | At least one field must be defined for the structure you are trying to reference. |
| RPS | 489 | NOLTMPEXST | | Template no longer exists. |
| RPS | 490 | INVKEYCHG | | Structure's primary key does not match those of other structures assigned to the same file. |
| RPS RPS | 491 499 | BLANK19 | | Modifying template "%e" will offert one or |
| RPS | 500 | ELMOD1 ELMOD2 | | Modifying template "%a" will affect one or more template, field, and key definitions. |
| RPS | 500 | ELMOD2 ELMOD3 | | Are you sure you want to save your modifications? |
| RPS | 502 | ENMOD3 | | Modifying enumeration "%a" will affect one or more template and field definitions. |
| RPS | 503 | ELSAMENM | | Template name and parent template cannot be the same. |
| RPS | 504 | GRPDEL1 | | Field "%a" is a group. Deleting it will delete all |
| RPS | 505 | GRPDEL2 | | group members as well. Do you want to continue? |
| RPS | 506 | GRPCLR1 | | Field "%a" contains group members. Clearing the "Group" field |
| RPS | 507 | GRPCLR2 | | will delete all group members. Do you want to continue? |
| RPS | 508 | STRMOD1 | | Structure "%a" is referenced as an implicit group or structfield. |
| RPS | 509 | STRMOD2 | | Modifying it will affect one or more field and key definitions. |
| RPS | 510 | STRMOD3 | | Are you sure you want to save your modifications? |
| RPS | 511 | STRMOD4 | | Structure modifications cannot be saved. They will cause one or |
| RPS | 512 | STRMOD5 | | more referencing structures to exceed the maximum number of fields (%d). |
| RPS | 513 | BLANK20 | | |
| RPS | 515 516 | DELKFLD1 | | This field is defined as a key. All affected keys in the |
| RPS | 516 517 | DELKFLD2 | | current structure will be updated when you save changes. |
| RPS RPS | 517 | DELKFLDQ DELKFLD4 | | Are you sure you want to make modifications? This field is defined as an external segment by another |
| RPS | 519 | DELKFLD3 | | structure. All affected keys in all external structures |
| RPS | 520 | DELKFLD5 | | will be updated when you save changes. |
| RPS | 521 | NOOVRFLD | | Overlaid field does not exist. |
| RPS | 522 | MAXFLDSIZ | | Maximum field size (%d) has been exceeded. |
| RPS | 523 | MAXFXDSIZ | | Maximum implied-decimal field size (%d) has been exceeded. |
| RPS | 524 | MAXPREC | | Maximum precision (%d) has been exceeded. |
| RPS | 525 | INVPRECT | | 'Precision' can only be specified with decimal and user type fields. |
| RPS | 526 | MISFLDDIM | | Missing array dimension |
| RPS | 527 | INVGRP | | %a type field cannot be a group. |
| RPS | 528 | NOSZMOD | | Size of %a type fields cannot be modified. |
| RPS | 529 | MULTFLD | | Multiple field or group specifications. |
| RPS | 530 | EMPTYGRP | | Missing group member definition. At least one member must be defined. |
| RPS | 531 532 | INVGRPREF FMTNOTFND | | Referenced structure cannot be the current structure. |
| RPS RPS | 532 533 | NOLFMTEXST | | Format "%a" referenced by field "%a" no longer exists. Format no longer exists. |
| RPS | 533 | INVOVRLAY | | Field modifications will invalidate overlay field "%a". |
| RPS | 535 | INVOVRLAT | | Deleting the current field will invalidate overlay field "%a". |
| RPS | 536 | INVOVRDED | | Moving the current field will invalidate its overlay specification. |
| RPS | 537 | INVOVRMOV2 | | Moving the current field will invalidate an overlay specification. |
| RPS | 538 | INVDTYMOD | | Field data type modification will invalidate key "%a". |
| RPS | 539 | BLANK21 | | - |
| RPS | 545 | INVIMPGRP | | 'Structure' can only be specified when no explicit group members are defined. |
| RPS | 546 | INVABSPOS | | Absolute position value cannot be negative. |
| RPS | 547 | INVUCTYPE | | 'Uppercase' can only be used on alpha and user type fields. |
| RPS | 548 | INVJUSTR | | This field cannot be right-justified. |
| RPS | 549 | INVJUSTC | | This field cannot be centered. |
| RPS | 550 | INVNODEC | | 'Nodecimal' can only be used on numeric fields. |
| RPS | 551 | INVBZRO | | 'Blank if zero' can only be used on numeric fields. |

| Fac | Err # | Code | Sev | Message |
|------------|------------------------|----------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------|
| RPS | 552 | INVNEGALW | | 'Negative allowed' can only be used on numeric fields. |
| RPS | 553 | INVINCR | | 'Increment' can only be used on numeric fields. |
| RPS | 554 | INVDECR | | 'Decrement' can only be used on numeric fields. |
| RPS | 555 | INVNOECHO | | 'Noecho' can only be used on alpha and user type fields. |
| RPS | 556 | INVECHOCHR | | 'Echo character' can only be used on alpha and user type fields. |
| RPS | 557 | INVDTTODAY | | 'Date (today)' can only be used on date type fields. |
| RPS | 558 | INVDTSHORT | | 'Date (short)' can only be used on date type fields. |
| RPS | 559 | INVTMNOW | | 'Time (now)' can only be used on time type fields. |
| RPS | 560 | INVTMAMPM | | 'Time (ampm)' can only be used on time type fields. |
| RPS | 561 | INVALWENT | | Blank allow list entries are not allowed. |
| RPS | 562 | INVALWSEL | | 'Allow list' and 'Selections' cannot be specified together. |
| RPS | 563 | INVALWNOEC | | 'Allow list' and 'Noecho' cannot be specified together. |
| RPS | 564 | INVMATCH | | 'Match' values can only be used on alpha and user type fields. |
| RPS | 565 | INVSELCLS | | 'Selections' cannot be used with date and time type fields. |
| RPS | 566 | INVSELENT | | Blank selection list entries are not allowed. |
| RPS | 567 | INVENUMTYP | | 'Enumerated' can only be used on numeric fields. |
| RPS | 568 | INVRANGE | | 'Range' cannot be specified with allow or selection lists. |
| RPS | 569 | INVRNGTYP | | 'Range' can only be used on numeric fields. |
| RPS | 570 571 | INVRNGMAX | | Range maximum must be greater than or equal to range minimum. 'Retain position' can only be used on text (multi-dimension alpha) fields. |
| RPS RPS | 571 | INVRETPOS INVKCHG | | Key type cannot be FOREIGN. It is defined as a "TO" KEY in a relation. |
| RPS | 572 | INVRADCHK | | 'Radio buttons' and 'Check box' cannot be specified together. |
| RPS | 574 | INVENMSPC | | 'Enumerated' can only be specified in conjunction with a selection list or window or an allow lis |
| RPS | 575 | INVENMCHK | | 'Enumerated' cannot be specified with 'Check box'. |
| RPS | 576 | INVRDONLY | | 'Read-only' cannot be specified for Radio button, Check box, or Selection fields. |
| RPS | 577 | INVINTSIZ | | The size of integer fields must be 1, 2, 4, or 8. |
| RPS | 578 | INVDSPMTH | | 'Display method' cannot be specified for Radio button, Check box, or Selection fields. |
| RPS | 579 | INVEDFMTH | | 'Edit format method' cannot be specified for Radio button, Check box, or Selection fields. |
| RPS | 580 | INVVIEWAS | | 'View as' must be set to 'Field' if a 'Display method' or 'Edit format method' is specified. |
| RPS | 581 | INVSELMTH | | 'Selections' cannot be specified in conjunction with 'Display method' or 'Edit format method'. |
| RPS | 582 | INVSEGDTY | | Invalid key segment type. |
| RPS | 583 | INVSEGORD | | Invalid key segment order. |
| RPS | 584 | INVINPLEN | | 'Input length' cannot be specified for Radio button, Check box, or Selection fields. |
| RPS | 585 | INVDSPLEN | | 'Display length' cannot be specified for Radio button, Check box, or Selection fields. |
| RPS | 586 | INVVWLEN | | 'View length' cannot be specified for Radio button or Check box fields. |
| RPS | 587 | INPLENRNG | | Input length must be in the range 0 to 65535. |
| RPS | 588 | DSPLENRNG | | Display length must be in the range 0 to 65535. |
| RPS | 589 | VWLENRNG | | View length must be in the range 0 to 9999. |
| RPS | 590 | INVBLNSIZ | | The size of boolean fields must be 4. |
| RPS | 591 | INVENMSIZ | | The size of enum fields must be 4. |
| RPS RPS | 592 593 | INVNULL INVNULLDT | | 'Null allowed' can only be used on alpha, decimal, date, and time fields. A Nullable DateTime field must have 'Null allowed' set to Default or Yes. |
| RPS | 593 594 | INVENMVAL | | Enumeration value must be numeric. |
| RPS | 59 4 595 | EMPTYENUM | | Missing member definition. At least one member must be defined. |
| RPS | 596 | NOENUMNM | | Missing enumeration name |
| RPS | 597 | NONBLANK | | Non-blank entry required |
| RPS | 598 | INVAUTSIZ | | The size of sequence and timestamp autokey fields must be 8. |
| RPS | 599 | AUTOFLDRO | | Autokey fields must be read only. |
| RPS | 600 | AUTOFLDNN | | Autokey fields must be no null allowed. |
| RPS | 601 | MISKEYSEG | | Missing segment definition |
| RPS | 602 | NOKSEGDEF | | Missing segment definition. At least one segment must be defined. |
| RPS | 603 | NOKFLDDEF | | Missing field name |
| RPS | 605 | NOKSTRDEF | | Missing structure name |
| RPS | 606 | NOKSEGTYP | | Missing segment type |
| RPS | 607 | INVKLIT | | Access keys cannot contain literal segments. |
| RPS | 608 | INVKEXT | | Access keys cannot contain external segments. |
| RPS | 609 | MAXKEYSIZ | | Maximum key size (%d) has been exceeded. Data beyond %d will be ignored. |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------------|-----|--------------------------------------------------------------------------------------------------|
| RPS | 610 | MAXKEYSEG | | Maximum number of key segments (%d) has been exceeded. |
| RPS | 611 | INVEXTKEY | | External segment structure cannot be the current structure. |
| RPS | 612 | MAXRECKEY | | An access key already exists for this relative file type. |
| RPS | 613 | INVKREC | | Foreign keys cannot contain record number segments. |
| RPS | 614 | INVKRCORD | | The sort order for a relative file type access key must be ASCENDING. |
| RPS | 615 | INVKRCDPS | | The dups allowed value for a relative file type access key must not be set. |
| RPS | 616 | INVKRCNSG | | Only one segment can be defined for a relative file type access key. |
| RPS | 617 | INVKRCSGT | | The segment type for a relative file type access key must be 'RECORD NUMBER'. |
| RPS | 618 | LITTRUNC | | Maximum literal length exceeded. Truncated to 30. |
| RPS | 619 | INVKDEN | | Key density must be in the range 50 to 100. |
| RPS | 620 | INVFDEN | | Key density must be in the range 50 to 100. |
| RPS | 621 | INVKTYPE | | "TO" KEY must be an ACCESS key. |
| RPS | 622 | MSGFTYPE | | Missing TYPE keyword for format. |
| RPS | 623 | INVEXREL | | Relation cannot be examined. Specifications are invalid. |
| RPS | 624 | INVVALUE | | Invalid value |
| RPS | 625 | INVTAGOP | | Invalid tag comparison operator |
| RPS | 626 | INVTAGCON | | Invalid tag comparison connector |
| RPS RPS | 627 628 | TAGSET | | Multiple tag specifications. Alias is not for the current structure. |
| RPS | 629 | INVALSTR NOCURALS | | No current alias structure defined. |
| RPS | 630 | NOUNQALSTR | | Alias structure name cannot match that of a real structure. |
| RPS | 631 | NOUNQALFLD | | Alias field name cannot match that of a real field name. |
| RPS | 632 | BLANK24 | | ATTAS TICTA MAINE CAMBOO MACON CHAR OF A TEAT TICTA MAINE. |
| RPS | 633 | INVSTRN | | Invalid structure name specified. |
| RPS | 634 | INVSTRN2 | | Invalid structure name specified "%a". |
| RPS | 635 | INVFILN | | Invalid file definition name specified. |
| RPS | 636 | INVELN | | Invalid template name specified. |
| RPS | 637 | INVFMTN | | Invalid format name specified. |
| RPS | 638 | INVENUMN | | Invalid enumeration name specified. |
| RPS | 639 | INVFLDN | | Invalid field name specified. |
| RPS | 640 | INVKEYN | | Invalid key name specified. |
| RPS | 641 | INVFMTYP | | Invalid format type specified. |
| RPS | 642 | INVFILTYP | | Invalid file type specified. |
| RPS | 643 | INVRECTYP | | Invalid record type specified. |
| RPS | 644 | INVPGSIZ | | Invalid page size specified. |
| RPS | 645 | INVADDR | | Invalid addressing specified. |
| RPS | 646 | INVDATYP | | Invalid data type specified. |
| RPS | 647 | INVSTORE | | Invalid storage format specified. |
| RPS RPS | 648 649 | INVOVRFLD | | Invalid overlay field specified. Invalid overlay offset specified. |
| RPS | 650 | INVOVROFF INVOVRSPC | | Invalid overlay offset specified. Invalid overlay specification. |
| RPS | 651 | INVOVRSPC | | Invalid overlay specification. Invalid precision specified. |
| RPS | 652 | INVDFMTDSP | | Invalid display format selected for given Date storage type. |
| RPS | 653 | INVFLDSPEC | | Invalid field specifications. |
| RPS | 654 | SMALLGRP | | Invalid group size specified. Group size must be equal to or larger than the size of its members |
| RPS | 655 | INVKSPEC | | Invalid key specifications. |
| RPS | 656 | INVKEYTYP | | Invalid key type specified. |
| RPS | 657 | INVFLDSIZ | | Invalid field size specified. |
| RPS | 658 | INVRPTN | | Invalid report name specified. |
| RPS | 659 | INVTAGFLD | | Invalid tag field specified. |
| RPS | 660 | INVALSTYP | | Invalid alias type specified. |
| RPS | 661 | INVALSN | | Invalid alias name specified. |
| RPS | 662 | INVFMTJST | | Invalid justification specified. |
| RPS | 663 | INVKEYN2 | | Invalid key name specified "%a". |
| RPS | 664 | INVTAGTYP | | Invalid tag type specified. |
| RPS | 665 | INVFLDN2 | | Invalid field name %a specified. |
| RPS | 666 | INVODBCFLD | | Invalid alternate name specified. |

| Fac | Err # | Code | Sev | Message |
|------------|------------------|-----------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RPS | 667 | INVFONT | | Invalid font name specified. |
| RPS | 668 | INVCOLOR | | Color palette number must be between 1 and 16, inclusive. |
| RPS | 669 | INVODBCTBL | | Invalid ODBC table name specified. |
| RPS | 670 | INVPREFIX | | Invalid prefix specified. |
| RPS | 671 | INVSTRN3 | | Invalid structure name specified. Recursive references not allowed. |
| RPS | 672 | MISFILNAM | | Missing file definition name. |
| RPS | 673 | INVPARENT | | Invalid parent template specified. Recursive references not allowed. |
| RPS | 674 | INVCOERTYP | | Invalid coerced type specified. |
| RPS | 675 | INVMBRN | | Invalid member name specified. |
| RPS | 676 | INVAUTOKEY | | Invalid autokey specification. |
| RPS | 677 | BLANK25 | | |
| RPS | 696 | NOALSEXIST | | Alias does not exist. |
| RPS | 697 | NOFLDEXIST | | Field does not exist. |
| RPS | 698 | NOKEYEXIST | | Key does not exist. |
| RPS | 699 | NORELEXIST | | Relation does not exist. |
| RPS | 700 | NOSTREXIST | | Structure does not exist. |
| RPS | 701 | NOFILEXIST | | File definition does not exist. |
| RPS | 702 | NOELEXIST | | Template does not exist. |
| RPS | 703 | NOFMTEXIST | | Format does not exist. |
| RPS | 704 | NOENMEXIST | | Enumeration does not exist. |
| RPS | 705 | NOEXSTSTR | | Non-existent structure referenced. |
| RPS | 706 | NOEXSTFLD | | Non-existent field "%a" referenced. |
| RPS | 707 | CANTFREEID | | Unique ID allocated for structure could not be freed. Run the Verify Repository utility to free i |
| RPS | 708 | UNDEFSTRID | | Undefined structure ID |
| RPS | 709 | MISFLNAME | | Missing open filename |
| RPS | 710 | LDCTLERR | | Error occurred while storing control record. |
| RPS | 711 | LDFLDERR | | Error occurred while storing field definition. |
| RPS | 712 | NOGRPNAME | | Missing field name |
| RPS | 713 | XENDGRP | | Too many Endgroup statements encountered. |
| RPS | 714 | INVFNAME | | Invalid filename specified "%a". |
| RPS | 715 | CANTOPN | | Cannot open file "%a". |
| RPS | 716 | EXISTS | | Cannot create file "%a". File already exists. |
| RPS | 717 | APNDORDEL | | Select "No" to append output to the existing file; "Yes" to delete it. |
| RPS | 718 | QDELETE | | File "%a" already exists. Do you want to delete it? |
| RPS | 719 | ENTERFIL | | Please enter another filename. |
| RPS | 720 | DUPFILNS | | Repository filenames cannot be the same. |
| RPS | 721 | LONGLINE | | Line %d too long (len=%d, max=%d) Truncated. |
| RPS | 722 | QMERGE | | Repository files already exist. Do you want to merge the schema? |
| RPS | 723 | NORENAME | | Original repository cannot be replaced. Files are in use. |
| RPS | 724 | NOCOPY | | Original repository cannot be copied. Files are in use. |
| RPS | 725 | VFYERR1 | | WARN: Blank structure ID found: type = %a: name = %a |
| RPS | 726 | VFYERR2 | | INFO: Stranded sequential record found: access = %a: name = %a |
| RPS | 727 | VFYERR3 | | WARN: Unknown record found: access = %a: type = %a: name = %a |
| RPS | 728 | VFYERR10 | | INFO: Old structure count = %d, Actual structure count = %d |
| RPS | 729 720 | VFYERR11 | | INFO: Old file count = %d, Actual file count = %d |
| RPS | 730 | VFYERR12 | | INFO: Old format count = %d, Actual format count = %d |
| RPS | 731 732 | VFYERR13 | | INFO: Old template count = %d, Actual template count = %d INFO: Old alias structure count = %d, Actual alias structure count = %d |
| RPS | | VFYERR14 | | INFO: Old alias structure count = %d, Actual alias structure count = %d INFO: Old enumeration count = %d, Actual enumeration count = %d |
| RPS | 733 734 | VFYERR14A | | INFO: Old enumeration count = %d, Actual enumeration count = %d. Exceeds d3 variable. No |
| RPS | 734 735 | VFYERR14B | | INFO: Old allas structure count = %d, Actual allas structure count = %d. Exceeds d3 variable. No INFO: Structure %a: Field %a: Old parent ID = %a, Actual parent ID = %a |
| RPS RPS | 735 736 | VFYERR15 BLANK30 | | inro. Scruccure sa. rietu sa. Otu parent ib - sa, Accuai parent ib = sa |
| RPS | 736 | VFYERR16 | | INFO: Stranded field reference for template %a: field: %a, structure: %a |
| RPS | 737 | VFYERR17 | | INFO: Stranded field reference for template %a. field: %a, structure: %a INFO: Description text not found for template %a. Description reference cleared. |
| RPS | 736 739 | VF1ERR17 VFYERR18 | | INFO: Description text not found for template %a. Description reference created. INFO: Template %a's description stranded. New description reference created. |
| RPS | 739 | VF1ERR16 VFYERR19 | | INFO: Long description text not found for template %a. Description reference cleared. |
| RPS | 740 | VF1ERR19 VFYERR20 | | INFO: Template %a's long description was stranded. New description reference created. |
| V.P.O | / 4 1 | AT. T. T. T. W. Z. O. | | THEO. Temptace of a prioring deportage on was peranded. New description reference created. |

| Fac | Err # | Code | Sev | Message |
|------------|------------|-----------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RPS | 742 | VFYERR21 | | INFO: Stranded file-structures record %a found |
| RPS | 743 | VFYERR22 | | WARN: Missing file-structures record for file %a |
| RPS | 744 | VFYERR23 | | WARN: Missing ODBC tables names record for file %a |
| RPS | 745 | VFYERR25 | | INFO: Assigned structure count for file %a was %d; updated to actual count, %d |
| RPS | 746 | VFYERR26 | | INFO: Assigned structure %a does not exist |
| RPS | 747 | VFYERR27 | | INFO: File reference %a for structure %a did not exist. It was created. |
| RPS | 748 | VFYERR28 | | INFO: Description text not found for file %a. Description reference cleared. |
| RPS | 749 | VFYERR29 | | INFO: File %a's description was stranded. New description reference created. |
| RPS | 750 | VFYERR30 | | INFO: Long description text not found for file %a. Description reference cleared. |
| RPS | 751 | VFYERR31 | | INFO: File %a's long description was stranded. New description reference created. |
| RPS | 752 | VFYERR32 | | INFO: Text not found for file %a's user text. User text reference cleared. |
| RPS | 753 | VFYERR33 | | INFO: File %a's user text was stranded. New user text reference created. |
| RPS | 754 | VFYERR34 | | INFO: Template %a not found for field %a. Template cleared in field definition. |
| RPS | 755 | VFYERR35 | | INFO: Template reference %a not found for field %a. Template reference created. |
| RPS | 756 | VFYERR34A | | INFO: Enumeration %a not found for field %a. Field definition changed to integer. |
| RPS | 757 | VFYERR34B | | INFO: Structure %a not found for field %a. Field definition changed to alpha. |
| RPS | 758 | VFYERR35A | | INFO: Enumeration reference %a not found for field %a. Enumeration reference created. |
| RPS | 759 | VFYERR35B | | INFO: Structure reference %a not found for field %a. Structure reference created. |
| RPS | 760 | VFYERR36 | | INFO: Text not found for field %a's description. Description reference cleared. |
| RPS | 761 | VFYERR37 | | INFO: Field %a's description was stranded. New description reference created. |
| RPS | 762 | VFYERR38 | | INFO: Long description text not found for field %a. Description reference cleared. |
| RPS | 763 | VFYERR39 | | INFO: Field %a's long description was stranded. New description reference created. |
| RPS | 764 | VFYERR40 | | INFO: Text not found for field %a's heading. Heading reference cleared. |
| RPS | 765 | VFYERR41 | | INFO: Field %a's heading was stranded. New heading reference created. |
| RPS | 768 | VFYERR43 | | INFO: Structure %a: Field %a: Group members not found. Group flag cleared. |
| RPS | 769 | VFYERR43A | | INFO: Structure %a: Field %a: Implicit group not found. Group flag cleared. |
| RPS | 770 | VFYERR44 | | INFO: Structure %a: Old field count = %d, new field count = %d |
| RPS | 771 | VFYERR44A | | INFO: Structure %a: Old field count = %d, actual field count = %d. Exceeds d3 variable. No change |
| RPS | 772 | VFYERR45 | | INFO: Structure %a: Old key count = %d, new key count = %d |
| RPS | 773 | VFYERR46 | | INFO: Structure %a: Old relation count = %d, new relation count = %d |
| RPS | 774 | VFYERR47 | | INFO: Structure %a: Old format count = %d, new format count = %d |
| RPS | 775 | VFYERR44B | | INFO: Structure %a: Old child count = %d, new child count = %d |
| RPS | 776 | VFYERR44C | | INFO: Structure %a: Group %a: Old child count = %d, new child count = %d |
| RPS | 777 | VFYERR48 | | INFO: Structure %a: Old tag count = %d, new tag count = %d |
| RPS | 778 | VFYERR48A | | INFO: Structure %a: Old alias count = %d, new alias count = %d |
| RPS | 779 | VFYERR49 | | INFO: Blank file reference record found for structure %a |
| RPS | 780 781 | VFYERR50 | | INFO: File reference count = %d; Number of files for structure %a = %d |
| RPS | | VFYERR51 | | INFO: Duplicate file reference %a found for structure %a |
| RPS RPS | 782 783 | VFYERR52 VFYERR53 | | INFO: Stranded file reference %a found for structure %a INFO: Blank key reference record found for structure %a |
| RPS | 783 784 | VFYERR55 | | INFO: Blank key reference record found for structure %a: key: %a, structure: %a |
| RPS | 785 | VFYERR56 | | INFO: Stranded key reference found for structure %a: key: %a, structure: %a INFO: Stranded relation reference found for structure %a: structure: %a, relation: %a |
| RPS | 786 | VFYERR57 | | WARN: Invalid key reference found for structure %a: reference type = %a |
| RPS | 787 | VFYERR58 | | INFO: Description text not found for structure %a. Description reference cleared. |
| RPS | 788 | VFYERR59 | | INFO: Description text not round for structure %a. Description reference created. INFO: Structure %a's description was stranded. New description reference created. |
| RPS | 789 | VFYERR60 | | INFO: Structure %a s description was stranded. New description reference created. INFO: Long description text not found for structure %a. Description reference cleared. |
| RPS | 790 | VFYERR61 | | INFO: Structure %a's long description was stranded. New description reference created. |
| RPS | 791 | VFYERR62 | | INFO: Structure %a's long description was stranded. New description reference created. INFO: Text not found for structure %a's user text. User text reference cleared. |
| RPS | 792 | VFYERR63 | | INFO: Text not found for structure %a s user text. User text reference created. INFO: Structure %a's user text was stranded. New user text reference created. |
| RPS | 795 | VFYERR64 | | INFO: Duplicate structure id found (%a) for structure %a. |
| RPS | 796 | VFYERR65 | | INFO: Stranded %a record: access code = %a; name = %a |
| RPS | 797 | VFYERR66 | | INFO: Blank field reference record found for template %a |
| RPS | 798 | VFYERR67 | | INFO: Old file/structures count = %d, Actual file/structures count = %d |
| RPS | 799 | VFYERR69 | | INFO: Relation reference %a not found for structure %a. Relation reference created. |
| RPS | 800 | VFYERR70 | | INFO: Key reference %a not found for structure %a. Key reference created. |
| RPS | 801 | VFYERR71 | | INFO: Heading text not found for template %a. Heading reference cleared. |
| RPS | 802 | VFYERR72 | | INFO: Template %a's heading was stranded. New heading reference created. |
| 111.0 | 502 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | 1110 10mp1000 va b moduling was belanaca. New moduling reference eleated. |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| RPS | 803 | VFYERR73 | | INFO: Prompt text not found for template %a. Prompt reference cleared. |
| RPS | 804 | VFYERR74 | | INFO: Template %a's prompt was stranded. New prompt reference created. |
| RPS | 805 | VFYERR75 | | INFO: Help text not found for template %a. Help reference cleared. |
| RPS | 806 | VFYERR76 | | INFO: Template %a's help text was stranded. New help text reference created. |
| RPS | 807 | VFYERR77 | | INFO: Info line text not found for template %a. Info line reference cleared. |
| RPS | 808 | VFYERR78 | | INFO: Template %a's info line text was stranded. New info line reference created. |
| RPS | 809 | VFYERR79 | | INFO: User text not found for template %a. User text reference cleared. |
| RPS | 810 | VFYERR80 | | INFO: Template %a's user text was stranded. New user text reference created. |
| RPS | 811 | VFYERR81 | | INFO: User type text not found for template %a. User type reference cleared. |
| RPS | 812 | VFYERR82 | | INFO: Template %a's user type text was stranded. New user type reference created. |
| RPS | 813 | VFYERR83 | | INFO: Default value not found for template %a. Default value reference cleared. |
| RPS | 814 | VFYERR84 | | INFO: Template %a's default value was stranded. New default value reference created. |
| RPS | 815 | VFYERR85 | | INFO: Allow list not found for template %a. Allow list reference cleared. |
| RPS | 816 | VFYERR86 | | INFO: Template %a's allow list was stranded. New allow list reference created. |
| RPS | 817 | VFYERR87 | | INFO: Selection info not found for template %a. Selection info reference cleared. |
| RPS | 818 | VFYERR88 | | INFO: Template %a's selection info was stranded. New selection info reference created. |
| RPS | 819 | VFYERR89 | | INFO: Enumerated info not found for template %a. Enumerated info reference cleared. |
| RPS | 820 | VFYERR90 | | INFO: Template %a's enumerated info was stranded. New enumerated info reference created. |
| RPS | 821 822 | VFYERR91 | | INFO: Range info not found for template %a. Range info reference cleared. INFO: Template %a's range info was stranded. New range info reference created. |
| RPS RPS | 823 | VFYERR92 VFYERR93 | | INFO: remplate %a's range into was stranded. New range into reference created. INFO: Prompt text not found for field %a. Prompt reference cleared. |
| RPS | 824 | VFYERR94 | | INFO: Field %a's prompt was stranded. New prompt reference created. |
| RPS | 825 | VFYERR95 | | INFO: Field %a's prompt was stranded. New prompt reference created. INFO: Help text not found for field %a. Help reference cleared. |
| RPS | 826 | VFYERR96 | | INFO: Neip text not found for freid %a. help reference created. INFO: Field %a's help text was stranded. New help text reference created. |
| RPS | 827 | VFYERR97 | | INFO: Info line text not found for field %a. Info line reference cleared. |
| RPS | 828 | VFYERR98 | | INFO: Field %a's info line text was stranded. New info line reference created. |
| RPS | 829 | VFYERR99 | | INFO: User text not found for field %a. User text reference cleared. |
| RPS | 830 | VFYERR100 | | INFO: Field %a's user text was stranded. New user text reference created. |
| RPS | 831 | VFYERR101 | | INFO: User type text not found for field %a. User type reference cleared. |
| RPS | 832 | VFYERR102 | | INFO: Field %a's user type text was stranded. New user type reference created. |
| RPS | 833 | VFYERR103 | | INFO: Default value not found for field %a. Default value reference cleared. |
| RPS | 834 | VFYERR104 | | INFO: Field %a's default value was stranded. New default value reference created. |
| RPS | 835 | VFYERR105 | | INFO: Allow list not found for field %a. Allow list reference cleared. |
| RPS | 836 | VFYERR106 | | INFO: Field %a's allow list was stranded. New allow list reference created. |
| RPS | 837 | VFYERR107 | | INFO: Selection info not found for field %a. Selection info reference cleared. |
| RPS | 838 | VFYERR108 | | INFO: Field %a's selection info was stranded. New selection info reference created. |
| RPS | 839 | VFYERR109 | | INFO: Enumerated info not found for field %a. Enumerated info reference cleared. |
| RPS | 840 | VFYERR110 | | INFO: Field %a's enumerated info was stranded. New enumerated info reference created. |
| RPS | 841 | VFYERR111 | | INFO: Range info not found for field %a. Range info reference cleared. |
| RPS | 842 | VFYERR112 | | INFO: Field %a's range info was stranded. New range info reference created. |
| RPS | 843 | VFYERR113 | | INFO: Structure %a: Old record size = %d, new record size = %d |
| RPS | 844 | VFYERR114 | | INFO: Stranded template reference for parent %a. |
| RPS | 845 | VFYERR115 | | INFO: Parent %a not found for template %a. Parent cleared in template definition. |
| RPS | 846 | VFYERR116 | | INFO: Template reference %a not found for template %a. Template reference created. |
| RPS | 847 | VFYERR117 | | INFO: Blank template reference record found for template %a |
| RPS | 848 | VFYERR118 | | INFO: Duplicate structure id found (%a) for alias structure %a. |
| RPS | 849 | VFYERR119 | | INFO: Stranded %a alias record: access code = %a; name = %a |
| RPS RPS | 850 851 | VFYERR120 VFYERR121 | | INFO: Field %a, aliased by %a:%a no longer exists. NOTE: Text not found for key %a's null value. Null value reference cleared. |
| RPS | 852 | VF1ERR121 VFYERR122 | | NOTE: Next not found for key %a s huff value. Nuff value reference created. NOTE: Key %a's null value was stranded. New null value reference created. |
| RPS | 853 | VF1ERR122 VFYERR123 | | NOTE: New Yar's nutt value was stranded. New nutt value reference created. NOTE: Description text not found for key %a. Description reference cleared. |
| RPS | 854 | VF1ERR123 VFYERR124 | | NOTE: Description text not found for key %a. Description reference created. NOTE: Key %a's description was stranded. New description reference created. |
| RPS | 855 | VF1ERR124 VFYERR125 | | INFO: Arrive method info not found for template %a. Arrive method reference cleared. |
| RPS | 856 | VFYERR126 | | INFO: Template %a's arrive method info was stranded. New arrive method reference created. |
| RPS | 857 | VFYERR127 | | INFO: Leave method info not found for template %a. Leave method reference cleared. |
| RPS | 858 | VFYERR128 | | INFO: Template %a's leave method info was stranded. New leave method reference created. |
| RPS | 859 | VFYERR129 | | INFO: Drill method info not found for template %a. Drill method reference cleared. |
| RPS | 859 | VFYERR129 | | INFO: Drill method into not found for template %a. Drill method reference cleared. |

| Fac | Err # | Code | Sev | Message |
|------------|------------|-------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RPS | 860 | VFYERR130 | | INFO: Template %a's drill method info was stranded. New drill method reference created. |
| RPS | 861 | VFYERR131 | | INFO: Hyperlink method info not found for template %a. Hyperlink method reference cleared. |
| RPS | 862 | VFYERR132 | | INFO: Template %a's hyperlink method info was stranded. New hyperlink method reference created. |
| RPS | 863 | VFYERR133 | | INFO: Arrive method info not found for field %a. Arrive method reference cleared. |
| RPS | 864 | VFYERR134 | | INFO: Field %a's arrive method info was stranded. New arrive method reference created. |
| RPS | 865 | VFYERR135 | | INFO: Leave method info not found for field %a. Leave method reference cleared. |
| RPS | 866 | VFYERR136 | | INFO: Field %a's leave method info was stranded. New leave method reference created. |
| RPS | 867 | VFYERR137 | | INFO: Drill method info not found for field %a. Drill method reference cleared. |
| RPS | 868 | VFYERR138 | | INFO: Field %a's drill method info was stranded. New drill method reference created. |
| RPS | 869 | VFYERR139 | | INFO: Hyperlink method info not found for field %a. Hyperlink method reference cleared. |
| RPS | 870 | VFYERR140 | | INFO: Field %a's hyperlink method info was stranded. New hyperlink method reference created. |
| RPS | 871 | VFYERR141 | | INFO: Text not found for field %a's alternate name. Alternate name reference cleared. |
| RPS | 872 | VFYERR142 | | INFO: Field %a's alternate name was stranded. New alternate name reference created. |
| RPS | 873 | VFYERR143 | | INFO: Text not found for template %a's alternate name. Alternate name reference cleared. |
| RPS | 874 | VFYERR144 | | INFO: Template %a's alternate name was stranded. New alternate name reference created. |
| RPS | 877 | VFYMAXTMRF | | WARN: Maximum template references have been exceeded. Reference for template %a lost. |
| RPS RPS | 878 879 | VFYMAXFLRF VFYMAXKRF | | WARN: Maximum file references have been exceeded. Reference for structure %a lost. WARN: Maximum key references have been exceeded. Reference for structure %a lost. |
| RPS RPS | 879 880 | VFYMAXKRF | | WARN: Maximum key references have been exceeded. Reference for structure %a lost. WARN: Maximum relation references have been exceeded. Reference for structure %a lost. |
| RPS | 881 | VFIMAXRRF | | WARN: Maximum field references have been exceeded. Reference for template %a lost. |
| RPS | 882 | VFYMAXFSRF | | WARN: Maximum field references have been exceeded. Reference for structure %a lost. |
| RPS | 883 | VFYMAXGRRF | | WARN: Maximum group references have been exceeded. Reference for structure %a lost. |
| RPS | 884 | VFYMAXENMT | | WARN: Maximum enumeration references have been exceeded. Reference for template %a lost. |
| RPS | 885 | VFYMAXENMF | | WARN: Maximum enumeration references have been exceeded. Reference for field %a lost. |
| RPS | 886 | VFYMAXSSRF | | WARN: Maximum structure references have been exceeded. Reference for structure %a lost. |
| RPS | 889 | ALSVALD | | Alias structure %a validated |
| RPS | 890 | ELVALD | | Template %a validated |
| RPS | 891 | FLVALD | | File %a validated |
| RPS | 892 | FMTVALD | | Format %a validated |
| RPS | 893 | STRVALD | | Structure %a validated |
| RPS | 894 | ENMVALD | | Enumeration %a validated |
| RPS | 895 | FLDVALD | | Field %a validated for structure %a |
| RPS | 896 | GRPVALD | | Group %a validated for structure %a |
| RPS | 897 | KEYVALD | | Key %a validated for structure %a |
| RPS | 898 | RELVALD | | Relation %a validated for structure %a |
| RPS | 899 | LFMTVALD | | Format %a validated for structure %a |
| RPS | 900 | TAGVALD | | Tag %a validated for structure %a |
| RPS | 901 | NOXREF | | Cannot open repository cross-reference file "%a". |
| RPS | 902 | NOMAIN | | Cannot open main repository file "%a". |
| RPS | 903 | NOTEXT | | Cannot open repository text file "%a". |
| RPS RPS | 904 905 | NOLIST | | Cannot open repository list file "%a". Cannot open message file "%a". |
| RPS RPS | 905 906 | NOMSG NOTEMP | | Cannot open message file "%a". Cannot open repository temporary file "%a". |
| RPS | 906 | NODSCRPT | | Cannot open repository temporary life "%a". Cannot open Repository window library "%a". |
| RPS | 908 | CANTCRT | | Cannot create file "%a". %a. |
| RPS | 911 | BLANK32 | | cambe create fire va. va. |
| RPS | 912 | RECTOOSML | | Data record (a_rec) too small |
| RPS | 913 | TRLCTOOLG | | Tree-lock record too long |
| RPS | 914 | UNDEFIOCD | | Unsupported I/O code |
| RPS | 915 | IOERR | | Unexpected I/O error %d |
| RPS | 927 | IOKEYNSM | | "Key not same" error. Program will terminate. |
| RPS | 928 | IODUPKEY | | "Duplicate key" error. Program will terminate. |
| RPS | 929 | BLANK33 | | - |
| RPS | 930 | CONVERT | | Old %a name = "%a", New name = "%a" |
| RPS | 931 | FLDFTR2 | | FIELDS [%03d of %03d] SIZE [%05d] |
| RPS | 932 | FLDFTR3 | | FIELDS [%03d of %03d] |
| RPS | 940 | VFYERR145 | | INFO: Text not found for field %a's font name. Font name reference cleared. |

| RPS | 941 | | |
|-----|------------|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RPS | 941 | VFYERR146 | INFO: Field %a's font name was stranded. New font name reference created. |
| RPS | 942 | VFYERR147 | INFO: Text not found for template %a's font name. Font name reference cleared. |
| | 943 | VFYERR148 | INFO: Template %a's font name was stranded. New font name reference created. |
| RPS | 944 | VFYERR149 | INFO: Text not found for field %a's prompt font name. Font name reference cleared. |
| RPS | 945 | VFYERR150 | INFO: Field %a's prompt font name was stranded. New font name reference created. |
| RPS | 946 | VFYERR151 | INFO: Text not found for template %a's prompt font name. Font name reference cleared. |
| RPS | 947 | VFYERR152 | INFO: Template %a's prompt font name was stranded. New font name reference created. |
| | 948 | VFYERR153 | INFO: Change method info not found for field %a. Change method reference cleared. |
| | 949 | VFYERR154 | INFO: Field %a's change method info was stranded. New change method reference created. |
| 1 | 950 | VFYERR155 | INFO: Change method info not found for template %a. Change method reference cleared. |
| | 951 | VFYERR156 | INFO: Template %a's change method info was stranded. New change method reference created. |
| | 954 | VFYERR159 | INFO: Text not found for file %a's portable integer info. Portable integer info reference cleared |
| | 955 | VFYERR160 | INFO: File %a's portable integer info was stranded. New portable integer info reference created. |
| | 956 | VFYERR161 | INFO: Text not found for field %a's referenced structure. Structure reference cleared. |
| | 957 | VFYERR162 | INFO: Field %a's referenced structure was stranded. New structure reference created. |
| | 958 | VFYERR163 | INFO: Text not found for field %a's prefix. Prefix reference cleared. |
| | 959 | VFYERR164 | INFO: Field %a's prefix was stranded. New prefix reference created. |
| | 960 | VFYERR165 | INFO: Stranded field reference for structure %a: field: %a, parent: %a |
| | 961 | VFYERR166 | INFO: Structure %a not found for field %a, parent %a. Structure cleared in field definition. |
| | 962 963 | VFYERR167 VFYERR167A | INFO: Group reference %a not found for field %a, parent %a. Structure reference created. |
| | 964 | VFYERR167A VFYERR168 | INFO: Structure reference %a not found for field %a, parent %a. Structure reference created. INFO: Display method info not found for field %a. Display method reference cleared. |
| | 965 | VFYERR169 | INFO: Field %a's display method info was stranded. New display method reference created. |
| | 966 | VFYERR170 | INFO: Editfmt method info not found for field %a. Editfmt method reference cleared. |
| | 967 | VFYERR171 | INFO: Field %a's editfmt method info was stranded. New editfmt method reference created. |
| | 968 | VFYERR172 | INFO: Display method info not found for template %a. Display method reference cleared. |
| | 969 | VFYERR173 | INFO: Template %a's display method info was stranded. New display method reference created. |
| | 970 | VFYERR174 | INFO: Editfmt method info not found for template %a. Editfmt method reference cleared. |
| | 971 | VFYERR175 | INFO: Template %a's editfmt method info was stranded. New editfmt method reference created. |
| | 972 | VFYERR176 | INFO: Structure %a: Implicit group %a: Old field size = %d, New field size = %d |
| | 973 | VFYERR177 | INFO: Description text not found for enumeration %a. Description reference cleared. |
| | 974 | VFYERR178 | INFO: Enumeration %a's description was stranded. New description reference created. |
| | 975 | VFYERR179 | INFO: Long description text not found for enumeration %a. Description reference cleared. |
| RPS | 976 | VFYERR180 | INFO: Enumeration %a's long description was stranded. New description reference created. |
| RPS | 977 | VFYERR181 | WARN: Missing members record for enumeration %a |
| RPS | 978 | VFYERR182 | INFO: Member count for enumeration %a was %d; updated to actual count, %d |
| RPS | 979 | VFYERR183 | INFO: Blank field reference record found for enumeration %a |
| RPS | 980 | VFYERR184 | INFO: Stranded field reference for enumeration %a: field: %a, structure: %a |
| | 981 | VFYERR185 | INFO: Blank template reference record found for enumeration %a |
| | 982 | VFYERR186 | INFO: Stranded template reference for enumeration %a: template: %a |
| | 983 | VFYERR187 | INFO: Enumeration %a not found for template %a. Template definition changed to integer. |
| | 984 | VFYERR188 | INFO: Enumeration reference %a not found for template %a. Enumeration reference created. |
| | 985 | VFYERR189 | INFO: Text not found for file %a's file text info. File text info reference cleared. |
| | 986 | VFYERR190 | INFO: File %a's file text info was stranded. New file text info reference created. |
| | 987 | GRPREFVFYD | References verified for structure %a's implicit groups. |
| | 1000 | ARVMETH | %a_ARRIVE |
| | 1001 | LVMETH | %a_LEAVE %a DRILL |
| | 1002 | DRLMETH HYPMETH | %a_DRILL %a_HYPER |
| | 1003 | CHGMETH | %a_CHANGE |
| | 1004 | DSPMETH | %a_DISPLAY |
| | 1005 | FMTMETH | %a_DISFINT |
| RPT | 1 | RPTHDR | ReportWriter |
| RPT | 2 | VIEW | View Report Format |
| RPT | 3 | EXIT | Exit ReportWriter |
| RPT | 4 | UTILS | Utility Functions |
| RPT | 5 | MAIN | Main Menu |

| Fac | Err # | Code | Sev | Message |
|------------|----------|------------------------|-----|------------------------------------------------------|
| RPT | 6 | CREATE | | Create New Report |
| RPT | 7 | LOAD | | Load Report |
| RPT | 8 | DISPLAY | | Display Report |
| RPT | 9 | PRINT | | Print Report |
| RPT | 10 | RPTFIL | | Generate Report File |
| RPT | 11 | CLEAR | | Clear Report |
| RPT | 12 | RENAME | | Rename Current Report |
| RPT | 13 | SAVE | | Save Report |
| RPT | 14 | DELETE | | Delete Report |
| RPT | 15 | FILES | | Files to Read |
| RPT | 16 | CREFLD | | Fields to Create |
| RPT | 17 | FIELDS | | Fields to Print |
| RPT | 18 | SELECT | | Selections to Make |
| RPT | 19 | KEYS | | Fields to Sort |
| RPT RPT | 20 21 | HDER MISC | | Header/Footer Layout Miscellaneous |
| RPT | 22 | FILHDR | | Files to Read |
| RPT | 23 | FLDHDR | | Fields to Print |
| RPT | 24 | KEYHDR | | Sort Fields |
| RPT | 25 | SELHDR | | Selection Fields |
| RPT | 26 | CALC | | Calculation Fields |
| RPT | 27 | QUERY | | Ouestion Fields |
| RPT | 28 | TEXT | | Text Fields |
| RPT | 29 | ENVIRON | | Environment Fields |
| RPT | 30 | SUBTOTAL | | Subtotal Access Fields |
| RPT | 31 | CNDHDR | | Conditions |
| RPT | 32 | RPTHDRINF | | Report Header |
| RPT | 33 | RPTFTRINF | | Report Footer |
| RPT | 34 | PAGHDRINF | | Page Header |
| RPT | 35 | PAGFTRINF | | Page Footer |
| RPT | 36 | DATNUMINF | | Date and Page # |
| RPT | 37 38 | EDRENDHDR | | Edit Renditions |
| RPT RPT | 38 39 | GENDEFHDR GENREFHDR | | Print Report Definitions Generate Cross-Reference |
| RPT | 40 | LDDEFHDR | | Load Report Definitions |
| RPT | 41 | AVLFIL | | Available Files |
| RPT | 42 | AVLSTR | | Available Structures |
| RPT | 43 | AVLREL | | Available Relations |
| RPT | 44 | NORELAVL | | No relation available |
| RPT | 45 | ULDDEFHDR | | Unload Report Definitions |
| RPT | 46 | LDRPT | | Loading Report %a |
| RPT | 47 | BDRPT | | Building Report |
| RPT | 48 | GNRPT | | Generating Report |
| RPT | 49 | LDFIL | | Loading Files |
| RPT | 50 | LDFLD | | Loading Fields |
| RPT | 51 | GETFLD | | Processing Files |
| RPT | 52 | LDTFLD | | Loading Temporary Fields |
| RPT | 53 E4 | LDBFLD | | Loading Break Line Fields Printing Definition |
| RPT RPT | 54 55 | GENDEF LDDEF | | Printing Definition |
| RPT | 56 | UNLDDEF | | Unloading Definition |
| RPT | 50 57 | GENREF | | Generating Cross-Reference |
| RPT | 58 | LDRDLHDR | | Load Report Schema |
| RPT | 59 | UNRDLHDR | | Generate Report Schema |
| RPT | 60 | EXTRPT | | Exiting ReportWriter |
| RPT | 61 | GENINF | | Menu-<^P> %a-<%a> %a-<%a> |
| RPT | 62 | CMDINF | | %a-<%a> |

| Fac | Err # | Code | Sev | Message |
|------------|------------|------------------------|-----|-------------------------------------------------------------------------------|
| RPT | 63 | CNCLRPT | | Press Interrupt key to abort report generation. |
| RPT | 64 | NORPTNAM | | No Loaded Report |
| RPT | 65 | RPTFTR | | %a (%a) |
| RPT | 66 | NOTINST | | ReportWriter is not configured. |
| RPT | 67 | MAXUSER | | Exceeded concurrent user capacity |
| RPT | 68 | TIMEOUT | | This system has timed-out |
| RPT | 69 | CONTACT | | Please contact your Synergy supplier |
| RPT | 70 | PRRPT | | Printing Report |
| RPT | 71 | GENNAMHDR | | # FLAGS NAMES |
| RPT | 72 | GENDSCHDR | | # FLAGS DESCRIPTIONS |
| RPT | 73 | CNDCRIHDR | | # FLAGS CONNECT CONDITIONS |
| RPT RPT | 74 75 | SELCRIHDR | | # FLAGS CONNECT SELECTIONS # TYPE DATA TEMPORARY FIELD NAMES |
| RPT | 75 76 | TMPNAMHDR TMPDSCHDR | | # TYPE DATA TEMPORARY FIELD NAMES # TYPE DATA TEMPORARY FIELD DESCRIPTIONS |
| RPT | 77 | FILNAMHDR | | # PARENT NAMES |
| RPT | 78 | FILDSCHDR | | # PARENT DESCRIPTIONS |
| RPT | 79 | FILFTR | | FILES [%2a] |
| RPT | 80 | FLDFTR | | DETAIL FIELDS [%2a] of (%a) |
| RPT | 81 | FLDFTR1 | | DETAIL FIELDS [%2a] |
| RPT | 82 | PREFLDFTR | | PRE-BREAK LINE FIELDS [%2a] |
| RPT | 83 | PSTFLDFTR | | POST-BREAK LINE FIELDS [%2a] |
| RPT | 84 | CNDFTR | | CONDITION CRITERIA [%la] |
| RPT | 85 | SELFTR | | SELECTION CRITERIA [%2a] |
| RPT | 86 | TMPFLDFTR | | TEMPORARY FIELDS [%3a] |
| RPT | 87 | SRTFLDFTR | | SORT FIELDS [%2a] |
| RPT | 88 | FLDFRMFIL | | %a (File %d of %d) |
| RPT RPT | 89 90 | PAGE | | Page After Sort |
| RPT | 90 91 | CLCAFTSRT CLCBEFSEL | | Before Selection |
| RPT | 92 | MPPARALLEL | | Together |
| RPT | 93 | MPTANDEM | | Separately |
| RPT | 94 | CNDMSG | | - Conditioned |
| RPT | 95 | OVERST | | OVERST |
| RPT | 96 | INSERT | | INSERT |
| RPT | 97 | TOTCNT | | total (count |
| RPT | 98 | TOTSCNT | | totals (count |
| RPT | 99 | TOTCNTCLS | |): |
| RPT | 100 | TOTAL | | total: |
| RPT | 101 | TOTALS | | totals: |
| RPT | 102 | COUNT | | count: |
| RPT | 103 | REPORT | | Report |
| RPT RPT | 104 105 | DSCFIL | | XRPT%d.ZZQ |
| RPT | 105 | BLDFIL SRTFIL | | RB%d.TMP RG%d.TMP |
| RPT | 100 | SRIFIL | | SORT %a |
| RPT | 107 | DTLMSG | | Detail line %d of %d - |
| RPT | 109 | PREMSG | | Pre-break line |
| RPT | 110 | PSTMSG | | Post-break line |
| RPT | 111 | RPTACTV | | An active report exists. Save or abandon loaded report first. |
| RPT | 112 | SUPPBLMSG | | %a - Blank line suppressed |
| RPT | 113 | FMTHDR | | FORMAT |
| RPT | 114 | VFYDEL | | Are you sure you want to delete %a %a? |
| RPT | 115 | TMPFLD | | temporary field |
| RPT | 116 | REPORTLC | | report |
| RPT | 117 | TMPFNAM | | TEMP |
| RPT RPT | 118 119 | TMPFDSC ARRGFLD | | Temporary File Arranging line %d of %d (%d through %d) |

| Fac | Err # | Code | Sev | Message |
|------------|------------|----------------------|-----|-------------------------------------------|
| RPT | 120 | LINEMSG | | Line %d of %d - %e |
| RPT | 121 | LINEMSG1 | | %a - %d of %d |
| RPT | 122 | HDRPOS | | (%d through %d) |
| RPT | 123 | NAMHDR | | NAME |
| RPT | 124 | DSCHDR | | DESCRIPTION |
| RPT | 125 | OPRADD | | + : Addition |
| RPT | 126 | OPRSUB | | - : Subtraction |
| RPT | 127 | OPRMUL | | * : Multiplication |
| RPT | 128 | OPRDIV | | / : Division |
| RPT | 129 130 | LEFTVW | | L R |
| RPT RPT | 130 | RIGHTVW PGUPVW | | U U |
| RPT | 132 | PGDWVW | | D D |
| RPT | 133 | PGTPVW | | T |
| RPT | 134 | PGBTVW | | B |
| RPT | 135 | TOTFLG | | T |
| RPT | 136 | REVFLG | | R |
| RPT | 137 | BRKFLG | | В |
| RPT | 138 | STRBLK | | S |
| RPT | 139 | CNDFLG | | C |
| RPT | 140 | MRGFLG | | M |
| RPT | 141 | AND | | AND |
| RPT | 142 | OR | | OR BO |
| RPT RPT | 143 144 | EQ NE | | EQ NE |
| RPT | 145 | LE | | LE |
| RPT | 146 | LT | | LT |
| RPT | 147 | GE | | GE |
| RPT | 148 | GT | | GT |
| RPT | 149 | BFLDFLG | | P |
| RPT | 150 | RDONLYFLG | | <r></r> |
| RPT | 151 | BLANK | | |
| RPT | 152 | DFLTDTFMT | | MM/DD/YY |
| RPT | 153 | RPTSBT | | <report></report> |
| RPT | 154 | CNTSBT | | <count></count> |
| RPT | 155 156 | RPTNAM | | %a (modified) |
| RPT RPT | 157 | RPTNAM_M RPTNAM_C | | %a (%d wide) |
| RPT | 158 | RPTNAM_CM | | %a (%d wide, modified) |
| RPT | 159 | YESCHAR | | Y |
| RPT | 160 | NOCHAR | | N N |
| RPT | 161 | WORK | | Working |
| RPT | 162 | INSERTS | | Adding |
| RPT | 163 | DELETES | | Deleting |
| RPT | 164 | RELHDR | | FROM KEY: TO KEY |
| RPT | 165 | APNDCHR | | A |
| RPT | 166 | LINEMSG2 | | %a - %d |
| RPT | 167 | LDSEL | | Loading Selection Criteria |
| RPT RPT | 168 169 | LDCND LDSRT | | Loading Conditions Loading Sort Fields |
| RPT | 170 | LDSKI LDLIST | | Loading Field List |
| RPT | 171 | LDSTR | | Loading Structure List |
| RPT | 172 | LDREL | | Loading Relation List |
| RPT | 173 | LDLST | | Loading List |
| RPT | 174 | LDLFIL | | Loading File List |
| RPT | 175 | HDRFLDFTR | | HEADER/FOOTER FIELDS [%2a] |
| RPT | 176 | ARRGFLD1 | | Arranging line (%d through %d) |

| Fac | Err # | Code | Sev | Message |
|------------|------------|----------------------|-----|---------------------------------------------------------------------------------------------------------------------------|
| RPT | 177 | FDSCHDR | | NAME CREATED MODIFIED |
| RPT | 178 | FDFWD | | Find forward |
| RPT | 179 | FDBWD | | Find reverse |
| RPT | 180 | RTNMSG_NU | | %a: ^Z(END) |
| RPT | 181 | RTNMSG_U | | %a: ^D(END) |
| RPT | 182 | RTNMSG_NUL | | L(eft); R(ight); %a : ^Z(END) |
| RPT | 183 | RTNMSG_UL | | L(eft); R(ight); %a : ^D(END) |
| RPT | 184 | RPTSVD | | Report saved |
| RPT | 185 | DELRPT | | Report deleted |
| RPT | 186 | DELTMPFLD | | Temporary field %a deleted! |
| RPT | 187 188 | RTNMSG_UD | | U(p); D(own); T(op); B(ottom) |
| RPT RPT | 189 | RTNMSG RTNMSG_UNU | | RETURN(cont.); %a ^Z(END) |
| RPT | 190 | RTNMSG_UU | | ^D(END) |
| RPT | 191 | CREFIL | | Create Report Definition File |
| RPT | 192 | FILCRE | | New report definition file created. |
| RPT | 193 | INCMPLT | | %a is incomplete. |
| RPT | 194 | INCRNG | | Range specification |
| RPT | 195 | INCSUB | | Subscript specification |
| RPT | 196 | INCTMP | | Temporary field definition |
| RPT | 197 | INCCRI | | Criterion specification |
| RPT | 198 | INVCNCL | | Cannot abandon changes after field modifications. |
| RPT | 199 | VFYCLR | | Are you sure you want to clear the current report? |
| RPT | 200 | LNKFRMFIL | | Link Fields from %a |
| RPT | 201 | NOLNKAVL | | No name link relations available |
| RPT | 202 | NAMLINK | | NAME_LINK_KEY |
| RPT RPT | 301 302 | NODEFRPT NOHELP | | No reports defined No help available |
| RPT | 302 | NOMSG | | No message available |
| RPT | 304 | NOFMT | | No available formats |
| RPT | 305 | NOACTRPT | | No report is currently loaded. |
| RPT | 306 | NORPTAVL | | No available reports |
| RPT | 308 | NOINPFIL | | No input files have been defined for this report. |
| RPT | 309 | NOFILDEF | | No files have been defined in the repository. |
| RPT | 310 | NOPNTR | | No line printer is connected to the system. |
| RPT | 311 | NOBRKFLD | | No break fields defined |
| RPT | 312 | NORPT | | Report not found |
| RPT | 313 | BLNKNAM | | A report name may not start with a blank. |
| RPT | 314 | INCFLD | | Report is incomplete. Please select fields to print. |
| RPT | 315 | RPTINUSE | | Report "%a" cannot be loaded at this time. Please try again later. |
| RPT RPT | 316 317 | TOOWIDE | | Maximum report width (255 columns) has been reached. Maximum number of individual temporary fields (%d) has been defined. |
| RPT | 317 | MAXITMPS MAXFILS | | Maximum number of files (%d) has been selected. |
| RPT | 310 | MAXFLDS | | Maximum number of fields to print (%d) has been selected. |
| RPT | 320 | MAXKEYS | | Maximum number of sort fields (%d) has been selected. |
| RPT | 321 | MAXSELS | | Maximum number of selections (%d) has been defined. |
| RPT | 322 | | | Maximum number of subscripted fields (%d) has been defined. |
| RPT | 323 | MAXLFLD | | Maximum number of fields to print per line (%a) has been defined. |
| RPT | 324 | MAXCNDS | | Maximum number of conditions (5) has been defined. |
| RPT | 326 | MAXFSIZ | | Field %a exceeds the maximum field size (99). |
| RPT | 327 | MAX_BFLD | | Maximum number of break line fields (%a) has been defined. |
| RPT | 329 | MAXVWLNS | | Too many lines to view in the report format. It has been truncated. |
| RPT | 330 | NOTSUB | | You must use a numeric field for subscripts. |
| RPT | 331 | ALPJUST | | Alpha fields cannot be right-justified. |
| RPT | 332 | BADTMP | | Selected field is not a 'created' field. |
| RPT | 333 | FILREF | | File cannot be deleted. Structure %a is referenced. Only numeric fields may be totaled. |
| RPT | 334 | NOTNMBR | | only numeric lields may be totaled. |

| Fac | Err # | Code | Sev | Message |
|------------|------------|--------------------|-----|---------------------------------------------------------------------------|
| RPT | 335 | INVNUM | | Invalid numeric value |
| RPT | 336 | INVDAT | | Invalid date specification |
| RPT | 337 | INVSEL | | Invalid selection criteria specification |
| RPT | 338 | INVVAL | | Invalid value |
| RPT | 339 | INVCMPFLD | | Invalid comparison field type |
| RPT | 341 | FILLNK | | File cannot be deleted. "%a" is linked to it. |
| RPT | 342 | FLDLNK | | File cannot be deleted. Field "%a" %a |
| RPT | 344 | TMPLNK | | Field cannot be deleted. It %a |
| RPT | 345 | LNKSRT | | is used as a sort field. |
| RPT | 346 | LNKCRI | | is used in a criterion definition. |
| RPT | 347 | LNKEXP | | is used in a calculation expression. |
| RPT | 348 | LNKSUB | | is used as a subscript. |
| RPT | 349 | LNKRNG | | is used as a range offset or length. |
| RPT | 350 | LNKRHDR | | is printed on a report header line. |
| RPT | 351 | LNKRFTR | | is printed on a report footer line. |
| RPT | 352 | LNKPHDR | | is printed on a page header line. |
| RPT | 353 | LNKPFTR | | is printed on a page footer line. |
| RPT RPT | 354 355 | LNKPBRK | | is printed on a pre-break line. is printed on a post-break line. |
| RPT | 355 356 | LNKSBRK LNKDATA | | is printed on a detail line. |
| RPT | 357 | LNKSBT | | is used in a subtotal access field. |
| RPT | 358 | ERRGENDEF | | Cannot generate report '%a': report not stored properly. |
| RPT | 359 | BADSUB | | Invalid subscript field type |
| RPT | 360 | DUPTMPNAM | | Temporary field %a already exists. Please enter another name. |
| RPT | 363 | NUMJUST | | Numeric fields cannot be centered. |
| RPT | 364 | INVDEC | | Invalid precision specification |
| RPT | 365 | DUPRPT | | Report cannot be saved into an existing report. |
| RPT | 366 | INVSUBREF | | An arrayed field cannot be referenced for subscripting. |
| RPT | 367 | NOTBRK | | Field %a is not defined as a break field. |
| RPT | 368 | SUBTDEP | | Field %a is computed after selections and cannot be used here. |
| RPT | 369 | SUBTKEY | | Field used as break level in subtotal field %a. Cannot clear break. |
| RPT | 371 | TOOMNYLNK | | Too many related files (%d) - only %d will be used |
| RPT | 372 | NOTMULTI | | Multiple projections not possible for the relation to this file. |
| RPT | 373 | NOSISTER | | No previous file at the same read level. |
| RPT | 374 | MRGFRST | | Cannot merge first sort field. |
| RPT | 375 | MRGTYPLEN | | Merged sort fields must be the same type and length. |
| RPT | 376 | MRGDEL | | Sort field cannot be deleted. It is merged with the next field. |
| RPT | 377 | MRGADD | | Cannot add a sort field immediately before a merged field. |
| RPT | 378 | MRGBRK | | Cannot change break status on merged field. |
| RPT RPT | 379 380 | MRGDIR MRGSEL | | Cannot change sort order on merged field. Cannot move merged field. |
| RPT | 380 | MRGSEL NOUTIL | | Unrecognized utility option %a |
| RPT | 382 | NOENMCNV | | No enumerated information found. Field will be processed as numeric. |
| RPT | 383 | BRKMRG | | Cannot merge break field. |
| RPT | 384 | INVRPT | | Invalid report version %a cannot be loaded with the current ReportWriter. |
| RPT | 385 | MRGORD | | Merged sort fields must have the same sort order. |
| RPT | 390 | | | Field size cannot be changed. It is selected to print. |
| RPT | 391 | TNDLNK | | File cannot be deleted. It is used in a multiple projection. |
| RPT | 392 | NAMTMP | | Temporary field name cannot be changed. |
| RPT | 393 | MAXRNGS | | Maximum number of ranged fields (%d) has been defined. |
| RPT | 394 | INVSIZ | | Invalid size specification. |
| RPT | 395 | MAXDLINS | | Maximum number of detail lines (10) has been defined. |
| RPT | 396 | MAXHLINS | | Maximum number of page header lines (10) has been defined. |
| RPT | 397 | INVLNK | | Invalid name link relation. |
| RPT | 398 | BRKCNTKEY | | Field used within %BRKCNT in calculation field %a. Cannot clear break. |
| RPT | 401 | EXPBIG | | Selected field name %a will not fit in the expression. |
| RPT | 402 | EXPAMBFLD | | Ambiguous field reference: %a |

| RPT 505 NODCTTFIL Cannot open repository text file. You may need to set RPSMFIL and RPSTFIL to point to your rep Cannot open ReportWriter window library. RPT 507 NODEFFIL Cannot open ReportWriter window library. RPT 508 NOKEY Cannot open repository text file. You may need to set RPSMFIL and RPSTFIL to point to your rep Cannot open ReportWriter window library. RPT 508 NOKEY Cannot open repository text file. You may need to set RPSMFIL and RPSTFIL to point to your rep Cannot open ReportWriter window library. Cannot open Report Writer window library. Cannot open Report efferintion file "%a" NoKEP Key & not found for structure %a Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %d Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %d Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %a File/structure not found: %a Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %a Numeric literal in conditional contains Numeric literal in conditional contains Numeric lite | Fac | Err # | Code | Sev | Message |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------|-----------|-----|--------------------------------------------------------------------------------------------------|
| RPT 404 EXPONENTS RPT 405 EXPRANCING Unrecognized character in expression: %a RPT 406 EXPRANCING Unrecognized token in expression: %a RPT 407 EXPROSERA Missing '') or ''! in expression: %a RPT 409 EXPROSERA Missing '') or ''! in expression: %a RPT 409 EXPROSERA Missing '') or ''! in expression: %a RPT 410 EXPRISTERA Maximum restling depth for perentheses and brackets (99) exceeded: %a RPT 411 EXPROSERA Missing '') or ''! in expression: %a RPT 412 EXPROSERA Missing '') or ''' in expression: %a RPT 413 EXPRESSION MISSING | RPT | 403 | EXPNOOPND | | Missing operand: %a |
| RPT 405 EMPARCHAR RPT 407 EXPRANCEN RPT 407 EXPRANCEN RPT 407 EXPRANCEN RPT 408 EXPRENCED RPT 400 EXPRENCED RPT 400 EXPRENCED RPT 400 EXPRENCED RPT 410 EXPRENCED RPT 410 EXPRENCED RPT 410 EXPRENCE RPT 411 EXPRORMAR RPT 411 EXPRORMAR RPT 412 TOOMNING RPT 412 TOOMNING RPT 413 EXPRANCE RPT 414 PROBLEM RPT 415 EXPRORMAR RPT 415 EXPRORMAR RPT 416 EXPRENCE RPT 417 FORTILABS RPT 417 FORTILABS RPT 418 TOOMNING RPT 418 TOOMNING RPT 419 EXPRORMAR RPT 419 EXPRORMAR RPT 419 EXPRORMAR RPT 410 EXPRORMAR RPT 411 FORTILABS RPT 412 TOOMNING RPT 413 TOOMNING RPT 414 REPROL RPT 415 TOOMNING RPT 415 TOOMNING RPT 416 REPROL RPT 417 FORTILABS RPT 418 TOOMNING RPT 419 EXPROL RPT 419 EXPROL RPT 410 EXPROL RPT 410 EXPRENCE RPT 410 EXPRENCE RPT 410 EXPRENCE RPT 411 FORTILABS RPT 412 EXPROL RPT 412 EXPROL RPT 413 EXPRENCE RPT 414 EXPRORMAN RPT 415 EXPRORMER RPT 415 EXPRORMER RPT 416 EXPRORMER RPT 417 FORTILABS RPT 418 EXPRORMER RPT 419 EXPRENCE RPT 410 EXPRENCE RPT 410 EXPRENCE RPT 410 EXPRENCE RPT 411 EXPRORMER RPT 412 EXPRONMENT RPT 412 EXPRONMENT RPT 413 EXPRONMENT RPT 414 EXPRORMER RPT 415 EXPRONMENT RPT 415 EXPRONMENT RPT 416 EXPRONMENT RPT 417 EXPRENCE RPT 418 EXPRONMENT RPT 419 EXPRENCE RPT 410 EXPRANCE RPT 410 EXPRANCE RPT 410 EXPRANCE RPT 410 EXPRANCE RPT 411 EXPRENCE RPT 411 EXPRENCE RPT 412 EXPRONMENT RPT 412 EXPRONMENT RPT 413 EXPRENCE RPT 414 EXPRENCE RPT 415 EXPRONMENT RPT 415 EXPRONMENT RPT 416 EXPRENCE RPT 417 EXPRENCE RPT 418 EXPRONMENT RPT 419 EXPRONMENT RPT 419 EXPRENCE RPT 410 EXPRENCE RPT 410 EXPRANCE RPT 410 EXPRANCE RPT 410 EXPRENCE RPT 410 EXPRENCE RPT 410 EXPRENCE RPT 411 EXPRENCE RPT 412 EXPRONMENT RPT 412 EXPRONMENT RPT 413 EXPRONMENT RPT 414 EXPRENCE RPT 415 EXPRONMENT RPT 415 EXPRONMENT RPT 416 EXPRONMENT RPT 417 EXPRENCE RPT 418 EXPRONMENT RPT 419 EXPRENCE RPT 410 EXPREN | | | | | |
| RPT 406 EMPRADMEN Missing ")" or "]" in expression: %a RPT 408 EXPEADING Missing ")" or "]" in expression: %a RPT 408 EXPEADING "A commot be used as a unary operator in an expression. Maximum nearing depth for parentheses and brackets (99) exceeded: %a RPT 412 EXPROMENT TOWNSWIND TOWNS TO many dimensioned fields used in report. RPT 413 EXPEADING DATE of TOWNSWIND TOWNS TOWNSWIND THE ADDRESS OF THE PROPERTY OF THE ADDRESS | | | | | |
| RPT 407 EXPROMERA (Signature) RPT 408 EXPENDENCY (Signature) RPT 410 EXPRISTOR (Assume the used as a unary operator in expression: % a "fa" cannot be used as a unary operator in expression. (Assume the used as a unary operator in expression. (Assume the used as a unary operator in expression. (Assume the used as a unary operator in expression. (Assume the used as a unary operator in expression. (Assume the used as a unary operator in expression. (Assume the used as a unary operator in expression. (Assume the used as a unary operator in expression. (Assume the used in report (Assume | | | | | |
| RTT 410 EXPRESENCE RTT 411 EXPROSERA RTT 411 EXPROSERA RTT 411 EXPROSERA RTT 412 TOONNYNDX RPT 412 TOONNYNDX RPT 413 EXPRANCE RPT 415 EXPRANCE RPT 415 EXPRANCE RPT 416 FINCARGEX RTT 417 FINCTILAGE RPT 417 FINCTILAGE RPT 418 EXPRANCE RPT 419 TOONNYCIN RTT 419 TOONNYCIN RTT 419 EXPROSE RPT 410 EXPRESE RPT 410 EXPRESE RPT 410 EXPRESE RPT 411 EXPRESE RPT 412 EXPROSE RPT 412 EXPROSE RPT 413 EXPRESE RPT 414 EXPROSE RPT 415 EXPRESE RPT 415 EXPRESE RPT 416 FINCARGEX RPT 417 FINCTILAGE RPT 418 EXPRESE RPT 419 EXPROSE RPT 419 EXPROSE RPT 410 EXPRESE RPT 410 EXPRESE RPT 410 EXPRESE RPT 411 EXPRESE RPT 412 EXPROSE RPT 412 EXPROSE RPT 413 EXPRESE RPT 413 EXPRESE RPT 414 EXPROSIDEN RPT 415 EXPROSE RPT 415 EXPROSE RPT 415 EXPROSE RPT 416 EXPRESE RPT 417 FINCE RPT 418 EXPROSE RPT 419 EXPRESE RPT 419 EXPRESE RPT 410 NORGTPAR RPT 410 EXPRESE RPT 411 EXPRESE RPT 412 EXPROSE RPT 413 EXPRESE RPT 413 EXPRESE RPT 414 EXPROSE RPT 415 EXPROSE RPT 415 EXPROSE RPT 416 EXPRESE RPT 417 FINCE RPT 418 EXPRESE RPT 418 EXPROSE RPT 419 EXPRESE RPT 410 NORGTPAR RPT 410 NORGTPAR RPT 410 NORGTPAR RPT 410 EXPRESE RPT 410 EXPRESE RPT 410 NORGTPAR RPT 410 NORGTPAR RPT 410 EXPRESE RPT 411 EXPRESE RPT 412 EXPROSE RPT 413 EXPRESE RPT 413 EXPRESE RPT 410 EXPRESE RPT 410 EXPRESE RPT 410 EXPRESE RPT 410 NORGTPAR RPT 410 NORGTPAR RPT 410 EXPRESE RPT 410 NORGTPAR RPT 410 NORGTPAR RPT 410 EXPRESE RPT 510 NORGE RPT 511 NORGEPT RPT 511 NORGEPT RPT 512 NORGEPT RPT 512 NORGEPT RPT 513 BADDENT RPT 514 NORGEPT RPT 515 NORGE RPT 517 NORGEPT RPT 518 HABBERT RPT 519 NORGE RPT 510 NORGEPT RPT 510 NORGEPT RPT 511 NORGEPT RPT 512 NORGEPT RPT 512 NORGEPT RPT 513 RADDER RPT 514 NORGEPT RPT 515 NORGE RPT 516 NORGE RPT 517 NORGEPT RPT 518 HABBERT RPT 519 NORGEPT RPT 510 NORGEPT RPT 510 NORGEPT RPT 511 NORGEPT RPT 512 NORGEPT RPT 512 NORGEPT RPT 513 NORGEPT RPT 514 NORGEPT RPT 515 NORGEPT RPT 516 NORGEPT RPT 517 NORGEPT RPT 518 NORGEPT RPT 518 NO | RPT | 407 | EXPNOEPAR | | |
| RPT 410 EXPONSTAR R RPT 411 EXPONSPAR R RPT 412 TOOMNYNDX RPT 413 EXPREDICH P RPT 414 BADPUNC P RPT 415 EXPRADPORT R RPT 417 PROFILERS R RPT 417 PROFILERS R RPT 418 TOOMNYNDX R RPT 419 EXPRED R RPT 417 PROFILERS R RPT 419 EXPRED R RPT 410 EXPRED R RPT 410 EXPRED R RPT 410 EXPRED R RPT 411 EXPRISE R RPT 412 EXPRISE R RPT 412 EXPRISE R RPT 413 EXPRED R RPT 414 TOOMNYNDX R RPT 415 TOOMNYNDX R RPT 417 PROFILERS R RPT 418 TOOMNYNDX R RPT 419 EXPRED R RPT 410 EXPRISE R RPT 410 EXPRISE R RPT 411 EXPRISE R RPT 412 EXPRISE R RPT 412 EXPRISE R RPT 412 EXPRISE R RPT 413 EXPRISE R RPT 414 EXPRISE R RPT 415 EXPRISE R RPT 415 EXPRESS R RPT 416 EXPRESS R RPT 417 EXPRISE R RPT 418 EXPRISE R RPT 419 EXPRESS R RPT 419 EXPRISE R RPT 410 EXPRISE R RPT 410 EXPRISE R RPT 410 EXPRISE R RPT 410 EXPRISE R RPT 411 EXPRISE R RPT 412 EXPRISE R RPT 413 EXPRISE R RPT 414 EXPRISE R RPT 415 EXPRISE R RPT 415 EXPRISE R RPT 416 EXPRISE R RPT 417 EXPRESS R RPT 418 EXPRISE R RPT 419 EXPRISE R RPT 419 EXPRISE R RPT 419 EXPRISE R RPT 410 EXPRISE R RPT 410 EXPRISER R RPT 410 EXPRISER R RPT 410 EXPRISER R RPT 411 EXPRISER R RPT 412 EXPRISER R RPT 413 EXPRISER R RPT 413 EXPRISER R RPT 414 EXPRISE R RPT 415 EXPRISER R RPT 415 EXPRISER R RPT 416 EXPRESS R RPT 417 EXPRESS R RPT 418 EXPRISER R RPT 419 EXPRESS R RPT 419 EXPRESS R RPT 410 EXPRESS R R R R R R R R R R R R R R R R R R R | RPT | 408 | EXPEXOPND | | Missing operator in expression: %a |
| RPT 411 EXPOSPAR RPT 412 TOOMSYNDX TOO many close parentheses in expression: %a TOO many close parentheses in expression: %a RPT 413 EXPRADCIN Period out of place in expression: %a RPT 414 EXPRADCIN RPT 415 EXPRADCIN RPT 416 EXPRANCEXP RPT 417 FINCFILARS RPT 418 TOOMSYCIN RPT 418 TOOMSYCIN RPT 418 TOOMSYCIN RPT 419 EXPROL REPORT 418 TOOMSYCIN RPT 419 EXPRING R | RPT | 409 | EXPBADUNY | | "%a" cannot be used as a unary operator in an expression. |
| RPT 412 TOOMNYNDX RPT 413 EXPRADCIN RPT 414 BADFUNC RPT 414 EXPRADCIN RPT 415 EXPRADCT RPP 416 PROAMGER RPT 417 EXPRADCY RPP 416 PROAMGER RPT 417 TOOMNYND RPT 419 EXPRADCY RPT 419 EXPRADCY RPT 419 EXPRADCY RPT 419 EXPRANCE RPT 420 AMMSGIL RPT 421 EXPALPHA RPT 422 EXPANDIAN RPT 423 EXPANDIAN RPT 424 EXPANDIAN RPT 425 EXPANDIAN RPT 426 EXPANDIAN RPT 427 EXPANDIAN RPT 428 EXPANDIAN RPT 428 EXPANDIAN RPT 429 EXPANDIAN RPT 420 EXPANDIAN RPT 420 EXPROSOR RPT 430 EXPANDEN RPT 431 EXPRANCE RPT 432 EXPANDIAN RPT 433 EXPANDEN RPT 434 EXPROSOR RPT 435 EXPANDEN RPT 436 EXPANDEN RPT 437 FRANSECTVP RPT 438 EXPANDEN RPT 430 EXPALPHO RPT 431 EXPRANCE RPT 432 EXPANDEN RPT 433 EXPANDEN RPT 434 EXPROSOR RPT 435 FRANSER RPT 436 EXPANDEN RPT 437 FRANSECTVP RPT 438 EXPANDEN RPT 439 EXPRANCE RPT 430 EXPALPHO RPT 431 EXPRANCE RPT 430 EXPALPHO RPT 431 EXPRANCE RPT 432 EXPROSOR RPT 433 FILEST RPT 434 EXPROSOR RPT 435 FRANSER RPT 435 FRANSER RPT 436 EXPRANCE RPT 437 FRANSER RPT 438 EXPROSOR RPT 439 FRANSER RPT 430 EXPRANCE RPT 431 EXPRANCE RPT 432 EXPROSOR RPT 433 FILEST RPT 434 EXPROSOR RPT 435 FILEST RPT 435 FILEST RPT 436 EXPROSOR RPT 437 FRANSER RPT 437 FRANSER RPT 438 EXPROSOR RPT 439 FRANSER RPT 430 EXPRANCE RPT 540 EXPRANCE RPT 54 | RPT | 410 | EXPNSTPAR | | Maximum nesting depth for parentheses and brackets (99) exceeded: %a |
| RPT 413 EXPENDING RPT 415 EXPENDING RPT 416 RADEUNC RPT 416 PROCREER RPT 417 PROCEILANG RPT 417 PROCEILANG RPT 417 PROCEILANG RPT 418 TOOMNICLN RPT 419 TOOMNICLN RPT 420 REFEDUL RPT 421 EXPENDING RPT 421 EXPENDING RPT 422 EXPENDING RPT 423 EXPENUL RPT 424 EXPENDING RPT 425 EXPENDING RPT 426 NORGTDAN RPT 427 PRADEUR RPT 428 EXPENDING RPT 429 EXPENDING RPT 420 EXPENDING RPT 420 EXPENDING RPT 421 EXPENDING RPT 422 EXPENDING RPT 423 EXPENDING RPT 426 NORGTDAN RPT 427 PRADEUR RPT 428 EXPENDING RPT 429 EXPENDING RPT 420 EXPENDING RPT 420 EXPENDING RPT 421 EXPENDING RPT 422 EXPENDING RPT 423 EXPENDING RPT 424 EXPENDING RPT 425 EXPENDING RPT 426 NORGTDAN RPT 427 PRADEUR RPT 428 EXPENDING RPT 429 PRADEUR RPT 430 PRADEUR RPT 431 EXPENDING RPT 432 EXPENDING RPT 433 FILEXET RPT 436 EXPENDING RPT 437 FILEXET RPT 438 EXPENDING RPT 437 FILEXET RPT 438 EXPENDING RPT 437 FILEXET RPT 438 EXPENDING RPT 504 NODCTMFIL RPT 505 NODCTFIL RPT 505 NODCTFIL RPT 507 NODCTFIL RPT 508 NODEFIL RPT 509 NORGP RPT | RPT | 411 | EXPNOBPAR | | |
| RPT 414 SADFUNC RPT 415 EXPRANCT RPT 416 PNCARGEXP RPT 417 PNCTIARG RPT 418 TOORNYCLN RPT 418 TOORNYCLN RPT 418 TOORNYCLN RPT 419 EXPEDIL, RPT 420 RECEIL, RPT 421 RECEIL, RPT 421 RECEIL, RPT 422 REPOIL, RPT 423 RECEIL, RPT 424 EXPROIDENT RPT 425 EXPROIDENT RPT 426 NORGTEAR RPT 427 PRADSECTYP RPT 427 PRADSECTYP RPT 427 REALER, RPT 429 INVEXES RPT 429 INVEXES RPT 429 INVEXES RPT 430 EXPALDHOP RPT 431 EXPENDENT RPT 431 EXPENDENT RPT 432 REPOINTRO RPT 433 FILEXST RPT 431 EXPENDENT RPT 432 REPOINTRO RPT 433 FILEXST RPT 430 EXPALENCE RPT 431 EXPENDENT RPT 431 EXPENDENT RPT 432 EXPROIRNG RPT 433 FILEXST RPT 433 FILEXST RPT 434 SIRNENAM RPT 435 BIANENAM RPT 436 BIANENAM RPT 437 RECEIL RE | RPT | | TOOMNYNDX | | |
| RPT 415 RXPBADDCT RPT 416 PNCARGEXP RPT 417 PNCFILARS Finction argument expected: %a Function argument expected: %a Food and state of the state of t | | | EXPBADCLN | | |
| RPT 416 FNCARGEXP FUNCTION argument expected: %a File/structure specification expected: %a TOOMNYCIN TOOMN | | | | | |
| RPT 418 TOMPYCLANG RPT 419 EXPECT RPT 420 AMBGFIL RPT 421 EXPANDIBAT RPT 421 EXPANDIBAT RPT 422 AMBGFIL RPT 423 EXPANDIBAT RPT 425 EXPANDIBAT RPT 426 NORTPAR RPT 427 FIADBERR RPT 427 EXPANDIBENT RPT 428 EXPONDENT RPT 429 EXPONDENT RPT 420 NORTPAR RPT 420 NORTPAR RPT 427 EXPONDENT RPT 428 EXPONDENT RPT 429 EXPONDENT RPT 420 NORTPAR RPT 427 EXPONDENT RPT 428 EXPONDENT RPT 429 EXPONDENT RPT 420 NORTPAR RPT 420 NORTPAR RPT 421 EXPONDENT RPT 422 EXPONDENT RPT 423 EXPONDENT RPT 424 EXPONDENT RPT 425 EXPONDENT RPT 426 EXPONDENT RPT 427 EXPONDENT RPT 428 EXPONDENT RPT 429 EXPONDENT RPT 430 EXPANDIBER RPT 430 EXPANDIBER RPT 431 EXPONDENT RPT 432 EXPONDENT RPT 432 EXPONDENT RPT 433 FILEKST RPT 436 BINNENAM RPT 437 FILEKER RPT 437 FILEKER RPT 438 FILEKST RPT 439 NORTPH RPT 501 NODETFIL RPT 505 NORTPH RPT 505 NORTPH RPT 507 NODETFIL RPT 508 NOKEY RPT 509 NOKEY RPT 509 NOKEY RPT 509 NOKEY RPT 511 BADENVFID RPT 512 BADENVFID RPT 513 BADENVFID RPT 514 RADENVFID RPT 515 RADENVFID RPT 516 NONDER RPT 517 NODEFFLD RPT 518 RADENVFID RPT 518 RADENVFID RPT 518 RADENVFID RPT 519 NONDERFL RPT 510 NONDERFL RPT 510 NONDERFL RPT 511 NONDERFL RPT 512 NONDERFL RPT 513 RADENVFID RPT 514 RADENVFID RPT 515 NONDERFL RPT 516 NONDERFL RPT 517 NONDERFL RPT 518 RADENVFID RPT 518 RADENVFID RPT 519 NONDERFL RPT 510 NONDERFL RPT 510 NONDERFL RPT 510 NONDERFL RPT 511 RADENVFID RPT 512 NONDERFL RPT 513 RADENVFID RPT 514 NONDERFL RPT 515 NONDERFL RPT 516 NONDERFL RPT 517 NONDERFL RPT 518 RADENVFID RPT 518 RADENVFID RPT 519 NONDERFL RPT 510 NONDERFL RPT 510 NONDERFL RPT 510 NONDERFL RPT 511 RADENVFID RPT 512 NONDERFL RPT 513 NONDERFL RPT 514 RADENVFID RPT 515 NONDERFL RPT 516 NONDERFL RPT 517 NONDERFL RPT 518 RADENVFID RPT 518 RADENVFID RPT 519 NONDERFL RPT 520 NONDERFL | | | | | |
| RPT 418 TOOMNYCLN RPT 419 EXPECT RPT 420 AMBGFIL RPT 421 EXPAIDHA RPT 422 AMBGREF RPT 422 EXPONIDENT RPT 422 EXPONIDENT RPT 424 EXPONIDENT RPT 425 EXPONIDENT RPT 426 NORGTPAR RPT 427 FRABSRCTYP RPT 428 EXPONIDENT RPT 428 EXPONIMER RPT 429 INVEXPR RPT 429 INVEXPR RPT 430 EXPAIDHAPA RPT 430 EXPAIDHAPA RPT 430 EXPAIDHAPA RPT 431 EXPRISER RPT 432 EXPONIMER RPT 432 EXPONIMER RPT 433 FILENST RPT 434 FILENST RPT 435 FILENST RPT 436 BINKENNAM RPT 437 FILENSER RPT 436 NONCHTFIL RPT 503 NONCHTFIL RPT 504 NONCHTFIL RPT 505 NONCHTFIL RPT 506 NONCHTFIL RPT 507 NONCHTFIL RPT 508 NONCHTFIL RPT 509 NORKEP RPT 509 NORKEP RPT 501 BADONYPID RPT 511 BADONYPID RPT 512 BADNUMLIT RPT 513 BADSUBFID RPT 514 NORPFFLD RPT 515 NONDER RPT 516 NONDER RPT 517 NONDEFFLD RPT 518 BADSUBFID RPT 518 BADSUBFID RPT 519 NONSTRCT RPT 520 NOSTRCT RPT 520 NOSTRCT RPT 521 NOFICER RPT 522 NOFILERR RPT 522 NOFILERR RPT 523 BADLMKS Relation in linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 419 EXPECL RPT 420 AMBGFIL RPT 421 EXPADPHA RPT 421 EXPADPHA RPT 422 AMBGREF RPT 422 AMBGREF RPT 423 EXPNULL RPT 424 EXPOIDENT RPT 425 EXPNOTIDIM RPT 426 NORGYPAR RPT 427 FBADSKCTYP RPT 428 EXPDIMER RPT 427 FBADSKCTYP RPT 428 EXPDIMER RPT 429 INVEXPR RPT 429 INVEXPR RPT 430 EXPADPHOP RPT 431 EXPRACER RPT 432 EXPNOTING RPT 431 EXPRACER RPT 432 EXPNOTING RPT 433 FILEXST RPT 436 BIANKNAM RPT 437 FILCXEE RPT 437 FILCXEE RPT 504 NORCIMFIL RPT 505 NONDETFIL RPT 506 NOWNDFIL RPT 507 NORFFIL RPT 508 NOKEY RPT 509 NOKRF RPT 510 BADGRYFID RPT 511 BADDRYFID RPT 512 RADNUMLIT RPT 513 BADGRYFID RPT 514 NORFFIL RPT 515 NORFF RPT 515 NORFF RPT 516 NONDEFFL RPT 517 NORFFIL RPT 518 BADGRYFID RPT 518 BADGRYFID RPT 518 RADSUBFLD RPT 510 NONSTRCT RPT 520 NOSTRCT RPT 520 NOSTRCT RPT 520 NORSTRCT RPT 520 NORIGER RPT 520 NORIGET RPT 520 | | | | | |
| RPT 420 AMBGFII Ambiguous file/structure reference: %a RPT 421 EXPADHA AMBGRF Ambiguous field reference: %a Ambiguous field reference: %a Ambiguous field reference: %a Ambiguous field reference: %a RPT 423 EXPNOIDENT RPT 426 EXPNOIDENT RPT 426 EXPNOIDENT RPT 427 FEADSKCTYP RPT 427 FEADSKCTYP RPT 428 EXPLOYER BAD STORM MISSING ')' or ']' in RG_EXPR RPT 429 INVEXPR EXPLOYER BAD STORM MISSING ')' or ']' in RG_EXPR RPT 429 INVEXPR EXPLOYER BAD STORM MISSING ')' or ']' in RG_EXPR RPT 430 EXPLOYER BAD STORM MISSING ')' or ']' in RG_EXPR RPT 431 EXPROSERR RPT 432 EXPNOITENCE REXPOSED REXPOSED REXPORTANCE RPT 433 FILEXET RPT 436 BLNKFNAM RPT 437 FILEXEST RPT 436 DICTERR RPT 503 DICTERR RPT 504 NODCITIFIL Cannot open report definition file "%a" cannot be created. The file already exists. A report definition file "%a" cannot be created. The file already exists. A report definition file "%a" cannot per perort definition file "%a" cannot per perort definition file "%a" cannot open major repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository modern and repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository modern repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file you may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file you may need to set RPSMFIL and RPSTFIL to point to your repository text file you may need to set RPSMFIL and RPSTFIL to point to your repository text file you may need to set RPSMFIL and RPSTFIL to point to your repository text file you may need to set RPSMFIL and RPSTFIL to point file you may need | | | | | |
| RPT 421 AMEGREF RPT 422 AMEGREF RPT 422 AMEGREF RPT 423 EXPNULL RPT 424 EXPNOIDENT RPT 425 EXPNOIDENT RPT 426 NORTPAR RPT 427 FBADSKCTUP RPT 427 FBADSKCTUP RPT 428 EXPNOIDENT RPT 429 INVEXPR RPT 429 INVEXPR RPT 420 EXPNOIDENT RPT 420 EXPNOIDENT RPT 421 EXPNOIDENT RPT 422 EXPNOIDENT RPT 423 EXPNOIDENT RPT 426 NORTPAR RPT 427 FBADSKCTUP RPT 428 EXPNOIDENT RPT 429 INVEXPR RPT 429 INVEXPR RPT 420 EXPNOIDENT RPT 430 EXPALHHOP RPT 431 EXPNOIGER RPT 432 EXPNOIGER RPT 432 EXPNOIGER RPT 433 FILEXST RPT 434 FILEXST RPT 435 FILEXST RPT 436 BLINKFNAM RPT 437 FILCREF RPT 504 NODCTMFIL RPT 505 NONCOUTFIL RPT 505 NONDFILL RPT 506 NONNDFIL RPT 507 NODEFFIL RPT 507 NOREFFIL RPT 508 NOKEY RPT 509 NOKEY RPT 510 BADGNYFID RPT 511 BADENVFID RPT 512 BADNUNLIT RPT 513 BADFIL RPT 514 NORPTELD RPT 515 NOREFT RPT 515 NOREFFIL RPT 516 NONSCR RPT 517 NOREFLD RPT 518 BADSUBFLD RPT 518 BADSUBFLD RPT 518 BADSUBFLD RPT 519 NONSCR RPT 510 NONSCR RPT 510 NONSCR RPT 511 NORPTELD RPT 512 NORRET RPT 513 BADSUBFLD RPT 514 NORPTELD RPT 515 NOREFFIL RPT 516 NONSCR RPT 517 NOREFLD RPT 518 BADSUBFLD RPT 518 BADSUBFLD RPT 519 NONSCR RPT 510 NONSCR RPT 510 NONSCR RPT 510 NONSCR RPT 511 NORPTELD RPT 512 NORRET RPT 520 NONSTRCT RPT 520 NONSTRCT RPT 520 NONSTRCT RPT 521 NOSTRCT RPT 522 NOFILERR RPT 522 NOFILERR RPT 523 BADLINS RPT 610 NONSCR RPT 521 NOSTRCT RPT 522 NOFILERR RPT 522 NOFILERR RPT 620 NONSTRCT RPT 522 NOFILERR RPT 620 NONSTRCT RPT 522 NOFILERR RPT 620 NONSTRCT RPT 522 NOFILERR RPT 623 BADLINS RPT 620 NONSTRCT RPT 522 NOFILERR RPT 620 NORT RPT RPT 620 NONSTRCT RPT 522 NOFILERR RPT 620 NONSTRCT RPT 522 NOFILERR RPT 620 NONSTRCT RPT 522 NOFILERR RPT 620 NORT RPT RPT 620 NOSTRCT RPT 522 NOFILERR RPT 620 NORT RPT RPT RPT 620 NORT RPT RPT RPT RPT 620 NORT RPT RPT RPT RPT RPT RPT RPT RPT RPT R | | | | | |
| RPT 423 EXPNULL RPT 424 EXPNOIDENT RPT 425 EXPNOIDINT RPT 426 EXPNOIDINT RPT 427 FABRECTYP RPT 428 EXPNOIDING RPT 426 EXPNOIDING RPT 427 FABRECTYP RPT 428 EXPDIMERR RPT 429 INVEXPR RPT 429 INVEXPR RPT 430 EXPALPHOP RPT 430 EXPALPHOP RPT 431 EXPRNGERR RPT 432 EXPNOITING RPT 433 FILENST RPT 436 EXPNOITING RPT 437 FILENST RPT 437 FILENST RPT 437 FILENST RPT 503 DICTERR RPT 504 NODCTHFIL RPT 505 NODCTTFIL RPT 506 NOWNDFIL RPT 507 NOWNDFIL RPT 508 NOKEY RPT 508 NOKEY RPT 509 NOKEY RPT 509 NOKEY RPT 509 NOKEY RPT 510 BADDRYFID RPT 511 BADDNIPID RPT 512 BADDNIPID RPT 513 BADDIL RPT 514 NORPIFLD RPT 515 NORDEFLD RPT 516 NODSCR RPT 517 NORDEFLD RPT 518 BADDIL RPT 518 BADDIL RPT 519 NOKEY RPT 510 NORDEFLD RPT 510 RADDRIPID RPT 511 BADDNIPID RPT 512 BADDNIPID RPT 515 NORDEFL RPT 516 NODSCR RPT 517 NORDEFL RPT 518 BADDRIPID RPT 518 BADDRIPID RPT 519 NOKEY RPT 510 NORDEFL RPT 510 RADDRIPID RPT 511 BADDNIPID RPT 512 BADDNIPID RPT 513 BADDRIPID RPT 514 NORPIFLD RPT 515 NORDEFL RPT 516 NORSCR RPT 517 NORDEFL RPT 518 BADDRIPID RPT 518 BADDRIPID RPT 519 NOKEY RPT 510 NORSCR RPT 520 NORSC | | | | | |
| RPT 424 EXPNOIDENT RPT 425 EXPNOIDENT RPT 426 NORGTPAR RPT 427 FEADSMCTYP RPT 428 FEADSMCTYP RPT 429 INVEXPR RPT 420 INVEXPR RPT 430 EXPAIPMOR RPT 431 EXPNORMS RPT 431 EXPNORMS RPT 432 EXPNORMS RPT 433 FILENST RPT 436 BLNKFNAM RPT 437 FILCREER RPT 503 DICTERR RPT 504 NODCTFFIL RPT 505 NOKEY RPT 507 NODEFFIL RPT 508 NOKEY RPT 509 NOKEY RPT 509 NOKEY RPT 511 BADRINITI RPT 501 BADRINITI RPT 502 NOBEFIL RPT 503 NOBEFIL RPT 503 NOKEY RPT 504 NOCTFFIL RPT 505 NOKEY RPT 507 NODEFFIL RPT 508 NOKEY RPT 509 NOKEY RPT 509 NOKEY RPT 510 BADRINITI RPT 501 NODEFFIL RPT 502 NOKEY RPT 513 BADFIL RPT 515 NOBER RPT 516 NODEFFIL RPT 517 NODEFFIL RPT 518 BADRINITI RPT 518 BADRILL RPT 518 BADRILL RPT 518 BADRILL RPT 518 BADRILL RPT 519 NONERFIL RPT 510 NODEFFIL RPT 510 NODEFFIL RPT 511 NORDFFIL RPT 512 NORDFFIL RPT 513 NORDFFIL RPT 514 NORDFFIL RPT 515 NOBER RPT 516 NOBER RPT 517 NODEFFIL RPT 518 BADRILL RPT 518 BADRILL RPT 519 NONERF RPT 510 NODEFFIL RPT 510 NODEFFIL RPT 511 NORDFFIL RPT 512 NORDFFIL RPT 513 NORDFFIL RPT 514 NORDFFIL RPT 515 NOBER RPT 516 NOBER RPT 517 NODEFFIL RPT 518 RADRINGIT RPT 518 RADRINGIT RPT 519 NONERF RPT 510 NORDFFIL RPT 510 NORDFFIL RPT 511 NORDFFIL RPT 512 NORDFFIL RPT 513 NORDFFIL RPT 514 NORDFFIL RPT 515 NOBER RPT 516 NOBER RPT 517 NORDFFIL RPT 518 RADRINGIT RPT 518 RADRINGIT RPT 519 NONERFE RPT 520 NOSTRCT RPT 521 NOSTRCT RPT 522 NOSTRCT RPT 523 BADLIKS RPT 523 BADLIKS RPT 524 NOFILERR RPT 524 NOFILERR RPT 525 NOFILERR RPT 526 NOFILERR RPT 527 NOFILERR RPT 528 NOFI | | | | | |
| RPT 425 EXPNOIDENT RPT 426 MORGTPAR RPT 426 MORGTPAR RPT 427 FBADSRCTYP RPT 428 EXPDIMERR RPT 427 FBADSRCTYP RPT 428 EXPDIMERR RPT 429 INVEXPR Bad src type % in FORMATIIT Wrong number of dimensions specified: %a Expression error #%d at position %d. Operator (%a) not allowed with alpha operand. Invalid ranging specification. RPT 431 EXENGERR RPT 432 EXENOTRNG RPT 433 FLEXST RPT 436 BLAKENAM RPT 437 FILCREER RPT 437 FILCREER RPT 503 DICTERR RPT 504 NODCTMFIL RPT 505 NODCTMFIL RPT 507 NODEFIL RPT 508 NOWNDFIL RPT 508 NOWNDFIL RPT 509 NOWNDFIL RPT 509 NOWNDFIL RPT 509 NOWEFFID RPT 510 BADGNYFID RPT 511 BADENVFID MOWN field id for environment field: %a not found for structure %a key %a not found for structure %a key %a not found for structure %a key %a not found in file %a' Field %a' not found in file %a' Field %a' not found in file %a' Field %a' not found for structure found for structure %a how field id for question field: %d Numeric literal in conditional contains invalid characters for type: %a Field %a' not found for field %a file %a' reference %a not found for structure %a how field id for question field: %d Numeric literal in conditional contains invalid characters for type: %a Field %a' not found for field %a file %a' reference %a not found for structure %a how field id for question field: %d Numeric literal in conditional contains invalid characters for type: %a Field %a heading not found Field %a not found field %a' reference Structure %a not found Relation linkage corrupted. Report cannot be loaded. | | | | | 3 |
| RPT 426 NORGTPAR PRADSECTYP FRADSECTYP FRADSECTYP FROM 427 FRADSECTYP FROM 428 EXPLINEMENT 428 EXPLINEMENT 429 INVEXPR RPT 428 EXPLINEMENT ASSESSMENT ASSE | | | | | <u>-</u> |
| RPT 426 NORGTEAR RPT 427 FBADSECTYP 428 EXPDIMERR RPT 429 INVEXPR RPT 429 INVEXPR RPT 430 EXPALSHOP A30 EXPALSHOP A31 EXPANSER RPT 431 EXPANSER RPT 432 EXPOINTS RPT 432 EXPOINTS RPT 433 FILEXST RPT 436 BLAKFMAM RPT 437 FILCREER RPT 503 DICTERR RPT 503 DICTER RPT 504 NODCTHFIL RPT 505 NORCTF RPT 505 NORCTF RPT 507 NOREFIL RPT 507 NORFFIL RPT 508 NOKEY RPT 509 NOKEY RPT 509 NOKEY RPT 509 NOKEY RPT 500 NOKEY | | | | | |
| RPT 428 EXPINMENR 429 INVEXPR RPT 429 INVEXPR RPT 420 EXPAIPHOP RPT 430 EXPAIPHOP RPT 431 EXPRISER RPT 432 EXPNOTENG RPT 432 EXPNOTENG RPT 436 BLINKFNAM RPT 437 FILCREER RPT 503 DICTER RPT 505 NODCTTFIL RPT 506 NOWNDFIL RPT 507 NODEFFIL RPT 507 NODEFFIL RPT 508 NOKEY RPT 510 BADDRYFID RPT 511 BADDRYFID RPT 512 BADNUMLIT RPT 513 BADFIL RPT 511 BADDRYFID RPT 515 NOHDR RPT 516 NOBCR RPT 517 NODEFFLD RPT 518 BADSUBFLD RPT 519 INVELDERF RPT 520 NOSTRCT RPT 522 NOFILERR RPT 523 BADLINKS REAL PROPERTY AND ADDRESS NOT COMMENTATION AND ADDRESS NOT COMM | | | | | |
| RPT 429 INVEXPR RPT 429 INVEXPR RPT 431 EXPRISER RPT 432 EXPNOTENG RPT 431 EXPAILPHOP RPT 432 EXPNOTENG RPT 433 FILEXST RPT 436 ELNENYNAM RPT 437 FILEXST RPT 436 ELNENYNAM RPT 437 FILEXST RPT 503 DICTERR RPT 504 NODCTMFIL RPT 505 NODCTFILL RPT 505 NOMEFIL RPT 507 NODEFFIL RPT 507 NODEFFIL RPT 508 NOKEY RPT 510 BADGNVID RPT 511 BADENVPID RPT 512 BADENVEID RPT 513 BADFIL RPT 514 NORPIFLD RPT 515 NOHDR RPT 516 NOBCR RPT 517 NODEFFLD RPT 518 BADSUBFLD RPT 518 BADSUBFLD RPT 519 INVELDREF RPT 521 NOSTRCT RPT 522 NOFILERR RPT 523 BADLINKS RPT 524 NOSTRCT RPT 522 NOFILERR RPT 522 NOFILERR RPT 522 NOFILERR RPT 522 NOFILERR RPT 523 BADLINKS RPT 616 NOSTRCT RPT 522 NOFILERR RPT 523 BADLINKS RPT 523 BADLINKS RV R | | | | | |
| RPT 430 EXPAIDHOP RPT 431 EXPRNGERR RPT 432 EXPNOTRNG RPT 432 EXPNOTRNG RPT 433 FILEXST RPT 436 BLNKFNAM RPT 437 FILCKEER RPT 503 DICTERR RPT 504 NODCIMFIL RPT 505 NODCITFIL RPT 506 NOWNDFIL RPT 507 NODEFFIL RPT 510 BADGRYFID RPT 510 BADGRYFID RPT 511 BADENVFID RPT 511 RPT 512 NOHDR RPT 513 BADFIL RPT 513 BADFIL RPT 514 NORFIFLD RPT 515 NOHDR RPT 516 NOBCR RPT 517 NODEFFLD RPT 518 BADSIBELD RPT 518 RPT 516 NOBCR RPT 517 NODEFFLD RPT 518 BADSIBEL RPT 518 RPT | | | | | |
| RPT 430 EXPALEHOP RPT 431 EXPRNGERR RPT 432 EXPNOTRNG RPT 432 FILEXST RPT 433 FILEXST RPT 436 ELMKFNAM RPT 436 ELMKFNAM RPT 437 FILCRER RPT 503 DICTERR RPT 504 NODCTMFIL RPT 505 NODCTIFIL RPT 506 NOMNDFIL RPT 506 NOMNDFIL RPT 507 NODEFFIL RPT 508 NOKEY RPT 509 NOKEF RPT 510 BADQRYFID RPT 511 BADGNYFID RPT 512 BADNUMLIT RPT 513 BADFIL RPT 515 NORDET S11 RPT 516 NORDET S11 RPT 517 NORDEFFLD RPT 518 BADFIL RPT 518 RPT 517 NORDER RPT 518 BADFIL RPT 518 NORDER RPT 519 NORDER RPT 510 NORDER RPT 510 NORDER RPT 511 RPT 511 RPT 512 NORDER RPT 515 NORDER RPT 516 NORDER RPT 517 NORDEF RPT 518 BADFIL RPT 518 NORDER RPT 519 NORDER RPT 510 NORDER RPT 510 NORDER RPT 511 RPT 511 RAPFIL TO RETURN RPT 512 NORDER RPT 515 NORDER RPT 516 NORDER RPT 517 NORDER RPT 518 RADFIL RPT 518 RADFIL RPT 518 NORDER RPT 519 NORDER RPT 519 NORDER RPT 510 NORDER RPT 510 NORDER RPT 511 RADFIL RRPT 511 RADFIL RRPT 512 NORDER RPT 518 RADFIL RRPT 518 RADFIL RRPT 518 RADFIL RRPT 518 NORDER RPT 519 NORDER RPT 519 NORDER RPT 510 NORDER RPT 510 NORDER RPT 517 NORDER RPT 518 RADFIL RRPT 520 NOSTRCT RPT 521 NOSTRCT RPT 522 NOSTRCT Structure % a required field for field % a description record not found RPT Field % a description record not found RPT Field % a not found Structure % a required RPT S22 NOSTRCT Structure % a not found RPT Field % a not found RPT Field % a not found RPT Field % a not found RPT FIEL & NOSTRCT Structure % a not found RPT FIEL & NOSTRCT Structure % a not found RPT FIEL & NOSTRCT Structure % a not found RPT FIEL & NOSTRCT Structure % a not found RPT FIEL & NOSTRCT Structure % a not found Cannot load fields. RPT 522 NOSTRCT STRUCTURE RPT 522 NOSTRCT STRUCTURE & not found Cannot load fields. Report 523 BADLINES Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 431 EXPRNGERR RPT 432 EXPNOTRNG RPT 433 FILEXST RPT 436 BLNKFNAM RPT 437 FILCREER RPT 503 DICTERR RPT 504 NODCTMFIL RPT 505 NOMETHIL RPT 506 NOMETHIL RPT 507 NOBEFFIL RPT 508 NOKEY RPT 508 NOKEY RPT 510 BADDENVFID RPT 510 BADDENVFID RPT 511 BADDENVFID RPT 512 BADNUMLIT RPT 513 BADFIL RPT 513 BADFIL RPT 514 NORPFFED RPT 515 NOHDR RPT 515 NOHDR RPT 516 NOBECR RPT 517 NODEFFIL RPT 518 BADSUBFID RPT 518 BADSUBFID RPT 518 BADSUBFID RPT 519 INVELDEEF RPT 510 BADSUBFID RPT 510 BADSUBFID RPT 511 BADSUBFID RPT 512 NOSTRCT RPT 513 BADSUBFID RPT 514 NORDEFFIL RPT 515 NONDEFFIL RPT 516 NOBECR RPT 517 NODEFFID RPT 518 BADSUBFID RPT 519 INVELDEEF RPT 510 BADSUBFID RPT 510 BADSUBFID RPT 511 NOSTRCTI RPT 512 NOSTRCTI RPT 513 RPF 514 NOSTRCTI RPT 515 NOSTRCTI RPT 516 NOSTRCTI RPT 517 NODEFFID RPT 518 BADSUBFID RPT 519 INVELDREF RPT 520 NOSTRCTI RPT 521 NOSTRCTI RPT 522 NOFILERR RPT 523 BADLINKS READRIAG arange reference. "%a" can only be used in a range reference. "%a" cannot be used in a range reference. "%a" cannot be used in a range reference. Report definition file "%a" cannot be loaded. "%a" can only be used in a range reference. Report definition file almam may not start with a blank. A report definition file Pa cannot be loaded. "%a" can only be used in a range reference. Report definition file %a cannot be loaded. "%a" can only be used in a range reference. Report definition file almam may not start with a blank. A report definition file Pa cannot be loaded. "%a" can only be used in a range reference. Report definition file a renor #%d. Error occurred while scanning the repository. "A report definition file Pa cannot be loaded. Invalid field in a range reference. Report definition file a renor #%d. A report definition file Pa cannot be loaded. | | | | | |
| RPT 432 EXPNOTRNG RPT 436 FILEXST RPT 436 BLNKFNAM RPT 437 FILEXER RPT 503 DICTERR RPT 504 NODCTMFIL RPT 505 NODCTFIL RPT 506 NOWNDFIL RPT 507 NODEFFIL RPT 508 NOKEY RPT 508 BADRWFID RPT 510 BADRWFID RPT 511 BADRWFID RPT 512 BADRWFID RPT 513 BADRINLIT RPT 513 RAPFILL RPT 514 NORDER RPT 515 NODCC RPT 515 NORDE RPT 516 NORDE RPT 517 NORDE RPT 518 BADRINLIT RPT 518 NORDE RPT 519 NORDE RPT 510 BADRINLIT RPT 511 RPT 512 SADRIBLI RPT 515 NORDE RPT 516 NORDE RPT 517 NORDE RPT 518 BADRINLIT RPT 518 NORDE RPT 519 NORDE RPT 510 NORDE RPT 510 NORDE RPT 511 NORDEFFLD RPT 512 SADRIBLI RPT 513 SADRIBLI RPT 514 NORDEFFLD RPT 515 NORDE RPT 516 NODSCR RPT 517 NORDEFFLD RPT 518 BADSUBFLD RPT 519 NORDER RPT 510 NORDER RPT 510 NORDER RPT 511 NORDER RPT 512 NORDER RPT 513 RADRIBLI RPT 514 NORDER RPT 515 NORDE RPT 516 NODSCR RPT 517 NODEFFLD RPT 518 RADSUBFLD RPT 519 NOSTRCT RPT 520 NOSTRCT RPT 521 NOSTRCT RPT 521 NOSTRCT1 RPT 522 NOFILERR RPT 522 NOFILERR RPT 522 NOFILERR RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 436 BLNKFNAM A report definition file "%a" cannot be created. The file already exists. A report definition file may not start with a blank. RPT 437 FILCREER RPT 503 DICTERR RPT 504 NODCTMFIL Cannot open main repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository for main repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository for main repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository for main repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository for main repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository for main repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository for main repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository for main repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository for may need to set RPSMFIL and RPSTFIL to point to your repository for may need to set RPSMFIL and RPSTFIL to point to your repository for may need to set RPSMFIL and RPSTFIL to point to your repository for may need to set RPSMFIL and RPSTFIL to point to your repository for may need to set RPSMFIL and RPSTFIL to point to your repository for may need to set RPSMFIL and RPSTFIL to point to your repository for may need to set RPSMFIL and RPSTFIL to point to your repository for may need to set RPSMFIL and RPSTFIL to point to your repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository file. | | | | | |
| RPT 436 BLNKFNAM RPT 437 FILCREER RPT 503 DICTERR RPT 504 NODCTMFIL RPT 505 NODCTTFIL RPT 506 NOWNDFIL RPT 507 NOBEFFIL RPT 508 NOKEY RPT 509 NOKRF RPT 510 BADDRYFID RPT 510 BADDRYFID RPT 511 BADENVFID RPT 512 BADNUMLIT RPT 513 BADFIL RPT 514 NORDFFLD RPT 515 NOHDR RPT 515 NOBER RPT 516 NOBER RPT 517 NOBEFFLD RPT 518 BADSUBFLD RPT 518 BADSUBFLD RPT 519 NOSER RPT 510 NOSER RPT 510 NOSER RPT 510 NOBER RPT 511 NOFFLD RPT 512 BADSUBFLD RPT 513 RADENVFID RPT 514 NORDFF RPT 515 NOHDR RPT 515 NOHDR RPT 516 NOBER RPT 517 NODEFFLD RPT 518 BADSUBFLD RPT 518 BADSUBFLD RPT 519 NOVER RPT 510 NOSER RPT 520 NOSTRCT RPT 520 NOSTRCT RPT 521 NOFILERR RPT 522 NOFILERR RPT 523 BADLNKS RPADAMAN RPT 523 BADLNKS RPADAMAN RPADAMAN RPADAMAN A report definition file %a - error #%d. Error occurred while scanning the repository. Cannot open ReportWriter window library. Can | | | | | |
| RPT 437 FILCREER DICTERR RPT 503 DICTERR RPT 504 NODCTMFIL Cannot open main repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository. RPT 505 NOMNDFIL Cannot open repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository. RPT 506 NOWNDFIL Cannot open ReportWriter window library. RPT 507 NODEFFIL Cannot open ReportWriter window library. RPT 508 NOKEY Key %a not found for structure %a RPT 510 BADQRYFID BADQRYFID Unknown field id for question field: %d RPT 511 BADNIMIIT BADDRILIT RPT 512 BADNIMIIT RPT 515 NOHDR RPT 515 NOHDR RPT 516 NOBSCR RPT 517 NODEFFLD Field %a heading not found RPT 518 BADSUBFLD Field %a description record not found RPT 519 NOSTRCT RPT 520 NOSTRCT RPT 521 NOSTRCT RPT 522 NOFILERR RPT 522 NOFILERR RPT 522 NOFILERR RPT 523 BADLNKS REAL REPORT AGAINST CANNOT BE ADDRESS AND FIELS & not found RPAD 522 NOFILERR RPT 523 BADLNKS REAL REPORT Cannot open repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository. Cannot open main repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository. Cannot open main repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository. Cannot open repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository. Cannot open repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository. Cannot open repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL a | | | | | |
| RPT 503 DICTERR RPT 504 NODCTMFIL RPT 505 NODCTTFIL RPT 506 NODCTFIL RPT 507 NODEFFIL RPT 508 NOKEY RPT 509 NOKRF RPT 510 BADQRYFID RPT 511 BADENVFID RPT 512 BADNUMLIT RPT 513 BADFIL RPT 514 NORDFFLD RPT 515 NORDR RPT 516 NOBCR RPT 517 NODEFFLD RPT 518 BADSUBFLD RPT 516 NODCR RPT 517 NODEFFLD RPT 518 BADSUBFLD RPT 518 BADSUBFLD RPT 519 NOMER RPT 510 NODCR RPT 517 NODEFFLD RPT 518 BADSUBFLD RPT 519 NOMER RPT 510 NODCR RPT 510 SADGRAF RPT 511 NODCR RPT 512 BADNUMLIT RPT 513 RADENVER RPT 514 NORDRFFLD RPT 515 NOBCR RPT 516 NOBCR RPT 517 NODEFFLD RPT 518 BADSUBFLD RPT 518 BADSUBFLD RPT 519 NOMER RPT 510 NOSTRCT RPT 520 NOSTRCT RPT 521 NOSTRCT RPT 522 NOFILERR RPT 522 NOFILERR RPT 523 BADLNKS RPADLNKS | | | | | |
| RPT 505 NODCTTFIL NOWNDFIL Cannot open repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repository text file. You may need to set RPSMFIL and RPSTFIL to point to your reposition per and the part of the yell in the yell in yell in yell in yell in file "%a". Key %a not found for structure %a Not found in field: %d Unknown field id for environment field: %d Unknown field id for environment field: %d Unknown field id for environment field: %d Unknown field: %d Unknown field id for environment field: %d Unknown f | RPT | 503 | | | • |
| RPT 506 NOWNDFIL Cannot open ReportWriter window library. RPT 507 NODEFFIL Cannot open report definition file "%a". RPT 508 NOKRY Key %a not found for structure %a RPT 510 BADQRYFID Unknown field id for question field: %d RPT 511 BADENVFID Unknown field id for environment field: %d RPT 512 BADNUMLIT Numeric literal in conditional contains invalid characters for type: %a RPT 513 BADFIL Field "%a" not found: %a RPT 514 NORPTFLD Field %a heading not found RPT 515 NOHDR Field %a description record not found RPT 516 NODSCR Field %a description record not found RPT 517 NODEFFLD Field %a description record not found RPT 518 BADSUBFLD Subtotal not defined for field %a RPT 519 INVFLDREF Invalid field '%a' referenced RPT 520 NOSTRCT Structure %a not found RPT 521 NOSTRCT1 Structure %a not found RPT 522 NOFILERR File %a not found RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | RPT | 504 | NODCTMFIL | | Cannot open main repository file. You may need to set RPSMFIL and RPSTFIL to point to your repos |
| RPT 508 NOKEY Key %a not found for structure %a Value of reference %d not found for structure %a Value of reference %d not found for structure %a Value of reference %d not found for structure %a Value of reference %d not found for structure %a Value of reference %d not found for structure %a Value of reference %d not found for structure %a Value of reference %d not found field: %d Value of reference %d not found in field: %d Value of reference %d not found in field: %d Value of reference %d not found in field: %d Value of reference %d not found field: %d Value of reference %d not found field: %d Value of reference %d not found field %a heading not found field %a description record not found field %a description record not found field %d Subtotal not defined for field %a Invalid field '%a' referenced Structure %a not found Structure %a not found fields. RPT 510 NOSTRCT Structure %a not found Cannot load fields. RPT 521 NOSTRCT1 File %a not found Cannot be loaded. | RPT | 505 | NODCTTFIL | | Cannot open repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repos |
| RPT 508 NOKEY RPT 509 NOKRF RPT 510 BADQRYFID RPT 511 BADENVFID RPT 512 BADNUMLIT RPT 513 BADFIL RPT 515 NORPFELD RPT 515 NODEFFLD RPT 516 NODSCR RPT 517 NODEFFLD RPT 518 BADSUBFLD RPT 518 BADSUBFLD RPT 519 INVFLDREF RPT 510 NOSTRCT RPT 520 NOSTRCT RPT 521 NOSTRCT1 RPT 522 NOFILERR RPT 523 BADLNKS RPT 523 BADLNKS Key %a not found for structure %a Key of reference %d not found field: %d Unknown field id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a Field "%a" not found: %a Field %a heading not found Field %a heading not found Field %a description record not found Field %a not defined Subtotal not defined for field %a Invalid field '%a' referenced Structure %a not found Structure %a not found File %a not found Structure %a not found RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | RPT | 506 | NOWNDFIL | | Cannot open ReportWriter window library. |
| RPT 509 NOKRF RPT 510 BADQRYFID Unknown field id for question field: %d RPT 511 BADENVFID BADNUMLIT RPT 512 BADNUMLIT RPT 513 BADFIL File/structure not found: %a RPT 515 NOHDR RPT 516 NOBCR RPT 517 NODEFFLD RPT 518 BADSUBFLD RPT 519 INVFLDREF RPT 520 NOSTRCT RPT 521 NOSTRCT RPT 522 NOFILERR RPT 523 BADLNKS REQ of reference %d not found for structure %a Unknown field id for question field: %d Unknown field id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %a Field %a heading not found Field %a description record not found Field %a description record not found Field %a not defined Subtotal not defined for field %a Invalid field '%a' referenced Structure %a not found Structure %a not found RPT 521 NOSTRCT RPT 522 NOFILERR RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | RPT | 507 | NODEFFIL | | Cannot open report definition file "%a". |
| RPT 510 BADQRYFID 511 BADENVFID 511 BADENVFID 7512 BADNUMLIT 7513 BADFIL 7514 NORPTFLD 7515 NOHDR 7516 NODSCR 7517 NODEFFLD 7518 BADSUBFLD 7518 BADSUBFLD 7519 INVFLDREF 7519 INVFLDREF 7520 NOSTRCT 7521 NOSTRCT 7521 NOSTRCT 7521 NOSTRCT 7522 NOFILERR 7523 BADLNKS 7523 BADLNKS 752 BADLNKS 752 NOFILERR 7520 NOFILERR 7523 BADLNKS 752 NOFILERR 7520 NOFILERR 7520 NOFILERR 7520 Relation linkage corrupted. Report cannot be loaded. | RPT | 508 | NOKEY | | |
| RPT 511 BADENVFID RPT 512 BADNUMLIT RPT 513 BADFIL RPT 514 NORPTFLD RPT 515 NOHDR RPT 516 NODSCR RPT 517 NODEFFLD RPT 518 BADSUBFLD RPT 519 INVFLDREF RPT 520 NOSTRCT RPT 521 NOSTRCT1 RPT 522 NOFILERR RPT 523 BADLNKS RPT 523 BADLNKS Unknown field id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a Filed id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a Filed id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %a File/structure not found Field id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %a File/structure not found Field id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %a Filed id id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %a Field id id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %a Field id id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %a Field id id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a File/structure not found: %a Field id id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a Field id id id for environment field: %d Numeric literal in conditional contains invalid characters for type: %a Field id | | | | | • |
| RPT 512 BADNUMLIT 513 BADFIL File/structure not found: %a Field "%a" not found in file "%a" Field %a heading not found Field %a description record not found Field %a not defined Subtotal not defined for field %a referenced Structure %a not found Structure %a not found Filed %a not found Field %a not found Structure %a not found RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 513 BADFIL File/structure not found: %a RPT 514 NORPTFLD Field "%a" not found in file "%a" RPT 515 NOHDR Field %a heading not found RPT 516 NODSCR Field %a description record not found RPT 517 NODEFFLD Field %a not defined RPT 518 BADSUBFLD Subtotal not defined for field %a RPT 519 INVFLDREF Invalid field '%a' referenced RPT 520 NOSTRCT Structure %a not found RPT 521 NOSTRCT1 Structure %a not found RPT 522 NOFILERR File %a not found RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 514 NORPTFLD Field "%a" not found in file "%a" RPT 515 NOHDR Field %a heading not found RPT 516 NODSCR Field %a description record not found RPT 517 NODEFFLD Field %a not defined RPT 518 BADSUBFLD Subtotal not defined for field %a RPT 519 INVFLDREF Invalid field '%a' referenced RPT 520 NOSTRCT Structure %a not found RPT 521 NOSTRCT1 Structure %a not found Structure %a not found RPT 522 NOFILERR File %a not found RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 515 NOHDR Field %a heading not found Field %a description record not found Field %a description record not found Field %a not defined Subtotal not defined for field %a Invalid field '%a' referenced Subtotal field '%a' referenced Structure %a not found RPT 522 NOFILERR File %a not found Relation linkage corrupted. Report cannot be loaded. | 1 | | | | |
| RPT 516 NODSCR RPT 517 NODEFFLD Field %a description record not found RPT 518 BADSUBFLD Subtotal not defined for field %a RPT 519 INVFLDREF Invalid field '%a' referenced RPT 520 NOSTRCT Structure %a not found RPT 521 NOSTRCT1 Structure %a not found Structure %a not found fields. RPT 522 NOFILERR File %a not found RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 517 NODEFFLD Field %a not defined Subtotal not defined Subtotal not defined for field %a Invalid field '%a' referenced Structure %a not found File %a not found RPT 522 NOFILERR File %a not found Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 518 BADSUBFLD INVFLDREF Invalid field '%a' referenced Structure %a not found Structure %a not found Structure %a not found Invalid field '%a' referenced Structure %a not found Structure %a not found Invalid field '%a' referenced Structure %a not found Structure %a not found File %a not found Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 519 INVFLDREF Invalid field '%a' referenced Structure %a not found Structure %a not found Structure %a not found Invalid File %a not found Invalid field '%a' referenced Structure %a not found Invalid field '%a' referenced %a not found Invalid field '%a' referenced %a not found Invalid field '%a' referenced %a not found field '%a' referenced %a no | | | | | |
| RPT 520 NOSTRCT Structure %a not found Structure %a not found. Cannot load fields. RPT 521 NOFILERR File %a not found File %a not found File %a not found Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 521 NOSTRCT1 Structure %a not found. Cannot load fields. RPT 522 NOFILERR File %a not found RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 522 NOFILERR File %a not found RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | | | | | |
| RPT 523 BADLNKS Relation linkage corrupted. Report cannot be loaded. | | | | | |
| | | | | | |
| I REL I DAGE I NOTEDEL I I FIELUS LOI SCIUCCULE 6d NOC LOUND | RPT | 524 | NOFLDS1 | | Fields for structure %a not found |
| RPT 525 NORELS1 Relation records for %a not found | | | | | |
| RPT 526 INVRELS Relation %a is not for structure %a. | | | | | |

| RPT | | Code | Sev | Message |
|------------|------------|-----------------------|-----|-----------------------------------------------------------------------------------|
| | 527 | NOLNKSTRCT | | Linked structure %a not found |
| RPT | 529 | NOTAGFLD | | Tagged field not found |
| RPT | 530 | PACKERR | | Error while packing report: %a |
| RPT | 602 | FILRDSERR | | FILE READS ERROR: Could not read file %a |
| RPT | 603 | FILRDERR | | FILE READ ERROR: Could not read file %a |
| RPT | 604 | FILOPNERR | | FILE OPEN ERROR: Could not open file %a |
| RPT | 605 | BLDERRNUM | | Error #%d: |
| RPT | 606 | DELERR | | Error #%d on DELETE %a %d |
| RPT | 607 | RDSERR | | Error #%d on READS of %a |
| RPT | 608 | RDERR | | Error #%d on READ of %a |
| RPT | 609 | WRTERR | | Error #%d on WRITE saving %a |
| RPT | 610 | STRERR | | Error #%d on STORE saving %a |
| RPT | 611 | OOPNERR | | Could not open output file "%a" |
| RPT | 612 | LDRPTERR | | Error #%d while loading report %a |
| RPT | 613 | RPTIOERR | | Report library I-O error #%d |
| RPT | 701 | SUBSCR | | Subscript error: value %d |
| RPT | 702 | BADSUBLIT | | Subscript value '%a' must be in the range 1 to %d. |
| RPT | 703 | CTLOVFLW | | Report control structure overflow |
| RPT | 704 | MAXTOTS | | Too many total fields. Program will terminate. |
| RPT | 705 | MAXCHKPTR | | Checkpoint area too small, Maximum %d, short by %d |
| RPT | 706 | PPOOLOVF | | Report Memory Pool Overflow; Report too complex |
| RPT | 708 | INVFMT | | Invalid format identifier assigned to field %a. |
| RPT | 709 | PARSERR | | RU_MTHREF: Expression Parsing Error |
| RPT | 710 | MAXRDSCR | | REPORT ERROR: Too many report descriptors |
| RPT | 711 | INVOP | | Invalid OP_xxxx code |
| RPT | 712 | INVFNC | | Invalid FNC_xxxx code |
| RPT | 713 | INVFLD | | Invalid FLD_xxxx code |
| RPT | 714 | TOOMNOPND | | Internal error: too many operands in RG_EXPR |
| RPT | 715 | TOOMNRGTP | | Too many)'s or]'s in RG_EXPR |
| RPT | 716 | INVCOLNP | | Colon out of place in RG_EXPR |
| RPT | 717 | ERSKOVFLW | | Operator stack overflow in RG_EXPR |
| RPT | 718 | MXTMPOUT | | Out of available a-temps in RG_EXPR |
| RPT | 719 | EDSKOVFLW | | Operand stack overflow in RG_EXPR |
| RPT | 720 | NOOPRND | | Missing operand in RG_EXPR |
| RPT RPT | 721 722 | LNSKOVFLW | | Line stack overflow in DO_EXECUTE Report SP overflow in DO_CALL |
| | | RPSKOVFLW | | |
| RPT | 723 724 | BADRTNCL BRTCKOVE1 | | OP_RETURN without OP_CALL in DO_OPCODES Report stack overflow in OP_PUSH |
| RPT RPT | 724 | RPTSKOVF1 BADALP_A | | operand encountered in DO ADD |
| RPT | 725 | BADALP_A BADALP_S | | Alpha operand encountered in DO_SUBTRACT |
| RPT | 726 | BADALP_S BADALP_M | | Alpha operand encountered in DO_SUBTRACT Alpha operand encountered in DO MULTIPLY |
| RPT | 727 | BADALP_M BADALP_D | | Alpha operand encountered in DO_NOLITPEY Alpha operand encountered in DO_DIVIDE |
| RPT | 728 | BADALP_N | | Alpha operand encountered in DO_NEGATE |
| RPT | 730 | BADMTHFID | | INTERNAL ERROR: BAD CALCULATION FIELD ID |
| RPT | 731 | BADTXTFID | | INTERNAL ERROR: BAD TEXT FIELD ID |
| RPT | 731 | BADTMPFLD | | INTERNAL ERROR: TEMP FIELD %a NOT FOUND |
| RPT | 733 | DIMERR | | INTERNAL ERROR (RG_CODE): Field indexing error dimensions: %d, indices: %d |
| RPT | 734 | BADSEGSIZ | | INTERNAL ERROR (RP ADD) : Segment size invalid |
| RPT | 735 | BADFSDIDX | | INTERNAL ERROR : Bad FSD index specified, %d %d |
| RPT | 736 | EXPRSTKOV | | Operator stack overflow; expression too complex: %a |
| RPT | 737 | EXPNOATMP | | Out of available a-temps; expression too complex: %a |
| RPT | 738 | EXPDSTKOV | | Operand stack overflow; expression too complex: %a |
| RPT | 739 | EXPREFOVE | | Reference list overflow; too many fields used in expressions: %a |
| RPT | 740 | BADFSO | | File stack error; field identified: %d, error code: %d |
| RPT | 741 | INVOPCOD | | Invalid report opcode %d in DO_OPCODES; pc=%d |
| RPT | 742 | INVFNSTR | | Invalid FLD NSTR code %d in DO PUSH |
| RPT | 743 | INVFFUNC | | Invalid FLD FUNC code %d in DO PUSH |

| Fac | Err # | Code | Sev | Message |
|------------|------------|--------------------|-----|-----------------------------------------------------------------------------------------------------------|
| RPT | 744 | INVFXXXX | | Invalid FLD xxxx code %d in DO PUSH |
| RPT | 745 | BADDSTTYP | | Bad dst type %d in STORE IT |
| RPT | 746 | BATDGT | | Bad digit in STORE_IT, pc=%d, dst=%d, src=%d |
| RPT | 747 | BADSRCTYP | | Bad src type %d in STORE_IT |
| RPT | 748 | INVENTY | | Unrecognized entry "%a" selected |
| RPT | 749 | NOSTRCT2 | | Associated structures for file %a not found |
| RPT | 750 | TOOMNLFTP | | Too many ('s or ['s in RG_EXPR |
| RPT | 751 | INVSGLSTR | | Single-quoted string encountered in RG_EXPR |
| RPT | 752 | INVDBLSTR | | Double-quoted string encountered in RG_EXPR |
| RPT | 753 | INVTKN | | Unrecognized token type code %d in RG_EXPR |
| RPT RPT | 754 755 | INVCHR MAXPARN | | Unrecognized character %s in RG_EXPR Exceeded maximum paren nesting depth (99) in RG_EXPR |
| RPT | 756 | INVTERM | | OP TERMINATE without OP EXECUTE in DO OPCODES |
| RPT | 757 | CTLTST | | At arg=%d, Max=%d, needed=%d, used=%d |
| RPT | 758 | INVUNARY | | %s used as a unary operator in RG_EXPR |
| RPT | 759 | MULCOLNS | | Multiple colons in ident %s in RG_EXPR |
| RPT | 760 | BADSBTFID | | INTERNAL ERROR: BAD SUBTOTAL FIELD ID |
| RPT | 761 | BADDIGIT | | Bad Digits in Numeric source: %a |
| RPT | 762 | CNDLNK | | File cannot be deleted. Field %a is used in a conditional. |
| RPT | 763 | DIVZERO | | Division by zero attempted |
| RPT | 764 | RNGERR | | INTERNAL ERROR (RG_CODE): Field ranging error - indices: %d |
| RPT | 765 | BADRNGLIT | | Range value '%a' must be in the range 1 to 99. |
| RPT | 766 | BADRNGRNG | | Range offset plus length '%a' must be within the field size. |
| RPT | 801 | DEFHDR1 | | Report Name : %a |
| RPT | 802 | DEFHDR2 | | Generation Date: %a, %a |
| RPT | 803 804 | DEFHDR3 | | Definition File : %a |
| RPT RPT | 804 805 | DEFHDR4 DEFHDR5 | | Report Version : %a Report Size : %d |
| RPT | 806 | SMMSEC | | ************************************** |
| RPT | 807 | DTLSEC | | ************************************** |
| RPT | 808 | LINES | | Data Lines |
| RPT | 809 | FILDSC | | Filename Description Structure Level ParentFile Tandem External |
| RPT | 810 | FLDDSC | | Field Name Type Size Cond Totl Strp Frmt Hder Indx Line Pos Just |
| RPT | 811 | PAGSIZ | | Lines Per Page |
| RPT | 812 | DETAIL | | Detailed Report |
| RPT | 813 | COUNTS | | Detail Record Count |
| RPT | 814 | BLNKSPR | | Blank Lines Between Records |
| RPT | 815 | SUPFRM | | Form Feeds |
| RPT | 816 | SUPDSH | | Dashed Lines |
| RPT | 817 | SUPDSC | | Total Descriptions Compact Solection Field Indexed Operator Companies Indexed |
| RPT RPT | 818 819 | SELDSC | | Connect Selection Field Indexed Operator Comparison Indexed Sort Field Name Indexed Merged Reversed Break |
| RPT | 819 820 | KEYDSC HDRDSC | | Sort Field Name Indexed Merged Reversed Break Visible Separate BlankLines Modified |
| RPT | 821 | FLLDSC | | ************************************** |
| RPT | 822 | NOSAVRPT | | Cannot save this report. Loaded as a non-updatable report. |
| RPT | 823 | ENDDEF | | ************************************** |
| RPT | 824 | | | # FromStructure FromKeyName ToStructure ToKeyName |
| RPT | 825 | FILDEFTTL | | FileName FileType OpenFilename |
| RPT | 826 | FLDDEFTTL | | Field Name Heading Line # Position |
| RPT | 827 | FMTDEFENT1 | | %eFormat : %a |
| RPT | 828 | FMTDEFENT2 | | %eFormat: %a |
| RPT | 829 | CNDDEFENT | | %eConditional: Operand 1 Operator Operand 2 |
| RPT | 830 | SELFLDENT | | %d) Selection Field - %15a: %a |
| RPT | 831 | CMPFLDENT | | %d) Comparison Field - %15a: %a |
| RPT | 832 | CMPVALENT | | %d) Comparison Value - %a |
| RPT | 833 | SRTFLDENT | | %d) Sort Key Field - %a.%a |
| RPT | 834 | PREBRKENT | 1 | %ePre-Break Field |

| Fac | Err # | Code | Sev | Message |
|------------|------------|---------------------|-----|----------------------------------------------------------------------------------------------------------------------|
| RPT | 835 | PREBRKCND | | %ePre-Condtns: Operand1 Operator Operand 2 |
| RPT | 836 | PSTBRKENT | | %ePost-Break Field |
| RPT | 837 | PSTBRKCND | | %ePost-Condts: Operand1 Operator Operand 2 |
| RPT | 838 | MTHCNDENT | | %eMath-Condts: Operand1 Operator Operand 2 |
| RPT | 839 | MTHDSC1 | | %e%e:- Type:%a Size:%d Just:%a Prec:%d |
| RPT | 840 | MTHDSC2 | | %e%e Promote:%a Class:%a |
| RPT | 841 | MTHEXPR1 | | %eExpression =[%a] |
| RPT | 842 | MTHEXPR2 | | %eExpression1=[%a] |
| RPT | 843 | DSCDEFENT | | %eDescription: %a |
| RPT | 844 | QRYDSC1 | | %e%e:- Type:%a Size:%d Just:%a Prec:%d |
| RPT | 845 | QRYDSC2 | | %e%e Upcase:%a BlankZero:%a Negative:%a Required:%a |
| RPT | 846 | QRYDFLT | | %eDefault : %a |
| RPT | 847 | QRYINFLN | | %eInfo Line : %a |
| RPT | 848 | QRYPRMT | | %ePrompt : %a |
| RPT | 849 | ENVUSRTXT | | %eUser Text : %a |
| RPT | 850 | SUBFLDENT | | %eSubtotal Field:%a:%a |
| RPT | 851 | SUBTOTVAL | | %eSubtotaled : %a |
| RPT | 852 | SUBBRKFLD | | %eBreak Level Field:%a:%a |
| RPT | 853 854 | SUBBRKLVL | | %eBreak Level: %a |
| RPT RPT | 855 | SUBRUNNG INDEXED | | <pre>%eRunning Total: %a %eINDEXED BY : %a</pre> |
| RPT | 856 | NEWTCDSC | | New Report Summary Description |
| RPT | 857 | SUMARGSYN | | %SUM requires array[beg:end] %a |
| RPT | 858 | SUM1DIM | | %SUM can only be used on a 1-dimensional array. |
| RPT | 859 | TYPDECEXP | | Decimal type expected: %a |
| RPT | 860 | FILREFHDR | | Report Name: File Definition - Open Filename |
| RPT | 861 | LCKRPTDEL | | Report cannot be deleted. It is being used by another user. |
| RPT | 862 | LCKRPTSAV | | Report cannot be saved. It is being used by another user. |
| RPT | 863 | INVFNAM | | Invalid filename specified "%a". |
| RPT | 864 | CANTOPN | | Cannot open file "%a". |
| RPT | 865 | ENTERFIL | | Please enter another filename. |
| RPT | 866 | ERRLDRPT | | Cannot load report %a from the specified input file. |
| RPT | 867 | ERRRPTLD | | Cannot load report %a into the specified report definition file. |
| RPT | 868 | ERRDUPLD | | Cannot load duplicate report %a. |
| RPT | 869 | ERRULDRPT | | Cannot unload report %a into the specified output file. |
| RPT | 870 | ERRRPTULD | | Cannot unload report %a from the specifed report definition file. |
| RPT | 871 | INCLOAD | | Load specifications are incomplete. |
| RPT | 872 | INCUNLOAD | | Unload specifications are incomplete. |
| RPT | 873 | NODTFMT | | No date data format has been defined. |
| RPT | 874 | RANGED | | %eRANGED BY : %a |
| RPT | 875 | ALLINES | | Total Lines |
| RPT | 876 | BLNKSRB | | Blank Lines Between Breaks |
| RPT | 877 | PAGTOOSML | | Cannot generate report: page size %d too small for %d lines per page |
| RPT | 878 | RDONLY | | Report in use. Do you want to load the report anyway? |
| RPT | 879 | SAVRPT | | Report has been modified. Do you want to save changes? |
| RPT | 880 881 | DUPRPTQ DELETEQ | | A report already exists with that name. Use it anyway? |
| RPT RPT | 881 882 | APNDORDEL | | File already exists. Do you want to delete it? Select "No" to append output to the existing file; "Yes" to delete it |
| RPT | 882 883 | BRKCNTS | | Break Field Count |
| RPT | 884 | INVNAM | | Invalid report name specified. |
| RPT | 885 | NO_WILDGEN | | To generate all of the report schemas, Report name must contain a wildcard (e.g., FRED*) or be bl |
| RPT | 886 | NO WILDLD | | To load all of the report schemas, Report name must contain a wildcard (e.g., FRED) or be blank. |
| RPT | 887 | NO_SPACE | | Spaces are not allowed in temporary field names. |
| RPT | 888 | O_HELP | | Press [O_HELP] for Help |
| RPT | 889 | POOLSTS | | Total memory pool available: %d bytes. Number of bytes used: %d. |
| RPT | 890 | NODATALIN | | No detail lines have been selected to print in this report. |
| RPT | 891 | INTEXPR | | Integer field not allowed: %a. |
| | | | | |

| Fac | Err # | Code | Sev | Message |
|--------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RPT RPT RPT RPT RPT RPT RPT RPT RPT RPT | 893 894 895 896 897 899 9001 9003 9005 9007 9008 9009 | INTRNG INVCDAT INVCTIM NOMSGCTL FNF RTNNF TSTDGT PROTECT UNEXP RW_INIT NORW_INIT TMPFLDNAM INVPARM INT_INHER NOINIT INVTIM BADDICT NORECS | | Integer fields cannot be ranged. Calculation resulted in invalid date. Calculation resulted in invalid time. File "%a" not found. Invalid parameter to RW.INIT: "%a". Protection violation in access of "%a". Unexpected error in "%a". ReportWriter methods cannot be overloaded outside of RW_INIT. ReportWriter utilities cannot be called without calling %RW.INIT. Invalid temporary field name. Question fields cannot inherit attributes from an integer field. ReportWriter not initialized due to error in RW_INIT. Invalid time specified. %a is not a version 7 or version 10 repository. No records selected by report. |