Fac	Err #	Code	Sev	Message
CMP	1	RECBIG	E	%s size too large
CMP	6	WROARG	E	Incorrect number of subroutine arguments
CMP	14	BIGALPHA	E	Alpha temporary result exceeds 65535
CMP	15	BIGNUM	E	Arithmetic operand exceeds maximum size
CMP	25	BDQUOT	E	Unmatched quotes
CMP	30	DIVIDE	E	Attempt to divide by zero
CMP	32	BNDXP	E	Bind name expected
CMP	37	CLOSIN	E	Cannot close: %s
CMP	44	XTRENDC	E	Too many .ENDC statements
CMP	77	GLCMN	E	COMMON invalid in GLOBAL sections
CMP	82	NUMINCL	F	Too many nested .INCLUDE levels
CMP	90	INVFF	E	Invalid fixed field size
CMP	99	INVOCB	F	Invalid OCB index: %d
CMP	102	INVPOS	F	Invalid OCB load position
CMP	104	AMBOPT	E	Ambiguous option: %s
CMP	107	INVSIZ	E	Invalid buffer size (1 to 16 only)
CMP	112	IVBAD	E	Initial value not allowed here
CMP	115	IVLNG	E	Initial value too long
CMP	116	IVXP	E	Initial value expected
CMP	126	LSTXP	E	List file name expected
CMP	132	NAMESUB	W	.NAME not allowed in subroutines
CMP	134	NLREC	W	Preceeding RECORD empty
CMP	136	NOGLB NOPROSEC	E	Not processing a GLOBAL section No procedural section
CMP CMP	138 144	OBJWRI	E F	Cannot write to object file
CMP	144	BDIGXP	E	Binary digits expected in argument (%s)
CMP	145	HDIGXP	E	Hexadecimal digits expected in argument (%s)
CMP	147	ODIGXP	E	Octal digits expected in argument (%s)
CMP	148	NULPR	F	No primary files specified
CMP	149	OBJXP	W	Object file name expected
CMP	150	OLYBD	E	Overlay not allowed
CMP	155	RNDVAL	E	Invalid round value: %s
CMP	158	OPENIN	F	Cannot open: %s
CMP	159	OPENOUT	F	Cannot open: %s
CMP	160	WRIFIL	F	Error writing %s
CMP	161	MAXTF	F	Exceeded maximum number of files
CMP	183	SYMND	E	Record or field not declared
CMP	185	STRTOPT	W	Unrecognized .START option: %s
CMP	187	TOKUDF	E	Symbol %salready uniquely defined%s
CMP	195	TRUNC	E	Source line too long
CMP	197	BADCDIR	E	Invalid compiler directive: %s
CMP	201	WRNGRC	E	Field not in this %s
CMP	202	UTLXP	E	UNTIL statement expected
CMP	213	LISWRI	F	Cannot write to listing file
CMP	214	LSWIDX	W	Listing width expected
CMP	215	LSLENX	M	Listing length expected
CMP	216	VRNTXP	E	Variant value expected
CMP	224	INVPRC	E	Invalid fractional precision
CMP	301	LINLNG	E	Logical line too long Too many subtokens in logical line
CMP CMP	302 303	NUMTOK ERRCNT	E E	Too many subtokens in logical line Too many errors
CMP	303	NOIDENT	E	Identifier expected
CMP	310	NOENDC	E	.ENDC expected
CMP	310	NOSPECL	E	%s expected
CMP	312	SYMDEFD	W	Symbol already defined: %s
CMP	313	NOTIMPLE	E	Feature not yet implemented: %s
CMP	314	LNGTITL	W	Title too long
<u> </u>) ± 1		1 "	

Fac	Err #	Code	Sev	Message
CMP	316	BIGIDEN	W	Identifier too long: %s
CMP	317	CLSYN	E	Invalid command line syntax: %s
CMP	319	NOQUOTE	E	Quoted string expected
CMP	320	NOCND	W	Previous .IFDEF/.IFNDEF statement expected
CMP	322	NOTDEF	W	Identifier not defined: %s
CMP	323	BIGPATH	E	Path name too long
CMP	327	INVARG	E	Invalid argument: %s
CMP	329	ARGNUM	E	Invalid number of arguments
CMP	331	WRILIT	E	Writing to a literal or missing argument
CMP	332	ARGSIZ	E	Argument specified with wrong size
CMP	336	XTRAEND	E	Too many END statements
CMP	337	ENDXP	W	END statement expected
CMP	338	UNDEFLBL	E	Undefined label: %s
CMP	339	LBLDEF	W	Label previously declared
CMP	340	STMTXP	E	Statement expected
CMP	341	ARGTYP	E	%s type argument expected (%s)
CMP	345	OPTTYP	E	%s expression expected for %s value
CMP	346	OPTEXP	E	%s option requires an assigned value
CMP	347	OPTNOEXP	E	%s option does not allow an assigned value
CMP	348	OPENMD	E	Invalid OPEN mode: %s
CMP	349	OPENSB	E	Invalid OPEN submode: %s
CMP	350	INVKSW	E	Invalid key switch: %s
CMP	351	MRGFILS1	E	MERGE requires at least 2 input files
CMP	352	MRGFILS2	E	Too many input files for MERGE
CMP	353	INVRSW	E	Invalid record switch: %s
CMP	354	IFSTMT	E	Statement part of IF missing
CMP	355	INTOXP	E	INTO expected in TRAP statement
CMP	356	NOLOOP	E	Not currently within a loop statement
CMP	357	LOGTOOBIG	W	Logical expression too large
CMP	358	NOBLOCK	E	Not within a BEGIN-END block
CMP	359	NOTINSUB	E	Not within function or subroutine
CMP	360	INVSCRFNC	E	Invalid screen function or parameter {%s}
CMP	362	INVRERR	E	Invalid error literal
CMP	363	NOTSAMFIL	W	.PROC not in same file as routine header
CMP	364	ALIGN	E	Invalid .ALIGN value (%d)
CMP	365	NOALIGN	W	Alignment not performed
CMP CMP	366 367	OUTOFRANGE	W	Select value is outside defined range Statement can never be executed
CMP	368	NOTEXE	W W	Only one character allowed: %s
CMP	368 369	ONEALPHA SFLDREQ	E	STRUCTURE field required
CMP	370	SFLDREQ	E	Invalid usage of STRUCTURE field
CMP	370 371	WRODEFARG	E	Wrong argument count in define reference
CMP	371	INVDEFARG	E	Invalid define parameter specified
CMP	372	BADRNG	E	Invalid range specified
CMP	401	NUMXP1	E	Numeric operand required (unary %s)
CMP	402	ALPHXP	E	Alpha operands required (%s)
CMP	403	SAMXP	E	Operands must be both alpha or both numeric (%s)
CMP	404	PARSE	E	%s at or near {%s}
CMP	405	NUMXP2	E	Numeric operands required (%s)
CMP	406	NOFXD	E	Only integer and decimal operands allowed (%s)
CMP	407	DECXP	E	Decimal or integer operand required (%s)
CMP	408	EOLXP	E	End of line expected at {%s}
CMP	409	INVARGTYP	E	Invalid argument type
CMP	410	NUMREQ	E	Numeric expression required
CMP	411	NOTCEXP	E	Not a compile-time expression
CMP	412	DEXPREQ	E	Decimal or integer expression required
CMP	413	INVTYPSIZ	E	Invalid data type/size specification {%s}

Fac	Err #	Code	Sev	Message
CMP	414	IDXP	E	"%s" expected at or near {%s}
CMP	415	INVRQUAL	E	Invalid routine qualifier {%s}
CMP	416	ALPHAXP	E	Alpha expression expected
CMP	417	INVEXFTYP	E	Invalid external function data type
CMP	418	INVDECSIZ	W	Invalid data size specification {%s}
CMP	419	AMBIGUOUS	E	Path specification is ambiguous ({%s})
CMP	420	NOENDUSING	Ē	Missing ENDUSING statement
CMP	421	INVNUMDIM	E	Incorrect number of dimensions for {%s}
CMP	422	NOENDCASE	E	No ENDCASE for current CASE
CMP	423	INVFNCIDO	E	Invalid function identifier {%%s}
CMP	424	INVINTFNC	E	Unknown intrinsic function {%s}
CMP	425	EXACTPATH	W	Exact specification of ambiguous path used ([%s])
CMP	426	INVFNCID	E	Invalid function identifier {%s}
CMP	500	GLSTC	E	STATIC RECORD invalid in GLOBAL sections
CMP	501	NOGROUP	E	No GROUP to end
CMP	502	NOENDGRP	E	No ENDGROUP allowed
CMP	503	NOAUTO	E	Autosizing not allowed here
CMP	504	ENDGRPEXP	E	ENDGROUP expected
CMP	505	GLLIT	E	LITERAL invalid in GLOBAL sections
CMP	506	BDINITVAL	E	Too many initial values
CMP	507	GRPBIG	E	GROUP %s size too large
CMP	508	ILLQUAL	E	Illegal duplicate qualifier
CMP	509	EFDEF	E	External function already declared
CMP	510	GDSDEF	E	Global data section already defined
CMP	511	OLYBG	E	Overlay record too big
CMP	512	REQDIM	E	Dimension specifications required for {%s}
CMP	513	AMBIGIF	W	Ambiguous IF statement - ELSE without THEN
CMP	514	SEGBIG	F	%s segment too big
CMP	515	INVCMDLN	E	Invalid option(s), possibly missing argument {%s}
CMP	516	INVOPT	F	Invalid option: %s
CMP	517	INTERR	F	Internal error number: %d
CMP	518	STXPFOR	W	Statement expected following FOR
CMP	519	ALPHARG	E	Alpha argument required
CMP	520	BADSYS	F	License management problem - %s
CMP	521	LMFAIL	F	Licensing failure %s
CMP	522	NOLMD	F	Cannot access Synergy License Manager
CMP	523	DDRD	F	Cannot read repository's main file
CMP	524	DDTXTRD	F	Cannot read repository's text file
CMP	525	DDOPN	F	Cannot open repository's main file: %s
CMP	526	DDTXTOPN	F	Cannot open repository's text file: %s
CMP	527	DDNOLOG	F	Logical for repository name expected
CMP	528	DDBADLOG	F	%s is not defined
CMP	529	EXPAN	I	Within expansion: %s
CMP	530	DDAPIERR	F	Internal DDapi error %s %s
CMP	531	INCFIL	I	Occurring in the source file: %s
CMP	532	NOGRP	E	No GROUP specification allowed
CMP	533	XTRASRC	W	Only the first source file on the command line was compiled
CMP	534	IDIGN	M	.IDENT ignored
CMP	535	DDINVLOG	F	Invalid specification for repository files: "%s"
CMP	536	ARGREQ	E	Field not an argument {%s}
CMP	537	NOLEN	E	Length not allowed
CMP	538 530	GLLCL	E	LOCAL RECORD invalid in GLOBAL sections
CMP	539 540	GLSTK	E	STACK RECORD invalid in GLOBAL sections
CMP	540	GLSTR	E	STRUCTURE invalid in GLOBAL sections
CMP	541 542	YIELD	I	Resulting in: %s
CMP	542 542	ENDGBLEXP	E	ENDGLOBAL expected Mara than 65534 gymbolg in debug gourge module. Excess ignored
CMP	543	TOOMANYSYM	W	More than 65534 symbols in debug source module. Excess ignored

Fac	Err #	Code	Sev	Message
CMP	544	SRCLINBIG	E	More than 65534 source lines (%s). Debug not possible
CMP	545	SRCLINBIGW	W	More than 65534 source lines (%s). Reported error line incorrect
CMP	546	TOOMNYSRC	E	More than 254 source modules
CMP	547	DDBADVERS	F	Incompatible repository version
CMP	548	SYNOBJSUP	E	Synergy objects not supported
CMP	549	DDSTRUCT	E	Structure %s not found in repository %s
CMP	550	LBLSCOPE	E	Label %s out of scope
CMP	551	DDENUM	E	Enumeration %s not found in repository %s
CMP	560	INVCLASS	E	Invalid class: %s
CMP	561	INVPROP	E	Invalid property: %s
CMP	562	INVMTHD	E	Invalid method: %s
CMP CMP	563 564	INVOHND	E E	Invalid object handle: %s Object handle/function not allowed {%s}
CMP	565	NOOBJHND OBJHNDXP	E	Object handle/function expected
CMP	566	OBJHNDEQ	E	Only both sides of a '=' can be object handles
CMP	568	INMTHD	E	MRETURN %s within a method
CMP	569	INVMRET	E	Invalid MRETURN: %s
CMP	570	VOIDMTHD	E	Cannot reference a void method as a function {%s:%s}
CMP	571	PARMISMCH	E	Parameter mismatch: %s
CMP	572	INVPARM	E	Invalid parameter: %s
CMP	590	UNXPTOK	E	%s (%s)
CMP	599	PARSERR	F	Fatal parsing error: %d
CMP	600	INVCLIDEF	F	Invalid/obsolete command verb "%s" used to invoke compiler
CMP	601	ENDLCLXP	W	.END_LOCAL_ROUTINE expected
CMP	602	BEGLCLXP	W	.BEGIN_LOCAL_ROUTINE expected
CMP	603	NOTIMP	W	%s not yet implemented
CMP	604	NOTALIGNED	W	Physical memory alignment not guaranteed
CMP CMP	605 606	INTLEXERR INTLEXERR2	E E	Internal lexer error: invalid state %s Internal lexer error: invalid token %s
CMP	650	BCUDEF	E	Base %s %s cannot be found
CMP	651	NVRTM	E	Cannot resolve return type for method %s
CMP	652	NVRTF	E	Cannot resolve return type for function %s
CMP	653	NVTP	E	Cannot resolve type for parameter %s
CMP	654	NVTF	E	Cannot resolve type for field %s
CMP	655	NVTG	E	Cannot resolve type for group %s
CMP	656	NVTPR	E	Cannot resolve type for property %s
CMP	657	INVUCDLIT	W	Invalid UNICODE literal encountered
CMP	658	IMPTYPARG	E	Cannot determine implicit type arguments in call of generic method %s
CMP	659	MISTYP	E	Missing expected type for %s
CMP	660	MBOTH	E	%s cannot be both %s
CMP	661	NSRES	E	%s namespace reserved
CMP	662	NFND	E	%s not found Duplicate symbol %s not allowed
CMP CMP	663 664	DUPSYM DUPSYP	E E	Duplicate symbol %s not allowed Duplicate symbol %s for same parent not allowed
CMP	665	SYMADD	E	%s %s could not be added
CMP	667	DEFVALMIS	E	Default value for parameter missing
CMP	668	AMBSYM	E	Ambiguous symbol %s
CMP	669	ACCESS	E	%s is inaccessible
CMP	670	TYPPARM	E	Type mismatch for parameter %s in routine %s
CMP	671	TYPRET	E	Type mismatch for return type
CMP	672	MOREARGS	E	More argument values than declared parameters in routine %s
CMP	673	REQPARM	E	Missing required parameter %s in routine %s
CMP	674	INVSTX	E	Invalid syntax
CMP	675	MULTMAIN	E	More than one main routine encountered
CMP	676	NMETHODARG	E	%s not allowed as %s
CMP	677	STARFIELD	E	'*' not allowed in parameter field specification
CMP	678	INVOBJREF	E	Object references not allowed in %s

COP 691 ARRAPEDROS E ARRAPEDROS	Fac	Err #	Code	Sev	Message
CMP 680 ARRAFOOND E Array dimension out of bounds for (%)	СМБ	679	NONCI.SIINSD	E	Non-CLS structures not supported %s
CMP 681 NAMPEDONS E NONTEND E CONTRALOWED E CONT					
CMP 682 NORTHEND E Cannot extend record by %s bytes with overlay field %s					
CMP 684 RETEXP Sexpected in %s Sexpect					
CMP 685 TMYMINGNER FOR TYPHINGNER FO	CMP	683	NOTALLOWED	E	
CMP 668 TYPHISMCH E Type mismatch between %s and %s CMP 668 DMPQUAL E Standifier %s can only be specified once Standifier %s can only be specified for import: %s Standifier %s can only be specified for import: %s Standifier %s can of tour Standifier %s can o	CMP	684	RETEXP	E	%s expected in %s
CMP 649 INVOUAL E SQUALIFIER % can only be specified once CMP 649 INVOUAL E SQUALIFIER is incompatible with %s CMP 640 INTRONST E NOTIFIER CONTINUE STATE AND ALL STATE AN	CMP	685	INTCMPERR	F	
CMP 688 INVQUAL E \$ squalifier is incompatible with \$s CMP 690 NOMALPHIANC CMP 691 INITCOMST WORKELDS CANNOTELDS CANNOTELDS CANNOTELDS CANNOTELDS CANNOTELDS CANNOTELDS CANNOTELDS CANNOTELDS CANNOTELDS CANNOTELD CANNOTELDS CANNOTELD					
CMP 699 NOTELLS E NOFIELDS cannot be used with another qualifier CMP 691 INITCONST W CONST/LITERAL field missing initialization value CMP 692 UNRIPPORT E Noupported syntax CMP 694 COSSIONT SWANDER SWANDE					
CMP 690 NUMALPHRAQ E Numeric or alpha type required: %s CMP 691 INITCONST W UNSUPPORT E No Operator %s CMP 692 UNSUPPORT E No Operator %s CMP 694 NOOPER E No Operator %s CMP 695 NABEDERMAN E CANNOT WITHOUT SERVICE WAS CANNOT WARREN E CANN					
CMP 691 INTICONST W CONSTICUTERAL field missing initialization value CONSTICUTERAL field missing initialization value (sa) CONSTICUTERAL field missing ini					
CMP 692 UNSUSPORT E CMP 693 NOOPER E CMP 694 TOOSHORT E CMP 695 NOOPER E CMP 695 NOOPER E CMP 695 NOOPER E CMP 696 NARROWING W CMP 696 NARROWING W CMP 697 RECWIRANDLE E CANNOT SA RECORD TO COULD CANNO					
CMP 694 TOSPORT E No operator %s CMP 695 INVEUNCNAM E Argument too short for %s CMP 695 INVEUNCNAM E Argument too short for %s CMP 696 NARROWING W CMP 697 RECHANDLE E CAMPONING W CMP 698 OUTPARM C Must be able to write to argument %s because parameter was declared as OUT or INOUT CMP 701 INFORT E Invalid cast CMP 701 INFORT E NAME SHORT E CONSTRUCTOR required sys of the constructor requires argument list CMP 703 RADDSTRET E Destructor %s does not match class %s CMP 704 RESERVE E CAMPONING W CMP 705 RESERVE E CAMPONING W CMP 706 RESERVE E CAMPONING W CMP 707 BESERVE E CAMPONING W CMP 708 RECHANDRO E E CAMPONING W CMP 709 HANDRO E E CAMPONING W CMP 701 OPFORE E CAMPONING W CMP 702 CONSTRUCTOR E E CAMPONING W CMP 703 RESERVE E CAMPONING W CMP 704 RESERVE E CAMPONING W CMP 705 RESERVE E CAMPONING W CMP 706 RESERVE E CAMPONING W CMP 707 BESERVE E CAMPONING W CMP 708 RECHANDRO E E CAMPONING W CMP 709 HANDRO E E CAMPONING W CMP 700 RESERVE E CAMPONING W CMP 700 RESERVE E CAMPONING W CMP 701 OPFORE E CAMPONING W CMP 702 DEFSIZE W CMP 703 THEIRT E CAMPONING W CMP 704 RESERVE E CAMPONING W CMP 705 RESERVE E CAMPONING W CMP 706 RESERVE E CAMPONING W CMP 707 RESERVE E CAMPONING W CMP 708 RESERVE E CAMPONING W CMP 708 RESERVE E CAMPONING W CMP 709 HANDRO E CAMPONING W CMP 700 RESERVE E CAMPONING W CMP 700 RESERVE E CAMPONING W CMP 701 OPFONING W CMP 702 RESERVE E CAMPONING W CMP 703 RESERVE E CAMPONING W CMP 704 RESERVE E CAMPONING W CMP 705 RESERVE E CAMPONING W CMP 706 RESERVE E CAMPONING W CMP 707 RESERVE E CAMPONING W CMP 708 RESERVE E CAMPONING W C					
CMP 694 TOOSHORT E Argument too short for %s CMP 695 INVFUNCIONA B IT directive does not support function %s%s CMP 696 NARROWING W NARROWI					
CMP 695 INVFUNCNAM E					
CMP 698 NARROWING WARROUTS CANDO SA PREVENTABLE E CAMPO 698 OUTPARM E CAMPO 699 INVALOR TO STATE CAMPO 699 INVALOR DE CAMPO 700 BADIMFORTD E CAMPO 700 CONSARGS E CONSTRUCTOR POLICION OF CONSTRUCTOR					
CMP 698 OUTPARM E Must be able to write to argument %s because parameter was declared as OUT or INOUT CMP 700 BADDWROTTD E Invalid cast Invalid cast Invalid directory specified for import: %s CMP 701 IMPORT E Namespace %s not found CMP 702 CONSARGS E CONSTRUCT E DESTRUCT FROM FROM FROM FROM FROM FROM FROM FROM					
CMP 698 OUTPARM CMP 699 INVCAST E Invalid cast CMP 700 BADIMFORTD E Invalid directory specified for import: %s CMP 701 IMPORT E Namespace %s not found CMP 702 CONSARGS E Constructor requires argument list CMP 704 DUDMETH E Destructor %s does not match class %s CMP 706 SYSRINOVR W CMP 707 BCSEAL E Sades not match prototype%s CMP 708 BADIMFORD E Cannot extend a sealed class CMP 708 BCOUTER E Cannot extend a sealed class CMP 710 BADOFDECL E Cannot extend a sealed class CMP 710 BADOFDECL E Cannot extend a sealed class CMP 711 OPSTUB E CANNOT W CANNOT W CANNOT WAS ALBERT OF THE WAS ALBE					
CMP 700 BADDENTER E Invalid cast CMP 701 IMPORT E Invalid directory specified for import: %s CMP 702 CONSARGS E Invalid directory specified for import: %s CMP 703 BADDSTRCTR E CONSTRUCT PROPERTY OF THE PROP					
CMP 701 IMPORT E CMP 702 CONSARGS E CMP 703 BADDITCTE E CMP 703 BADSITECTE E CMP 704 DUPMETH E CMP 705 PROTOMISMC E CMP 705 PROTOMISMC E CMP 706 SYSTNOVE W CMP 707 BCSEAL E CMP 708 BADDEDECL, E CMP 708 BADDEDECL, E CMP 709 HANDROD E CMP 710 DESTRUE E CMP 710 BRDOPDECL, E CMP 711 OPSTUB E CMP 711 OPSTUB E CMP 711 OPSTUB E CMP 712 OPROTTH E CMP 713 TRUEINT E CMP 714 OPROTTH E CMP 715 BSTNTCH E BEST MATCH E SYSTUB E CMP 716 BSTNTCH E CAMBOOL E CMP 717 CMP 717 INTEXP W I					
CMP 701 IMPORT E DAMAGES SOUTH STATE OF					
CMP 704 DUMBTH E CMP 705 PROTOMISMC CMP 706 SYSTROVR E CMP 7070 SYSTROVR S CMP 707 BCSEAL C CMP 708 BCOUTER E CMP 709 HANDROD E CMP 710 BADOPDECL C CMP 711 OPSTUB E CMP 712 OPVOID E CMP 714 OPARGTYP E CMP 715 BSTMTCH E CMP 716 NOTSTAT E CMP 717 ISSTAT E CMP 717 ISSTAT E CMP 718 CLSREFROD C CMP 719 INITERY E CMP 720 DEFSIZE W CMP 721 INITERY E CMP 722 NOTINER E CMP 723 ALRINER E CMP 724 EMPTYA C CMP 725 NORIONAL S CMP 726 CREAKS E CMP 727 INVDERNS E CMP 728 CIRCBASE E CMP 728 CIRCBASE E CMP 728 CIRCBASE E CMP 730 TRUTHWALIGN E CMP 731 EMPTYUCSTM C CMP 731 EMPTYUCSTM C CMP 732 ALRINER E CMP 733 READONLY E CMP 734 READONLY E CANNOT AS A SERVENCE A CMP 734 READONLY E CMP 734 READONLY E CANNOT AS A SERVENCE A CMP 734 READONLY E CANNOT AS A SERVENCE A CMP 734 READONLY E CANNOT AS A SERVING A SWITH the same parameter types CAND AS A SEAL CALLAGE A SWITH THAIL AS A SWITH	CMP	701	IMPORT	E	
CMP 705 PROTOMISMC CMP 706 PROTOMISMC CMP 707 SEGAL CMP 708 BCSEAL CMP 708 BCSEAL CMP 709 HANDRQD CMP 709 HANDRQD CMP 710 BADOPDECL CMP 711 OPSTPUB CMP 712 OPVOID CMP 713 TRUEINT CMP 714 OPARGTYP CMP 715 BSIMTCH CMP 716 NOSTAT CMP 717 INSTAT CMP 718 CLSREFRQD CMP 719 INITEXP CMP 710 INITEXP CMP 720 DEFSIZE CMP 721 ONINFR CMP 720 DEFSIZE CMP 721 NOTINFR CMP 722 NOTINFR CMP 723 ALRINPR CMP 724 EMPTYA CMP 725 NOALGABL CMP 726 NOGLOBAL CMP 727 INVALIGN CMP 727 INVALIGN CMP 728 CIRCRASE CMP 729 NOPCSUB CMP 720 NOTICETM CMP 720 NOTICETM CMP 721 INITEXP CMP 722 NOTINFR CMP 723 ALRINPR CMP 724 EMPTYA CMP 725 INVALIGN CMP 726 NOGLOBAL CMP 727 INVALIGN CMP 728 CIRCRASE CMP 729 NOPCSUB CMP 729 NOPCSUB CMP 720 INITCATION CMP 731 INITCATION CMP 731 INITCATION CMP 732 ALRINPR CMP 733 ALRINPR CMP 734 READONLY CANNOT WITHOUT TO PARCH CMP 734 READONLY CANNOT WE CARNOT WITHOUT TO PARCH CANNOT WE CARNOT WAS A CALLHFUNC CANNOT WITHOUT TO PARCH CMP 734 READONLY CANNOT WE CARNOT WAS A CALLHFUNC CMP 734 READONLY CANNOT WAS A PROPAGATION CMP 734 READONLY CANNOT WAS A PROPAGATION CMP 734 READONLY CMP 737 READONLY CANNOT WAS A PROPAGATION CMP 734 READONLY CANNOT WAS A PROPAGATION CANNOT WAS A PROPAGATION CMP 734 READONLY CANNOT WAS A PROPAGATION CANNOT WAS A PROPAGATION CMP 734 READONLY CANNOT WAS A PROPAGATION CANNOT WAS A PR	CMP	702	CONSARGS	E	Constructor requires argument list
CMP 706 SYSTNOVR W System routine overridden. Invalid binding may occur CMP 707 BCSEAL E Cannot extend a sealed class CMP 708 BCOUTER E Cannot extend enclosing class CMP 709 HANDROD E Handle to %s required CMP 710 BADOPDECL E Cannot declare operator %s CMP 711 OPSTPUB E Operator must be declared STATIC and PUBLIC CMP 712 OPVOID E Operator cannot return void CMP 713 TRUEINT C Operator operator with the voice of the enclosing type CMP 715 BSTMTCH E Best match for %s has an argument type or quantity that doesn't match CMP 717 ISSTAT E %s required to access non-static member %s CMP 718 CLSREFROD E Class type required: %s CMP 719 INITEXP W Initial value expected, defaulting to %s CMP 720 DEFSIZE W Default size may not match %s definition CMP 721 INITIGN W Initial value on external field ignored CMP 722 NOTINPR E Previous .NOPROTO expected CMP 723 ALRINPR E Already in a .NOPROTO section CMP 726 NOGLOBAL E Nocamber 1 Initial value on external field ignored CMP 727 INVBALIGN E Invalid Large of empty alpha string CMP 728 CIRCBASE Circular base class not allowed for dimension specification CMP 730 LINTOMPRANN W CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^function CMP 734 REBOONLY E Cannot XCALL a ^function CMP 734 REBOONLY E Cannot XCALL a ^function	CMP	703	BADDSTRCTR	E	
CMP 706 SYSETNOVR CMP 707 ROSEAL CMP 708 BCOUTER CMP 709 HANDROD CMP 710 BADOPDECL CMP 711 OPSTPUB CMP 712 OPVOID CMP 713 TRUEINT CMP 714 OPARGYTP CMP 715 BSTMTCH CMP 716 NOTSTAT CMP 717 ISSTAT CMP 717 ISSTAT CMP 718 CLSREFROD CMP 720 DEFSIZE CMP 721 INITIGN CMP 720 DEFSIZE CMP 721 INITIGN CMP 722 NOTINPR CMP 723 ALRINPR CMP 726 NOGLOBAL CMP 727 INVDEFNS CMP 727 INVDEFNS CMP 727 INVDEFNS CMP 728 CIRCBASE CMP 729 NOFCSUB CMP 720 INTOMPMARN CMP 721 INTOMPMARN CMP 722 INTOMPMARN CMP 723 LIRINDER CMP 724 EMPTYA CMP 725 INVALIGN CMP 726 NOGLOBAL CMP 727 INVDEFNS CMP 727 INVDEFNS CMP 728 CIRCBASE CMP 729 NOFCSUB CMP 730 INTOMPMARN CMP 731 EMPTYUCSTM CMP 731 EMPTYUCSTM CMP 732 ALPHDIM CMP 733 ACALHHFUNC CMP 733 ACALHHFUNC CMP 734 REMPTYUCSTM CMP 733 ACALHHFUNC CMP 733 ACALHHFUNC CMP 734 REMPTYUCSTM CMP 733 ACALHHFUNC CMP 734 REMPTYUCSTM CMP 733 ACALHHFUNC CMP 734 REMPTYUCSTM CMP 733 ACALHHFUNC CMP 733 ACALHHFUNC CMP 734 REBADONLY E CANNOT extend a sealed class Cannot extend a scaled class Cannot extend a colosing class Cannot extend enclosing class Cannot declare operator Starlic and PUBLIC Operator must be declared STATIC and	CMP	704	DUPMETH	E	Class %s already defines a method %s with the same parameter types
CMP 708 BCSEAL E Cannot extend a sealed class CMP 708 BCOUTER E Cannot extend anclosing class CMP 709 HANDROD E CANNOT HANDROD HAND	CMP	705	PROTOMISMC	E	
CMP 709 HANDRQD E Handle to %s required CMP 710 OPSTPUB E Operator must be declared STATIC and PUBLIC CMP 711 OPSTPUB E Operator cannot return void CMP 712 OPVOID E Operator cannot return void CMP 713 TRUEINT E Operator op_True must return integer CMP 715 BSTMTCH E Best match for %s has an argument of the enclosing type CMP 716 NOTSTAT E %s required to access non-static member %s CMP 717 ISSTAT E %s required to access non-static member %s CMP 718 CLSREFRQD E Class type required: %s CMP 719 INITEXP W Initial value expected, defaulting to %s CMP 720 DEFSIZE W Default size may not match %s definition CMP 721 INITION W Initial value on external field ignored CMP 722 NOTINER E Already in a .NOPROTO expected CMP 723 ALRINER E Already in a .NOPROTO expected CMP 726 NOGLOBAL E Invalid default namespace %s CMP 727 INVDEFNS E Invalid default namespace %s CMP 728 CIRCBASE E Circular base class not allowed CMP 730 INTCMPWARN CMP 731 INTCMPWARN CMP 731 INTCMPWARN CMP 731 INTCMPWARN CMP 731 INTCMPWARN CMP 733 XCALHHFUNC CMP 733 XCALHHFUNC E Alpha not allowed for dimension specification CMP 734 REMTYUCSTM W Internal warning: %s CMP 733 XCALHHFUNC E Cannot xCALL a ^ function CMP 734 READONLY E Cannot wite to read-only data					
CMP 710 BADDOPBCL E CANNOT declare operator %s CMP 711 OPSTPUB E COPERATOR TRUEINT E CANDON TRUEINT E COPERATOR TRUEINT E CANDON TRUEINT E COPERATOR TRUEINT E CANDON TRUEINT E CANDON TRUEINT E COPERATOR TRUEINT E CANDON TRUEINT E CANDON TRUEINT E CANDON TRUEINT E COPERATOR TRUEINT E CANDON TRUEINT E C					
CMP 710 BADODĒCCL E Cannot declare operator %s CMP 711 OPSTPUB E Operator must be declared STATIC and PUBLIC CMP 712 OPVOID E Operator cannot return void CMP 713 TRUEINT E Operator op True must return integer CMP 714 OPARGTYP E Operator on must have at least one argument of the enclosing type CMP 715 BSTMTCH E Best match for %s has an argument type or quantity that doesn't match CMP 716 NOTSTAT E %s required to access non-static member %s CMP 717 INTEXP W Initial value expected, defaulting to %s CMP 720 DEFSIZE W Default size may not match %s definition CMP 721 INITISM W Initial value on external field ignored CMP 722 NOTINPR E Previous .NOPROTO expected CMP 723 ALRINPR E Already in a .NOPROTO section CMP 724 EMPTYA E Invalid usage of empty alpha string CMP 725 INVALIGN E Invalid usage of empty alpha string CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E Circular base class not allowed CMP 728 CIRCBASE Circular base class not allowed CMP 730 INTOMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC Cannot XCALL a ^function CMP 734 READONLY E Cannot XCALL a ^function CMP 734 CEADONLY E Cannot xCALL a ^function CAND XCALLHFUNC E Cannot xCALL a ^function CAND XCALLHFUNC E Cannot xCALL a ^function CAND XCALLHFUNC E CAND XCALL B A function					
CMP 712 OPVOID E OPERATOR MUST be declared STATIC and PUBLIC CMP 713 TRUEINT E OPERATOR OPERA					
CMP 712 OPVOID E Operator cannot return void Operator op_True must return integer op operator op_True must return integer op operator op_True must return integer op					
CMP 713 TRUEINT E OPARGTYP E Operator op_True must return integer CMP 714 OPARGTYP E BSIMTCH E BSIMTCH E Best match for %s has an argument type or quantity that doesn't match CMP 716 NOTSTAT E %s required to access non-static member %s CMP 718 CLSREFRQD E Class type required: %s CMP 719 INITEXP W Initial value expected, defaulting to %s CMP 720 DEFSIZE W Default size may not match %s definition CMP 721 INITIGN W Initial value on external field ignored CMP 722 NOTINPR E Already in a .NOPROTO section CMP 724 EMPTYA E Invalid usage of empty alpha string CMP 725 INVALIGN INVALIGN CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E CIRCBASE C Circular base class not allowed CMP 728 CIRCBASE C Circular base class not allowed CMP 730 INTCMPWARN W INTERNAL E CIRCBASE C CIRCUlar base class not allowed CMP 731 EMPTYUCSTM CMP 733 XCALLHFUNC E Cannot XCALL a ^function CMP 733 XCALLHFUNC C CAND WITE TO CAND WITE TO read on the process of the control of the enclosing type Operator must have at least one argument of the enclosing type Destroy a least one argument type or quantity that doesn't match %s required to access non-static member %s Class type required: %s Initial value expected, defaulting to %s NOFCOTO expected Already in a .NOPROTO section Invalid usage of empty alpha string Invalid default namespace %s Circular base class not allowed Cannot call subroutine %s as a function because it has no parameters Internal warning: %s Empty USING or CASE statement Alpha not allowed for dimension specification CMP 733 XCALLHFUNC CMP 734 READONLY E Cannot write to read-only data					
CMP 714 OPARGTYP E Best match for %s has an argument of the enclosing type Rome 715 BSTMTCH E Best match for %s has an argument type or quantity that doesn't match NOTSTAT E %s required to access static member %s CMP 717 ISSTAT E %s required to access static member %s CMP 718 CLSREFROD E Class type required: %s CMP 719 INITEXP W Initial value expected, defaulting to %s CMP 720 DEFSIZE W Default size may not match %s definition CMP 721 INITIGN W Initial value on external field ignored CMP 722 NOTINPR E Previous .NOPROTO expected CMP 723 ALRINPR E Already in a .NOPROTO section CMP 724 EMPTYA E Invalid usage of empty alpha string CMP 725 INVALIGN E Invalid .ALIGN value (%s) CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E CIRCBASE C Circular base class not allowed CMP 730 INTCMPWARN W CAND 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data					
CMP 715 BSTMTCH 716 NOTSTAT E 8 s required to access non-static member %s CMP 717 ISSTAT E 8 s required to access static member %s CMP 718 CLSREFRQD E Class type required: %s CMP 719 INITEXP W Initial value expected, defaulting to %s CMP 720 DEFSIZE W Default size may not match %s definition CMP 721 INITIGN W Initial value on external field ignored CMP 722 NOTINPR E Previous .NOPROTO expected CMP 723 ALRINPR E Already in a .NOPROTO section CMP 724 EMPTYA E Invalid .ALIGN value (%s) CMP 725 INVALIGN E Invalid .ALIGN value (%s) CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E Circular base class not allowed CMP 728 CIRCBASE CIRCBASE CIrcular base class not allowed CMP 730 INTCMPWARN W CMP 731 EMPTYUCSTM CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot Write to read-only data Best match for %s has an argument type or quantity that doesn't match %s required to access non-static member %s %s required to access non-static member %s %s required to access non-static member %s Class type required: %s Left and colors in the colors of the					
CMP 716 NOTSTAT E %s required to access non-static member %s CMP 717 ISSTAT E %s required to access static member %s CMP 718 CLSREFRQD E Class type required: %s CMP 719 INITEXP W Initial value expected, defaulting to %s CMP 720 DEFSIZE W Default size may not match %s definition CMP 721 INITIGN W Initial value on external field ignored CMP 722 NOTINPR E Previous .NOPROTO expected CMP 723 ALRINPR E Already in a .NOPROTO section CMP 724 EMPTYA E Invalid usage of empty alpha string CMP 725 INVALIGN E Invalid .ALIGN value (%s) CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEPNS E Invalid default namespace %s CMP 728 CIRCBASE E Circular base class not allowed CMP 729 NOFCSUB E Invalid default namespace %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 KCALLHFUNC E Cannot KZALL a ^ function CMP 734 READONLY E Cannot write to read-only data					
CMP 717					
CMP 718 CLSREFRQD TINITEXP WINITEXP WIN					
CMP 719 INITEXP W Default size may not match %s definition CMP 721 INITIGN W Initial value expected, defaulting to %s CMP 722 INITIGN W Initial value on external field ignored CMP 722 NOTINPR E Previous .NOPROTO expected CMP 723 ALRINPR E Already in a .NOPROTO section CMP 724 EMPTYA E Invalid usage of empty alpha string CMP 725 INVALIGN E Invalid .ALIGN value (%s) CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E Invalid default namespace %s CMP 728 CIRCBASE E Circular base class not allowed CMP 729 NOFCSUB E Cannot call subroutine %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 KCALLHFUNC E Cannot write to read-only data					
CMP 720 DEFSIZE W Default size may not match %s definition CMP 721 INITIGN W Initial value on external field ignored CMP 722 NOTINPR E Previous NOPROTO expected CMP 723 ALRINPR E Already in a .NOPROTO section CMP 724 EMPTYA E Invalid usage of empty alpha string CMP 725 INVALIGN E Invalid .ALIGN value (%s) CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E Invalid default namespace %s CMP 728 CIRCBASE E Circular base class not allowed CMP 729 NOFCSUB E Cannot call subroutine %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot Write to read-only data					
CMP 721 INITIGN W Initial value on external field ignored CMP 722 NOTINPR E Previous .NOPROTO expected CMP 723 ALRINPR E Already in a .NOPROTO section CMP 724 EMPTYA E Invalid usage of empty alpha string CMP 725 INVALIGN E Invalid .ALIGN value (%s) CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E Invalid default namespace %s CMP 728 CIRCBASE E Circular base class not allowed CMP 729 NOFCSUB E Cannot call subroutine %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot write to read-only data					
CMP 723 ALRINPR E Invalid usage of empty alpha string CMP 725 INVALIGN E Invalid .ALIGN value (%s) CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E Invalid default namespace %s CMP 728 CIRCBASE E Circular base class not allowed CMP 729 NOFCSUB E Cannot call subroutine %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data	CMP		INITIGN	W	
CMP 724 EMPTYA E Invalid usage of empty alpha string CMP 725 INVALIGN E Invalid .ALIGN value (%s) CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E Invalid default namespace %s CMP 728 CIRCBASE E Circular base class not allowed CMP 729 NOFCSUB E Cannot call subroutine %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data	CMP		NOTINPR		
CMP 725 INVALIGN E Invalid .ALIGN value (%s) CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E Invalid default namespace %s CMP 728 CIRCBASE E Circular base class not allowed CMP 729 NOFCSUB E Cannot call subroutine %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data					-
CMP 726 NOGLOBAL E %s cannot be declared globally CMP 727 INVDEFNS E Invalid default namespace %s CMP 728 CIRCBASE E Circular base class not allowed CMP 729 NOFCSUB E Cannot call subroutine %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data					
CMP 727 INVDEFNS E Invalid default namespace %s CMP 728 CIRCBASE E Circular base class not allowed CMP 729 NOFCSUB E Cannot call subroutine %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data					
CMP 728 CIRCBASE E Circular base class not allowed CMP 729 NOFCSUB E Cannot call subroutine %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data					
CMP 729 NOFCSUB E Cannot call subroutine %s as a function because it has no parameters CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data					
CMP 730 INTCMPWARN W Internal warning: %s CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data				E	
CMP 731 EMPTYUCSTM W Empty USING or CASE statement CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data				E E	
CMP 732 ALPHDIM E Alpha not allowed for dimension specification CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data					
CMP 733 XCALLHFUNC E Cannot XCALL a ^ function CMP 734 READONLY E Cannot write to read-only data				F N	
CMP 734 READONLY E Cannot write to read-only data				E	
CMP 735 VALREOD E ^VAL required for argument %s	CMP	735	VALREQD	E	^VAL required for argument %s

Fac	Err #	Code	Sev	Message
CMP	736	NOWRITE	E	Cannot write to this entity
CMP	737	INVHFNC	Ē	Invalid ^ function (%s)
CMP	738	OVRERR	E	Cannot override %s because it is not declared VIRTUAL, OVERRIDE, or ABSTRACT in class %s
CMP	739	INVMOD	E	Invalid modifier %s on %s
CMP	740	INVDSTRCTR	E	Destructor cannot have %s
CMP	741	NOTCALLABL	E	Cannot directly call this method
CMP	742	NOTINFUNC	E	Not within a function
CMP	743	INVEXC	E	Invalid exception type
CMP	744	INVRTHRW	E	Cannot rethrow outside of CATCH
CMP	745	NOTINTRY	E	Not in TRY statement
CMP	746	INTCMPERR2	Ε	Internal compiler error: %s
CMP	747	OPENIN2	Ε	Cannot open: %s
CMP	748	NUMINCL2	E	Too many nested .INCLUDE levels
CMP	749	DDBADLOG2	Е	%s is not defined
CMP	750	DDNOLOG2	E	Logical for repository name expected
CMP	751	DDOPN2	E	Cannot open repository's main file: %s
CMP	752	DDAPIERR2	E	Internal DDapi error %s %s
CMP	753	DDINVLOG2	E	Invalid specification for repository files: "%s"
CMP	754	INVCALL	E	Invalid calling convention
CMP	755	NOENDC2	W	.ENDC expected
CMP	756	ABSTINST	E	Cannot instantiate abstract class %s
CMP	757	REDEFGBL	Ε	Cannot redefine macro %s that is defined in DBLDIR:dbl.def
CMP	758	UNDEFGBL	E	Cannot undefine macro %s that is defined in DBLDIR:dbl.def
CMP	759	BADACCESS	E	Inconsistent accessibility
CMP	760	RESWORD	E	Reserved word %s
CMP	761	INCMODIF	E	The modifier %s is incompatible with %s
CMP	762	INVPASSED	W	^PASSED on required parameter is always true
CMP	763	INVINIT	E	Invalid initializer
CMP	764	DUPMODIF	Ε	Modifier %s can only be specified once
CMP	765	ABSRTN	E	ABSTRACT %s must be in an ABSTRACT class
CMP	766	ABSIMP	E	ABSTRACT or EXTERNAL routine cannot have statements
CMP	767	NAMEREQ	Ε	Name must be specified with group modifier %s
CMP	768	MISIMP	Ε	Does not implement %s
CMP	769	BADSLD	Е	SEALED modifier can only be used on %s marked as OVERRIDE
CMP	770	NEWREQ	W	NEW modifier is required on %s since it hides a member of an inherited class
CMP	771	INVNEW	W	NEW modifier not required and will be ignored
CMP	772	ABSSEAL	Е	Method cannot be ABSTRACT or VIRTUAL in a SEALED class
CMP	773	UNQOVR	Е	A UNIQUE method cannot be overloaded, overridden, or redeclared
CMP	774	NORETURN	Е	%s cannot have a return type
CMP	775	VALREF	E	Cannot convert parameter %s from value to reference
CMP	776	OPTOBJ	Е	REQUIRED modifier must be used on object parameters
CMP	777	IMPSTOP	W	Implicit STOP added to end of routine
CMP	778	BADSTATIC	E	Non-static reference not allowed in this context
CMP	779	BADSTATLOC	E	Static field has improper location
CMP	780	BADCNVCLS	E	Cannot convert %s class within class hierarchy
CMP	781	BADCNVTYP	E	Conversion operator must have a return or parameter type that is the enclosing class
CMP	782	CIRCINIT	E	Circular initializer not allowed
CMP	783	IDXRPARM	E	Indexer property must have at least one parameter
CMP	784	PROPPARM	E	Properties that are not indexers cannot have parameters
CMP	785	BADPROP	E	Improper use of property %s
CMP	786	NOOVR	E	No suitable %s found to override
CMP	787	OVRVIRT	W	%s hides inherited member in class %s. OVERRIDE or NEW required
CMP	788	HIDEERR	W	%s hides method that is not VIRTUAL, OVERRIDE, or ABSTRACT in class %s. NEW required
CMP	789	DUPACC	E	Property cannot have multiple get or set methods
CMP	790	EXPHVAL	E	^VAL function expected
CMP	791	ARGMSMCH	W	Parameter must be declared with the MISMATCH modifier
CMP	792	INFINALLY	E	%s must be completely inside the FINALLY block

Fac	Err #	Code	Sev	Message
CMP	793	NETSUPRT	W	%s not supported in .NET
CMP	794	ATRUNC	W	Alpha expression too long for %s. Truncation may occur
CMP	795	NETRFA	W	RFA variable must be type a in .NET
CMP	796	IMPFLD	W	Position of field %s causes an implicit field to be added
CMP	797	IMPORTNS	E	Invalid import namespace %s
CMP	798	DIMNDIM	W	Dimensioned access of non-dimensioned item %s
CMP	799	INTRNG	W	Ranged access of integer fields not portable between machines of different endian types
CMP	800	NOPSEUDO	Ε	Pseudo arrays not allowed in this context
CMP	801	XMLDOC	W	%S
CMP	802	INVIMP	E	Invalid IMPORT declaration
CMP	803	IMPOUTNS	E	IMPORT statement must be declared outside of a namespace
CMP CMP	804 805	INVPROGENT	E	Invalid program entry at or near {%s}
CMP	806	INVNSENT INVCLSENT	E	Invalid namespace entry at or near {%s} Invalid class member at or near {%s}
CMP	807	INVCRECENT	E	Invalid class member at or hear {%s}
CMP	808	INVSTRUCEN	E	Invalid structure entry at or near {%s}
CMP	809	INVMETHINI	E	Invalid method initialization list at or near {%s}
CMP	810	INVENUMFLD	E	Invalid enum field at or near {%s}
CMP	811	INVPARAMEN	E	Invalid parameter entry at or near {%s}
CMP	812	INVRECFLD	E	Invalid record field at or near {%s}
CMP	813	INVDATAENT	E	Invalid data division entry at or near {%s}
CMP	814	INVGDSENT	E	Invalid global data section entry at or near {%s}
CMP	815	INVEXTENT	E	Invalid external function entry at or near {%s}
CMP	816	INVSTMT	E	Invalid statement at or near {%s}
CMP	817	INVEXPR	E	Invalid expression at or near {%s}
CMP	818	INVKWD	E	Invalid keyword at or near {%s}
CMP	819 820	INVIOERRCO	E	Invalid I/O error code at or near {%s}
CMP CMP	820 821	INVSTMTHDR INVSTMTBDY	E E	Invalid header in %s at or near {%s} Invalid %s body at or near {%s}
CMP	822	INVTERM	E	Invalid termination of %s at or near {%s}
CMP	823	VALIDXP	E	Valid identifier expected at or near {%s}
CMP	824	GRPETY	W	Group is empty
CMP	825	XRETVAL	W	XRETURN cannot return a value on .NET
CMP	826	RETRQD	W	%s missing in %s
CMP	827	NETALLOW	W	%s not allowed %s on .NET
CMP	828	INVBGNHDR	E	BEGIN should be followed by end of line
CMP	829	INVPROTOCX	E	Prototypes must be imported using the IMPORT statement
CMP	830	OVRSLD	Ε	Cannot override a SEALED %s
CMP	831	STKMAIN	W	STACK not allowed on MAIN and has therefore been ignored
CMP	832	REFARYSCP	E	Cannot apply scope to reference array
CMP	833 834	PMETHODARG	E	%s not allowed as %s
CMP CMP	834	INVDATASTM PARTACC	E E	Invalid data statement syntax Accessibility declarations of partial %s %s do not match
CMP	836	REFREQD	E	^REF required for argument %s
CMP	837	ARGPASS	E	Parameter passing convention does not match method declaration for argument %s in routine %s
CMP	838	REFLIT	E	Integer literals cannot be passed by reference due to optimization
CMP	839	RECETY	E	Record is empty
CMP	840	MISNGFIL	E	Missing source file
CMP	841	HIDEW	W	%s hides a member of an enclosing scope
CMP	842	INVDATALOC	E	Invalid DATA statement location
CMP	843	IDXCLSARY	E	Cannot index real array %s
CMP	844	STRUCTHIDE	W	Local structure %s hides non-local structure %s
CMP	845	INVDATADEC	E	Invalid %s declaration at or near {%s}
CMP	846	BOXLCLSTR	E	Boxing or unboxing of local structures not allowed
CMP	847	BADCPATH	E	Complex path not supported
CMP	848	ARRLCLSTR	E	Cannot use a local structure in a dynamic array
CMP	849	INVPARMGRP	뇬	Invalid parameter group declaration at or near {%s}

Fac	Err #	Code	Sev	Message
CMP	850	INVMTHDHDR	E	Invalid method header at or near {%s}
CMP	851	RECURSE	E	Recursion not allowed on %s
CMP	852	NOPRPMTH	E	Operation not allowed with missing or unmatched %s on property %s
CMP	853	INDIMGRP	E	%XTRNL not allowed within a dimensioned group
CMP	854	INVMAINDEC	E	Invalid MAIN declaration at or near {%s}
CMP	855	BADCONSTLO	E	CONST field not allowed in non-CONST record
CMP	856	BADROLOC	E	READONLY field not allowed in non-READONLY record
CMP	857	PRNRQD	E	Parentheses required on call to method %s
CMP	858	PRNPROP	E	Parentheses not needed for property %s
CMP	859	RETTYP	W	Return type for %s assumed to be %s
CMP	860	INVTYP	E	Invalid use of type %s
CMP	861	NOCONS	E	Cannot find matching constructor in class %s. %s
CMP	862	HIDABS	E	%s hides an inherited abstract member
CMP	863	BLTID	W	Potential name conflict with built-in type
CMP	864	BOXSTROBJ	E	Cannot box structure %s that contains a handle
CMP	865	LHSBOX	E	Explicit box invalid on left side of equate statement
CMP	866	UNBXCNCL	W	Auto unbox cancels out boxing of %s. Boxing removed
CMP	867	INVINTFCEN	E	Invalid interface entry at or near {%s}
CMP	868	PASSIMPL	W	Implied decimal argument %s passed to non-implied parameter %s
CMP	869	ATTRTARG	E	Attribute not valid on this target
CMP	870	XFMTHSTR	E	Structure %s used in XFMethod %s must come from repository
CMP	871	NOTATTR	E	%s is not an attribute class
CMP	872	CUSTATTR	E	Cannot create custom attribute
CMP	873	ASMLOAD	E	Unable to load assembly %s : %s
CMP	874	ONERRDTA	E	Local data cannot be defined in a routine containing ONERROR/OFFERROR
CMP	875	DUPRMV	W	Duplicate %s in class %s has been removed
CMP	876	PARMOVR	E	New or overridden method changes parameter type from %s to %s
CMP	877	ITOPBAD	E	Unable to do interop for %s
CMP	878	PARTIAL	W	%s %s is declared as partial
CMP	879	MAXLINE	F	Exceeded maximum number of lines in file %s
CMP	880	NOINSTAT	E	Cannot declare instance member in static class
CMP	881	PSCTRUNC	W	Psect name truncated
CMP	882	NOTBEXP	W	Assignment in Boolean expression! Did you intend "=="?
CMP	883	INVSCTOR	E	Cannot declare %s on static constructor
CMP	884	NVTREF	E	Cannot find %s used in %s
CMP	885	OBJDIS	W	Object returned from %s discarded
CMP	886	BIGSIZ	E	Size of %s %s too large
CMP	887	PROPCONF	E	Property %s conflicts with %s in same class
CMP	888	IFCIMP	E	Interface %s not implemented by class %s
CMP	889	NUMFILES	F	Too many files
CMP	890	METHDEL	E	Method %s does not match delegate
CMP	891	NVTEVT	E	Cannot resolve type for event %s
CMP	892	DELEVT	E	Delegate type expected for event %s
CMP	893	EVTHDLR	E	Event handler %s does not match event signature
CMP	894	EVTEXP	E	Event expected for %s
CMP	895	EVTCLS	E	Event %s must be raised from within %s
CMP	896		E	Incorrect use of event %s
CMP	897	MISIMP2	E	Does not implement %s since it is either static, not public, or has the wrong return type
CMP	898	NONCLS	E	Non-CLS type used in CLS declaration
CMP	899	MODLOAD	E	Unable to load module %s : %s
CMP	900	ILASM	E	ILASM error: %s
CMP	901	DUPATTR	E	Duplicate %s attribute
CMP	902	VARGOBJ	E	Cannot pass object type for %s as a vararg value
CMP	903	INVHMP	E	Partial structure cannot be used in ^m function
CMP	904	PARTALPH	E	Cannot pass partial structure to an alpha parameter
CMP	905	LYTPARTS	E	Cannot apply StructLayout attribute on partial structure
CMP	906	DECLORDER	E	Cannot use %s before declaring it

Fac	Err #	Code	Sev	Message
CMP	907	EFNFND	E	Call to external function %s cannot be resolved
CMP	908	TYPUNEXP	E	Type %s unexpected here
CMP	909	COLLECTTYP	E	Incompatible collection type %s in FOREACH
CMP	910	ACCIGNORED	W	Accessibility on %s %s ignored
CMP	911	FENEWINDXR	E	A class with an indexer marked NEW is not supported in FOREACH
CMP	912	INVARGOBJ	E	^ARGDIM not allowed on objects; use method to get length
CMP	913	LVARTYP	E	Incompatible loop variable type %s in FOREACH
CMP	914	DUPOPTS	E	Class %s already defines a method %s that differs only by optional parameters
CMP	915	INVUSNGENT	E	Invalid entry within using statement
CMP	916	HIDEHAT	W	Routine hides data reference operation %s
CMP	917	ANYMTH	W	Using type any in method %s may cause unexpected call resolution
CMP	918	NETAPI	W	Routine %s not supported in .NET
CMP	919	NUMSEGS	W	Too many files/includes (more than 255). Subsequent debug line information ignored
CMP	920	NUMLINES	W	Too many file lines. Subsequent debug line information ignored
CMP	921	NUMTYPARG	E	Incorrect number of type arguments passed to %s
CMP	922	INVGENSYNT	E	Invalid generics syntax at or near %s
CMP	923	PRTYPPRM	E	Type parameter %s for partial declaration does not match original declaration
CMP	924	CIRCCONS	E	Circular constraint dependency
CMP	925	TYPCONS	E	Type %s does not meet constraint
CMP	926	CONSSPC	E	Cannot use special class %s in constraint
CMP CMP	927 928	CONSSEAL	E E	Cannot use sealed class %s in constraint Duplicate constraint %s
CMP	920	CONSDUP CONSONE	E	Cannot have more than one %s constraint
CMP	930	GNCEXT	E	Generic class cannot extend %s
CMP	931	TPRMTYP	E	Type parameter %s must be an identifier and not a type
CMP	932	CONSBOTH	E	Cannot have both %s and %s constraints
CMP	933	CONSREQD	E	%s constraint required
CMP	934	REFTYPMSMC	E	Parameter %s must match type exactly because it is passed by reference, OUT, INOUT or unspecified
CMP	935	DESCTYPRQD	E	%s is not a descriptor type.
CMP	936	TPSTAT	E	Keyword %s is invalid with static class member
CMP	937	NOTINI	E	Global data section '%s' not initialized
CMP	938	GBLTNM	E	Type or size for %s does not match global declaration
CMP	939	GBLND	E	Global declaration does not contain %s
CMP	940	GBLTYP	E	Type %s not allowed in common declaration
CMP	941	TYP32	E	Type %s cannot be %s on 32-bit platforms
CMP	942	ASNWR	E	Assignment within write not allowed for %s
CMP	943	BMRET	E	%s cannot be used as method return type
CMP	944	STKETY	E	Stack is empty. %s
CMP	945	ALGFLD	E	Alignment performed on %s
CMP	946	VARARGARY	E	If ^VARARGARRAY used, no other extra arguments allowed
CMP	947	PRTLOAD	E	Unable to load prototype %s : %s
CMP	948	DELAYSGN	W	delay signing was requested, but no keyfile was given
CMP	949	NOWRITE2	E	Cannot write to %s
CMP	950	GDSMSMCH	E	Global data section '%s' does not match initialized Global%s
CMP	951	SGN2USGN	W	Assigning negative literal value to unsigned field
CMP	952	DIMMISMCH	M	Parameter dimensions mismatch: %s
CMP	953 954	DUPDRCTV	E	Duplicate directive
CMP CMP	954 955	NOARYBASE MTHOUTCLS	E E	0 or 1 expected Cannot declare method outside of a class/interface
CMP	955 956	STKOVRSZ	E	Data division stack larger than reserved stack
CMP	957	DUPMRNK	E	Class %s already defines a method %s whose signature only differs by rank
CMP	958	CHGCASE	W	Case changed on override to match %s
CMP	959	REFCOMPARE	l w	%s compares instance not contents
CMP	960	NOBYVAL	E	BYVAL not supported on %s. Use ^VAL instead
CMP	961	LVARBOX	E	Explicit box invalid on loop variable in %s
CMP	962	NOINTCFLD	E	Cannot use loose integer class field in this context
CMP	963	IMPBOXCAST	W	Implicit argument boxing cast (@a/@d/@i); explicit cast recommended

Fac	Err #	Code	Sev	Message
CMP	964	UNTYPDCAST	W	Boxing of untyped literal; explicit boxing cast (@a/@d/@i/@int) recommended
CMP	965	NOPRPSET	E	Cannot set read-only property %s
CMP	966	NEWARRINIT	E	Invalid syntax for dynamic array initialization on new
CMP	967	DUPRTN	E	Duplicate routine %s
CMP	968	TYPHID	W	Built-in type %s can be hidden by %s
CMP	969	MISIMP3	E	Does not implement %s since case does not match
CMP	970	ATTRERR	E	%s error: %s
CMP	971	PASSUR	W	Passing %s for %s could give unexpected results
CMP	972	INVFCALL	W	Function %s should be called using function call convention
CMP	973	USDBDECL	E	Data statement %s used before declared
CMP	974	BADGENTYP	E	Unconstructed generic type not allowed in %s
CMP	975	MAININDLL	E	MAIN not allowed in DLL
CMP	976	SRCLINLNG	E	Source line too long
CMP	977	EXTMERR	E	Extension method %s %s
CMP	978	LAMBDA	E	Lambda error: %s
CMP	979 980	ATOS	W E	Passing alpha to structure %s
CMP CMP	981	EVTCUST ACCERR	W	Custom event error: %s Accessibility %s
CMP	982	INITVERR	E	Initial value error: %s
CMP	983	DLLIMP	E	DllImport error: %s
CMP	984	MISMAIN	E	Missing MAIN in EXE
CMP	985	ZEROSIZ	W	%s has zero size
CMP	986	INVNIND	W	Invalid number of indices
CMP	987	PLATSUPT	E	%s not supported in %s
CMP	988	EVTIMP	E	Event interface implementation error: %s
CMP	989	AWTERR	E	Await error: %s
CMP	990	NOMETRO	E	%s not supported in metro
CMP	991	ASNCERR	E	Async error: %s
CMP	992	YLDERR	E	Yield error: %s
CMP	993	UNSPFMT	E	Unsupported file format
CMP	994	BOXSTRSTRC	E	Cannot save a string to a boxed non-CLS structure
CMP	995	GENSTRCLS	E	Generic structure type must be CLS
CMP	996	OPTRUE	W	Calling op_True on %s%s: may not be what is intended
CMP	997	NOTSUPT	E	%s is not supported %s
CMP	998	INVDEFTYP	E	Invalid type used for default parameter (or descriptor type default used on a non-internal routin
CMP	999	INVINITMBR	E	Invalid initializer member
CMP	1000	MISDECL	E	Missing declaration of %s
CMP	1001	INITIGN2	W	Initial value on %s ignored
CMP	1002	HIDEW2	W	%s hides %s
CMP CMP	1003 1004	NOWINRT INVDEFPARM	E E	%s not supported in WinRT REQUIRED parameters cannot follow DEFAULT parameters
CMP	1004	UTFALPHA	W	UTF16 literal used as Alpha, may not work as expected
CMP	1005	SCPRNG	W	Scope used instead of range on %s
CMP	1007	GBLDR	W	External common record name containing %s does not match global common record name %s
CMP	1007	STKSIZ	W	Stack data size greater than %s
CMP	1009	MONOSIZLIM	E	%s exceeds MONO %s size limit
CMP	1010		E	%s cannot be called with %s
CMP	1011	CONSERR	Ē	Type constraint error: %s
CMP	1012	CIRC	E	Circular %s not allowed
CMP	1013	OPTREQ	W	Passing optional parameter to required parameter %s in routine %s
CMP	1014	PEVERIFY	W	Peverify error: %s
CMP	1015	TERNMSMCH	E	Type mismatch between %s and %s on each side of the ':' in a ternary operator
CMP	1016	INVTYPINIT	E	Initializer applied to unknown or missing class
CMP	1017	GLOBDUPIGN	W	Duplicate global %s ignored
CMP	1018	WALIGN	M	Align warning: %s
CMP	1019	REUSE	E	A local variable named '%s' cannot be declared in this scope, it would give a different meaning t
CMP	1020	INITVALMIS	E	Missing initialization value

Fac	Err #	Code	Sev	Message
CMP	1021	INVPASSED2	W	^PASSED is always true %s
CMP	1021	RNGARY	W	Range on array acts on first element
CMP	1023	RFAERR	E	RFA error: %s
CMP	1024	UXPLOOPBHV	W I	Narrowing of data when comparing to loop control variable, potential unexpected behavior
CMP	1025	ATTRARG	E	An attribute argument must be a constant expression, typeof expression or array creation expressi
CMP	1026	NULLCOAL	E	Left side of a null coalescing operator must be a reference type or nullable
CMP	1027	DELEGEXP	E	Delegate type expected
CMP	1028	UNSIGNED	W	Loading unsigned assembly %s
CMP	1029	IMPDIRIGN	W	Import directory clause no longer used, ignored
CMP	1030	NULLCOND	E	Null conditional path separator cannot be used on %s
CMP	1031	URCALL	W	Call to unprototyped routine %s
CMP	1052	ERTEXT	I	85
CMP	1053	ERTXT2	I	85 85
CMP	1143	OPWRED	I	Operation was READ
CMP	1144	OPWFND	I	Operation was FIND
CMP	1145	OPWRDS	I	Operation was READS
CMP	1146	OPWDEL	I	Operation was DELETE
CMP	1147	OPWSTO	I	Operation was STORE
CMP CMP	1148 1149	OPWWRI OPWCRE	I	Operation was WRITE Operation was ISAMC
CMP	1217	BADDSCR	I	Corrupted descriptor: type = %d, class = %d
CMP	1217	BADDIR	l I	Specified directory %s does not exist
CPS	1	CREATFAIL	+	The Create failed because you must first select a valid containing object
CPS	2	NONWINDOW		This change only affects non-Windows environments. Therefore, although the change has been added
CPS	3	GRPBADCONT		Cannot add object to current group because they do not share the same containing object
CPS	4	NAMECONFLT		"%a" already exists
CPS	5	DELETEOBJ		Are you sure you want to delete "%a"?
CPS	6	SAVECHANGS		Do you want to save changes to "%a"?
CPS	7	REPLACEFIL		Do you want to replace the existing "%a"?
CPS	8	DELETEGRP		Are you sure you want to delete the selected objects?
CPS	9	REMOVESCRP		Are you sure you want to remove script "%a"?
CPS	10	FILEEXISTS		The file could not be found. "%a"
CPS	11	DECORINT		%a can only be used with numeric fields
CPS	12	RTJUST		Right justification cannot be used with text fields
CPS	13	CNTRJUST		Center justification cannot be used with numeric or text fields
CPS	14	BADSIZE		Invalid field size specified
CPS	15 16	NOALPHA		A field viewed as a check box cannot be alphanumeric
CPS CPS	16 17	NOCHECKBOX BADDCSSIZE		An alphanumeric field cannot be viewed as a check box
CPS	18	DDINITFAIL		Internal error: SYNDICT_DCS_SIZE is incorrect. Size specified was %d, correct size is %d. Failed to initialize repository. %a. Main file "%a". Text file "%a".
CPS	19	DDINITFAIL		Repository record not found
CPS	20	DDOPNERR		Repository file open error
CPS	21	DDINVFNC		Invalid repository function code
CPS	22	DDSTRINF		Failed to load Structure information. %a. Structure name "%a"
CPS	23	DDFLDINF		Failed to load Field information. %a. Field name "%a"
CPS	24	DDTXTFAIL		Failed to load repository text entry. %a
CPS	25	SCRERROR		Error:
CPS	26	SCRWARNING		Warning:
CPS	27	SCRSUMMARY		Errors: %d, Warnings: %d
CPS	28	SCRBADCMD		Unrecognized command
CPS	29	SCRBADQUAL		Unrecognized qualifier
CPS	30	SCREXPECT		%a expected
CPS	31	SCRALREADY		%a already encountered
CPS	32 33	SCRBADEOF SCRBADEOL		Unexpected end of file encountered
CPS CPS	33 34	SCRBADEOL SCRHUH		Unexpected end of line encountered Invalid object (<%a> created)
CPS	3 4 35	SCROPNFAIL		Could not open script file
CPS	33	PCVOLNLATT		court not open serripe rire

CPS 36 SCROUNTE SCRINGEN SCRINGEN SCRINGEN SCRINGEN SCRINGEN Token	Fac	Err #	Code	Sev	Message
CPS 37 SCELINLEN SCHTUNEN SCHTUNEN SCHTUNEN Token trumcated to "\$a" (\$d characters) Token trumcate	CPS	36	SCROTIOTE		Invalid quoted string: Both single and double quotes encountered
CRS 38 SCHTCKEN CRS 40 SCHTPEIRE Type and size Type and si					
CPS 49 SCRYENDENT CREATED TO THE CONTROL OF THE CREATED TO THE CREATED THE					
CRS 40 SCRIPTEIR CRS 41 SCRIPTEIR CRS 42 SCRIPTEIR CRS 43 SCRIPTEIR CRS 44 SCRIPTEIR CRS 45 SCRIPTEIR CRS 45 SCRIPTEIR CRS 45 SCRIPTEIR CRS 45 SCRIPTEIR CRS 46 SCRIPTEIR CRS 46 SCRIPTEIR CRS 46 SCRIPTEIR CRS 47 SCRIPTEIR CRS 50 INVNAME CRS 50 INVNAME CRS 50 INVNAME CRS 51 SCRIPTEIR CRS 50 INVNAME CRS 51 SCRIPTEIR CRS 52 SCRIPTEIR CRS 53 SCRIPTEIR CRS 54 SCRIPTEIR CRS 55 FILLINAME CRS 55 FILLINAME CRS 55 FILLINAME CRS 56 SCRIPTEIR CRS 57 SCREPTEIR CRS 57 SCREPTEIR CRS 57 SCREPTEIR CRS 58 SCRIPTEIR CRS 58 SCRIPTEIR CRS 59 SCRIPTEIR CRS 59 SCRIPTEIR CRS 50 SCREPTEIR CRS 51 SCREPTEIR CRS 50 SCREPTE					
CPS 41 SCRIDNING CPS 43 SCREEC CPS 43 SCREEC CPS 45 SCRINGER CPS 46 SCRINGER CPS 47 SCRINGER CPS 47 SCRINGER CPS 48 SCRINGER CPS 48 SCRINGER CPS 48 SCRINGER CPS 49 SCRINGER CPS 51 SCRINGER CPS 51 SCRINGER CPS 52 SCRINGER CPS 53 SCRINGER CPS 53 SCRINGER CPS 54 SCRINGER CPS 55 SCRINGER CPS 55 SCRINGER CPS 56 SCRINGER CPS 57 SCRINGER CPS 58 SCRINGER CPS 59 SCRINGER CPS 50 SCRINGER C					
CPS 42 SCREADFEC CPS 44 SCREADES Precision not allowed on fields of type %a SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision fields Muximum size oxceeded for fields of type %a (%d) % SCREADFEC Precision of %a extends outside container's bounds Position outside container's bounds Position of %a extends outside container's bounds Position of %a extends outside container's %a "Extender of %a CREADFEC Position Position on during with A-Zs container's %a "Extender of %a container's %a container's %a "Extender of %a container's %a container's %a "Extender of %a container's		41			
CPS		42			
CPS	CPS	43	SCRPREC		Precision
CPS	CPS	44	SCRMAXSIZ		Maximum size exceeded for fields of type %a (%d)
CPS 49 SCROUTSIDE CPS 49 SCROUTSIDE CPS 51 SCROUTSIDE CPS 51 SCRETIZED CPS 51 SCRETIZED CPS 52 SCRETIZED CPS 52 SCRETIZED CPS 53 SCRETIZED CPS 54 SCRETIZED CPS 55 SCRETIZED CPS 55 SCRETIZED CPS 56 SCROTTEND CPS 57 SCRETIZEDSTE CPS 57 SCRETIZEDSTE CPS 58 FILDINAME CPS 58 FILDINAME CPS 58 SCROTTEND CPS 58 FILDINAME CPS 59 SCRETIZED CPS 59 SCRETIZED CPS 50 SCRETIZ	CPS	45	SCRINTSIZ		Size for integer fields must be 1, 2, 4, or 8
CPS 48 SCRALPHA CPS 49 SCROUTSIDE CPS 50 INVNAME CPS 51 SCREIXED CPS 52 SCRNOTEXT CPS 52 SCRNOTEXT CPS 53 SCREADABABE CPS 54 SCRENOTEXT CPS 54 SCREADABABE CPS 55 SCREADABABE CPS 55 SCREADABABE CPS 56 SCREADABABE CPS 56 SCREADABABE CPS 57 SCREADABABE CPS 57 SCREADABABE CPS 58 FLANTINGTR CPS 59 STREMPTY CPS 59 STREMPTY CPS 59 STREMPTY CPS 60 STRUCTURE CPS 61 SCREADABABE CPS 61 SCREADABABE CPS 63 SCREADABABE CPS 63 SCREADABABE CPS 64 SCREADABABE CPS 65 STREMPTY CPS 66 STRUCTURE CPS 66 STRUCTURE CPS 67 SCREADABABE CPS 67 SCREADABABE CPS 68 STREMPTY CPS 69 STREMPTY CPS 60 STRUCTURE CPS 61 SCREADABABE CPS 63 SCREADABABE CPS 64 SCREADABABE CPS 65 STREMPTY CPS 65 STREMPTY CPS 66 STRUCTURE CPS 66 STRUCTURE CPS 67 STREMPTY CPS 67 STREMPTY CPS 67 STREMPTY CPS 68 STREMPTY CPS 69 STREMPTY CPS 60 STRUCTURE CPS 60 STRUCTURE CPS 61 SCREADABABE Illegal structure position specified (%d). Changed to 1. CPS 64 DECORPRIA CPS 65 DECORPRIA CPS 66 DECORPRIA CPS 67 DECORPRIA CPS 67 DECORPRIA CPS 67 DECORPRIA CPS 68 DECORPRIA CPS 69 DETYPEOR CPS 69 DETYPEOR CPS 60 DECORPRIA	CPS	46	SCRUNSUPP		Feature not supported (yet)
CPS	CPS		SCRNUMERIC		~
CPS 50					
CPS 51 SCRPINED CPS 52 SCRNOTEXT CPS 53 SCREADNAME CPS 54 SCREADNAME CPS 55 SCREADNAME CPS 55 SCREADNAME CPS 55 STELDNAME CPS 56 SCRNOTEND CPS 57 SCRFLDNSTR CPS 57 SCRFLDNSTR CPS 57 SCRFLDNSTR CPS 57 SCRFLDNSTR CPS 58 SCRDOTEND CPS 58 SCRPANAME CPS 59 SCRPANAME CPS 59 SCRPANAME CPS 59 SCRPANAME CPS 50 SC					
CBS 52 SCRNOTEXT CBS 53 SCRBANNAME CBS 54 SCRSDARAME CBS 55 SCRDARAME CBS 55 FIELDNAME CBS 56 SCROTFIND CBS 57 SCRIDNAME CBS 58 FIDDNINSTR CBS 58 FIDDNINSTR CBS 58 FIDDNINSTR CBS 58 FIDDNINSTR CBS 58 STRUCTURE CBS 60 STRUCTURE CBS 61 SCREADSODS CBS 62 STRINVIPOS CBS 62 STRINVIPOS CBS 63 SCREADER CBS 65 DECOMPAN CBS 66 SCROTFIND CBS 66 SCROTFIND CBS 67 SCROTFIND CBS 67 DECOMPAN CBS 66 DECOMPAN CBS 66 DECOMPAN CBS 67 DEC					
CPS 54 SCRBADNAME Invalid name: Must begin with A-Z; subsequent characters A-Z, 0-9, \$ or ; maximum length %d Display area must lie within window bounds. Modified to row %d, column %d, height %d. Field name Display area must lie within window bounds. Modified to row %d, column %d, height %d. Field name ScrEidenst Field name ScrEidenst Field name ScrEidenst Field name Field name Field name Field already included in structure "%a" ScrEidenst Field name Structure "%a" Structure "%a" Structure "%a" Structure "%a" Structure name Illegal structure position specified (%d). Changed to 1. ScrEadenst Field name Field name Field name Structure name Illegal structure position specified (%d). Changed to 1. ScrEadenst Field name Field name Structure name Illegal structure position specified (%d). Changed to 1. ScrEadenst Field name Structure name Illegal structure position specified (%d). Changed to 1. ScrEadenst Field name Field name Structure name Illegal structure position specified (%d). Changed to 1. ScrEadenst Field name Structure position specified (%d). Changed to 1. ScrEadenst Field name Structure position specified (%d). Changed to 1. Screadenst Field name Structure position specified (%d). Changed to 1. Screadenst Field name Structure position specified (%d). Changed to 1. Screadenst Field name Structure position specified (%d). Changed to 1. Screadenst Field name Structure position specified (%d). Changed to 1. Screadenst Field name Structure position specified (%d). Changed to 1. Screadenst Field name Structure position specified (%d). Changed to 1. Screadenst Field name Structure position specified (%d). Changed to 1. Screadenst Field name Structure position specified (%d). Changed to 1. Screadenst Field name Structure position specified (%d). Changed to 1. Screadenst Field name Scread					
CBS 54 SCRDSPAREA CBS 55 FIELDNAME CBS 56 SCRNOTFND CBS 57 SCREDINSTR CBS 58 FLDNINSTR CBS 58 FLDNINSTR CBS 58 STRUCTURE CBS 60 STRUCTURE CBS 61 SCRABASPOS CBS 62 STRINVPOS CBS 63 SCREDIEN CBS 64 DDCONTROL CBS 65 DDSTRUCT CBS 66 DDSTRUCT CBS 67 DDSTRUCT CBS 67 DDSTRUCT CBS 67 DDSTRUCT CBS 68 DDSADVERS CBS 69 DDTYPCHG CBS 67 DDDFORMATNF CBS 77 SCREDIEN CBS 77 SCREDIEN CBS 78 STRUCTURE CBS 78 STRUCTURE CBS 69 DDTYPCHG CBS 67 DDDFORMATNF CBS 78 STRUCT CBS 77 SCREDIEN CBS 77 SCREDIEN CBS 78 STRUCT CBS 78 STRUCT CBS 79 DDTSCHG CBS 79 DDTSCHG CBS 77 SCREDIEN CBS 78 STRUCT CBS 78 STRUCT CBS 78 STRUCT CBS 79 DDTSCHG CBS 79 DDTSCHG CBS 70 DDDFSTR CBS 75 SCRUMEXPEC CBS 76 PASTFAIL CBS 77 OBJONITIT CBS 78 BTNINVRANG CBS 79 DICTFAIL CBS 79 DICTFAIL CBS 79 DICTFAIL CBS 80 PASTE CBS 81 MOVE CBS 86 INVORDINAL CBS 86 INVORDINAL CBS 87 MOVE CBS 88 NOCOMPLIE CBS 99 FONTINIFIL CBS 90 FON					
CPS 55 SCREDNATE (Field name % anot defined Field already included in structure "%a" (Field already included in structure. Deleting, moving or cutting it may invalidate or End-of-line expected (Field of-line ex					
CPS 56 SCRNOTFND %a not defined Field already included in structure "%a" Field not a member of structure "%a" STRUCTURE STRUCTURE Structure "%a" STRUCTURE STRUC					
CPS 57 SCRPLDNSTR CPS 58 FLINISTR CPS 59 STREMETY CPS 60 STRUTURE "Ra" contains no fields CPS 61 SCREADSOS CPS 62 STRINYOS CPS 62 STRINYOS CPS 63 SCREALEXP Structure position specified (%d). Changed to 1. CPS 64 DDOTROL PROJECT CANNO SCREALEXP CANNO SCREALEXP Structure position specified (%d). Changed to 1. CPS 65 DDOTROL PROJECT CANNO SCREALEXP CANNO SCREALEXP STRUCTURE TRANSPORT CANNO					
CPS 58 FIDMINSTR CPS 59 STREMPTY CPS 60 STRUCTURE CPS 61 SCREADSPOS CPS 62 STRINVPOS CPS 62 STRINVPOS CPS 63 SCREDEXP CPS 64 DDCONTROL CPS 65 DDSTROUP CPS 66 DDSTROUP CPS 66 DDSTROUP CPS 66 DDSTROUP CPS 67 DDOPNERRM CPS 67 DDOPNERRM CPS 67 DDOPNERRM CPS 68 DDBADVERS CPS 68 DDBADVERS CPS 69 DDTPGHG CPS 70 DDDEFSTR CPS 70 DDDEFSTR CPS 70 DDDEFSTR CPS 71 DDFCMATNF CPS 72 DCTRADSIZE CPS 73 SCRICKEPEC CPS 74 STRIASSETS CPS 75 SCRICKEPEC CPS 76 PASTEFAIL CPS 77 OBJNOTFIT CPS 78 BTNINVRANG CPS 77 OBJNOTFIT CPS 78 STNINVRANG CPS 79 DICTFAIL CPS 70 SANDOUL CPS 70 SANDO					
CPS 59 STREMPTY CPS 60 STREADSOS CPS 61 SCRBADSPOS CPS 62 STRINVEOS CPS 63 SCROLEXP CPS 64 DDCONTROL CPS 65 DDSTRDUP CPS 66 DDSTRDUP CPS 66 DDDSTRDUP CPS 67 DDCONERRM CPS 67 DDCONERRM CPS 68 DDBADVERS CPS 69 DDTYPCHG CPS 69 DDTYPCHG CPS 69 DDTYPCHG CPS 70 DDDFFGTR CPS 71 DDFFGTR CPS 72 DCTABASIZE CPS 73 READONLY CPS 74 STREASSETS CPS 75 SCRUCEXPE CPS 76 PASTEFAIL CPS 77 OBNOTFIT CPS 78 STRINVEOS CPS 78 BTNINVEANAG CPS 79 DICTFAIL CPS 78 BTNINVEANAG CPS 78 STREATE CPS					
CPS 60 STRUCTURE CPS 61 SCREADSPOS CPS 62 STRINVPOS CPS 62 STRINVPOS CPS 63 SCRELEXP CPS 64 DDCONTROL CPS 65 DDSTRDUP CPS 65 DDDSTRDUP CPS 66 DDSTRDUP CPS 66 DDSTRDUP CPS 67 DDDOPNERRM CPS 67 DDDPNERRM CPS 67 DDDPNERRM CPS 68 DDBAVERS CPS 69 DDTYPCHG CPS 69 DDTYPCHG CPS 69 DDTYPCHG CPS 70 DDDFSTR CPS 71 DDFGRAINF CPS 71 DDFGRAINF CPS 72 DDFGRAINF CPS 73 READONLY CPS 74 STRHASSETS CPS 75 SCRUNEXPEC CPS 76 PASTFAIL CPS 77 PASTFAIL CPS 77 PASTFAIL CPS 78 BINNOVRANG CPS 79 DICTPAIL CPS 70 DICT					
CPS 61 SCRADSPOS CPS 62 STRINVPOS CPS 63 SCREOLEXP CPS 64 DDCONTROL CPS 65 DDSTRDUP Failed to read repository control record (%d). Changed to 1. "%a" already exists. Do you want to include the structure under a different name? Cannot open main repository file Cannot open main repository text file Cannot open main repository text file Cannot open repository text file Cannot change repository field type from %a to %a One or more sets reference the default structure. Composer will create a structure for those set CPS 70 DDDEFSTR CPS 71 DDFORMAINF CPS 72 DCTBADSIZE CPS 73 READONLY CPS 74 STRHASSETS This structure cannot be changed. The size or number of decimal places is invalid for a date or This file is read only, "%a" This structure cannot be deleted. It is referenced by one or more sets. "%a" unexpected The Paste failed because the object does not fit within the destination container Buttons per row or column must be between 0 and %d. CPS 81 MOVE CPS 81 MOVE CPS 82 COPY CPS 83 INVRENME CPS 84 INVENTMENT CPS 85 INCOMPQUAL CPS 86 INCOMPQUAL CPS 87 WINTOOBEG STRUCTURE CANNOT BE THE MOVE CPS 88 NOCOMPILE CPS 88 NOCOMPILE CPS 89 SCRONTENT CPS 90 FONTINIFIL CPS 90 NUMPALEXP					
CPS 63 SCECLEXP End-of-line expected CPS 64 DDCONTROL CPS 65 DDSTRDUP CPS 65 DDSTRDUP CPS 66 DDDONERRM CPS 67 DDOPNERRM CPS 67 DDOPNERRM CPS 67 DDDEFSTR CPS 68 DDBAVERS CPS 69 DDTYPCHG CPS 69 DDTYPCHG CPS 70 DDDEFSTR CPS 71 DDFORMATNF CPS 72 DCTBADSIZE CPS 73 READONLY CPS 75 SCRUMEXPEC CPS 76 PASTEPALL CPS 77 OBJNOTFIT CPS 78 BTHINVRANG CPS 79 DICTFAIL CPS 79 SAI INVRENAME CPS 80 DASTE CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 INCOMPQUAL CPS 86 INCOMPQUAL CPS 87 WINDTOOBIG CPS 87 WONTOOBIG CPS 88 NOCOMPILE CPS 88 NOCOMPILE CPS 88 NOCOMPILE CPS 88 NOCOMPILE CPS 89 SCRONTINIFIL CPS 90 FONTINIFIL CPS PAGE CAANCO ANAMA TRADESTSTA. CAANCO CONTRACTOR TO ANAMA TO ANAMA TRADESTSTANCE CAANCO CONTRACTOR TO ANAMA TO ANAMA TRADESTSTANCE CAANCO CONTRACTOR TO ANAMA TO SAIL TRADESTS. CABLE PROTECT AND ANAMA TO SAIL TRADESTS. CABLE PROTECT AND ANAMA TO SAIL TRADESTS. CABLE PROTECT ANAMA TO SAIL TRADESTS. CARDOLLY TRADESTS. CABLE PROTECT ANAMA TO SAIL TRADESTS. CABLE PROT					
CPS 64 DCONTROL CPS 65 DDOPNERM CPS 66 DDOPNERM CPS 67 DDOPNERM CPS 67 DDOPNERM CPS 67 DDOPNERM CPS 68 DDDOPNERM CPS 68 DDDOPNERM CPS 69 DDTPCHG CPS 68 DDBADVERS CPS 69 DDTPCHG CPS 70 DDDFFSTR CPS 71 DDFORMATNF CPS 72 DCTBADSIZE CPS 73 READONLY CPS 74 STRIASSETS CPS 75 SCRINEXPEC CPS 76 PASTEFAIL CPS 77 OBJNOTFIT CPS 78 BTNINVRANG CPS 79 DICTFAIL CPS 79 DICTFAIL CPS 79 DICTFAIL CPS 79 DICTFAIL CPS 80 PASTE CPS 81 MOVE CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 85 CREATE CPS 86 INCOMPOUAL CPS 87 WINDTONBIG CPS 88 NOCOMPILE CPS 88 NOCOMPILE CPS 88 NOCOMPILE CPS 89 SCRONTINFIL CPS 89 SCRONTINFIL CPS 90 FONTINIFIL CPS					
CPS 65 DDSTRDUB CPS 66 DDOPNERRM CPS 67 DDOPNERRT CPS 68 DDBADVERS CPS 69 DDTYPCHG CPS 67 DDOPNERRT CPS 69 DDTYPCHG CPS 70 DDDFFSTR CPS 70 DDDFFSTR CPS 71 DDFFSTR CPS 72 DCTRADSIZE CPS 73 READONLY CPS 74 STRHASSETS CPS 75 SCRUMEXPEC CPS 76 PASTEFAL CPS 77 OBJNOTFIT CPS 78 BTNINVRNNG CPS 77 OBJNOTFIT CPS 78 BTNINVRNNG CPS 79 DICTFALL CPS 78 BTNINVRNNG CPS 79 DICTFALL CPS 80 PASTE CPS 78 BTNINVRNNG CPS 79 DICTFALL CPS 81 MOVE CPS 82 COPY CPS 83 INVERNAME CPS 84 INVENTAME CPS 85 CREATE CPS 86 NCOMPLIE CPS 87 WNDTOOBIG CPS 87 WNDTOOBIG CPS 88 NOCOMPLIE CPS 89 SCRONTLINE CPS 89 SCRONTLINE CPS 89 SCRONTINFIL CPS 90 FONTINIFIL CPS 90 FONTINI					
CPS 66 DDOPNERRM CPS 67 DDOPNERRT CPS 68 DDDADVERS CPS 69 DDTYPCHG CPS 70 DDDEFSTR CPS 71 DDFORMATNF CPS 72 DCTBADSIZE CPS 73 READONLY CPS 74 STHASSETS CPS 75 SCRUMEXPEC CPS 76 DBJNOTFIT CPS 77 OBJNOTFIT CPS 78 BTININVRANG CPS 79 DCTFAIL CPS 79 DCTFAIL CPS 79 DCTFAIL CPS 79 DCTFAIL CPS 80 PASTE CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 NOCOMPILE CPS 87 MINDTOOBIG CPS 87 MINDTOOBIG CPS 88 NOCOMPILE CPS 88 NOCOMPILE CPS 89 SCRONELED CPS 89 SCRONELED CPS 89 SCRONELED CPS 80 SCRONELED CPS 80 SCREATE CPS 87 MINDTOOBIG CPS 88 NOCOMPILE CPS 89 SCRONELED CPS 89 SCRONELED CPS 80 SCREATE CPS 80 FASTE CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 85 CREATE CPS 86 INCOMPOUAL CPS 87 WINDTOOBIG CPS 87 WINDTOOBIG CPS 88 NOCOMPILE CPS 89 SCRFONTEEN CPS 89 SCRFONTEEN CPS 89 SCRFONTEEN CPS 90 FONTINIFIL CPS 90					
CPS 67 DDOPNERRM CPS 68 DDAPVERS CPS 69 DDTYPCHG CPS 69 DDTYPCHG CPS 70 DDDEFSTR CPS 71 DDFORMATNF CPS 72 DCTBADSIZE CPS 73 READONLY CPS 74 STRASSETS CPS 75 SCRUMEXPEC CPS 76 PASTEFAIL CPS 77 OBNOTFIT CPS 78 BININVRANG CPS 79 DTCTPAIL CPS 79 DTCTPAIL CPS 78 BININVRANG CPS 79 DTCTPAIL CPS 79 DASTE CPS 79 DTCTPAIL CPS 79 DTCTPAIL CPS 78 BININVRANG CPS 79 DTCTPAIL CPS 80 PASTE CPS 81 MOVE CPS 82 COPY CPS 83 INVENMAME CPS 85 CREATE CPS 86 INCOMPOUAL CPS 87 WNDTOOBIG CPS 87 WNDTOOBIG CPS 87 WNDTOOBIG CPS 89 SCRONTEN CPS 80 FONTINIFIL CPS 80 FONTINIFIL CPS 80 FONTINIFIL CPS 89 SCRONTEN CPS 80 FONTINIFIL CPS 89 SCRONTEN CPS 80 FONTINIFIL CPS 80 FO					
CPS 68 DDBADVERS CPS 69 DDTYPCHG CPS 70 DDDEFSTR CPS 71 DDFORMATNF CPS 72 DCTBADSIZE CPS 73 READONLY CPS 74 STRHASSETS CPS 75 SCRUNEXPEC CPS 76 PASTEFAIL CPS 77 OBJOTFIT CPS 78 BTNINVRANG CPS 79 DICTFAIL CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 KINCOMPQUAL CPS 88 NOCOMPILE CPS 89 SCRFORTLEN CPS 90 FONTINIFIL CPS 90 FONTINIFIL CPS 90 FONTINIFIL CPS 90 FONTINIFIL CPS 91 NUMVALEXP Numeric value expected. CADADATA CARNOT Cannot obe repository field type from %a to %a Cannot change repository field type from %a to %a Cannot change repository field type from %a to %a Cannot obe displayed because in the field qualifiers: %a and %a Cannot be displayed because it does not fit within the Application Window. Minimum Applicatio CPS 90 FONTINIFIL CPS 91 NUMVALEXP Numeric value expected. Cannot be default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.					
CPS 68 DDBADVERS CPS 70 DDTYPCHG CPS 70 DDDEFSTR CPS 71 DDFORMATNF CPS 72 DCTRADSIZE CPS 73 READONLY CPS 74 STRIASSETS CPS 75 SCRUNEXPEC CPS 76 PASTEFAIL CPS 77 OBJNOTFIT CPS 78 BTNINVRANG CPS 79 DICTFAIL CPS 79 DICTFAIL CPS 80 PASTE CPS 81 MOVE CPS 81 MOVE CPS 82 COPY CPS 82 COPY CPS 83 INVERNAME CPS 84 INVENTAME CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 87 WNDTOOBIG CPS 88 NOCOMPLIE CPS 89 SCRFONTLEN CPS 89 SCRFONTLEN CPS 89 SCRFONTLEN CPS 90 FONTINIFIE CPS 90 FO					
CPS					
CPS					
CPS 72 DCTBADSIZE READONLY CPS 73 READONLY CPS 74 STRHASSETS CPS 75 SCRUNEXPEC CPS 76 PASTEFAIL CPS 77 OBJNOTFIT CPS 78 BININVRANG CPS 79 DICTFAIL CPS 79 DICTFAIL CPS 80 PASTE CPS 81 MOVE CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 88 NOCOMPILE CPS 89 SCRONTLEN CPS 89 NOCOMPILE CPS 89 SCRONTLEN CPS 90 FONTINIFIL CPS 91 NUMVALEXP CPS 81 NUMVALEXP CPS 91 NUMVALEXP CPS 91 NUMVALEXP CPS 82 COPY CPS 91 NUMVALEXP CPS 89 SCRONTLEN CPS 91 NUMVALEXP CPS 81 NUMVALEXP CPS 82 COPY CPS 83 NOCOMPILE CPS 91 NUMVALEXP CPS 92 NUMPTOOBIC CPS 91 NUMVALEXP CPS 92 NUMPTOOBIC CPS 91 NUMVALEXP CPS 92 NUMPTOOBIC CPS 93 NUMVALEXP CPS 94 NUMPTOOBIC CPS 95 NUMPTOOBIC CPS 95 NUMPTOOBIC CPS 96 NUMPTOOBIC CPS 97 NUMVALEXP CPS 97 NUMVALEXP CPS 98 SCRONTIEN CPS 99 NUMPTOOBIC		70			
CPS 73 READONLY CPS 74 STRHASSETS CPS 75 SCRUMEXPEC CPS 76 PASTEFAIL CPS 77 OBJNOTFIT CPS 78 BTNINVRANG CPS 79 DICTFAIL CPS 80 PASTE CPS 80 PASTE CPS 81 MOVE CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 87 WNDTOOBIG CPS 88 NOCCMPILE CPS 88 NOCCMPILE CPS 89 SCREONTIEN CPS 90 FONTINIFIL CPS 91 NUMYALEXP This file is read only. "%a" This file is read only. "%a" This structure cannot be deleted. It is referenced by one or more sets. This structure cannot be deleted. It is referenced by one or more sets. This structure cannot be deleted. It is referenced by one or more sets. "%a" unexpected The Paste failed because you must first select a valid containing object The %a failed because the object does not fit within the destination container Buttons per row or column must be between 0 and %d. The %a failed because one or more of the repository fields already exists Paste Move Copy Copy Copy Copy Copy Copy Structure cannot be renamed to its original name because one or more object names would not be un The bitmap file "%a" could not be found or is invalid. Create Cre	CPS	71	DDFORMATNF		Error retrieving field format. %a. Failed to find a format "%a" of the correct type for the fie
CPS 74 STRHASSETS CPS 75 SCRUNEXPEC CPS 76 PASTEFAIL CPS 77 OBJNOTFIT CPS 78 BTNINVRANG CPS 79 DICTFAIL CPS 80 PASTE CPS 81 MOVE CPS 82 COPY CPS 82 COPY CPS 83 INVRENAME CPS 84 INVENAME CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 CREATE CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 89 SCRFONTLEN CPS 89 SCRFONTLEN CPS 89 SCRFONTIEN CPS 89 SCRFONTIEN CPS 89 SCRFONTIEN CPS 89 SCRFONTIEN CPS 89 NOCOMPILE CPS 89 NOCOMPILE CPS 89 NOCOMPILE CPS 89 NOCOMPILE CPS 89 SCRFONTIEN CPS 89 SCRFONTIEN CPS 89 NOCOMPILE CPS 90 FONTINIFIL CPS 90 NOMINIFIL CPS	CPS	72	DCTBADSIZE		The field type cannot be changed. The size or number of decimal places is invalid for a date or
CPS 75 SCRUNEXPEC CPS 76 PASTEFAIL CPS 77 OBJNOTFIT CPS 78 BTNINVRANG CPS 79 DICTFAIL CPS 80 PASTE CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 89 SCRFONTLEN CPS 89 SCRFONTIEN CPS 90 FONTINIFIL CPS 91 NUWVALEXP CPS VARIABLE CPS VARIABL	CPS	73	READONLY		
CPS 76	CPS		STRHASSETS		
CPS 77 OBJNOTFIT 78 BTNINVRANG DICTFAIL 79	CPS		SCRUNEXPEC		
CPS 78 DICTFAIL DICTFAIL PASTE CPS 80 PASTE CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 89 SCRFONTLEN CPS 90 FONTINIFIL CPS 91 NUWVALEXP CPS 91 NUWVALEXP Buttons per row or column must be between 0 and %d. The %a failed because one or more of the repository fields already exists The %a failed because one or more object names would not be un the bitmap file "%a" could not be found or is invalid. Create Create Incompatible field qualifiers: %a and %a %a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be compiled until it is saved. Font name too long: Maximum %d characters "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.			PASTEFAIL		
CPS 79 DICTFAIL CPS 80 PASTE CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 88 NOCOMPILE CPS 89 SCRFONTLEN CPS 90 FONTINIFIL CPS 91 NUMVALEXP The %a failed because one or more of the repository fields already exists Paste Move Ccopy Ccopy Structure cannot be renamed to its original name because one or more object names would not be un The bitmap file "%a" could not be found or is invalid. Create Incompatible field qualifiers: %a and %a %a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be compiled until it is saved. Font name too long: Maximum %d characters "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.					
CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 88 NOCOMPILE CPS 89 SCRFONTLEN CPS 89 SCRFONTLEN CPS 90 FONTINIFIL CPS 91 NUMVALEXP CPS 91 NUMVALEXP CPS 91 NUMVALEXP Paste Move Copy Structure cannot be renamed to its original name because one or more object names would not be un The bitmap file "%a" could not be found or is invalid. Create Incompatible field qualifiers: %a and %a %a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be compiled until it is saved. Font name too long: Maximum %d characters "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.					
CPS 81 MOVE CPS 82 COPY CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 88 SCRFONTLEN CPS 89 SCRFONTLEN CPS 90 FONTINIFIL CPS 91 NUMVALEXP Move Copy Structure cannot be renamed to its original name because one or more object names would not be un the bitmap file "%a" could not be found or is invalid. Create Incompatible field qualifiers: %a and %a %a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be compiled until it is saved. Font name too long: Maximum %d characters "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.			_		±
CPS 82 COPY CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 89 SCRFONTLEN CPS 90 FONTINIFIL CPS 91 NUMVALEXP CPS 91 NUMVALEXP CPS 87 WNDTOABLE CPS 91 NUMVALEXP CPS 91 NUMVALEXP CPS 88 INCOMP (Copy Structure cannot be renamed to its original name because one or more object names would not be un The bitmap file "%a" could not be found or is invalid. Create Incompatible field qualifiers: %a and %a %a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be compiled until it is saved. Font name too long: Maximum %d characters "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.					
CPS 83 INVRENAME CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 89 SCRFONTLEN CPS 90 FONTINIFIL CPS 91 NUMVALEXP CPS 91 NUMVALEXP Structure cannot be renamed to its original name because one or more object names would not be un The bitmap file "%a" could not be found or is invalid. Create Incompatible field qualifiers: %a and %a %a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be compiled until it is saved. Font name too long: Maximum %d characters "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.					
CPS 84 INVBITMAP CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 89 SCRFONTLEN CPS 90 FONTINIFIL CPS 91 NUMVALEXP The bitmap file "%a" could not be found or is invalid. Create Incompatible field qualifiers: %a and %a %a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be compiled until it is saved. Font name too long: Maximum %d characters "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.					copy
CPS 85 CREATE CPS 86 INCOMPQUAL CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 89 SCRFONTLEN CPS 90 FONTINIFIL CPS 91 NUMVALEXP CPS 85 CREATE Incompatible field qualifiers: %a and %a %a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be compiled until it is saved. Font name too long: Maximum %d characters "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.					Structure cannot be renamed to its original name because one or more object names would not be un
CPS 86 INCOMPQUAL 87 WNDTOOBIG 88 NOCOMPILE 89 SCRFONTLEN CPS 90 FONTINIFIL CPS 91 NUMVALEXP Incompatible field qualifiers: %a and %a %a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be compiled until it is saved. Font name too long: Maximum %d characters "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.					±
CPS 87 WNDTOOBIG CPS 88 NOCOMPILE CPS 89 SCRFONTLEN CPS 90 FONTINIFIL CPS 91 NUMVALEXP %a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be displayed because it does not fit within the Application Window. Minimum Applicatio "%a" cannot be compiled until it is saved. Font name too long: Maximum %d characters "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru Numeric value expected.					
CPS 88 NOCOMPILE					
CPS 89 SCRFONTLEN Font name too long: Maximum %d characters CPS 90 FONTINIFIL "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru CPS 91 NUMVALEXP Numeric value expected.					
CPS 90 FONTINIFIL "%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at ru CPS 91 NUMVALEXP Numeric value expected.					•
CPS 91 NUMVALEXP Numeric value expected.					
	CPS	92	SCRNOREAD		Check box, selection window, and radio button fields cannot be read-only.

Fac	Err #	Code	Sev	Message
CPS	93	SCRFLDONLY		Read-only fields cannot be viewed as check box, selection window, or radio buttons.
CPS	94	SCRNOBTN		Button "%a" is not defined in window "%a".
CPS	95	FOINUSE		The file "%a" is in use by another application and cannot be opened.
CPS	96	FSINUSE		The file "%a" is in use by another application and cannot be saved.
CPS	97	RPSFLDSIZ		The Create failed because the Repository defines this field as %d bytes, and no more than 99 are
CPS	98	NOSLICKEDT		Workbench must be running before you can define or edit a method routine. Start Workbench and try
CPS	99	DDFLDDUP		Field name not unique among members of structure. %a. Field name "%a"
CPS	100	BKPPROJ		A backup project "%a" was found. Do you want to recover it?
CPS	101	DCTDUPOMIT		%d fields were omitted from the list because their names were not unique within the structure.
CPS	102	LOSTOPTS		Saving as a version 6 project will not save any project-specific settings. Do you want to continu
CPS	103	NOTSYNPROJ		"%a" is not a Synergy project.
CPS	104	PRJWBSAVE		You must save the project file before Workbench can open it. Do you want to save now?
CPS	105	PRJSILENTS		&Automatically save without prompting
CPS	106	PRJSAVBEF		You must save the project before Composer can %a. Do you want to save now?
CPS CPS	107 108	NOBACKUP		Cannot back up existing file "%a". %a. Save cancelled. Field %a does not fit in window; the visible width has been changed to %d.
CPS	108	AUTOVIEWLN BADINPDSPL		Invalid %a length for field: %d. Must be in the range of 0 to %d.
CPS	110	BADELEM		Invalid array element specification; must contain only comma-separated numbers enclosed in bracke
CPS	111	RPSELEM		Array element specification does not match Repository dimension definition; dimension %d
CPS	112	NOSCRIPTS		No scripts in this project
CPS	113	NOTCMPSPRJ		%a is not a Composer project
CPS	114	FLDNAMLEN		Input field name "%a" is longer than the maximum of %d characters
CPS	115	TXTTRUNC		%d text line%a longer than 255 characters encountered; truncated to 255 characters
CPS	116	OPENERR		The file "%a" could not be opened.\nError #%d: %a
CPS	117	SCRINTEGER		Qualifier only valid on integer fields
CPS	118	SCRTSSIZE8		Timestamp fields must be of size 8
DTK	1	DTKVER		UI Toolkit V%a - Compiled for %a
DTK	2	SYSMAX		Overall system maximums: DBL chns = %d, wnds = %d, env/dsp lvls = %d,
DTK	3	WNDINF		<pre>wnd plc sav list = %d, hdr/ftr lins = %d, menu ctl area = %d,</pre>
DTK	4	COLINF		columns per menu = %d, entries per menu column = %d,
DTK	5	WNDINF2		flds per input window = %d, sets per input window = %d,
DTK	6	WNDINF3		info text per input wnd fld = %d, chars per text wnd row = %d
DTK	7	ENVSTS		Environment level %d, display level %d
DTK DTK	8 9	ON OFF		on off
DTK	10	UCONLY		upper case only
DTK	11	LCALLOWED		lower case allowed
DTK	12	ALLOWED		allowed
DTK	13	IGNORED		ignored
DTK	14	TERMSTAT		Terminal states: Echo %a, cursor %a, %a, intr %a
DTK	15	DONTW		Don't w
DTK	16	W		W
DTK	17	DONT		Don't
DTK	18	WAITSTS		DBL prog states: %aait on record locks, %a wait on messages
DTK	19	LCLCHNS		Local channels:
DTK	20	LCLWNDS		Local windows:
DTK	21	LCLCOLS		Local columns:
DTK	22	PLCDCOLS		Placed columns:
DTK	23	PLCDWNDS		Placed windows:
DTK	24	NONE1		None.
DTK DTK	25 26	CURLVL MEMSTS		Curr env level = %d, Curr disp level = %d Total window memory = %d, in use = %d (%d free)
DTK	26 27	MEMSIS ALLWNDS		All windows:
DTK	28	ALLCHNS		All channels:
DTK	29	INVARG		Invalid argument
DTK	30	INVWND		Invalid window
DTK	31	NOWND		No windows in list

Fac	Err #	Code	Sev	Message
DTK	32	ERROR		*** ERROR *** ERROR *** ERROR *** ERROR *** ERROR *** ERROR ***
DTK	33	ERRTITLE		*** ERROR *** ERROR ***
DTK	34	EXPROMPT		Examine the window system (Y/N)?
DTK	35	TERMMSG		Press RETURN to terminate:
DTK	36	MAXCHN		Maximum of %d channels already in use
DTK	37	MAXENV		No more environment channels available
DTK	38	INVCODE		Invalid %a code (%d)
DTK	39	BADOPN		Error opening file "%a" with
DTK	40	OPTS		OPTIONS = "%a"
DTK	41	NOWNDLOG		Could not log window %a
DTK	42	CLSADVICE		(class should have been %d, was %d)
DTK	43	WNOTFREE		Window not classed as available
DTK DTK	44 45	WNDNFND		Window %a not found in library %a Maximum of %d levels already in use
DTK	46	ENVOVFLW NONEWENV		Could not enter new local environment
DTK	47	NOOLDENV		Could not exit to previous environment
DTK	48	HDR		Header
DTK	49	INF		Information
DTK	50	FTR		Footer
DTK	51	UNK		**Unknown**
DTK	52	SECTNDEF		%a section not defined
DTK	53	FLDTOOSML		Return field too small (was %d, needed %d)
DTK	54	RENDNOCP		Could not copy display renditions on D_REND_ALL
DTK	55	WNDISCOL		Window %a is a menu column
DTK	56	MCOLONLY		These can only be processed by M_COLUMN
DTK	57	WNDNOTCOL		Window %a is not a menu column
DTK	58	MNUOFLOW		Menu control area overflow (max of %d allowed)
DTK	59	COLNDSMOR		Column & needed & bytes, only & left
DTK	60	CHN		channel
DTK	61	WND		window
DTK	62	MCOL		menu column
DTK	63	INVIDENT		Invalid %a identifier
DTK DTK	64 65	IDOUTRANG FILE		ID %d not in range %d to %d file
DTK	66	REL		release
DTK	67	DEL		delete
DTK	68	COL		column
DTK	69	NOPROMO		Cannot promote local %a %a to global
DTK	70	NOTLCL		Cannot %a local %a %a
DTK	71	CURRENV		Current environment level is %d
DTK	72	LCL2LVL		%a is local to level %d
DTK	73	COLNPLC		Could not place column %a
DTK	74	MAXCOLS		Maximum of %d columns already placed
DTK	75	NOCOLACC		Could not access menu column %a
DTK	76	COLNOTPLC		Not placed on the current menu
DTK	77	IDNOACC		Could not access %a identifier %a
DTK	78	IDNOTFND		Not found in menu column %a
DTK	79	FLD		field
DTK	80	CHR		character
DTK	81 82	INVINP INS		Could not perform %a input using window %a insert
DTK DTK	82 83	OVRSTRK		overstrike
DTK	84	FLDSTS		Input field at (%d,%d), length %d, in %a mode
DTK	85	FAILDINP		Failed with data length %d, input position %d,
DTK	86	CANTDEL		Cannot delete %a %a
DTK	87	CURRDISP		Current display level is %d
DTK	88	WNDPLCMNT		%a is placed at level %d
	- 55			** 15 F1********************************

Fac	Err #	Code	Sev	Message
DTK	89	REM		remove
DTK	90	PLC		place
DTK	91	MOV		move
DTK	92	CLOSE		close
DTK	93	PROCESS		process
DTK	94	OPERATE		<pre><pre><pre></pre></pre></pre>
DTK	95	RES		<resource?></resource?>
DTK	96	SYSRSRC		Cannot %a %a %a
DTK	97	CHNl		Channel
DTK	98	NOTOWNER		%a is owned by the utility system
DTK	99	NOENTENV		Could not enter environment level %d, display level %d
DTK	100	STKOVF		Maximum of %d entries in the stack, needed %d
DTK	101	DSPSTKOVF		Display level save stack overflow
DTK	102	LINTOOLON		Text window %a lines are too long
DTK	103	MAXLINLEN		Required %d characters, max of %d allowed
DTK	104	NOTTXT		Window %a is not a text window
DTK	105	NOTTEXTEN		Entry %a in library %a not a text entry)
DTK	106	INVEXP		Text entry has invalid expansion control of %d
DTK	107	LIBENT		Entry %a in library %a
DTK	108	CORRENT		Entry is probably corrupted
DTK	109	NOTINPWND		Window %a is not an input set window
DTK	110	SET		Set Field
DTK DTK	111 112	FLD1		
DTK	113	INPNOTFND NOTINSET		Input window %a does not contain %a %a Field %a not member of set %a for window %a
DTK	113	NOTSELWND		Window %a is not a selection window
DTK	115	WRONGDBL		The version was %a, but %a or greater is required
DTK	116	BADDBL		Set created using an incompatible compiler
DTK	117	COLNOPRO		Could not promote menu column %a to global
DTK	118	GBLONLY		Columns can only be specified as global when loadedby the M_LDCOL routine
DTK	119	FILEINF		File "%a", mode "%a"
DTK	120	FILINF		File "%a"
DTK	121	NEEDMORE		Needed %d bytes, but only max of %d allowed
DTK	122	TXTTOOBIG		Channel entry text too large
DTK	123	DATAOVF		Data space overflow for channel %d
DTK	124	MOREBYTES		Needed %d bytes, but only %d available
DTK	125	WDNNOTPLC		Window %a not placed on the screen
DTK	126	EDTWND		Edit window %a, row %d, column %d
DTK	127	COVERED		Editing position covered by another window
DTK	128	NOTFND		Could not load %a "%a" from library %a
DTK	129	NOTCREATE		Could not create %a "%a"
DTK	130	DUPNAME		A window with that name already exists
DTK	131	WND2BIG		Window %a is too large to fit on screen
DTK	132	NOMEM		NOT Enough window memory for %a on the screen
DTK	133	UNKINTERR		Unknown internal error code of %d
DTK	134	WNDID		%a (ID %d)
DTK	135			%a (chn %d)
DTK DTK	136 137	RNGERR		Value not in range %a to %a Invalid numeric digit for value
DTK	137	VALERR LSTERR		Not an allowed entry
DTK	130	REQERR		Not all allowed entry Non-zero value required
DTK	140	NONBLK		Non-blank entry required
DTK	141	DATERR		Invalid date
DTK	142	NEGERR		Negative value not allowed
DTK	143	OVFERR		Too many characters (maximum of %d allowed, including "." and "-")
DTK	144	UNKINPERR		** UNKNOWN INPUT ERROR CONDITION **
DTK	145	DUPWND		input window

Fac	Err #	Code	Sev	Message
DTK	146	INPTRUNC		.INPUT name truncated to 15 characters
DTK	147	IGNFILE		Remainder of file will be ignored
DTK	148	UEOF		Unexpected End-of-File
DTK	149	NOEND		No .END for previous .INPUT
DTK	150	UNRECG		Unrecognized command
DTK	151	INVCOLR		Invalid color palette code (not 1-16)
DTK	152	INVOPT		Invalid option
DTK	153	SINGLECH		Only a single character is allowed
DTK	154	DEL1		DELETE
DTK	155	EOF		EOF
DTK	156	LEFT		LEFT
DTK	157	RIGHT		RIGHT
DTK	158	UP		UP DOWN
DTK DTK	159 160	DOWN NONMNUTYP		Non-menu function %a_KEY typed
DTK	161	ENTRY		entry
DTK	162	LIST		list
DTK	163	NEEDEOL		EOL expected
DTK	164	EXPECT		"%a" expected
DTK	165	NOTERMNAT		Unterminated quoted string
DTK	166	NULLNALLW		Null string not allowed
DTK	167	IDEXP		Identifier expected
DTK	168	SIDEXP		"%a" expected
DTK	169	STNGEXP		String expected
DTK	170	NUMEXP		Number expected
DTK	171	PROCR		Processor
DTK	172	VER		Version
DTK	173	SCRPRMPT		Window Libr:
DTK	174	HORVEREXP		"HORIZONTAL" or "VERTICAL" expected
DTK DTK	175 176	NOTVALINP POSEXP		Not valid within input windows LEFT, CENTERED, RIGHT or FILLED expected
DTK	177	INVTXTCMD		Invalid text command
DTK	178	TOOMANYFL		Too many fields to be created
DTK	179	ROWLTZRO		Number of rows must be greater than zero
DTK	180	WNDEXISTS		Selection Window
DTK	181	EXFLDMAX		Exceded Maximum number of selection fields
DTK	182	MNTHS		JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
DTK	183	CTLGCONT		Press ^G to continue
DTK	184	RETCONT		Press RETURN to continue
DTK	185	TERMPROC		Make corrections or press RETURN to complete input
DTK	186	FWD		Forward
DTK	187	REV		Reverse
DTK	188	INSRT		Insert
DTK	189	OVR		Overstrike
DTK DTK	190 191	TXTRDCNT TXTWRTCNT		T_TXTRD control
DTK	191	UNKUTL		T_TXTWRT control Unknown utility entry "%a" received
DTK	193	NOHELP		No help available for identifier "%a"
DTK	194	NOHLP		No help available No help available
DTK	195	NOUSRSET		No user data set is defined
DTK	196	INVFLDSPC		Invalid field specification
DTK	197	DUPUSRSET		User data set has already been defined
DTK	198	URECDBG		Unrecognized debug command
DTK	199	BADSIZ		Library record size %d incorrect, %d required
DTK	200	OBSWND		Window %a obsolete or 32-64bit Mismatch; window library %a needs to be re-created using Script.
DTK	201	LIBRDERR		Error reading window library %a [#%d, %a]; loading window %a
DTK	202	LIBWRTERR		Error storing window %a into library %a [#%d]

Fac	Err #	Code	Sev	Message
DTK	203	NONE		* None **
DTK	203	MOS		JANFEBMARAPRMAYJUNJULAUGSEPOCTNOVDEC
DTK	205	SCRPRMT		Script File:
DTK	206	CIWEXP		.SCRIPT, .COLUMN, .INPUT, .SELECT, .LISTCLASS or .WINDOW expected
DTK	207	DTKBAN		Developer's ToolKit v%a
DTK	208	RESTERR		Error restoring window
DTK	209	NOENDCOL		No .END for previous .COLUMN
DTK	210	ENTIDEXST		Entry identifier already exists
DTK	211	NOENTNCOL		No entries in the menu column
DTK	212	TOOMNYLST		Too many lists
DTK	213	HDENTALL		HEADER, ENTRIES, or ALL expected
DTK	214	TOOMNYROW		Too many rows
DTK	215	DUPLISTID		List identifier already exists
DTK	216	ENTIDNUL		Entry ID not defined
DTK	217	INVFNCT		Invalid function key code
DTK	218	INVSHCUT		Invalid shortcut specification
DTK	219	UNKOPT		Unrecognized option
DTK	220	SETCTLS		%a ctls for %a (in user data set)
DTK	221	EMWS		Exceeded Maximum Work Space
DTK	222	DUPFLD		Field name already defined
DTK	223	TOOMNYFDE		Too many .FIELD definitions (max of %d)
DTK	224	ADFEXP		A, D, or F expected
DTK	225	DIMTXTONL		Only text fields can be dimensioned Maximum numeric length is 28
DTK	226	MXLNNUM		
DTK DTK	227 228	DUPRNG		RANGE already specified
DTK	229	BRKQUAL LFRICTR		ALWAYS, CHANGE, or RETURN expected LEFT, RIGHT, or CENTER expected
DTK	230	DUPALLOW		ALLOW already specified
DTK	231	ZEROINV		Zero value invalid
DTK	232	DUPUSRDAT		USER data already defined
DTK	233	UNKFLDOPT		Unrecognized .FIELD option
DTK	234	DUPFLDQUA		SELECT, SELWND, or ALLOW already specified
DTK	235	DORF		Field must be numeric
DTK	236	ALPH		Field must be alpha type
DTK	237	NOTEXT		Field cannot be text type
DTK	238	MATCH		EXACT or ALL expected
DTK	239	DUPDFLTSP		COPY, INCREMENT, DECREMENT, or DEFAULT already specified
DTK	240	DUPSTR		Structure name already defined
DTK	241	TOOMNYSTR		Too many .STRUCTURE definitions (max of %d)
DTK	242	PREVSTR		Cannot use all fields; previous .STRUCTURES defined
DTK	243	NOFLDS		No fields defined for the structure
DTK	244	FLDINSTR		Field already part of a structure
DTK	245	FLDNOTDEF		Field %a not previously defined within the structure
DTK	246	DUPSETNM		Set name already defined
DTK	247	MAXSETDEF		Too many .SET definitions (max of %d)
DTK	248	NOSTRNM		Structure name not defined
DTK	249	NOFLDSNSE		No fields defined for the input set
DTK	250	FLDNOTNSE		Field not within this set's structure
DTK	251	FLDNMUNDE		Field name not defined: %a
DTK	252	NOFLDNDFL		No fields defined for default structure
DTK DTK	253 254	INVDEC DTYPE		Invalid decimal value Type must be D4 through D8, I2 or I4
DTK	254 255	BADQUAL		PERIOD only allowed on D4 and D6 fields
DTK	256	PERORTDY		PERIOD, TODAY, or SHORT expected
DTK	257	NOENVSAVD		Already at base level (No prior environment saved)
DTK	258	NOFLDRECS		No field records available
DTK	259	CTLRECNN		CTL NN - Dump generated ctl record NN
1 211	L 27	0 - 11:11 01:11	1	oll in lamp jointaced out record in

Fac	Err #	Code	Sev	Message
DTK	260	DSPCURRWND		DISPLAY - Display the current input window
DTK	261	DMPHDT		DMPHDR - Dump header info
DTK	262	DMPFLD		DMPFLD - Dump field info
DTK	263	DMPBUF		DMPBUF - Dump work buffer info
DTK	264	DUMP		DUMP - Dump all current info
DTK	265	EXIT		EXIT - Exit debug routine
DTK	266	FLDNN		FLD NN - Dump generated field NN controls
DTK	267	GDMP		GDMP - DoDUMP just prior to window generation
DTK	268	HELP		HELP - Display available commands
DTK	269	INPUT		INPUT - Switch to input mode
DTK	270	NOLIB		NOLIB - Don't store generated windows
DTK	271	PAUSE		PAUSE - Pause and wait for terminal input to continue
DTK	272 273	REDRAW		REDRAW - Redraw the window screen SEL NN - Dump generated selection ctl rec NN
DTK DTK	273	SELNN TEST		SEL NN - Dump generated selection ctl rec NN TEST - Don't do any input window generation
DTK	275	NOSELCTL		No selection control records available
DTK	276	INVDBGCOM		Invalid debug command (try HELP)
DTK	277	DBGCOM		Debug cmd:
DTK	278	UEOL		Unexpected End-of-Line
DTK	279	PROC		Compiler
DTK	280	DUPENUM		Duplicate enumeration specification
DTK	281	ENUMLEN		Enumeration display length must be non-zero
DTK	282	NOENUM		ALLOW, SELECT or SELWND required for enumeration
DTK	283	DUPPROMPT		Duplicate PROMPT qualifier
DTK	284	RNDMNUENA		Enabled Menu Entry
DTK	285	RNDMNUDSA		Disabled Menu Entry
DTK	286	RNDMNUSEL		Selected Menu Entry
DTK DTK	287 288	RNDMNUHQS		Menu Header Quick-Select Menu Entry Quick-Select
DTK	289	RNDMNUEQS RNDINPDSP		Input Field Display
DTK	290	RNDINPPRC		Input Field Processing
DTK	292	RNDINPCLR		Cleared Input Field
DTK	293	RNDINPBCK		Input Window Background
DTK	294	RNDINPTTL		Input Window Title
DTK	295	RNDINPBDR		Input Window Border
DTK	296	RNDSELSEL		Select Wnd Selected Item
DTK	297	RNDSELBCK		Selection Window Body
DTK	298	RNDSELTTL		Selection Window Title
DTK	299	RNDSELBDR		Selection Window Border
DTK	300	RNDWINBCK		Generic Window Body
DTK	301	RNDWINTTL		Generic Window Title
DTK	302	RNDWINBDR		Generic Window Border
DTK DTK	303 304	RNDMSGBCK RNDMSGBDR		Message Window Body Message Window Border
DTK	304	RNDHLPBCK		Help Window Border
DTK	305	RNDHLPBCK		Help Window Title
DTK	307	RNDHLPBDR		Help Window Border
DTK	308	RNDHDR		Screen Header
DTK	309	RNDINFO		Information Line
DTK	310	RNDFTR		Screen Footer
DTK	311	RNDDLGBCK		Dialog Box Body
DTK	312	RNDDLGBDR		Dialog Box Border
DTK	313	RNDUSR1		User Rendition 1
DTK	314	RNDUSR2		User Rendition 2
DTK	315	RNDUSR3		User Rendition 3
DTK	316	RNDUSR4		User Rendition 4
DTK	317	RNDUSR5		User Rendition 5

Fac	Err #	Code	Sev	Message
DTK	318	RMREND		Renditions
DTK	319	RMCOLORS		Colors:
DTK	320	RMBOLD		Bold
DTK	321	RMBLNK		Blink
DTK	322	RMRVRS		Reverse
DTK	323	RMUNDR		Underscore
DTK	324	RMCLRCDS		Color Codes
DTK	325	RMBCKCLR		Background Color:
DTK	326	RMFORCLR		Foreground Color:
DTK	327	RMSAMPLE		Sample Windows
DTK	328	RMMNUHDR		Menu Header
DTK	329	RMMNUBAR		Menu Bar
DTK	330	RMMNUENA		Menu Enabled
DTK	331	RMMNUSEL		Menu Selected
DTK	332	RMMNUDSA		Menu Disabled
DTK	333	RMINPTTL		Input Window
DTK	334	RMINPDSP		Display
DTK	335	RMINPPRC		Process
DTK	336	RMINPCLR		Cleared
DTK	337	RMINPXXX		XXXX
DTK	338	RMSELWIN		Select Window
DTK	339	RMSELITM		Selected Item
DTK	340	RMSELBCK		Background
DTK	341	RMWINTTL		Window
DTK	342	RMWINBCK		Background
DTK	343	RMMSG		Message
DTK	344	RMHLPTTL		Help
DTK	345	RMHLPTXT		Help Text
DTK	346	RMHDR		Screen Header
DTK	347	RMINFO		Information Line
DTK	348	RMFTR		Screen Footer
DTK	349	RMDLG		Dialog? X
DTK	350	RMSELTTL		Select Screen Area
DTK	351	RMSELRND		Select Renditions for
DTK	352	RMNOTCLR		Not on a Color
DTK	353	RMBADCLR		Numeric code from 0-255 required
DTK	354	EDTRNDSEL		Select Scheme
DTK	355	EDTRNDSCH		Scheme Name:
DTK	356	STORNDRPL		Replace %a?
DTK	357	EDTRNDNON		No schemes currently defined
DTK	358	EDTRNDDEL		Delete %a?
DTK	359	BADKEYNM		Invalid Key Code passed to M_KEYTXT: %d - Valid range 1-99
DTK	360	NOMAPFIL		Cannot open the Toolkit key mapping file:
DTK	361	NOMAPREC		Key map for %a not defined in key map file
DTK	362	WRTMAPREC		Error %d saving key definitions for terminal type %a to file
DTK	363	ADDIT		Do you wish to add it?
DTK	364	TERMTYP		Enter New Terminal Type to Modify:
DTK	365	DELTRMSUR		Delete key map for %a?
DTK	366	KEYBIGTRE		Defined key sequences overflow key map tree modifications abandoned
DTK	367	KEYSEQLNG		Key sequence exceeds maximum length
DTK	368	KEYBADCOD		Illegal function code (%d) defined for key.
DTK	369	KEY2MNYSYN		More than 3 keys target the same function code: %d
DTK	370	KEYCNTNS		Key sequence for function code %d (%a) contains another defined sequence (code %d, %a) ignored
DTK	371	KEYCNTND		Key sequence for function code %d (%a) is contained in another defined sequence (code %d, %a)
DTK	372	KEYSELTTL		Select Function for %a
DTK	373	KEYSEQTTL		Key Definition
DTK	374	UP_KEY		Up Arrow

Fac	Err #	Code	Sev	Message
DTK	375	DOWN_KEY		Down Arrow
DTK	376	RIGHT_KEY		Right Arrow
DTK	377	LEFT_KEY		Left Arrow
DTK	378	F1_KEY		Function 1
DTK	379	F2_KEY		Function 2
DTK	380	F3_KEY		Function 3
DTK	381	F4_KEY		Function 4
DTK	382	F5_KEY		Function 5
DTK	383	F6_KEY		Function 6
DTK	384	F7_KEY		Function 7
DTK	385	F8_KEY		Function 8
DTK	386	F9_KEY		Function 9
DTK	387	F10_KEY		Function 10
DTK	388	F11_KEY		Function 11
DTK DTK	389 390	F12_KEY F13_KEY		Function 12 Function 13
DTK	391	F13_KE1 F14_KEY		Function 14
DTK	392	F15_KEY		Function 15
DTK	393	F16_KEY		Function 16
DTK	394	F17_KEY		Function 17
DTK	395	F18_KEY		Function 18
DTK	396	F19_KEY		Function 19
DTK	397	F20_KEY		Function 20
DTK	398	F21_KEY		Function 21
DTK	399	F22_KEY		Function 22
DTK	400	F23_KEY		Function 23
DTK	401	F24_KEY		Function 24
DTK	402	F25_KEY		Function 25
DTK	403	F26_KEY		Function 26
DTK	404	F27_KEY		Function 27
DTK	405	F28_KEY		Function 28
DTK	406 407	F29_KEY		Function 29 Function 30
DTK DTK	407	F30_KEY F31_KEY		Function 31
DTK	409	F32_KEY		Function 32
DTK	410	F33_KEY		Function 33
DTK	411	F34_KEY		Function 34
DTK	412	F35_KEY		Function 35
DTK	413	F36_KEY		Function 36
DTK	414	F37_KEY		Function 37
DTK	415	F38_KEY		Function 38
DTK	416	F39_KEY		Function 39
DTK	417	F40_KEY		Function 40
DTK	418	F41_KEY		Function 41
DTK	419	F42_KEY		Function 42
DTK	420	F43_KEY		Function 43
DTK	421	F44_KEY		Function 44
DTK DTK	422 423	F45_KEY F46_KEY		Function 45 Function 46
DTK	424	F47_KEY		Function 47
DTK	425	F48_KEY		Function 48
DTK	426	F49_KEY		Function 49
DTK	427	F50_KEY		Function 50
DTK	428	F51_KEY		Function 51
DTK	429	F52_KEY		Function 52
DTK	430	F53_KEY		Function 53
DTK	431	F54_KEY		Function 54

Fac	Err #	Code	Sev	Message
DTK	432	F55_KEY		Function 55
DTK	432	F56_KEY		Function 56
DTK	434	F57_KEY		Function 57
DTK	435	F58_KEY		Function 58
DTK	436	F59_KEY		Function 59
DTK	437	F60_KEY		Function 60
DTK	438	F61_KEY		Function 61
DTK	439	F62_KEY		Function 62
DTK	440	F63_KEY		Function 63
DTK	441	SUB_MENU		Submenu Flag
DTK	442	KEYNUMS		Codes:
DTK	443	SHORTCUT		Menu Shortcut Text:
DTK	444	KEYCHR2		Alternate #1:
DTK	445	KEYCHR3		Alternate #2:
DTK	446	KEYSELINF		Select the Shortcut Function to Define
DTK	447	KEYSEQINF		Enter the Decimal character codes for the Key Sequence
DTK	448	KEYTXTINF		Enter the Shortcut Text to appear on the menu for this function
DTK	449	KEYACCINF		Press the desired key(s), followed by RETURN
DTK	450	KEYUPDTTL		Updating
DTK	451	KEYCHRS		Key Sequence:
DTK	452	NOENDSEL		No .END for previous .SELECT
DTK	453	SEL2DFLT		DEFAULT already specified on a previous ENTRY
DTK	454	NOENTNSEL		No entries in the selection window
DTK	455	TOOMNYSEL		Too many entries in selection window
DTK	456	FLDOVER		Warning: Field overlaps prompt
DTK	457	NOWNDLIB		Window %a not found; no library supplied
DTK	458	NOCOLS		No columns currently placed
DTK	459	FLSBADCHN		Channel %d does not access a file stack
DTK	460	FLSTKNACT		The file stack system is not currently active.
DTK	461	FLSTKOVFL		The file stack system has overflowed.
DTK	462	FLSTKMAX		A maximum of %d files has already been stacked.
DTK DTK	463 464	FLSTKNLFIL		No logical file is currently open. Invalid file stack level
DTK	465	FLSTKINVLV FLSTKVLEV		Valid levels are currently 1 to %d.
DTK	466	FLSTKINVR1		Invalid record number for stack level %d.
DTK	467	FLSTKINVR1 FLSTKINVR2		Currently %d records are at that level.
DTK	468	FLSTKINVR3		Requested transfer record number was %d.
DTK	469	AM		AM
DTK	470	PM		PM
DTK	471	TIMERR		Invalid Time
DTK	472	LLNOCURR		Linked List Error: No Current Record
DTK	473	LLNOTFND		Linked List Error: Requested record not found
DTK	474	LLFSERR		Linked List Error: File Stack Error
DTK	475	LLNOTTOP		Linked List Error: Cannot extend list, not at top level of file stack
DTK	476	LLNOTOPN		Linked List not opened; use LL_OPEN
DTK	477	DICTINIT		Error initializing repository
DTK	478	DICTEXIT		Error exiting repository
DTK	479	DICTSTRUCT		Error accessing repository structure %a
DTK	480	DICTFLD		Error accessing repository field %a in structure %a
DTK	481	DICTERR		Unknown error accessing repository
DTK	482	DICTNOFND		Requested repository record not found
DTK	483	DICTOPEN		Could not open file
DTK	484	DICTFUNC		Unknown repository function code
DTK	485	SAVTOMAP		Save current changes to %a ?
DTK	486	SAVTERM		Enter name of terminal to save current changes
DTK	487	SBNOTSB		Window id %d is not a scroll bar window
DTK	488	RNDLSTENA		Enabled List

Fac	Err #	Code	Sev	Message
DTK	489	RNDLSTBDR		Enabled List Border
DTK	490	RNDLSTTTL		Enabled List Title
DTK	491	RNDLSTDSA		Disabled List
DTK	492	RNDLSTSEL		Selected Item in List
DTK	493	RNDSCRBAR		Scroll Bar
DTK	494	RNDSCRIND		Scroll Bar Indicators
DTK	495	RMMLSTENA		Enabled List
DTK	496	RMMLSTBCK		List Item
DTK	497	RMMLSTSEL		Selected Item
DTK	498	RNDLSTDSS		Disabled Selected Item
DTK	499	MAXLIST		Maximum number of list entries (99) exceeded
DTK	500	IBBADCOL		Column specified (%d) lies outside window (1-%d)
DTK	501	IBBADROW		Row specified (%d) lies outside window (1-%d)
DTK	502	NEGQUAL		ALLOWED, ONLY, or ORZERO expected
DTK	503	TTYPE		Type must be D4, D6, I2 or I4
DTK	504	AMPMORNOW		AMPM or NOW expected
DTK	505	UNKNLSTOPT		Unknown .LISTCLASS option: %a
DTK	506	RNDLSTHDR		Enabled List Header
DTK	507	RNDLSTFTR		Enabled List Footer
DTK	508	RMMLSTHDR		List Header
DTK	509	RMMLSTFTR		List Footer
DTK	510	TERMCOPY		Enter terminal type to copy from:
DTK	511	MNUSEL		Menu entry "%a" selected
DTK	512	CHRTYPED		Character "%a" typed
DTK	513	CTLTYPED		Control character "^%a" typed
DTK	514	NONMNUTYPD		Non-menu function "%a_KEY" typed
DTK	515	FINDPRMPT		Find:
DTK	516	NOTINST		UI Toolkit is not configured Please contact your Synergy supplier
DTK	517	MAXUSER		Exceeded concurrent user capacity
DTK	518	TIMEOUT		This system has timed out Please contact your Synergy supplier
DTK	519	DUPCLASS		List Class %a already defined
DTK	520	CLSCREAT		Cannot create List class %a: %a
DTK	521	NOCLASS		List class %a not found
DTK	522	NOCLSLIB		List Class %a not loaded - no library supplied
DTK	523	NOTCLSWND		Id %d_not_a List_class
DTK	524	PLCDPRLVL		List ID %d placed at a prior level
DTK	525	NOTLOCAL		List ID %d not local to the current environment
DTK	526	NOTFREE		List ID %d already in use
DTK	527 529	NOFREE		No List ID's available Maximum number of active Lists (%d) already reached.
DTK	528 520	NOTLST		ID %d is not an active List
DTK	529	CMDQOVF		List Request queue overflow
DTK	530 531	INPINUSE		Input window %d already associated with a List
DTK DTK	531 532	NOSECT		List section %d not found Disabled List
DTK	532 533	RMMLSTDSA FLSTKDFLT		Default file stack already initialized
DTK	533 534	NEGOERR		Negative value only allowed
DTK	534	RPOSTXT		RETAIN_POSITION only valid for text fields
DTK	535 536	TXTPOS		I_TXTPOS can only be used for text fields
DTK	530	HELPINFO		Browse help text, then press RETURN or [O_EXIT] to exit
DTK	537	FLAGOLD		Warning: .FLAG no longer supported; use renditions
DTK	539	RNDSELEOS		Sel Wnd Ouick-Selects
DTK	540	SNAPLEN		I_SNAPSHOT argument too small: %d
DTK	541	LISTLEN		Maximum storage capacity for list data exceeded; max=%d, needed=%d
DTK	542	LLSIZE		Maximum storage capacity for linked list data exceeded; max=%d, needed=%d
DTK	543	ABOUT		About %a
DTK	544	VERSION		Version %a
DTK	545	COMPILED		Compiled on %a
אדע	273			Compiled on a

Fac	Err #	Code	Sev	Message
DTK	546	DTKVERS		UI Toolkit Version %a
DTK	547	STRCTOVR		Too many item definitions in structure maximum of %d
DTK	548	SETOVR		Too many fields in set definition maximum of %d
DTK	549	BADINTLEN		Invalid size specified for integer field: %d
DTK	550	INTOVF		Value too large for field; range %a thru %a
DTK	551	HELPINFO2		Press RETURN or [O_EXIT] to exit help
DTK	552	BADDICTTYP		Fields of type %a not supported by the Toolkit
DTK	553	NAMESETID		%d is not a valid name set ID
DTK	554	NAMNOTUNIQ		"%a" is not a unique name within the set of %a
DTK	555	MAXNAME		Maximum number of %a exceeded
DTK	556	NOROUTINE		%a (or a routine it calls) missing, or GDS uninitialized.
DTK	557	NOARRIVE		Specified as the arrive method for field %a
DTK	558	BTNOK		o k
DTK	559	BTNCANCEL		Cancel
DTK	560	BTNABORT		Abort
DTK	561	BTNRETRY		Retry
DTK	562	BTNIGNORE		Ignore
DTK	563	BTNYES		Yes
DTK	564	BTNNO		No
DTK	565	LISTINP		Input window %d is associated with list %d - you must use L_INPUT(_P) or L_INPFLD(_P) for input
DTK	566	WNDPLC		Could not place window
DTK	567	BADFLDLEN		Field %a must be in range %d-%d: %d
DTK	568	WROVERS		Wrong version of Toolkit library: %a\nExpected version: %a
DTK	569	COLORS		ANSI: 0=Black,1=Blue,2=Green,3=Cyan,4=Red,5=Purple,6=Yellow,7=White
DTK	570	FIND_MSG		Searching list - please wait
DTK	571	TOOMNYEOF		%d EOF characters encountered
DTK	572	BTNHELP		Help
DTK	573	BADBTN		Invalid button code passed to IB_STDBUTTONS: %d
DTK	574	SCRBADBTN		Invalid button name: %a
DTK	575	DEFFILTER		All files (*.*)
DTK	576	BIGFILTER		%U_GETFILENAME Error: Specified filters too large. Maximum of 8192 characters allowed
DTK	577	FILENAME		File
DTK	578	DIRCMD		Unable to build directory list.\nCommand was:\n%a
DTK	579	ALLFILES		All files (*.*)
DTK	580	MAXITEM		Max token length (%d) exceeded: %d chars encountered - token truncated
DTK	581	TOOLKIT		UI Toolkit
DTK	582	BADVERSN		Incompatible version of %a
DTK	583	MINVERSN		Minimum version required: %a
DTK	584	GOTVERSN		Version in use: %a
DTK	585	TIMOUT		O_TIMEOUT Invalid wait qualifier
DTK	586 507	INVWAIT		Invalid wait qualifier Specified as the drill method for field %a
DTK	587 588	NODRILL		List has no associated data
DTK	588 589	NOLSTDATA		List has no associated data List has associated data but no parameter passed
DTK DTK	589 590	LSTHASDATA NOLEAVE		Specified as the leave method for field %a
DTK	590 591	SCR2WIDE		Application screen width specified (%d) exceeds maximum of %d
DTK	591			'Radio' specified without associated selection window
DTK	592	NOSELRADIO NOHYPER		Specified as the hyperlink method for field %a
DTK	594	SCRINCOMP		Incompatible field qualifiers: %a and %a
DTK	595	NOENUMLIST		Field specified as enumerated, but no selection or allow list specified
DTK	596	DICTOPENM		Could not open main repository
DTK	597	DICTOPENT		Could not open repository text file
DTK	599	DICTUROVER		Repository is not a version %a repository
DTK	600	DICTFLDNA		Repository field %a not available to the Toolkit
DTK	601	SCRALREADY		%a already encountered
DTK	602	NOTTSET		%d is not a tabset id in routine %a.
DTK	603	MAXTABS		Maximum number of tab items created for tabset %d.
	, , , ,		1	

Fac	Err #	Code	Sev	Message
DITT	604	NOTETINA		
DTK	604 605	NOTTITM		%d is not a valid tab item. tab item
DTK DTK	606	TABITEM TASSOC		Window ID %d is already associated with a tab set.
DTK	607	RTNNFDTK		Method %a not found in routine %a.
DTK	608			Maximum number of buttons per window (%d) exceeded.
DTK	609	TOOMNYBTNS SCRMAXLIB		Maximum number of libraries (%d) exceeded.
DTK	610	SCRMAXSCR		Maximum number of scripts (%d) exceeded.
DTK	611	SFWFSETDEL		Illegal operation attempted which would result in the destruction of the input set which is being
DTK	612	INPUTWND		Script compiler used for input window %a
DTK	613	LWNDEVENT		Failed to assign window event set %d to list ID %d
DTK	614	WNDEVENT		Failed to assign window event set %d to window ID %d
DTK	615	BADFONT		Invalid font name specified.
DTK	616	FONTSPEC		Invalid font name specified in %a - "%a".
DTK	617	CRWNDFAIL		Could not create window %a with %d rows and %d columns.
DTK	618	NOTAXWID		%d is not the ID of an ActiveX Container window.
DTK	619	BTNNAME		%a is not a valid button name in window ID %d
DTK	620	INPOVFLOW		Insufficient data space passed to input routine for storage of field:
DTK	621	INPOVFLOW2		%a. Needed %d, passed data size is %d.
DTK	622	AXLISTLOAD		ActiveX list control load failure: OCX/DLL file(s) missing or not registered.
DTK	623	BADAXLSVRS		Mismatched ActiveX list control version: %a; expected %a
DTK	624	WROVERSN		Mismatched versions of %a and %a
DTK	625	REQVERSN		Version of %a: %a
DTK	626	BADMCLASS		U_WNDEVENTS: Argument 2 (%d) is not a valid method set ID for D_ASSIGN
DTK	627	BADBLDID		%a: %d is not a valid input window build ID
DTK	628	NOAXCNTR		AX_TKWIN: Could not create ActiveX container window. For more information, run again with AXDEBU
DTK	629	RNGERROR		Value %d not in range %d to %d in %a
DTK	630	INVADDRSIZ		Integer address must be of size %d
DTK	631	INVUTYP		Invalid user type: %d. Alphanumeric argument required.
DTK	632	RPSDUPFLD		Repository field name %a is not unique among members of structure %a
DTK	633	BADENV		Environment level specified (%d) not in range 1 to %d
DTK	634	LABORT		List %d aborted; reason code %d (%a)
DTK	635	LABTNORECS		Empty list not allowed NONULL specified in list class but no records loaded
DTK	636	LABTILLREQ		Illegal request
DTK	637	LABTNOLOAD		Load request not honored check the load method
DTK	638	LABTUNKNWN		Unknown abort reason
DTK	639	TOOMNYTBS		Maximum number of toolbars (%d) exceeded.
DTK	640	NOTBLOG		Could not log Toolbar %d.
DTK	641	TBNOTFREE		Toolbar not classed as available.
DTK	642	NOSUCH		No such %a logged with the Toolkit.
DTK	643	TOOLBAR		Toolbar
DTK	644	SELTOOBIG		Selection window exceeds 32767 bytes.
DTK	645	NOUSTART		The Synergy/DE UI Toolkit has not been initialized (U_START was not called)
DTK	646	BINPOS		Invalid button position specified for window %d: %d (Valid range is 1 through %d)
DTK	647	BADDEC		Decimal places specified (%d) not in range 0-28
DTK	648	FLDTOOBIG		Field %a does not fit in the window; maximum width: %d, field width: %d.
DTK	649	LDNAMOVF		Overflow loading %a names: %as beginning with %a (index %d) will not be accessible by name.
DTK	650 651	RPSRTNNF		Repository access routine %a not found.
DTK	651	BTNNDX		%d is not a valid button index in window ID %d
DTK	652	FLDNAMOVF		Field name with element specification exceeds maximum of %d characters.
DTK	653	BADELEMSPC		Invalid array element: %a, at character %d: '%a'
DTK	654	LNGELEMSPC		Element specification results in field name longer than %d characters: %a
DTK	655 656	MNYELEMSPC		Element specification contains more than 4 dimensions: %a Element does not match Repository dimension specification:
DTK	656 657	RPSELEMERR		%a, dimension %d
DTK DTK	658	RPSELEMER2		Element specification not allowed on local field: %a
DTK	659	ELEMNORPS BLANKENTRY		Menu entry name may not be blank
DTK	660	INPEXACT		Incorrect size of data space passed to routine for storage of field:
עזע	000	TINEEVACT		incorrect size or data space passed to routine for storage or freid.

Fac	Err #	Code	Sev	Message
DTK	661	FLDSELENUM		Field %a is enumerated and has no allow list; cannot remove selection window.
DTK	662	NOTCTR		%d is not the ID of a valid UI Toolkit container window
DTK	663	CHLDALREDY		ID %d (type %d) is already a child of container %d
DTK	664	NOTCHLD		%d is not the ID of a contained window
DTK	665	TOOMNYROWS		Field %a does not fit in the window; number of rows specified: %d; truncated to %d.
DTK	666	KEYFRDONLY		Keymap file is read-only
DTK	667	NORNDFIL		Unable to update renditions file: %a
DTK	668	RNDFRDONLY		Renditions file is read-only
DTK	669	MSIGCONF		M_SIGNAL overwriting pending menu entry: %a with %a\nContinue?
DTK	670	DICTFLDLST		Error building field list for repository structure %a; validate repository
DTK	671	NOSTARTM		Specified as the USTART_METHOD passed to U_START
DTK	672	CONTINUE		Continue?
DTK	673	IUSERARG		I_USER argument %d smaller than user string for field %a (%d passed, needed %d)
DTK	674	IUSERARGE		I_USER argument %d is not exactly the same size as the user string for field %a (%d passed, expec
DTK	675	BOUNDSFAIL		DTK_BOUNDS failure (level %d)
DTK	676	BADRTNADDR		Invalid method address: %d
DTK	677	INCOMPTYP		Incompatible data type passed to %a for field %a
DTK	678	TSTYPE		Type must be 18 for timestamp fields
DTK	679	AMPMORSHRT	l _ l	AMPM or SHORT expected
LBR	1	BADFIL	F	Corrupted file: %s
LBR	2	CLOSIN	F	Cannot close: %s
LBR	3	CMDBIG	F	Command line too long: %s
LBR	4	CONOPT	F	Conflicting options on command line
LBR	5 6	DNXSTMD EXSTMOD	F	Cannot delete non-existing module: %s
LBR	7		F	Cannot add existing module: %s
LBR	8	INFXP	F F	Indirect command file name expected Input file expected
LBR LBR	9	INPFXP	F	Input life expected Insufficient memory for attempted operation
LBR	10	INSMEM INVFN	F	Insufficient memory for accempted operation Invalid command file name
LBR	11	INVOPT	F	Invalid command line option
LBR	12	INVTR	F	Invalid command file option, [NO]TRACE expected
LBR	13	LERROR	F	Internal error: %s
LBR	14	MAXIF	F	Exceeded maximum input file limit
LBR	15	MAXIND	F	Exceeded maximum indirect command file limit
LBR	16	MAXMOD	F	Exceeded maximum number of module names
LBR	17	MAXTF	F	Exceeded maximum number of files
LBR	18	MODXP	F	Module name expected
LBR	19	NONAME	F	No name specified for command line option
LBR	20	NOTSUBR	F	Module %s is not a subroutine
LBR	21	OBJXP	F	Object file expected: %s
LBR	22	OLBXP	F	Object library expected: %s
LBR	23	OPENIN	F	Cannot open input file: %s
LBR	24	OPOUT	F	Cannot open output file: %s
LBR	25	RNXSTMD	W	Warning - Replacing non-existing module: %s
LBR	26	XNXSTMD	F	Extracting non-existing module: %s
LBR	28	OPTXP	F	Option expected
LBR	29	DUPMOD	W	Warning - Duplicate module %s in library %s
LBR	30	WRTERR	F	Out of disk space for output file
LBR	31	MODSIZ	F	Module length too large %s
LBR	32	DUPMTH	F	Duplicate method specified: %s
LBR	33	IOERR	F	I/O error reading file: %s
LBR	34	OPPNDN	F	Module %s built opposite 'endian'
LBR	35	BADNDN	F	Unrecognized module id in %s
LBR	36	OPPBIT	F	Module %s built with opposite bit size
LBR	37	NDNOPP	F	Library built with opposite 'endian'
LBR	38	NDNBAD	F	Unrecognized library ID
LBR	39	BITOPP	F	Library built with opposite bit size

Fac	Err #	Code	Sev	Message
LBR	517	INTERR	F	Internal Error: %d
LNK	1	BIGSEG	F	Segment exceeds maximum size in module: %s
LNK	2	CMDBIG	F	Command line exceeds maximum length
LNK	3	COMERR	F	Compiler errors in module: %s
LNK	4	COMNF	F	COMMON record undefined: %s in module %s
LNK	5	COMWAR	W	Compile warnings in module: %s
LNK	6	DUPMOD	F	Duplicate module name: %s
LNK	7	DUPSYM	F	Duplicate symbol definition: %s
LNK	8	GLOBNF	F	Global psect %s not in module %s
LNK	9	INSMEM	F	Insufficient memory for attempted operation
LNK	10	INVFN	F	Invalid command file name
LNK	11	INVOPT	F	Invalid option
LNK	12	INVSOF	F	Invalid switch or file name
LNK	13	INVSTK	F	Invalid stack size specification
LNK	14	INVTR	F	Invalid trace option, -T or -N expected
LNK	15	LIBMAX	F	Too many library input files
LNK	16	MAXIF	F	Too many input files open
LNK	17	MAXIND	F	Too many indirect command files
LNK	18	MAXTF	F	Too many files
LNK	19	NOGLOB	F	No global or common records allowed in library
LNK	20	NOLIB	F	No library input allowed for library output
LNK	21	NOMAIN	F	No main-line or primary module specified
LNK	22	NONAME	F	No file name specified with OUTPUT
LNK	23	ONEINI	W	Global data section %s has duplicate , INIT
LNK	24	ONEPRI	F	Second main-line or primary module illegal: %s
LNK	25	OPENIN	F	Cannot open: %s
LNK	26	OPFNF	F	Cannot open input file: %s
LNK	27	OPOUT	F	Cannot open output file: %s
LNK	28	OPTXP	F	Option expected
LNK	29	SUBRLB	F	No main-line's allowed in executable libraries
LNK	30	WRTERR	F	Out of disk space for output file
LNK	31	XCLREF	F	Too many subroutine references from ELB module
LNK	32	XUNDEF	F	XCALL routine undefined: %s
LNK	34	INVNUM	F	Option requires numeric value specification
LNK	35	NOTELB	F	Invalid ELB format in file: %s
LNK	36	ERRCNT	F	Too many errors; compilation aborted
LNK	37	BADFIL	F	Bad record format in file: %s
LNK	38	GBLPSNF	F	Global psect {%d} not found
LNK	39	E65K	F	Modules or shared data symbols > 65K
LNK	40	NOMOD	F	Module %s not found in library
LNK	41	NOTINI	M	Global data section '%s' not initialized
LNK	42	NOENDMOD	F	Internal error: No ENDMOD record in %s
LNK	43	ELBNAM	F	ELB name specified is too long
LNK	44	ELBREF	M	Undefined global data reference '%s'
LNK	45 46	REFER	F	Fatal referencing errors
LNK	46 47	ELBSUB	W	In subroutine '%s', ELB '%s'
LNK	47	SUNDEF	W F	COMMON symbol '%s' undefined in module %s Module %s built opposite 'endian' (%s)
LNK	48	OPPNDN	F	Module %s built opposite 'endian' (%s) Unrecognized module id 0x%x in %s
LNK	49 50	BADNDN	M F	COMMON '%s' conflicts with GLOBAL DATA SECTION in module %s
LNK	50 51	CMNGBL	F	Duplicate common symbol definition: %s in module %s
LNK	51 52	COMDUP	F	File %s is open by another user
LNK	5⊿ 53	FILINUSE	F	File %s is not writable
LNK LNK	53 54	PROTEC CIRELB	F	Circular ELB reference in file %s
LNK	5 4 55	NOCOMP	F	Incompatible options specified: %s
LNK	56	OLDELB	F	Old ELB file format%s detected: relink %s
LNK	50 57	NOCLS	F	Class not found
אאיד	5/	иоспо	r	Class not round

Fac	Err #	Code	Sev	Message
LNK	58	CLSERR	F	Class definition error
LNK	59	CLSCRC	F	Class CRC mismatch: class %s in module %s
LNK	60	CLSUND	F	Undefined class: %s
LNK	61	OLDDBG	F	Old debug object record, recompile: %s
LNK	62	TEXT	I	02 02 02 02 02 02 02 02 02 02 02 02 02 0
LNK	63	DUPCOMN	Ē	Duplicate Global Common: %s in ELB %s
LNK	64	DUPLIT	E	Duplicate Global Literal: %s in ELB %s
LNK	65	DUPGDS	E	Duplicate Global Data Section: %s in ELB %s
LNK	66	DUPSREC	E	Duplicate Static Record: %s in ELB %s
LNK	67	DUPGBL	E	Duplicate global: %s in ELB %s
LNK	68	DUPCLS	E	Duplicate class: %s in ELB %s
LNK	69	DUPRTN	W	Duplicate routine: %s in %s
LNK	70	DUPLICATES	E	Duplicate symbols
LNK	71	FRSTDEF	I	Symbol %s first defined in %s
LNK	72	FRSTRTN	I	Routine %s first found in %s
LNK	73	COMNDUP	W	Duplicate Global Common: %s in ELB %s
LNK	74	LITDUP	W	Duplicate Global Literal: %s in ELB %s
LNK	75	GDSDUP	W	Duplicate Global Data Section: %s in ELB %s
LNK	76	SRECDUP	W	Duplicate Static Record: %s in ELB %s
LNK	77	GBLDUP	W	Duplicate global: %s in ELB %s
LNK	78	CLSDUP	W	Duplicate class: %s in ELB %s
LNK	79	MODSIZ	F	Module length too large %s
LNK	80	NAMSIZ	F	Module name table too large %d
LNK	81	NOINF	F	No input module specified
LNK	82	NOTOLB	F	Invalid OLB format in file: %s
LNK	83	RUNDEF	W	Undefined routine: %s in %s
LNK	84	REFBIG	W	Global data reference larger than definition: '%s'
LNK	85	NORTN	F	No routines in OLB file: %s
LNK	86	IOERR	F	I/O error reading file: %s
LNK	87	NDNOPP	F	File %s built with opposite 'endian'
LNK	88	NDNBAD	F	Unrecognized file ID in %s
LNK	89	BITOPP	F	File %s built with opposite bit size
LNK	90	OPPBIT	F	Module %s built with opposite bit size (%d)
LNK	91	BADOBJ	F	Bad DBO file: %s
LNK	92		F	Bad module compile: %s compiled for %s
LNK	517	BADCMP INTERR	F	Fatal internal error %d
PRO	1		r	
PRO	2	VERSLBL KEYINFO		UI Toolkit Prototyping System [O_HELP]-Help [U_DIR]-Dir [U_VIEW]-View [O_EXIT]-Exit
PRO	3	NOLIB		No library open
PRO	4			No library open Directory, pg %d of %d
PRO	5	DIRHDR EMPTYLIB		Empty window library
PRO	5 6			Empty window library Error: %a already exists
PRO	7	LIBEXIST		Cannot create %a\n%a
PRO	8	CREATERR LIBNF		Library %a not found
PRO	9	OPENERR		Cannot open %a
PRO	10	NOCOLS		No columns in current window library
PRO	11	NOCOLS		No non-input windows in current window library
PRO	12	NOINPS		No input windows in current window library No input windows in current window library
PRO	13	ALRDYLD		%a already loaded by Proto
PRO	13 14	COLLOD		Column %a loaded (not placed)
	15			Column %a roaded (not praced) Column %a not found
PRO		COLNF		Reached maximum number of loaded columns
PRO	16 17	MAXCOL		Window %a not found
PRO		WNDNF		Reached maximum number of loaded windows
PRO	18	MAXWND		
PRO	19 20	INPNF		Input window %a not found Reached maximum number of input windows
PRO	20	MAXINP		No input windows loaded
PRO	∠⊥	NOINPLD		NO INPUT WINDOWS TOACEC

Fac	Err #	Code	Sev	Message
PRO	22	BRKFLD		Processing break field %a
PRO	23	MENUENT		Processing menu entry %a
PRO	24	RDERR		Error reading window library
PRO	25	WORKING		Working
PRO	26	SCRERR		Errors processing script file
PRO	27	SELHDR		Page %d of %d
PRO	28	MENUSEL		Selected menu entry %a
PRO	29	NOCOLLD		No columns loaded
PRO	30	ALLCOLRM		All columns removed
PRO	31	NOWNDPLC		No windows placed
PRO	32	NOWNDLD		No windows loaded
PRO	33	NOHELP		No help text available
PRO	34	APPKEY		Application keypad mode set
PRO	35	NOAPPKEY		Application keypad mode reset
PRO	36	NOSELS		No selection windows in current window library
PRO	37	SELNF		Selection window %a not found
PRO	38	MAXSEL		Reached maximum number of selection windows
PRO	39	NOSELLD		No selection windows loaded
PRO	40	SELENT		Processing selection window entry %a (#%d)
PRO	41	HDRCL		Create Library
PRO	42	HDRMM		Main Menu
PRO	43	HDROL		Open Library
PRO	44	HDRPS		Process Scripts
PRO	45	HDRTW		Test Windows
RDL	1	RPTNOT1ST		REPORT must be first keyword in RDL file.
RDL	2	INVMAINKW		Invalid main keyword.
RDL	3	TMPFLDNOT		Temp field %a not unique.
RDL	4	INVCALTYP		Invalid type for calculation field (%a).
RDL	5	INVCALEXP		Invalid expression (%a) for calculation field (%a).
RDL	6	INVCALJST		Invalid justification for calculation field (%a).
RDL	7	RELUNDEFI		Relation undefined for file (%a).
RDL	8	INVCALFLD		Invalid calculation field (%a).
RDL	9	INVCALDAT		Invalid date storage type for calculation field (%a).
RDL	10	INVQRYTYP		Invalid type for question field (%a).
RDL	11	INVQRYDAT		Invalid date storage type for question field (%a).
RDL	12	INVQRYJST		Invalid justification for question field (%a).
RDL	13	INVQRYFLD		Invalid question field (%a).
RDL	14	INVENVTYP		Invalid type for environment field (%a).
RDL	15	INVENVDAT		Invalid date storage type for environment field (%a).
RDL	16	INVENVJST		Invalid justification for environment field (%a).
RDL	17	INVENVFLD		Invalid environment field (%a).
RDL	18	INVSUBFLD		Invalid subtotal field (%a).
RDL	19	INVLINTYP		Invalid type for line statement.
RDL	20	NOPOSSPEC		No position specified in text statement.
RDL	21	INVTXTPOS		Invalid position for text statement.
RDL	22	INVFILEID		Invalid file ID in file statement.
RDL	23	INVPARENT		Invalid parent file ID in file statement.
RDL	24	INVRELNAM		Invalid relation name in file statement.
RDL	25	INVFLDPOS		Invalid position for field statement.
RDL	26 27	INVFLDJST		Invalid justification for field statement. Invalid format truncation for field statement.
RDL	27	INVFMTTRN		
RDL	28	INVOPRTOR		Invalid operator in conditional specification.
RDL	29 30	INVSUBSCR INVSRTSUB		Invalid subscript in field specification.
RDL	30			Sort fields can not be subscripted. Invalid range in field specification.
RDL RDL	32	INVRANGED INVSRTRNG		Sort fields can not be ranged.
	3∠ 33			Nested subscripts and ranges are not allowed.
RDL	33	INVNSTING		nested subscripts and ranges are not arrowed.

Fac	Err #	Code	Sev	Message
RDL	34	MAXREFS		Maximum number of referenced fields (%d) has been defined.
RDL	35	NOTRNG		You must use a numeric field for ranges.
RDL	36	FILE		File %a loading
RDL	37	SELECTION		Selection loading
RDL	38	SORT		Sort loading
RDL	39	CALC		Calculation temp field %a loading
RDL	40	TEMPTEXT		Text temp field %a loading
RDL	41	QUESTION		Question temp field %a loading
RDL	42	ENVIRON		Environment temp field %a loading
RDL	43	SUBTOTAL		Subtotal temp field %a loading
RDL	44	LINE		%a type line loading
RDL	45	FIELD		Field %a loading
RDL	46	TEXT		Text loading
RDL	47	MISC		Miscellaneous loading
RDL	48	GFILE		File %a generating
RDL	49	GSELECT		Selection generating
RDL	50 51	GSORT		Sort generating
RDL RDL	51 52	GCALC GTEMPTEXT		Calculation temp field %a generating Text temp field %a generating
RDL	52 53	GQUESTION		Ouestion temp field %a generating
RDL	54	GENVIRON		Environment temp field %a generating
RDL	55	GSUBTOTAL		Subtotal temp field %a generating
RDL	56	GLINE		%a type line generating
RDL	57	GFIELD		Field %a generating
RDL	58	GTEXT		Text generating
RDL	59	GMISC		Miscellaneous generating
RDL	60	INVBRKREF		Invalid break field reference for (%a) temp field.
RDL	61	ICSVER		` ' ' '
RDL	62	GENSUMMARY		%d reports generated.
RDL	63	LODSUMMARY		%d errors logged. %d reports loaded.
RDL	64	INVSRT		Invalid sort statement.
RDL	65	LDEXIST		Report %a already exists. Do you wish to create a new report?
RDL	66	LDREPLACE		Report %a exists. Do you want to replace it?
RDL	67	EXISTINFO		Select "Yes" to replace the existing report.
RDL	68	CRENEW		Do you want to create a new report?
RDL	69	BLANK		0.7
RDL	70	CRENEWINFO		Select "Yes" to create a new report; "No" to skip this report.
RDL	71 72	INVNAM		Invalid report name specified.
RDL RDL	72 73	RPTEXISTS ERRFIL		Duplicate report name specified. Please enter another report name. Report %a could not be deleted.
RDL	73 74	NOLIN		FIELD specified when LINE is not defined.
RNT	1	EOF	E	End of file
RNT	2	NOCALL	E	Return with no CALL or XCALL
RNT	5	RECEXTCAL	E	Recursive XCALL or .NET CALL exceeds 64
RNT	6	WROARG	Ē	Incorrect number of subroutine arguments
RNT	7	SUBSCR	E	Invalid subscript specified
RNT	8	WRTLIT	E	Writing to a literal or missing argument
RNT	9	NOMEM	E	Not enough memory for desired operation
RNT	10	ILLCHN	E	Illegal channel number specified
RNT	11	NOOPEN	E	Channel has not been opened
RNT	12	ONLYWR	E	Attempt to open output device in input mode
RNT	13	BACKPEND	E	Backup mode is On
RNT	14	BIGALPHA	E	Alpha temporary result exceeds 65535
RNT	15	BIGNUM	E	Arithmetic operand exceeds maximum size
RNT	16	CHNUSE	E	Channel is in use
RNT	17	FILSPC	E	Bad filename File net found
RNT	18	FNF	E	File not found

Fac	Err #	Code	Sev	Message
RNT	19	NOTAVL	E	Device not available
RNT	20	DIGIT	E	Bad digit encountered
RNT	21	FILOPT	E	Invalid operation for file type
RNT	22	IOFAIL	E	Failure during I/O operation
RNT	23	TOOBIG	E	Input data size exceeds destination size
RNT	24	NOSPAC	E	No space exists for file on device
RNT	25	FILFUL	E	Output file is full
RNT	27	UPDNFD	E	Update of non-file device
RNT	28	RECNUM	E	Illegal record number specified
RNT	29	BADCMP	F	Compile not compatible with execution system
RNT	30	DIVIDE	E	Attempt to divide by zero
RNT	31 32	ARGSIZ	E E	Argument specified with wrong size
RNT RNT	33	REPLAC CHNEXC	E	Cannot supersede existing file Too many files open
RNT	37	DEVUSE	E	Device in use
RNT	38	FINUSE	E	File in use by another user
RNT	39	OUTRDO	E	Output to read-only device
RNT	40	LOCKED	E	Record is locked
RNT	41	BACKUPMODE	E	Backup mode error or SYNERGYDE64/32 improperly set
RNT	44	ELBREF	W	Undefined global data reference '%s'
RNT	52	BADKEY	E	Illegal key specified
RNT	53	KEYNOT	E	Key not same
RNT	54	NODUPS	E	Duplicate key specified
RNT	56	NOTISM	E	Not an ISAM file
RNT	61	NOCURR	E	No current record
RNT	62	PROTEC	E	Protection violation
RNT RNT	64 67	RNF	E F	Record not found
RNT	77	VMSERROR ARGORD	E	Unexpected VMS system error Arguments out of order for PAK or UNPAK
RNT	78	ARGREC	E	PAK/UNPAK fields not in record
RNT	80	NOSQL	E	SQL Connection installation error or DBLOPT 48 not set
RNT	82	AORDXP	E	Alpha or decimal variable expected
RNT	86	RECLNG	E	Invalid record length
RNT	87	ARGMIS	E	Argument missing
RNT	95	OPNERR	E	OPEN error
RNT	98	INTRPT	E	Interrupt character detected
RNT	100	RMSERROR	E	Unexpected RMS error
RNT	101	NOCHAIN	E	Stop chain not allowed in callback on Windows 7 or Windows X64
RNT	102	RUNERR	F	Internal runtime failure: %s
RNT	103	FILORG	E	Invalid file organization
RNT	104	OUTRNG	E	Value out of range
RNT RNT	106 107	EXQUOTA DEVNOTRDY	E E	Exceeded quota Device not ready
RNT	107	IOMODE	E	Bad mode specified
RNT	111	TIMOUT	E	Terminal input operation timeout
RNT	115	BLKSIZ	E	Invalid value specified for BLKSIZ
RNT	120	EXCACT	E	Too many activation characters
RNT	122	QUEUENOTAV	E	Invalid queue specified on LPQUE
RNT	128	VMSRMS	F	Unexpected VMS or RMS error
RNT	129	TSXERR	F	Unexpected TSX error
RNT	131	SMERR	E	SORT or MERGE error
RNT	132	SAMOP	E	Operands must be both alpha or both numeric
RNT	141	MAXIF	E	Too many input files open
RNT	144	ARGDIGPT	E	Numeric digit(s) and at most one decimal point expected
RNT	145	BDIGXP	E	Binary digits expected in argument (%s)
RNT RNT	146 147	HDIGXP ODIGXP	E E	Hexadecimal digits expected in argument (%s) Octal digits expected in argument (%s)
KINI	14/	ODIGVE	ഥ	octar dryres expected in argument (%s)

	Err #	Code	Sev	Message
RNT	151	ARGDIG	E	Numeric digit(s) expected in argument
RNT	153	DECXPT	E	Decimal expected
RNT	154	IORDXP	E	Only integer and decimal operands allowed
RNT	155	RNDVAL	E	Invalid round value: %s
RNT	156	IRNDVAL	E	Invalid round value for integer operand: %d
RNT	157	INVFORENT	E	Invalid entry to FOR loop
RNT	158	IDXP	E	Implied data type required
RNT	159	INVHDL	E	Invalid memory handle
RNT	160	ADDRSIZ	E	Invalid address size
RNT RNT	161 162	HSIZERR	E E	Map outside bounds of field or handle Method's routine not found
RNT	163	NOMETHOD INVCLASS	E	Class is invalid for operation
RNT	164	DUPEVENT	E	Event code already specified
RNT	165	NOTOBJID	E	Not an object identifier
RNT	166	NUMXP	E	Numeric argument expected
RNT	216	FLSPCW	I	File specification was %s
RNT	223	INVDIM	E	Invalid number of dimensions
RNT	224	INVPRC	E	Invalid fractional precision
RNT	226	MRGERR	E	Merge error
RNT	243	SRTFAI	E	SORT failure
RNT	254	NOXCAL	E	Undefined XCALL referenced
RNT	255	DUPFIL	E	Too many duplicate files open
RNT	256	LPQERR	E	LPQUE failed
RNT RNT	301 302	RECBLK	E E	Record size must be a multiple of block size Internal Isam error - File may be corrupt
RNT	302	INTISM INTLCK	E	Unexpected system locking error
RNT	308	MAXPRC	E	Too many processes
RNT	309	INVACT	E	Invalid action for XCALL FATAL
RNT	311	NOFORK	E	Cannot fork
RNT	313	RELREC	E	Invalid relative record
RNT	316	IRCSIZ	E	Invalid record size
RNT	317	INVALRFA	E	Invalid record's file address
RNT	318	DELREC	E	Deleted record
RNT	319	CLNTERR	E	Client server error, host: %s
RNT	320	NETPROB	E	Network problem reaching server %s
RNT	321	NOSERVER	E	Synergy server on %s is not running or has been shut down
RNT	322	NULARG	E	Improper use of null argument
RNT RNT	323 324	SETTYP	E E	SET data types must be the same
RNT	324	MSGFAIL BADHOST	E	SEND/RECV message failure Unknown host "%s" in server spec
RNT	325	BADUSER	E	Bad username, login rejected on %s
RNT	327	UNDEFERR	E	Undefined error
RNT	329	WNDERR	E	Window Manager error %d: %s
RNT	330	LIBMAX	E	Maximum open libraries exceeded
RNT	331	NETCONFIG	E	Local network configuration error
RNT	332	SQLERR	E	SQL Connection error
RNT	333	NOMORECURS	E	SQL: No more available open cursors
RNT	334	CURSERR	E	SQL: Error on cursor
RNT	335	BADDATATYP	E	SQL: Invalid data type for this operation
RNT	336	SQLSTACK	E	SQL: Stack variable still bound/defined on routine exit
RNT	337	SQLDYN	E	SQL: ^M variable still bound/defined on dynamic memory deletion
RNT RNT	338 339	RCBDYN RCBSTACK	E E	RCB: ^M variable still bound on dynamic memory deletion%s RCB: Stack variable still bound on routine exit%s
RNT	340	INVKVAL	E	Invalid key value
RNT	340	INVPKEY	E	Invalid key value Invalid partial key
RNT	342	BADXDLF	E	Bad XDL file
RNT	343	BADXDLS	E	Bad XDL string

Fac	Err #	Code	Sev	Message
RNT	400	MSGNOTFND	F	Error message number %d not found or internal failure
RNT	417	INVEXFTYP	E	Invalid external function data type
RNT	420	INVARG	E	Invalid argument
RNT	421	AXERR	E	Error HRESULT (0x%08X) while processing an ActiveX control
RNT	422	AXNOLOAD	E	Could not load ActiveX control
RNT	423	AXNOSUB	E	Could not find subroutine or function
RNT	424	AXUNSUP	E	Unsupported feature
RNT	425	AXNOFIND	E	ActiveX parameter not found
RNT	426	MISSMETH	E	Method/Delegate not found
RNT	427	MISSFLD	E	Field/Type/Property/Event not found
RNT	428	NOLOAD	E	Could not load assembly
RNT	429	NULLREF	E	Invalid use of NULL object
RNT	430	NODOTNET	E	Could not load the .NET CLR
RNT	431	RECNOT	E	Record not same
RNT	432	NETCRYPT	E	File requires network encryption
RNT	433	DATACRYPT	E	Error %s data field: %s
RNT	434	SALTIV	E	Error getting salt/initialization vector: %s
RNT	500	INVFATERR	F	Invalid fatal error number for XCALL FATAL
RNT	503	NOTDBR	F	%s is not a DBR file
RNT	506	STKOVR	F	Runtime stack overflow
RNT	507	UNSUP	E	Unsupported command
RNT	508	SIGNAL	F	Signal trap
RNT	509	OPENF	E	Cannot open %s
RNT	510	STPMSG	S	STOP
RNT	511	RTNNF	E	Cannot access external routine %s
RNT	512	GBLNF	E	Cannot access named global %s
RNT	513	BADSYS	F	License management problem
RNT	514	LMFAIL	F	Licensing failure
RNT	515	CMDBIG	F	Command line too long
RNT	516	INVOPT	F	Invalid option
RNT	517	INTERR	F	Internal failure: %d
RNT	518	NODBLOPT	E	DBLOPT %d is obsolete, use %s
RNT	519	ALPHARG	E	Alpha argument required
RNT	520	WRTERR	F E	write failure
RNT RNT	521 522	INTARG	E	Integer argument required Integer or alpha argument required
RNT	523	AORIARG	E	Function not found
RNT	524	FNOTFOUND NOTWIN32S	E	Not running with Win32s
RNT	525		E	Bad format string
RNT	525 526	BADFORMAT BADHANDLE	E	Bad DLL handle
RNT	527	INVDATE	E	Invalid date
RNT	527	DLLOPNERR	E	DLL could not be opened: %s
RNT	529	DLLCLSERR	E	DLL could not be closed
RNT	530	PURGE	E	DCL purge error
RNT	531	BADADDR	E	Bad address detected: %s
RNT	532	BADELB	E	Bad ELB detected: %s
RNT	533	NOFDL	E	Invalid open mode for FDL usage
RNT	534	SRVRLICNS	E	Server license limit reached on %s
RNT	535	DEADLOCK	E	Operation would cause deadlock
RNT	536	SRVLICERR	E	Licensing error on server %s
RNT	537	SRVLICTIMO	E	Licensing timed out on server %s
RNT	538	WINRSRC	E	Windows resource exhausted
RNT	539	BADFONTNAM	E	Invalid font name specified: %s
RNT	540	DUPFONTNAM	E	Duplicate font name specified: %s
RNT	541	FONTINUSE	E	Font %d in use, cannot delete
RNT	542	BADFONTID	E	Invalid font ID specified: %d
RNT	543	WNFNCERR	E	Windows API function failure: %s

Fac	Err #	Code	Sev	Message
RNT	544	INVRPTHND	E	Invalid report handle
RNT	545	INVPNHAND	E	Invalid report nandle
RNT	546	INVCLLSEQ	E	Invalid calling sequence
RNT	547	OPTINV	E	Invalid option
RNT	548	DLLOPNMOD	E	Associated DLL not in path or not found
RNT	549	BADWNDID	E	Window %d bad or no longer open
RNT	550	XFBADPKTID	E	Incorrect packet identifier
RNT	551	XFBADMTHID	E	Method ID too long
RNT	552	XFNUMPARMS	E	Invalid parameter count
RNT	553	XFBADPKT	E	Packet format error
RNT	554	XFBADTYPE	E	Invalid parameter type
RNT	555	XFREQPARM	E	Required parameter not sent
RNT	556	XFBADARRAY	E	Error mapping array element
RNT	557	XFIOERR	E	File I/O error occurred on server
RNT	558	XFMETHKNF	E	Method key not found
RNT	559	XFRTNNF	E	Cannot access remote routine
RNT	560	XFNOCONN	E	No connection to remote host
RNT	561	XFHALT	E	Fatal error occurred on server
RNT	562	XFNOINIT	E	RX_DEBUG_START called without RX_DEBUG_INIT
RNT	563	SRVNOTSUP	E	Unsupported server version/Feature not available
RNT	564	XFUNKERR	E	Unknown error reported by xfServerPlus
RNT	565	XFNOCDT	E	Unable to open method catalog file
RNT	566	XFNOCMPDT	E	Unable to open method parameter file
RNT	567	XFNOELB	E	Unable to open ELB file
RNT	568	INVDSCR	E	Invalid descriptor
RNT	569	SYNSOCK	E	Synsock error %d
RNT	570	INVRCBHND	E	Invalid RCB handle
RNT	571	INVNETHND	E	Invalid network handle
RNT	572	INVWNDHND	E	Invalid window handle
RNT	573	INVNAMHND	E	Invalid namespace handle
RNT	574	INVCLSHND	E	Invalid class handle
RNT	575	INVOBJHND	E	Invalid object handle
RNT	576	PRTOBJHND	E	Protected object handle cannot be deleted
RNT	580	NOTRCBHND	E	Handle is not an RCB handle
RNT	581	NOTNETHND	E	Handle is not a network handle
RNT	582	NOTWNDHND	E	Handle is not a window handle
RNT	583	NOTNAMHND	E	Handle is not a namespace handle
RNT	584	NOTCLSHND	E	Handle is not a class handle
RNT RNT	585 588	NOTOBJHND	E E	Handle is not an object handle Handle is not a report handle
RNT	588	NOTRPTHND NOTPNHAND	E	Handle is not a pen handle
RNT	590	EXECF1	E	Cannot execute: %s
RNT	590	SDMSERR	E	SDMS error
RNT	592	XFINCALL	E	Remote call already in progress
RNT	593	XFNOCALL	E	No current call in progress
RNT	594	OLDDBR	F	Old DBR file format%s detected: relink %s
RNT	595	OLDELB	E	Old ELB file format%s detected: relink %s
RNT	596	XFMETHCRYP	E	Method requires encryption
RNT	597	XFSERVNOSE	E	Encryption not enabled on server
RNT	598	NDNOPP	E	File built with opposite 'endian': %s
RNT	599	BITOPP	E	File built with opposite bit size: %s
RNT	600	INCPTCLS	E	Incompatible classes
RNT	601	NOOBJ	E	No object for handle
RNT	602	NOTOHND	E	Both source and destination must be object handles
RNT	603	CLSMTCH	E	Class mismatch between routines
RNT	604	OHNDREQ	E	Object handle required
RNT	605	IDPARMREQ	E	Implied-decimal parameter required

Fac	Err #	Code	Sev	Message
RNT	606	OHNDCPY	E	Invalid copy of an object handle
RNT	607	NODBGPORT	E	Debug port number not specified: %s
RNT	608	BADDBGPORT	E	Invalid debug port number: %s. Must be an integer within the range 1024 to 65535, inclusive
RNT	609	BADDBGTMOT	E	Invalid remote debug timeout value: %s
RNT	610	DBGNOSOCK	E	Unable to attach to remote debug port
RNT	611	DBGNOCONN	E	No debug client connection was established
RNT	612	DBGSOCKER	E	Remote debug socket error; continuing without debug
RNT	613	DBGCLOSED	E	Remote debug client closed the connection; continuing without debug
RNT	614	TOOLKIT	E	Toolkit error
RNT	615	SEQRDS	E	Sequential read caching error
RNT	616	EXCEPT	E	Exception of type '%s'
RNT	617	INVCAST	E	Invalid cast operation
RNT	618	SINGLEDIM	E	Array is not a one-dimensional array
RNT	619	ARRAYBNDS	E	Index is outside the bounds of the array
RNT	620	DIFDIMS	E	Arrays must have the same number of dimensions
RNT	621	UNHANDLED	E	Unhandled exception: %s
RNT	622	NORETURN	E	Leaving local scope where a CALLed subroutine is still active
RNT	623	OBJPASSED	E	Unexpected object handle passed as argument
RNT	624	STRMTCH	E	Structure mismatch between routines
RNT	625	HNDCORUPT	E	Handle has been modified; possible subscripting violation
RNT	626	ALCOMPAT	F	ArrayList compatibility issue. See the 9.1.5 release notes
RNT	627	INVOPER	E	Invalid operation: %s
RNT	628	HKNOOPS	E	No I/O hook operations specified; at least one is required
RNT	629	HKNOTACT	E	I/O hooks no longer active on channel
RNT	630	HKNOTIMP	E	Referenced I/O hook operation(s) not implemented: %s
RNT	631	HKACTIVE	E	Attempted I/O on hooked channel from within hook routine
RNT	632	COMPATISAM	E	Incompatible ISAM file - unsupported by this Synergy version
RNT	633	INVATIME	E	Invalid timestamp key exceeds current time
RNT	634	NONETSHR	E	Network share is not allowed with this file
RNT	635	REVUNSUP	E	Specified file revision not supported (ISAMC_REV)
RNT	636	SRVREXP	E	Server session has expired or has been terminated
RNT	637	SRVCONRTY	E	Server connection retry failure
RNT	638	SIZLIMIT	E E	File size limit exceeded
RNT RNT	639 640	RECLIMIT	E	File record limit exceeded Remote file has been closed
RNT	641	SRVFILCL GBLSIZ	F	Reference exceeds allocated size of global data: %s
RNT	642	JOINKEYREQ	E	Inner table requires key reference: %s
RNT	643	JOINOUTREF	E	Outer table reference required for inner table: %s
RNT	644	JOINOPER	E	Invalid Join predicate operator
RNT	645	JOINOPER	E	Valid On expression required
RNT	646	JOINISMREQ	E	ISAM file required for inner table: %s
RNT	647	JOINENUM	E	Invalid enumerator type for Select object with Join
RNT	700	BADALLOC	E	Bad file pre-allocation control - Only read-only access allowed
RNT	701	WRONGTHREA	E	.NET xfServer client I/O on wrong thread
RNT	900	CATCH	E	new catch error menemonic
RNT	901	SQLOBJ	F	SQL: Class variable still bound/defined on destruction
RNT	902	SQLREL	F	SQL: Variable bound/defined to local record on memory reclaim Routine: %s
RNT	903	RCBREL	F	RCB: Variable bound to local record on memory reclaim Routine: %s%s
RNT	904	RCBCALL	E	RCB: Call in progress
RNT	905	RCBOBJ	E	RCB: Class variable still bound/defined on destruction%s
RNT	1001	ACCVIO	I	Access violation
RNT	1002	ALITXP	I	Alpha literal expected
RNT	1003	ARGWAS	I	Argument number was %d
RNT	1011	BADIND	I	Bad index: %d
RNT	1012	BADRNG	I	Bad range value: %d,%d
RNT	1013	BADRNGR	I	Bad range value: %d:%d
RNT	1021	CHNWAS	I	Channel specified: %u

Fac	Err #	Code	Sev	Message
RNT	1022	CHRSPC	I	Character specified: %s
RNT	1022	COLEQL	I	Colon or equal sign expected
RNT	1030	CREFIL	Ī	Error creating file
RNT	1040	DBLDIR	Ī	DBLDIR not set
RNT	1041	DCMPER	Ī	Data compression/uncompression error
RNT	1042	DECXP	Ī	Decimal expected
RNT	1043	DELFIL	I	Error deleting file
RNT	1046	DINCON	I	Data incongruity
RNT	1047	DRCSIZ	I	Destination record size: %d
RNT	1052	ERTEXT	I	%5
RNT	1053	ERTXT2	I	[%] ଓ % ଟ
RNT	1054	ERTXTN	I	%s %d
RNT	1055	EQLEXP	I	Equal sign expected
RNT	1056	EXECF	I	Cannot execute: %s
RNT	1061	FILWAS	I	File specification was %s
RNT	1063	FRCSIZ	I	File record size: %d
RNT	1070	IINCON	I	Index incongruity
RNT	1076	INVCMD	I	Invalid I/O command: %s
RNT	1077	OPTWAS	I	Invalid option: %s
RNT	1078	INVSW	I	Invalid switch
RNT	1079	INVSMD	I	Invalid OPEN submode ??
RNT	1080	INVVAL	I	Invalid value for %s
RNT	1084	IOOPN	I	Cannot open %s
RNT	1088	IOERR2	I	Channel %d, open mode %s
RNT	1101	KEYSPC	I	Could not locate key with identifier %s
RNT	1120	MAXSIZ	I	Maximum record size is %u
RNT	1132	NOEOFC	I	No EOF character found. Physical EOF was used
RNT	1134	NUMSPC	I	Number specified: %ld
RNT	1140	OPNFIL	I	Cannot open file
RNT	1142	OPTSPC	I	Option specified %s
RNT	1143	OPWRED	I	Operation was READ
RNT	1144	OPWFND	I	Operation was FIND
RNT	1145	OPWRDS	I	Operation was READS
RNT RNT	1146 1147	OPWDEL	I	Operation was DELETE
RNT	1147	OPWSTO OPWWRI	Ī	Operation was STORE
RNT	1146	OPWCRE	Ī	Operation was WRITE Operation was ISAMC
RNT	1149	RBKXP	I	Right bracket expected
RNT	1162	READER	I	Cannot read input file
RNT	1163	NUMWAS	I	Record number: %ld
RNT	1164	RECWAS	I	Record size specified: %u
RNT	1166	RENFIL	I	Error renaming file
RNT	1168	RORKXP	I	Record or key expected
RNT	1169	RPEXP	Ī	Right parenthesis expected
RNT	1185	TTSBMD	Ī	Submode ignored for terminal open
RNT	1191	VALSPC	Ī	Value specified is %ld
RNT	1192		Ī	Value range is %d to %d
RNT	1193	ATLIN	I	At line %d in routine %s
RNT	1194	CALFRO	I	Called from line %d
RNT	1195	ATLINE	I	At line %s in routine %s
RNT	1196	CALFRM	I	Called from line %s
RNT	1205	WRTFIL	I	Cannot write to file
RNT	1207	MSGBIG	I	Message exceeds maximum size
RNT	1208	MSGEXP	I	Message communication timeout
RNT	1209	SYSFLT	I	System fault (%d)
RNT	1210	NOLMD	I	Cannot access Synergy License Manager
RNT	1211	DEVFUL	I	Device full

Fac	Err #	Code	Sev	Message
Ditte	1212	INTCON	I	Internal consistency failure
RNT RNT	1212	EXPDEMO	I	This system has timed out
RNT	1213	EXUSER	I	Exceeded concurrent user capacity
RNT	1214	NOTCONF	I	Synergy Runtime license is not configured
RNT	1215	CONSUP	I	Please contact your Synergy/DE supplier
RNT	1216	BADDSCR	I	Corrupted descriptor: type = %d, class = %d
RNT	1217	AMBKWD	I	Ambiguous XDL keyword: %s
RNT	1219	MLTKWD	I	Keyword specified multiple times: %s
RNT	1220	REQKWD	I	Missing required keyword: %s
RNT	1221	NOVAL	Ī	No value supplied with keyword: %s
RNT	1222	INVAVAL	Ī	Invalid %s value: %s
RNT	1223	INVDVAL	Ī	Invalid %s value: %d
RNT	1224	AMBVAL	Ī	Ambiquous %s value: %s
RNT	1225	KEYSPEC	Ī	Key specified: %d
RNT	1226	INVIVAL	Ī	Numeric return argument expected
RNT	1227	INVBUFF	Ī	Alpha return argument expected
RNT	1228	ERTEXTT	Ī	85
RNT	1229	DIMSPC	Ī	Dimension specified: %d
RNT	1230	DIMEXP	I	Dimensions of passed argument: %d
RNT	1231	STKTRC	I	in %s:line %s
RPS	1	DDTITLE		Repository
RPS	2	YES		Y
RPS	3	NO		N
RPS	4	STRIPCHRS		
RPS	5	BLANK1		
RPS	6	AVLSTR		Available Structures
RPS	7	AVLTMP		Available Templates
RPS	8	AVLFLD		Available Fields
RPS	9	AVLFMT		Available Formats
RPS	10	AVLKEY		Available Keys
RPS	11	AVLFIL		Available Files
RPS	12	AVLALS		Available Aliases
RPS	13	AVLENMS		Available Enumerations
RPS	15	MAINMENU		Main Menu
RPS	16	MODSTR		Modify Structures
RPS	17	VEWSTR		View Structures
RPS	18	ADDSTR		Add Structure
RPS	19	CPYSTR	1	Copy Structure
RPS	20	EDTSTR	1	Edit Structure
RPS	21	FNDSTR		Find Structure
RPS	22	VIWSTR	1	View Structure
RPS	23	MODFIL	1	Modify Files
RPS	24	VEWFIL	1	View Files
RPS	25	ADDFIL	1	Add File
RPS	26	CPYFIL	1	Copy File
RPS	27	EDTFIL	1	Edit File
RPS	28	FNDFIL		Find File
RPS	29	VIWFIL	1	View File Modify Templates
RPS	30	MODTMP	1	
RPS RPS	31 32	VEWTMP	1	View Templates Add Template
RPS	32 33	ADDTMP CPYTMP	1	Add Template Copy Template
RPS	34	EDTTMP		Edit Template
RPS	3 4 35	FNDTMP	1	Find Template
RPS	36	VIWTMP	1	View Template
RPS	37	MODGFMT	1	Modify Formats
RPS	38	VEWGFMT	1	View Formats
KPS	20	A EMGLMI		VIEW FOILINGUS

Fac	Err #	Code	Sev	Message
RPS	39	ADDGFMT		Add Format
RPS	40	CPYGFMT		Copy Format
RPS	41	EDTGFMT		Edît Format
RPS	42	FNDGFMT		Find Format
RPS	43	VIWGFMT		View Format
RPS	44	MODENM		Modify Enumerations
RPS	45	VEWENM		View Enumerations
RPS	46	ADDENM		Add Enumeration
RPS	47	CPYENM		Copy Enumeration
RPS	48	EDTENM		Edit Enumeration
RPS	49 50	FNDENM VIWENM		Find Enumeration View Enumeration
RPS RPS	51	MODATTR		Edit Attributes
RPS	52	VIWATTR		View Attributes
RPS	53	MODFLDA		Edit Field Attributes
RPS	54	MODKEYA		Edit Key Attributes
RPS	55	MODRELA		Edit Relation Attributes
RPS	56	MODFMTA		Edit Format Attributes
RPS	57	MODTAGA		Edit Tag Attributes
RPS	58	MODALSA		Edit Alias Attributes
RPS	59	VIWFLDA		View Field Attributes
RPS	60	VIWKEYA		View Key Attributes
RPS	61	VIWRELA		View Relation Attributes
RPS	62	VIWFMTA		View Format Attributes
RPS	63	VIWTAGA		View Tag Attributes
RPS	64 65	VIWALSA		View Alias Attributes Add Field
RPS RPS	66	ADDFLD CPYFLD		Copy Field
RPS	67	EDTFLD		Edit Field
RPS	68	FNDFLD		Find Field
RPS	69	VIWFLD		View Field
RPS	70	MOVFLD		Move Field
RPS	71	ADDKEY		Add Key
RPS	72	CPYKEY		Copy Key
RPS	73	EDTKEY		Edit Key
RPS	74	FNDKEY		Find Key
RPS	75	VIWKEY		View Key
RPS	76	MOVKEY		Move_Key
RPS	77	ADDREL		Add Relation
RPS	78 70	CPYREL		Copy Relation
RPS	79 80	EDTREL		Edit Relation Find Relation
RPS RPS	80 81	FNDREL VIWREL		View Relation
RPS	82	MOVREL		Move Relation
RPS	83	EXREL		Examine Relation
RPS	84	ADDFMT		Add Format
RPS	85	CPYFMT		Copy Format
RPS	86	EDTFMT		Edit Format
RPS	87	FNDFMT		Find Format
RPS	88	VIWFMT		View Format
RPS	89	MOVFMT		Move Format
RPS	90	ADDTAG		Add Tag
RPS	91	CPYTAG		Copy Tag
RPS	92	EDTTAG		Edit Tag
RPS	93	FNDTAG		Find Tag
RPS	94 95	VIWTAG		View Tag
RPS	כע	MOVTAG		Move Tag

Fac	Err #	Code	Sev	Message					
RPS	96	MOVMBR		Move Member					
RPS	97	ADDALS		Add Alias					
RPS	98	CPYALS		Copy Alias					
RPS	99	EDTALS		Edit Alias					
RPS	100	FNDALS		Find Alias					
RPS	101	VIWALS		View Alias					
RPS	102	MOVALS		Move Alias					
RPS	103	GENDEF		Generate Definition File					
RPS	104	PRTDCT		Print Repository Definitions					
RPS	105	VFYDCT		Verify Repository					
RPS	106	GSCHEM		Generate Repository Schema					
RPS	107	LSCHEM		Load Repository Schema					
RPS	108	CRTDCT		Create New Repository					
RPS	109	XGENU		Generate Cross-Reference File					
RPS	110	VALIDA		Validate Repository					
RPS	111	SETDFLT		Set Default Repository					
RPS	112	CMPR		Compare Repository to Files					
RPS	113	CREATE		Creating					
RPS	114	WORK		Working					
RPS	115	DELETE		Deleting					
RPS	116	ADD		Adding					
RPS	117	COPY		Copying					
RPS	118	FIND		Finding					
RPS	119	SAVE		Saving					
RPS	120	EXIT		Exiting					
RPS	121	ABANDON		Abandoning					
RPS	122	TERMINATE		Terminating					
RPS	123	UPDATE		Updating					
RPS	124	LDATTR		Loading Attributes					
RPS	125	LDFLDS		Loading Fields					
RPS	126	GENDEF_P		Generating Definition File					
RPS	127	PRTDCT_P		Printing Definitions					
RPS	128	VFYDCT_P		Verifying Repository					
RPS	129	GSCHEM_P		Generating Schema					
RPS	130	LSCHEM_P		Loading Schema					
RPS	131	CRTDCT_P		Creating New Repository					
RPS	132	XGENU_P		Generating Cross-Reference File	• • •				
RPS	133	VALDCT_P		Validating Repository					
RPS	134	STRHDR		STRUCTURE NAME	DESCRIPTION			TYPE	
RPS	135	STRFTR		STRUCTURES [%04d]					
RPS	136	STRTITLE		Structure Definitions	DECORTORION			myre	
RPS	137	FILHDR		FILE NAME	DESCRIPTION			TYPE	
RPS	138	FILFTR		FILES [%04d]					
RPS	139	FILTITLE		File Definitions					
RPS	140	FSTRHDR		STRUCTURE NAME					
RPS	141	FSTRFTR		STRUCTURES [%04d]					
RPS	142	FSTRTITLE		Assigned Structures	DECORTOMION				
RPS	143 144	TMPHDR		TEMPLATE NAME	DESCRIPTION				
RPS	144	TMPFTR		TEMPLATES [%04d] Template Definitions					l
RPS RPS	145	TMPTITLE		FORMAT NAME	TYPE FORMAT ST	DINC			
RPS	146	FMTHDR FMTFTR		FORMAT NAME FORMATS [%04d]	TIPE FURMAL SI	KTING			l
RPS	147	ENMHDR		FORMAIS [8040] ENUMERATION NAME	DESCRIPTION				
RPS	140	ENMFTR		ENUMERATION NAME ENUMERATIONS [%04d]	DESCRIPTION				
RPS	150	ENMTITLE		Enumeration Definitions					
RPS	150	FMTTITLE		Format Definitions					
RPS	151	FLDHDR		FIELD NAME	TYPE SIZE PREC	DIMENSION	OMEDIAVO	CRUIDS	
KPS	TOZ	י. ארוזיחר		LIBID NAME	TIED SIVE PREC	PATHITINGTOIN	OARVINI.	GROOP:	

Fac	Err #	Code	Sev	Message
RPS	153	FLDFTR		FIELDS [%03d] SIZE [%05d]
RPS	154	FLDTITLE		Field Definitions
RPS	155	KEYHDR		KEY NAME TYPE ORDER DUPS SEGMENTS SIZE
RPS	156	KEYFTR		KEYS [%02d]
RPS	157	KEYTITLE		Key Definitions
RPS	158	RELHDR		NAME FROM KEY TO STRUCTURE : TO KEY
RPS	159	RELFTR		RELATIONS [%02d]
RPS	160	RELTITLE		Relation Definitions
RPS	161	LFMTHDR		FORMAT NAME TYPE FORMAT STRING
RPS	162	LFMTFTR		FORMATS [%03d]
RPS	163	LFMTTITLE		Format Definitions
RPS	164	TAGHDR		NAME FIELD VALUE
RPS	165	TAGFTR		TAGS [%02d]
RPS	166	TAGTITLE		Tag Definitions
RPS	167	ALSHDR		ALIAS NAME
RPS	168	ALSFTR		ALIASES [%04d]
RPS	169 170	ALSTITLE		Alias Definitions
RPS RPS	170 171	FSTRASG FNDFRWD		%d structures assigned Find forward
RPS RPS	171			
RPS RPS	172	FNDRVRS NAMHDR		Find reverse NAME
RPS	174	DSCHDR		DESCRIPTION
RPS	175	FMTLHDR		FORMAT
RPS	176	EMBRHDR		MEMBER NAME VALUE
RPS	177	EMBRFTR		MEMBERS [%03d]
RPS	178	BLANK2		MINDING [0054]
RPS	180	PRTREFTMP		Template %a
RPS	181	PRTTREFCT		Referenced by %d templates
RPS	182	GDHDRLIN1		; Structure : %a
RPS	183	GDHDRLIN2		; File Type : %a
RPS	184	GDHDRLIN3		; Creation Date : %a, %a
RPS	185	GDHDRLIN4		; Description : %a
RPS	186	GDHDRLIN5		; Record Size : %d
RPS	187	GDHDRLIN6		; # of Files : %d
RPS	188	GDHDRLIN7		; # of Fields : %d
RPS	189	GDHDRLIN8		; # of Keys : %d
RPS	190	GDHDRLIN9		; # of Relations : %d
RPS	191	PRTHDR1		; "PRINT REPOSITORY DEFINITIONS" OUTPUT
RPS	192	PRTHDR3		; REPOSITORY : %a
RPS	193	PRTHDR4		; ; %a
RPS	194	PRTHDR5		; CENERATER : %a %a
RPS	195 106	PRTHDR7		; GENERATED : %a, %a
RPS RPS	196 197	PRTHDR8		; : Version %a Template %a printed
	197 198	TMPPRT		Template %a printed Format %a printed
RPS RPS	198	FMTPRT STRPRT		Structure %a printed
RPS	200	ENMPRT		Enumeration %a printed
RPS	200	FLDPRT		Field %a printed for structure %a
RPS	201	GRPPRT		Group %a printed for structure %a
RPS	203	FLPRT		File %a printed
RPS	204	KEYPRT		Key %a printed for structure %a
RPS	205	RELPRT		Relation %a printed for structure %a
RPS	206	LFMTPRT		Format %a printed for structure %a
RPS	207	PRTTMPREF		Structure %a Field %a
RPS	208	PRTFLDREF		Referenced by %d fields
RPS	209	PRTFLASG		Assigned structures : %d
RPS	210	PRTFLDCT		Field count : %d

Fac	Err #	Code	Sev	Message
RPS	211	PRTFMTCT		Format count : %d
RPS	212	PRTKEYCT		Key count : %d
RPS	213	PRTRELCT		Relation count : %d
RPS	214	PRTRECSZ		Record size [%d]
RPS	215	PRTSTRFL		Files assigned to : %d
RPS	216	PRTFLINE		
RPS	217	PRTKLINE		
RPS	218	PRTRLINE		
RPS	219	PRTLLINE		
RPS	220	XGENCOMP		Generated cross-reference file "%a".
RPS	221	CRCOMP		Created repository files "%a" and "%a".
RPS	222	VFYCMP1		Repository files created : %a\n
RPS	223	VFYCMP2		: %a\n\n
RPS	224	VFYCMP3		Verification log file created : %a
RPS	225	VFYCOMP		%d logical records read: %d logical records written
RPS	226	VFYMSG1		%d logical records read
RPS	227	VFYMSG2		%d logical records written
RPS	228	VFYMSG3		%d structures verified
RPS	229	VFYMSG4		%d files verified
RPS	230	VFYMSG5		%d formats verified
RPS	231	VFYMSG6		%d templates verified
RPS	232	VFYMSG7		%d aliases verified
RPS	233	VFYMSG8		%d enumerations verified
RPS	234	ALSVFYD		Alias structure %a verified
RPS	235	ALFVFYD		Alias field %a verified
RPS	236	ELVFYD		Template %a verified
RPS	237	FLVFYD		File %a verified
RPS	238	FMTVFYD		Format %a verified
RPS	239	STRVFYD		Structure %a verified
RPS	240	ENMVFYD		Enumeration %a verified
RPS	241	FLDVFYD		Field %a verified for structure %a
RPS	242	KEYVFYD		Key %a verified for structure %a
RPS	243	RELVFYD		Relation %a verified for structure %a
RPS	244	LFMTVFYD		Format %a verified for structure %a
RPS	245	TAGVFYD		Tag %a verified for structure %a
RPS	246	FLSTRVFYD		Assigned structures verified for file %a
RPS	247	ENMBRVFYD		Members verified for enumeration %a
RPS RPS	248 249	FDREFVFYD		Field reference verified for template %a
RPS RPS	249	TMREFVFYD ENMREFVFYF		Template reference verified for template %a Enumeration reference verified for field %a
RPS	250	ENMREFVFYT		Enumeration reference verified for template %a
RPS	251	STRREFVFYD		Structure reference verified for field %a
RPS	252	FLREFVFYD		File reference verified for structure %a
RPS	254	KYREFVFYD		Key reference verified for structure %a
RPS	255	FDSREFVFYD		Field reference verified for structure %a
RPS	256	FILREFVFYD		References verified for file %a's assigned structures.
RPS	257	KEYREFVFYD		References verified for structure %a's keys.
RPS	258	RELREFVFYD		References verified for structure %a's relations.
RPS	259	RECVFYD		%a verified
RPS	260	STRNDFLD		Checking for stranded field definitions
RPS	261	STRNDALS		Checking for stranded alias field definitions
RPS	262	BADDICT		"%a" is not a version 7 or version 10 repository.
RPS	263	BADDICT10		"%a" is not a version 10 repository.
RPS	264	BADDICT10C		"%a" is not a version 10 repository. Do you want to convert it?
RPS	265	SDCOMP		Default repository changed to "%a" and "%a".
RPS	266	CMPRCOMP		Comparison complete. See %a for details.
RPS	267	CMPRFAIL		Could not open %a. Try: %a at the command line.

Fac	Err #	Code	Sev	Message
RPS	270	BLANK5		
RPS	270 271	PRTD		printed.
RPS	271	GND		generated.
RPS	273	ELGND		Template %a generated
RPS	274	FLGND		File %a generated
RPS	275	FMTGND		Format %a generated
RPS	276	STRGND		Structure %a generated
RPS	277	ENMGND		Enumeration %a generated
RPS	278	FLDGND		Field %a generated for structure %a
RPS	279	GRPGND		Group %a generated for structure %a
RPS	280	KEYGND		Key %a generated for structure %a
RPS	281	RELGND		Relation %a generated for structure %a
RPS	282	LFMTGND		Format %a generated for structure %a
RPS	283	TAGGND		Tag generated for structure %a
RPS	284	FLSTRGND		Assigned structure generated for file %a
RPS	285	ALFGND		Alias field %a generated for structure %a
RPS	286	ALSGND		Alias structure %a generated
RPS	287	NODEF		No definitions
RPS	288	CRCTSCH		Review the log file. Correct errors in schema file and reload.
RPS	289	INVKEYWD		Load terminatedunrecognized keyword found at line %1d
RPS	290	BLANK6		· .
RPS	300	RELS		%d relations
RPS	301	STRUCTS		%d structures
RPS	302	FILES		%d files
RPS	303	TEMPS		%d templates
RPS	304	FMTS		%d formats
RPS	305	ALIASES		%d aliases
RPS	306	ENUMS		%d enumerations
RPS	307	LDDERR		%d errors logged
RPS	308	LDD		loaded
RPS	309	UPD		updated
RPS	310	ADDD		added
RPS	311	ELLDD		Template %a loaded
RPS	312	FLLDD		File %a loaded
RPS	313	FMTLDD		Format %a loaded
RPS	314	STRLDD		Structure %a loaded
RPS	315	ENMLDD		Enumeration %a loaded
RPS	316	FLDLDD		Field %a loaded for structure %a
RPS	317	GRPLDD		Group %a loaded for structure %a
RPS	318	KEYLDD		Key %a loaded for structure %a
RPS	319	RELLDD		Relation %a loaded for structure %a
RPS	320	LFMTLDD		Format %a loaded for structure %a
RPS	321	TAGLDD		Tag loaded for structure %a
RPS	322	ALSLDD		Alias structure %a loaded
RPS	323	ALFLDD		Alias field %a loaded
RPS	324	FLSTRLDD		Assigned structures loaded for file %a
RPS	325	FLDREFLDD		Field reference loaded for template %a
RPS	326	TMPREFLDD		Parent reference loaded for template %a
RPS	327	FLREFLDD		File reference loaded for structure %a
RPS	328	KYREFLDD		Key reference loaded for structure %a
RPS	329	FLDREFLDD2		Field reference loaded for structure %a
RPS	330	FLDREFLDD3		Field reference loaded for enumeration %a
RPS	331	TMPREFLD		Template reference loaded for enumeration %a
RPS	339	BLANK7		Manual and the sea required a
RPS	340	TMPCNV		Template %a converted
RPS	341	FLCNV		File %a converted
RPS	342	FMTCNV	1	Format %a converted

Fac	Err #	Code	Sev	Message
RPS	343	STRCNV		Structure %a converted
RPS	344	FLDCNV		Field %a for structure %a converted
RPS	345	KEYCNV		Key %a for structure %a converted
RPS	346	RELCNV		Relation %a for structure %a converted
RPS	347	LFMTCNV		Format %a for structure %a converted
RPS	348	TAGCNV		Tag %a for structure %a converted
RPS	349	NOTINST		Repository is not configured Please contact your Synergy supplier
RPS	350	MAXUSER		Exceeded concurrent user capacity
RPS	351	TIMEOUT		This system has timed out Please contact your Synergy supplier
RPS	352	NOMSGAVL		No message available
RPS	353	NOHELPAVL		No help available
RPS	354	NOHELPAVL1		No help available at this level
RPS	355	NOSHARE		SHARE not loaded/NOSHR not set. Program will terminate.
RPS	356	BLANK8		
RPS	357	SREFINUSE		Record locked. Structure references cannot be saved. After exiting this dialog, select Cancel to
RPS	358	TREFINUSE		Record locked. Template references cannot be saved. After exiting this dialog, select Cancel to d
RPS	360	STREXIT		Structure has been modified. Do you want to save changes?
RPS	361	INUSE		Record locked. Please try again later.
RPS	362 363	DCTINUSE		Record locked. Do you want to view the definition?
RPS RPS	363 364	DCTVIEW STRDEL		You have chosen to "view" a definition. Modifications will not be saved. Delete structure "%a"?
RPS	36 4 365	FILDEL		Delete file "%a"?
RPS	366	TMPDEL		Delete template "%a"?
RPS	367	FMTDEL		Delete format "%a"?
RPS	368	ENMDEL		Delete enumeration "%a"?
RPS	369	ENMBRDEL		Delete member "%a"?
RPS	370	FLDDEL		Delete field "%a"?
RPS	371	KEYDEL		Delete key "%a"?
RPS	372	RELDEL		Delete relation "%a"?
RPS	373	FLSTRDEL		Delete structure assignment "%a"?
RPS	374	TAGDEL		Delete tag "%a"?
RPS	375	ALSDEL		Delete alias "%a"?
RPS	376	BLANK10		
RPS	380	NOSTRAVL		No available structure definitions
RPS	381	NOFILAVL		No available file definitions
RPS	382	NOTMPAVL		No available template definitions
RPS	383	NOFMTAVL		No available format definitions
RPS	384	NOENMAVL		No available enumeration definitions
RPS	385	NOKEYAVL		No available key definitions
RPS RPS	386 387	NOFLDAVL		No available field definitions No available alias definitions
RPS	387	NOALSAVL BLANK11		NO AVAITABLE ALIAS MELINICIONS
RPS	390	MAXALFS		Maximum number of alias fields (%d) has been defined.
RPS	391	MAXFLSTR		Maximum number of structures (%d) has been assigned to the file.
RPS	392	MAXSTRCTS		Maximum number of structures (%d) has been defined.
RPS	393	MAXFILS		Maximum number of files (%d) has been defined.
RPS	394			Maximum number of templates (%d) has been defined.
RPS	395	MAXGFMTS		Maximum number of formats (%d) has been defined.
RPS	396	MAXALS		Maximum number of alias structures (%d) has been defined.
RPS	397	MAXENUMS		Maximum number of enumerations (%d) has been defined.
RPS	398	MAXENMBR		Maximum number of members (%d) has been defined.
RPS	399	MAXFLDS		Maximum number of fields (%d) has been defined.
RPS	400	MAXFLDLOD		Maximum number of fields (%d) has been loaded.
RPS	401	MAXKEYS		Maximum number of keys (%d) has been defined.
RPS	402	MAXRELS		Maximum number of relations (%d) has been defined.
RPS	403	MAXFMTS		Maximum number of structure-specific formats (%d) has been defined.
RPS	404	MAXKREF		Maximum number of key references (%d) has been defined for structure "%a".

Fac	Err #	Code	Sev	Message
RPS	405	MAXFLREF		Maximum number of file references (%d) has been defined for structure "%a".
RPS	406	MAXTREF		Maximum number of template references (%d) has been defined for parent template "%a".
RPS	407	MAXTFREF		Maximum number of field references (%d) has been defined for template "%a".
RPS	408	MAXTAGS		Maximum number of tags (%d) has been defined.
RPS	409	DUPSTR		A structure with the same name already exists.
RPS	410	DUPFIL		A file with the same name already exists.
RPS	411	DUPTMP		A template with the same name already exists.
RPS	412	DUPFMT		A format with the same name already exists.
RPS	413	DUPENM		An enumeration with the same name already exists.
RPS	414	DUPFLD		A field or group with the same name already exists.
RPS	415	DUPKEY		A key with the same name already exists.
RPS	416	DUPREL		A relation with the same name already exists.
RPS	417	DUPALIAS		An alias with the same name already exists.
RPS	418	DUPMBR		A member with the same name already exists.
RPS	419	DUPTAG		A tag with the same name already exists.
RPS	420	INCVAL		Validation specifications are incomplete.
RPS	421	INCXGEN		Cross-reference specifications are incomplete.
RPS	422	INCGENDEF		Definition specifications are incomplete.
RPS	423	INCPRTDD		Print specifications are incomplete.
RPS	424	INCVFY		Verification specifications are incomplete.
RPS	425	INCINST		Creation specifications are incomplete.
RPS	426	INCSCHEMA		Schema specifications are incomplete.
RPS	427	BLANK15		Characterist de State de la description de la company de l
RPS	430	INCSTR		Structure definition is incomplete.
RPS	431	INCFIL		File definition is incomplete.
RPS	432 433	INCTMP		Template definition is incomplete. Enumeration definition is incomplete.
RPS RPS	433	INCENM		Field definition is incomplete.
RPS	434	INCFLD INCKEY		Key definition is incomplete.
RPS	436	INCREL		Relation definition is incomplete.
RPS	437	INCFMT		Format definition is incomplete.
RPS	438	INCTAG		Tag definition is incomplete.
RPS	439	INCALS		Alias definition is incomplete.
RPS	440	INCFLDLD		Load fields information is incomplete.
RPS	441	INCSETDEF		Set specifications are incomplete.
RPS	442	BLANK16		
RPS	448	INVALSDEL		Alias cannot be deleted. Field reference exists.
RPS	449	INVSTRDELK		Structure cannot be deleted. Key reference exists.
RPS	450	INVSTRDELR		Structure cannot be deleted. File reference exists.
RPS	451	INVSTRDELD		Structure cannot be deleted. Field reference exists.
RPS	452	INVTMPDEL		Template cannot be deleted. Field reference exists.
RPS	453	INVTMPDEL2		Template cannot be deleted. Template reference exists.
RPS	454	INVENMDEL		Enumeration cannot be deleted. Field reference exists.
RPS	455	INVENMDEL2		Enumeration cannot be deleted. Template reference exists.
RPS	456	INVFLDDELK		Field cannot be deleted. It is defined as a key.
RPS	457	INVFLDDELS		Field cannot be deleted. It is defined as an external key segment.
RPS	458	INVFLDDELT		Field cannot be deleted. It is defined as a tag field.
RPS	459	INVFLDDELA		Field cannot be deleted. It is defined as an alias.
RPS	460	INVFLDDELL		Structure is assigned to a file, and therefore at least one field must be defined.
RPS	461	INVFLDDELG		Structure is referenced as a group or structfield, and therefore at least one field must be defin
RPS	462	INVKEYDELR		Key cannot be deleted. Key reference exists.
RPS	463	INVKEYDELF		Key cannot be deleted. It is defined as a "FROM" KEY in a relation.
RPS	464	INVFMTDEL		Format cannot be deleted. It is assigned to a field.
RPS	465 470	BLANK17		Tag fields are defined for this structure. The time corner be medified
RPS RPS	470	NOTGTYPMOD NOSTRFTMOD		Tag fields are defined for this structure. Tag type cannot be modified. Structure is assigned to a file. File type cannot be modified.
RPS	471	NOSTREIMOD		Access keys are defined for this structure. File type cannot be modified.
KPS	4/2	MOFIMODACC		Access keys are defined for this structure. Fire type cannot be modified.

Fac	Err #	Code	Sev	Message
RPS	473	MAXTMPREF		Internal reference buffer is full. Please exit to save changes.
RPS	474	BLANK18		incernal reference surrer is rurn reduce entered bave changes.
RPS	480	NOLFILEXST		File no longer exists.
RPS	481	NOLSTREXST		Structure no longer exists.
RPS	482	NOLENMEXST		Enumeration no longer exists.
RPS	483	DUPFILSTR		Selected structure is already assigned.
RPS	484	NOFILFTMOD		Structures are assigned to this file. File type cannot be modified.
RPS	485	DIFFILTYP		File type of specified structure does not match that of the file definition.
RPS	486	DIFKEYDEF		Structure's primary key does not match those of other assigned structures.
RPS	487	NOFLDDEF		At least one field must be defined for the structure you are trying to assign.
RPS	488	NOFLDGDEF		At least one field must be defined for the structure you are trying to reference.
RPS	489	NOLTMPEXST		Template no longer exists.
RPS	490	INVKEYCHG		Structure's primary key does not match those of other structures assigned to the same file.
RPS	491	BLANK19		
RPS	499	ELMOD1		Modifying template "%a" will affect one or
RPS	500	ELMOD2		more template, field, and key definitions.
RPS	501	ELMOD3		Are you sure you want to save your modifications?
RPS	502	ENMOD1		Modifying enumeration "%a" will affect one or more template and field definitions.
RPS	503	ELSAMENM		Template name and parent template cannot be the same.
RPS	504	GRPDEL1		Field "%a" is a group. Deleting it will delete all
RPS	505	GRPDEL2		group members as well. Do you want to continue?
RPS	506	GRPCLR1		Field "%a" contains group members. Clearing the "Group" field
RPS	507	GRPCLR2		will delete all group members. Do you want to continue?
RPS	508	STRMOD1		Structure "%a" is referenced as an implicit group or structfield.
RPS	509	STRMOD2		Modifying it will affect one or more field and key definitions.
RPS	510	STRMOD3		Are you sure you want to save your modifications?
RPS	511	STRMOD4		Structure modifications cannot be saved. They will cause one or
RPS RPS	512 513	STRMOD5 BLANK20		more referencing structures to exceed the maximum number of fields (%d).
RPS	515	DELKFLD1		This field is defined as a key. All affected keys in the
RPS	515	DELKFLD1 DELKFLD2		current structure will be updated when you save changes.
RPS	517	DELKFLD2		Are you sure you want to make modifications?
RPS	518	DELKFLD4		This field is defined as an external segment by another
RPS	519	DELKFLD3		structure. All affected keys in all external structures
RPS	520	DELKFLD5		will be updated when you save changes.
RPS	521	NOOVRFLD		Overlaid field does not exist.
RPS	522	MAXFLDSIZ		Maximum field size (%d) has been exceeded.
RPS	523	MAXFXDSIZ		Maximum implied-decimal field size (%d) has been exceeded.
RPS	524	MAXPREC		Maximum precision (%d) has been exceeded.
RPS	525	INVPRECT		'Precision' can only be specified with decimal and user type fields.
RPS	526	MISFLDDIM		Missing array dimension
RPS	527	INVGRP		%a type field cannot be a group.
RPS	528	NOSZMOD		Size of %a type fields cannot be modified.
RPS	529	MULTFLD		Multiple field or group specifications.
RPS	530	EMPTYGRP		Missing group member definition. At least one member must be defined.
RPS	531	INVGRPREF		Referenced structure cannot be the current structure.
RPS	532	FMTNOTFND		Format "%a" referenced by field "%a" no longer exists.
RPS	533	NOLFMTEXST		Format no longer exists.
RPS	534	INVOVRLAY		Field modifications will invalidate overlay field "%a".
RPS	535	INVOVRDEL		Deleting the current field will invalidate overlay field "%a".
RPS	536	INVOVRMOV		Moving the current field will invalidate its overlay specification.
RPS	537	INVOVRMOV2		Moving the current field will invalidate an overlay specification.
RPS	538	INVDTYMOD		Field data type modification will invalidate key "%a".
RPS	539	BLANK21		
RPS	545	INVIMPGRP		'Structure' can only be specified when no explicit group members are defined.
RPS	546	INVABSPOS		Absolute position value cannot be negative.
RPS	547	INVUCTYPE		'Uppercase' can only be used on alpha and user type fields.

Fac	Err #	Code	Sev	Message
RPS	548	INVJUSTR		This field cannot be right-justified.
RPS	549	INVJUSTC		This field cannot be centered.
RPS	550	INVNODEC		'Nodecimal' can only be used on numeric fields.
RPS	551	INVBZRO		'Blank if zero' can only be used on numeric fields.
RPS	552	INVNEGALW		'Negative allowed' can only be used on numeric fields.
RPS	553	INVINCR		'Increment' can only be used on numeric fields.
RPS	554	INVDECR		'Decrement' can only be used on numeric fields.
RPS	555	INVNOECHO		'Noecho' can only be used on alpha and user type fields.
RPS	556	INVECHOCHR		'Echo character' can only be used on alpha and user type fields.
RPS	557	INVDTTODAY		'Date (today)' can only be used on date type fields.
RPS	558	INVDTSHORT		'Date (short)' can only be used on date type fields.
RPS	559	INVTMNOW		'Time (now)' can only be used on time type fields.
RPS	560	INVTMAMPM		'Time (ampm)' can only be used on time type fields.
RPS	561	INVALWENT		Blank allow list entries are not allowed.
RPS	562	INVALWSEL		'Allow list' and 'Selections' cannot be specified together.
RPS	563	INVALWNOEC		'Allow list' and 'Noecho' cannot be specified together.
RPS	564	INVMATCH		'Match' values can only be used on alpha and user type fields.
RPS	565	INVSELCLS		'Selections' cannot be used with date and time type fields.
RPS	566	INVSELENT		Blank selection list entries are not allowed.
RPS	567	INVENUMTYP		'Enumerated' can only be used on numeric fields.
RPS	568	INVRANGE		'Range' cannot be specified with allow or selection lists.
RPS	569	INVRNGTYP		'Range' can only be used on numeric fields.
RPS	570	INVRNGMAX		Range maximum must be greater than or equal to range minimum.
RPS	571	INVRETPOS		'Retain position' can only be used on text (multi-dimension alpha) fields.
RPS	572	INVKCHG		Key type cannot be FOREIGN. It is defined as a "TO" KEY in a relation.
RPS	573	INVRADCHK		'Radio buttons' and 'Check box' cannot be specified together.
RPS	574	INVENMSPC		'Enumerated' can only be specified in conjunction with a selection list or window or an allow lis
RPS	575	INVENMCHK		'Enumerated' cannot be specified with 'Check box'.
RPS	576 577	INVRDONLY		'Read-only' cannot be specified for Radio button, Check box, or Selection fields.
RPS	577 578	INVINTSIZ		The size of integer fields must be 1, 2, 4, or 8.
RPS	576 579	INVDSPMTH		'Display method' cannot be specified for Radio button, Check box, or Selection fields.
RPS RPS	580	INVEDFMTH INVVIEWAS		'Edit format method' cannot be specified for Radio button, Check box, or Selection fields. 'View as' must be set to 'Field' if a 'Display method' or 'Edit format method' is specified.
RPS	581	INVSELMTH		'Selections' cannot be specified in conjunction with 'Display method' or 'Edit format method'.
RPS	582	INVSEGDTY		Invalid key segment type.
RPS	583	INVSEGOTI		Invalid key segment cype. Invalid key segment order.
RPS	584	INVINPLEN		'Input length' cannot be specified for Radio button, Check box, or Selection fields.
RPS	585	INVINFLEN		'Display length' cannot be specified for Radio button, Check box, or Selection fields.
RPS	586	INVVWLEN		'View length' cannot be specified for Radio button or Check box, of Selection Helds.
RPS	587	INPLENRNG		Input length must be in the range 0 to 65535.
RPS	588	DSPLENRNG		Display length must be in the range 0 to 65535.
RPS	589	VWLENRNG		View length must be in the range 0 to 9999.
RPS	590	INVBLNSIZ		The size of boolean fields must be 4.
RPS	591	INVENMSIZ		The size of enum fields must be 4.
RPS	592	INVNULL		'Null allowed' can only be used on alpha, decimal, date, and time fields.
RPS	593	INVNULLDT		A Nullable DateTime field must have 'Null allowed' set to Default or Yes.
RPS	594	INVENMVAL		Enumeration value must be numeric.
RPS	595	EMPTYENUM		Missing member definition. At least one member must be defined.
RPS	596	NOENUMNM		Missing enumeration name
RPS	597	NONBLANK		Non-blank entry required
RPS	598	INVAUTSIZ		The size of sequence and timestamp autokey fields must be 8.
RPS	599	AUTOFLDRO		Autokey fields must be read only.
RPS	600	AUTOFLDNN		Autokey fields must be no null allowed.
RPS	601	MISKEYSEG		Missing segment definition
RPS	602	NOKSEGDEF		Missing segment definition. At least one segment must be defined.
RPS	603	NOKFLDDEF		Missing field name
RPS	605	NOKSTRDEF		Missing structure name

Fac	Err #	Code	Sev	Message
RPS	606	MONGEGEND		Missing segment type
RPS	607	NOKSEGTYP INVKLIT		Access keys cannot contain literal segments.
RPS	608	INVKEXT		Access keys cannot contain external segments.
RPS	609	MAXKEYSIZ		Maximum key size (%d) has been exceeded. Data beyond %d will be ignored.
RPS	610	MAXKEYSEG		Maximum number of key segments (%d) has been exceeded.
RPS	611	INVEXTKEY		External segment structure cannot be the current structure.
RPS	612	MAXRECKEY		An access key already exists for this relative file type.
RPS	613	INVKREC		Foreign keys cannot contain record number segments.
RPS	614	INVKRCORD		The sort order for a relative file type access key must be ASCENDING.
RPS	615	INVKRCDPS		The dups allowed value for a relative file type access key must not be set.
RPS	616	INVKRCNSG		Only one segment can be defined for a relative file type access key.
RPS	617	INVKRCSGT		The segment type for a relative file type access key must be 'RECORD NUMBER'.
RPS	618	LITTRUNC		Maximum literal length exceeded. Truncated to 30.
RPS	619	INVKDEN		Key density must be in the range 50 to 100.
RPS	620	INVFDEN		Key density must be in the range 50 to 100.
RPS	621	INVKTYPE		"TO" KEY must be an ACCESS key.
RPS	622	MSGFTYPE		Missing TYPE keyword for format.
RPS	623	INVEXREL		Relation cannot be examined. Specifications are invalid.
RPS	624	INVVALUE		Invalid value
RPS	625 626	INVTAGOP		Invalid tag comparison operator
RPS RPS	627	INVTAGCON TAGSET		Invalid tag comparison connector Multiple tag specifications.
RPS	628	INVALSTR		Alias is not for the current structure.
RPS	629	NOCURALS		No current alias structure defined.
RPS	630	NOUNQALSTR		Alias structure name cannot match that of a real structure.
RPS	631	NOUNOALFLD		Alias field name cannot match that of a real field name.
RPS	632	BLANK24		nitub field hame cannot match that of a fear field hame.
RPS	633	INVSTRN		Invalid structure name specified.
RPS	634	INVSTRN2		Invalid structure name specified "%a".
RPS	635	INVFILN		Invalid file definition name specified.
RPS	636	INVELN		Invalid template name specified.
RPS	637	INVFMTN		Invalid format name specified.
RPS	638	INVENUMN		Invalid enumeration name specified.
RPS	639	INVFLDN		Invalid field name specified.
RPS	640	INVKEYN		Invalid key name specified.
RPS	641	INVFMTYP		Invalid format type specified.
RPS	642	INVFILTYP		Invalid file type specified.
RPS	643	INVRECTYP		Invalid record type specified.
RPS	644	INVPGSIZ		Invalid page size specified.
RPS	645 646	INVADDR INVDATYP		Invalid addressing specified.
RPS RPS	647	INVDATYP		Invalid data type specified. Invalid storage format specified.
RPS	648	INVSTORE		Invalid storage format specified. Invalid overlay field specified.
RPS	649	INVOVRFED		Invalid overlay offset specified.
RPS	650	INVOVROFF		Invalid overlay specification.
RPS	651	INVPREC		Invalid precision specified.
RPS	652	INVDFMTDSP		Invalid display format selected for given Date storage type.
RPS	653	INVFLDSPEC		Invalid field specifications.
RPS	654	SMALLGRP		Invalid group size specified. Group size must be equal to or larger than the size of its members
RPS	655	INVKSPEC		Invalid key specifications.
RPS	656	INVKEYTYP		Invalid key type specified.
RPS	657	INVFLDSIZ		Invalid field size specified.
RPS	658	INVRPTN		Invalid report name specified.
RPS	659	INVTAGFLD		Invalid tag field specified.
RPS	660	INVALSTYP		Invalid alias type specified.
RPS	661	INVALSN		Invalid alias name specified.
RPS	662	INVFMTJST	1	Invalid justification specified.

Fac	Err #	Code	Sev	Message
RPS	663	INVKEYN2		Invalid key name specified "%a".
RPS	664	INVTAGTYP		Invalid tag type specified.
RPS	665	INVFLDN2		Invalid field name %a specified.
RPS	666	INVODBCFLD		Invalid alternate name specified.
RPS	667	INVFONT		Invalid font name specified.
RPS	668	INVCOLOR		Color palette number must be between 1 and 16, inclusive.
RPS	669	INVODBCTBL		Invalid ODBC table name specified.
RPS	670	INVPREFIX		Invalid prefix specified.
RPS	671	INVSTRN3		Invalid structure name specified. Recursive references not allowed.
RPS	672	MISFILNAM		Missing file definition name.
RPS	673	INVPARENT		Invalid parent template specified. Recursive references not allowed.
RPS	674	INVCOERTYP		Invalid coerced type specified.
RPS	675	INVMBRN		Invalid member name specified.
RPS	676	INVAUTOKEY		Invalid autokey specification.
RPS	677	BLANK25		
RPS	696	NOALSEXIST		Alias does not exist.
RPS	697	NOFLDEXIST		Field does not exist.
RPS	698	NOKEYEXIST		Key does not exist.
RPS	699	NORELEXIST		Relation does not exist.
RPS	700	NOSTREXIST		Structure does not exist.
RPS	701	NOFILEXIST		File definition does not exist.
RPS	702	NOELEXIST		Template does not exist.
RPS	703	NOFMTEXIST		Format does not exist.
RPS	704	NOENMEXIST		Enumeration does not exist.
RPS	705	NOEXSTSTR		Non-existent structure referenced.
RPS	706	NOEXSTFLD		Non-existent field "%a" referenced.
RPS	707	CANTFREEID		Unique ID allocated for structure could not be freed. Run the Verify Repository utility to free i
RPS	708	UNDEFSTRID		Undefined structure ID
RPS	709	MISFLNAME		Missing open filename
RPS	710	LDCTLERR		Error occurred while storing control record.
RPS RPS	711 712	LDFLDERR		Error occurred while storing field definition. Missing field name
RPS	712	NOGRPNAME XENDGRP		Too many Endgroup statements encountered.
RPS	713	INVFNAME		Invalid filename specified "%a".
RPS	714	CANTOPN		Cannot open file "%a".
RPS	715	EXISTS		Cannot create file "%a". File already exists.
RPS	717	APNDORDEL		Select "No" to append output to the existing file; "Yes" to delete it.
RPS	717	QDELETE		File "%a" already exists. Do you want to delete it?
RPS	719	ENTERFIL		Please enter another filename.
RPS	720	DUPFILNS		Repository filenames cannot be the same.
RPS	721	LONGLINE		Line %d too long (len=%d, max=%d) Truncated.
RPS	722	QMERGE		Repository files already exist. Do you want to merge the schema?
RPS	723	NORENAME		Original repository cannot be replaced. Files are in use.
RPS	724	NOCOPY		Original repository cannot be copied. Files are in use.
RPS	725	VFYERR1		WARN: Blank structure ID found: type = %a: name = %a
RPS	726	VFYERR2		INFO: Stranded sequential record found: access = %a: name = %a
RPS	727	VFYERR3		WARN: Unknown record found: access = %a: type = %a: name = %a
RPS	728	VFYERR10		INFO: Old structure count = %d, Actual structure count = %d
RPS	729	VFYERR11		INFO: Old file count = %d, Actual file count = %d
RPS	730	VFYERR12		INFO: Old format count = %d, Actual format count = %d
RPS	731	VFYERR13		INFO: Old template count = %d, Actual template count = %d
RPS	732	VFYERR14		INFO: Old alias structure count = %d, Actual alias structure count = %d
RPS	733	VFYERR14A		INFO: Old enumeration count = %d, Actual enumeration count = %d
RPS	734	VFYERR14B		INFO: Old alias structure count = %d, Actual alias structure count = %d. Exceeds d3 variable. No
RPS	735	VFYERR15		INFO: Structure %a: Field %a: Old parent ID = %a, Actual parent ID = %a
RPS	736	BLANK30		
RPS	737	VFYERR16		INFO: Stranded field reference for template %a: field: %a, structure: %a

Fac	Err #	Code	Sev	Message
RPS	738	VFYERR17		INFO: Description text not found for template %a. Description reference cleared.
RPS	739	VFYERR18		INFO: Template %a's description stranded. New description reference created.
RPS	740	VFYERR19		INFO: Long description text not found for template %a. Description reference cleared.
RPS	741	VFYERR20		INFO: Template %a's long description was stranded. New description reference created.
RPS	742	VFYERR21		INFO: Stranded file-structures record %a found
RPS	743	VFYERR22		WARN: Missing file-structures record for file %a
RPS	744	VFYERR23		WARN: Missing ODBC tables names record for file %a
RPS	745	VFYERR25		INFO: Assigned structure count for file %a was %d; updated to actual count, %d
RPS	746	VFYERR26		INFO: Assigned structure %a does not exist
RPS	747	VFYERR27		INFO: File reference %a for structure %a did not exist. It was created.
RPS	748	VFYERR28		INFO: Description text not found for file %a. Description reference cleared.
RPS	749	VFYERR29		INFO: File %a's description was stranded. New description reference created.
RPS	750	VFYERR30		INFO: Long description text not found for file %a. Description reference cleared.
RPS	751	VFYERR31		INFO: File %a's long description was stranded. New description reference created.
RPS	752 753	VFYERR32		INFO: Text not found for file %a's user text. User text reference cleared.
RPS RPS	753 754	VFYERR33 VFYERR34		INFO: File %a's user text was stranded. New user text reference created. INFO: Template %a not found for field %a. Template cleared in field definition.
RPS	755	VFYERR35		INFO: Template %a not found for field %a. Template reference created.
RPS	756	VFYERR34A		INFO: Initiate reference %a not found for field %a. Field definition changed to integer.
RPS	757	VFYERR34B		INFO: Structure %a not found for field %a. Field definition changed to alpha.
RPS	758	VFYERR35A		INFO: Enumeration reference %a not found for field %a. Enumeration reference created.
RPS	759	VFYERR35B		INFO: Structure reference %a not found for field %a. Structure reference created.
RPS	760	VFYERR36		INFO: Text not found for field %a's description. Description reference cleared.
RPS	761	VFYERR37		INFO: Field %a's description was stranded. New description reference created.
RPS	762	VFYERR38		INFO: Long description text not found for field %a. Description reference cleared.
RPS	763	VFYERR39		INFO: Field %a's long description was stranded. New description reference created.
RPS	764	VFYERR40		INFO: Text not found for field %a's heading. Heading reference cleared.
RPS	765	VFYERR41		INFO: Field %a's heading was stranded. New heading reference created.
RPS	768	VFYERR43		INFO: Structure %a: Field %a: Group members not found. Group flag cleared.
RPS	769	VFYERR43A		INFO: Structure %a: Field %a: Implicit group not found. Group flag cleared.
RPS	770	VFYERR44		INFO: Structure %a: Old field count = %d, new field count = %d
RPS	771	VFYERR44A		INFO: Structure %a: Old field count = %d, actual field count = %d. Exceeds d3 variable. No change
RPS	772	VFYERR45		INFO: Structure %a: Old key count = %d, new key count = %d
RPS	773	VFYERR46		INFO: Structure %a: Old relation count = %d, new relation count = %d
RPS	774	VFYERR47		INFO: Structure %a: Old format count = %d, new format count = %d
RPS	775 776	VFYERR44B		INFO: Structure %a: Old child count = %d, new child count = %d
RPS RPS	777	VFYERR44C VFYERR48		INFO: Structure %a: Group %a: Old child count = %d, new child count = %d INFO: Structure %a: Old tag count = %d, new tag count = %d
RPS	778	VFYERR48A		INFO: Structure %a: Old tag count = %d, new alias count = %d
RPS	779	VFYERR49		INFO: Structure %a. Old arras count = %d, new arras count = %d INFO: Blank file reference record found for structure %a
RPS	780	VFYERR50		INFO: File reference count = %d; Number of files for structure %a = %d
RPS	781	VFYERR51		INFO: Duplicate file reference %a found for structure %a
RPS	782	VFYERR52		INFO: Stranded file reference %a found for structure %a
RPS	783	VFYERR53		INFO: Blank key reference record found for structure %a
RPS	784	VFYERR55		INFO: Stranded key reference found for structure %a: key: %a, structure: %a
RPS	785	VFYERR56		INFO: Stranded relation reference found for structure %a: structure: %a, relation: %a
RPS	786	VFYERR57		WARN: Invalid key reference found for structure %a: reference type = %a
RPS	787	VFYERR58		INFO: Description text not found for structure %a. Description reference cleared.
RPS	788	VFYERR59		INFO: Structure %a's description was stranded. New description reference created.
RPS	789	VFYERR60		INFO: Long description text not found for structure %a. Description reference cleared.
RPS	790	VFYERR61		INFO: Structure %a's long description was stranded. New description reference created.
RPS	791	VFYERR62		INFO: Text not found for structure %a's user text. User text reference cleared.
RPS	792	VFYERR63		INFO: Structure %a's user text was stranded. New user text reference created.
RPS	795 706	VFYERR64		INFO: Duplicate structure id found (%a) for structure %a. INFO: Stranded %a record: access code = %a; name = %a
RPS RPS	796 797	VFYERR65 VFYERR66		INFO: Stranded %a record: access code = %a; name = %a INFO: Blank field reference record found for template %a
RPS	797	VFYERR67		INFO: Blank filed reference record found for template %a INFO: Old file/structures count = %d, Actual file/structures count = %d
KPS	130	AT. TTIVEO \		INFO. Old IIIC/Scructures count - %u, Actual IIIC/Scructures count - %u

Fac	Err #	Code	Sev	Message
RPS	799	VFYERR69		INFO: Relation reference %a not found for structure %a. Relation reference created.
RPS	800	VFYERR70		INFO: Key reference %a not found for structure %a. Key reference created.
RPS	801	VFYERR71		INFO: Heading text not found for template %a. Heading reference cleared.
RPS	802	VFYERR72		INFO: Template %a's heading was stranded. New heading reference created.
RPS	803	VFYERR73		INFO: Prompt text not found for template %a. Prompt reference cleared.
RPS	804	VFYERR74		INFO: Template %a's prompt was stranded. New prompt reference created.
RPS	805	VFYERR75		INFO: Help text not found for template %a. Help reference cleared.
RPS	806 807	VFYERR76 VFYERR77		INFO: Template %a's help text was stranded. New help text reference created. INFO: Info line text not found for template %a. Info line reference cleared.
RPS RPS	808	VFYERR78		INFO: Template %a's info line text was stranded. New info line reference created.
RPS	809	VFYERR79		INFO: User text not found for template %a. User text reference cleared.
RPS	810	VFYERR80		INFO: Template %a's user text was stranded. New user text reference created.
RPS	811	VFYERR81		INFO: User type text not found for template %a. User type reference cleared.
RPS	812	VFYERR82		INFO: Template %a's user type text was stranded. New user type reference created.
RPS	813	VFYERR83		INFO: Default value not found for template %a. Default value reference cleared.
RPS	814	VFYERR84		INFO: Template %a's default value was stranded. New default value reference created.
RPS	815	VFYERR85		INFO: Allow list not found for template %a. Allow list reference cleared.
RPS	816	VFYERR86		INFO: Template %a's allow list was stranded. New allow list reference created.
RPS	817	VFYERR87		INFO: Selection info not found for template %a. Selection info reference cleared.
RPS	818	VFYERR88		INFO: Template %a's selection info was stranded. New selection info reference created.
RPS	819	VFYERR89		INFO: Enumerated info not found for template %a. Enumerated info reference cleared.
RPS	820 821	VFYERR90 VFYERR91		INFO: Template %a's enumerated info was stranded. New enumerated info reference created. INFO: Range info not found for template %a. Range info reference cleared.
RPS RPS	821	VFYERR91 VFYERR92		INFO: Range Info not found for template %a. Range Info reference cleared. INFO: Template %a's range info was stranded. New range info reference created.
RPS	823	VFYERR93		INFO: Prompt text not found for field %a. Prompt reference cleared.
RPS	824	VFYERR94		INFO: Field %a's prompt was stranded. New prompt reference created.
RPS	825	VFYERR95		INFO: Help text not found for field %a. Help reference cleared.
RPS	826	VFYERR96		INFO: Field %a's help text was stranded. New help text reference created.
RPS	827	VFYERR97		INFO: Info line text not found for field %a. Info line reference cleared.
RPS	828	VFYERR98		INFO: Field %a's info line text was stranded. New info line reference created.
RPS	829	VFYERR99		INFO: User text not found for field %a. User text reference cleared.
RPS	830	VFYERR100		INFO: Field %a's user text was stranded. New user text reference created.
RPS	831	VFYERR101		INFO: User type text not found for field %a. User type reference cleared.
RPS	832	VFYERR102		INFO: Field %a's user type text was stranded. New user type reference created.
RPS	833	VFYERR103		INFO: Default value not found for field %a. Default value reference cleared.
RPS	834 835	VFYERR104 VFYERR105		INFO: Field %a's default value was stranded. New default value reference created. INFO: Allow list not found for field %a. Allow list reference cleared.
RPS RPS	835	VFYERR105 VFYERR106		INFO: Field %a's allow list was stranded. New allow list reference created.
RPS	837	VFYERR107		INFO: Friend %a S arrow rist was stranded. New arrow rist reference created. INFO: Selection info not found for field %a. Selection info reference cleared.
RPS	838	VFYERR108		INFO: Field %a's selection info was stranded. New selection info reference created.
RPS	839	VFYERR109		INFO: Enumerated info not found for field %a. Enumerated info reference cleared.
RPS	840	VFYERR110		INFO: Field %a's enumerated info was stranded. New enumerated info reference created.
RPS	841	VFYERR111		INFO: Range info not found for field %a. Range info reference cleared.
RPS	842	VFYERR112		INFO: Field %a's range info was stranded. New range info reference created.
RPS	843	VFYERR113		INFO: Structure %a: Old record size = %d, new record size = %d
RPS	844	VFYERR114		INFO: Stranded template reference for parent %a.
RPS	845			INFO: Parent %a not found for template %a. Parent cleared in template definition.
RPS	846	VFYERR116		INFO: Template reference %a not found for template %a. Template reference created.
RPS	847 848	VFYERR117 VFYERR118		INFO: Blank template reference record found for template %a INFO: Duplicate structure id found (%a) for alias structure %a.
RPS RPS	848	VFYERR118 VFYERR119		INFO: Stranded %a alias record: access code = %a; name = %a
RPS	850	VFYERR120		INFO: Stranded %a arras record: access code - %a, hame - %a INFO: Field %a, aliased by %a:%a no longer exists.
RPS	851	VFYERR121		NOTE: Text not found for key %a's null value. Null value reference cleared.
RPS	852	VFYERR122		NOTE: Key %a's null value was stranded. New null value reference created.
RPS	853	VFYERR123		NOTE: Description text not found for key %a. Description reference cleared.
RPS	854	VFYERR124		NOTE: Key %a's description was stranded. New description reference created.
RPS	855	VFYERR125		INFO: Arrive method info not found for template %a. Arrive method reference cleared.

Fac	Err #	Code	Sev	Message
RPS	856	VFYERR126		INFO: Template %a's arrive method info was stranded. New arrive method reference created.
RPS	857	VFYERR127		INFO: Leave method info not found for template %a. Leave method reference cleared.
RPS	858	VFYERR128		INFO: Template %a's leave method info was stranded. New leave method reference created.
RPS	859	VFYERR129		INFO: Drill method info not found for template %a. Drill method reference cleared.
RPS	860	VFYERR130		INFO: Template %a's drill method info was stranded. New drill method reference created.
RPS	861	VFYERR131		INFO: Hyperlink method info not found for template %a. Hyperlink method reference cleared.
RPS	862	VFYERR132		INFO: Template %a's hyperlink method info was stranded. New hyperlink method reference created.
RPS	863	VFYERR133		INFO: Arrive method info not found for field %a. Arrive method reference cleared.
RPS	864	VFYERR134		INFO: Field %a's arrive method info was stranded. New arrive method reference created.
RPS	865	VFYERR135		INFO: Leave method info not found for field %a. Leave method reference cleared.
RPS	866	VFYERR136		INFO: Field %a's leave method info was stranded. New leave method reference created.
RPS	867	VFYERR137		INFO: Drill method info not found for field %a. Drill method reference cleared.
RPS	868	VFYERR138		INFO: Field %a's drill method info was stranded. New drill method reference created.
RPS	869	VFYERR139		INFO: Hyperlink method info not found for field %a. Hyperlink method reference cleared.
RPS	870	VFYERR140		INFO: Field %a's hyperlink method info was stranded. New hyperlink method reference created.
RPS	871	VFYERR141		INFO: Text not found for field %a's alternate name. Alternate name reference cleared.
RPS	872	VFYERR142		INFO: Field %a's alternate name was stranded. New alternate name reference created.
RPS	873	VFYERR143		INFO: Text not found for template %a's alternate name. Alternate name reference cleared.
RPS	874	VFYERR144		INFO: Template %a's alternate name was stranded. New alternate name reference created.
RPS	877	VFYMAXTMRF		WARN: Maximum template references have been exceeded. Reference for template %a lost.
RPS	878	VFYMAXFLRF		WARN: Maximum file references have been exceeded. Reference for structure %a lost.
RPS	879	VFYMAXKRF		WARN: Maximum key references have been exceeded. Reference for structure %a lost.
RPS	880	VFYMAXRRF		WARN: Maximum relation references have been exceeded. Reference for structure %a lost.
RPS	881	VFYMAXFDRF		WARN: Maximum field references have been exceeded. Reference for template %a lost.
RPS	882	VFYMAXFSRF		WARN: Maximum field references have been exceeded. Reference for structure %a lost.
RPS	883	VFYMAXGRRF		WARN: Maximum group references have been exceeded. Reference for structure %a lost.
RPS	884	VFYMAXENMT		WARN: Maximum enumeration references have been exceeded. Reference for template %a lost.
RPS	885	VFYMAXENMF		WARN: Maximum enumeration references have been exceeded. Reference for field %a lost.
RPS	886	VFYMAXSSRF		WARN: Maximum structure references have been exceeded. Reference for structure %a lost.
RPS	889	ALSVALD		Alias structure %a validated
RPS RPS	890 891	ELVALD FLVALD		Template %a validated File %a validated
RPS	892	FMTVALD		Fire %a varidated Format %a validated
RPS	893	STRVALD		Structure %a validated
RPS	894	ENMVALD		Enumeration %a validated
RPS	895	FLDVALD		Field %a validated for structure %a
RPS	896	GRPVALD		Group %a validated for structure %a
RPS	897	KEYVALD		Key %a validated for structure %a
RPS	898	RELVALD		Relation %a validated for structure %a
RPS	899	LFMTVALD		Format %a validated for structure %a
RPS	900	TAGVALD		Tag %a validated for structure %a
RPS	901	NOXREF		Cannot open repository cross-reference file "%a".
RPS	902	NOMAIN		Cannot open main repository file "%a".
RPS	903	NOTEXT		Cannot open repository text file "%a".
RPS	904	NOLIST		Cannot open repository list file "%a".
RPS	905	NOMSG		Cannot open message file "%a".
RPS	906	NOTEMP		Cannot open repository temporary file "%a".
RPS	907	NODSCRPT		Cannot open Repository window library "%a".
RPS	908	CANTCRT		Cannot create file "%a". %a.
RPS	911	BLANK32		
RPS	912	RECTOOSML		Data record (a_rec) too small
RPS	913	TRLCTOOLG		Tree-lock record too long
RPS	914	UNDEFIOCD		Unsupported I/O code
RPS	915	IOERR		Unexpected I/O error %d
RPS	927	IOKEYNSM		"Key not same" error. Program will terminate.
RPS	928	IODUPKEY		"Duplicate key" error. Program will terminate.
RPS	929	BLANK33		

Fac	Err #	Code	Sev	Message
RPS	930	CONVERT		Old %a name = "%a", New name = "%a"
RPS	931	FLDFTR2		FIELDS [%03d of %03d] SIZE [%05d]
RPS	932	FLDFTR3		FIELDS [%03d of %03d]
RPS	940	VFYERR145		INFO: Text not found for field %a's font name. Font name reference cleared.
RPS	941	VFYERR146		INFO: Field %a's font name was stranded. New font name reference created.
RPS	942	VFYERR147		INFO: Text not found for template %a's font name. Font name reference cleared.
RPS	943	VFYERR148		INFO: Template %a's font name was stranded. New font name reference created.
RPS	944	VFYERR149		INFO: Text not found for field %a's prompt font name. Font name reference cleared.
RPS	945	VFYERR150		INFO: Field %a's prompt font name was stranded. New font name reference created.
RPS	946	VFYERR151		INFO: Text not found for template %a's prompt font name. Font name reference cleared.
RPS	947	VFYERR152		INFO: Template %a's prompt font name was stranded. New font name reference created.
RPS	948	VFYERR153		INFO: Change method info not found for field %a. Change method reference cleared.
RPS	949	VFYERR154		INFO: Field %a's change method info was stranded. New change method reference created.
RPS	950	VFYERR155		INFO: Change method info not found for template %a. Change method reference cleared.
RPS	951	VFYERR156		INFO: Template %a's change method info was stranded. New change method reference created.
RPS	954	VFYERR159		INFO: Text not found for file %a's portable integer info. Portable integer info reference cleared
RPS	955	VFYERR160		INFO: File %a's portable integer info was stranded. New portable integer info reference created.
RPS	956	VFYERR161		INFO: Text not found for field %a's referenced structure. Structure reference cleared.
RPS	957	VFYERR162		INFO: Field %a's referenced structure was stranded. New structure reference created.
RPS	958	VFYERR163		INFO: Text not found for field %a's prefix. Prefix reference cleared.
RPS	959	VFYERR164		INFO: Field %a's prefix was stranded. New prefix reference created.
RPS	960	VFYERR165		INFO: Stranded field reference for structure %a: field: %a, parent: %a
RPS	961	VFYERR166		INFO: Structure %a not found for field %a, parent %a. Structure cleared in field definition.
RPS	962	VFYERR167		INFO: Group reference %a not found for field %a, parent %a. Structure reference created.
RPS	963	VFYERR167A		INFO: Structure reference %a not found for field %a, parent %a. Structure reference created.
RPS	964	VFYERR168		INFO: Display method info not found for field %a. Display method reference cleared.
RPS	965	VFYERR169		INFO: Field %a's display method info was stranded. New display method reference created.
RPS	966	VFYERR170		INFO: Editfmt method info not found for field %a. Editfmt method reference cleared.
RPS	967	VFYERR171		INFO: Field %a's editfmt method info was stranded. New editfmt method reference created.
RPS	968	VFYERR172		INFO: Display method info not found for template %a. Display method reference cleared.
RPS	969	VFYERR173		INFO: Template %a's display method info was stranded. New display method reference created.
RPS	970	VFYERR174		INFO: Editfmt method info not found for template %a. Editfmt method reference cleared.
RPS	971	VFYERR175		INFO: Template %a's editfmt method info was stranded. New editfmt method reference created.
RPS	972	VFYERR176		INFO: Structure %a: Implicit group %a: Old field size = %d, New field size = %d
RPS	973	VFYERR177		INFO: Description text not found for enumeration %a. Description reference cleared.
RPS	974	VFYERR178		INFO: Enumeration %a's description was stranded. New description reference created.
RPS	975	VFYERR179		INFO: Long description text not found for enumeration %a. Description reference cleared.
RPS	976	VFYERR180		INFO: Enumeration %a's long description was stranded. New description reference created.
RPS	977	VFYERR181		WARN: Missing members record for enumeration %a
RPS	978	VFYERR182		INFO: Member count for enumeration %a was %d; updated to actual count, %d
RPS	979	VFYERR183		INFO: Blank field reference record found for enumeration %a
RPS	980	VFYERR184		INFO: Stranded field reference for enumeration %a: field: %a, structure: %a
RPS	981	VFYERR185		INFO: Blank template reference record found for enumeration %a
RPS	982	VFYERR186		INFO: Stranded template reference for enumeration %a: template: %a
RPS	983	VFYERR187		INFO: Enumeration %a not found for template %a. Template definition changed to integer.
RPS	984	VFYERR188		INFO: Enumeration reference %a not found for template %a. Enumeration reference created.
RPS	985 986			INFO: Text not found for file %a's file text info. File text info reference cleared. INFO: File %a's file text info was stranded. New file text info reference created.
RPS	986	VFYERR190		References verified for structure %a's implicit groups.
RPS	987 1000	GRPREFVFYD		1 9 1
RPS	1000 1001	ARVMETH		%a_ARRIVE
RPS RPS	1001	LVMETH DRLMETH		%a_LEAVE %a_DRILL
RPS	1002	DRLMEIH HYPMETH		%a_DRILL %a_HYPER
RPS	1003	CHGMETH		%a_HIPER %a_CHANGE
RPS	1004	DSPMETH		%a_CHANGE %a_DISPLAY
RPS	1005	FMTMETH		%a_DISPLAY %a_EDITFMT
RPT	1	RPTHDR		ReportWriter
KPI	1	VLIUDY		vebotenticet

Fac	Err #	Code	Sev	Message
RPT	2	VIEW		View Report Format
RPT	3	EXIT		Exit ReportWriter
RPT	4	UTILS		Utility Functions
RPT	5	MAIN		Main Menu
RPT	6	CREATE		Create New Report
RPT	7	LOAD		Load Report
RPT	8	DISPLAY		Display Report
RPT	9	PRINT		Print Report
RPT	10	RPTFIL		Generate Report File
RPT	11	CLEAR		Clear Report
RPT	12	RENAME		Rename Current Report
RPT	13	SAVE		Save Report
RPT	14	DELETE		Delete Report
RPT	15	FILES		Files to Read
RPT RPT	16 17	CREFLD FIELDS		Fields to Create Fields to Print
RPT	18	SELECT		Selections to Make
RPT	19	KEYS		Fields to Sort
RPT	20	HDER		Header/Footer Layout
RPT	21	MISC		Miscellaneous
RPT	22	FILHDR		Files to Read
RPT	23	FLDHDR		Fields to Print
RPT	24	KEYHDR		Sort Fields
RPT	25	SELHDR		Selection Fields
RPT	26	CALC		Calculation Fields
RPT	27	QUERY		Question Fields
RPT	28	TEXT		Text Fields
RPT	29	ENVIRON		Environment Fields
RPT	30	SUBTOTAL		Subtotal Access Fields
RPT	31	CNDHDR		Conditions
RPT RPT	32 33	RPTHDRINF		Report Header
RPT	34	RPTFTRINF PAGHDRINF		Report Footer Page Header
RPT	35	PAGITERINE		Page Footer
RPT	36	DATNUMINF		Date and Page #
RPT	37	EDRENDHDR		Edit Renditions
RPT	38	GENDEFHDR		Print Report Definitions
RPT	39	GENREFHDR		Generate Cross-Reference
RPT	40	LDDEFHDR		Load Report Definitions
RPT	41	AVLFIL		Available Files
RPT	42	AVLSTR		Available Structures
RPT	43	AVLREL		Available Relations
RPT	44	NORELAVL		No relation available
RPT	45	ULDDEFHDR		Unload Report Definitions
RPT	46	LDRPT		Loading Report %a
RPT RPT	47 48	BDRPT		Building Report
RPT	48	GNRPT LDFIL		Generating Report Loading Files
RPT	50	LDFLD		Loading Files
RPT	51	GETFLD		Processing Files
RPT	52	LDTFLD		Loading Temporary Fields
RPT	53	LDBFLD		Loading Break Line Fields
RPT	54	GENDEF		Printing Definition
RPT	55	LDDEF		Loading Definition
RPT	56	UNLDDEF		Unloading Definition
RPT	57	GENREF		Generating Cross-Reference
RPT	58	LDRDLHDR		Load Report Schema

Fac	Err #	Code	Sev	Message
RPT	59	UNRDLHDR		Generate Report Schema
RPT	60	EXTRPT		Exiting ReportWriter
RPT	61	GENINF		Menu-<^P> %a-<%a> %a-<%a>
RPT	62	CMDINF		%a-<%a>
RPT	63	CNCLRPT		Press Interrupt key to abort report generation.
RPT	64	NORPTNAM		No Loaded Report
RPT	65	RPTFTR		%a (%a)
RPT	66	NOTINST		ReportWriter is not configured.
RPT	67	MAXUSER		Exceeded concurrent user capacity
RPT	68	TIMEOUT		This system has timed-out
RPT	69 70	CONTACT		Please contact your Synergy supplier
RPT RPT	70 71	PRRPT GENNAMHDR		Printing Report # FLAGS NAMES
RPT	71	GENDSCHDR		# FLAGS NAMES # FLAGS DESCRIPTIONS
RPT	73	CNDCRIHDR		# FLAGS CONNECT CONDITIONS
RPT	74	SELCRIHDR		# FLAGS CONNECT SELECTIONS
RPT	75	TMPNAMHDR		# TYPE DATA TEMPORARY FIELD NAMES
RPT	76	TMPDSCHDR		# TYPE DATA TEMPORARY FIELD DESCRIPTIONS
RPT	77	FILNAMHDR		# PARENT NAMES
RPT	78	FILDSCHDR		# PARENT DESCRIPTIONS
RPT	79	FILFTR		FILES [%2a]
RPT	80	FLDFTR		DETAIL FIELDS [%2a] of (%a)
RPT	81	FLDFTR1		DETAIL FIELDS [%2a]
RPT	82	PREFLDFTR		PRE-BREAK LINE FIELDS [%2a]
RPT	83	PSTFLDFTR		POST-BREAK LINE FIELDS [%2a]
RPT	84	CNDFTR		CONDITION CRITERIA [%1a]
RPT	85 86	SELFTR TMPFLDFTR		SELECTION CRITERIA [%2a] TEMPORARY FIELDS [%3a]
RPT RPT	87	SRTFLDFTR		SORT FIELDS [%3a]
RPT	88	FLDFRMFIL		%a (File %d of %d)
RPT	89	PAGE		Page
RPT	90	CLCAFTSRT		After Sort
RPT	91	CLCBEFSEL		Before Selection
RPT	92	MPPARALLEL		Together
RPT	93	MPTANDEM		Separately
RPT	94	CNDMSG		- Conditioned
RPT	95	OVERST		OVERST
RPT	96	INSERT		INSERT
RPT	97	TOTCNT		total (count
RPT	98	TOTSCNT		<pre>totals (count):</pre>
RPT RPT	99 100	TOTCNTCLS		total:
RPT	100	TOTAL TOTALS		totals:
RPT	101	COUNT		count:
RPT	102	REPORT		Report
RPT	103	DSCFIL		XRPT%d.ZZO
RPT	105			RB%d.TMP
RPT	106	SRTFIL		RG%d.TMP
RPT	107	SRTMSG		SORT %a
RPT	108	DTLMSG		Detail line %d of %d -
RPT	109	PREMSG		Pre-break line
RPT	110	PSTMSG		Post-break line
RPT	111	RPTACTV		An active report exists. Save or abandon loaded report first.
RPT	112	SUPPBLMSG		%a - Blank line suppressed
RPT	113	FMTHDR		FORMAT
RPT	114	VFYDEL		Are you sure you want to delete %a %a?
RPT	115	TMPFLD		temporary field

Fac	Err #	Code	Sev	Message
RPT	116	REPORTLC		report
RPT	117	TMPFNAM		TEMP
RPT	118	TMPFDSC		Temporary File
RPT	119	ARRGFLD		Arranging line %d of %d (%d through %d)
RPT	120	LINEMSG		Line %d of %d - %e
RPT	121	LINEMSG1		%a - %d of %d
RPT	122	HDRPOS		(%d through %d)
RPT	123	NAMHDR		NAME
RPT	124	DSCHDR		DESCRIPTION
RPT	125	OPRADD		+ : Addition
RPT	126	OPRSUB		- : Subtraction
RPT	127	OPRMUL		* : Multiplication / : Division
RPT RPT	128 129	OPRDIV LEFTVW		L L
RPT	130	RIGHTVW		R
RPT	131	PGUPVW		U
RPT	132	PGDWVW		D D
RPT	133	PGTPVW		T
RPT	134	PGBTVW		B
RPT	135	TOTFLG		T
RPT	136	REVFLG		R
RPT	137	BRKFLG		В
RPT	138	STRBLK		S
RPT	139	CNDFLG		C
RPT	140	MRGFLG		M
RPT	141	AND		AND
RPT	142	OR		OR TO
RPT RPT	143 144	EQ NE		EQ NE
RPT	144	LE		LE
RPT	146	LT		LT
RPT	147	GE		GE
RPT	148	GT		GT
RPT	149	BFLDFLG		P
RPT	150	RDONLYFLG		<r></r>
RPT	151	BLANK		
RPT	152	DFLTDTFMT		MM/DD/YY
RPT	153	RPTSBT		<report></report>
RPT	154	CNTSBT		<count></count>
RPT	155	RPTNAM		%a
RPT	156 157	RPTNAM_M		%a (modified)
RPT RPT	157 158	RPTNAM_C RPTNAM_CM		%a (%d wide) %a (%d wide, modified)
RPT	150	YESCHAR		Y (sa wide, modified)
RPT	160	NOCHAR		N N
RPT	161	WORK		Working
RPT	162	INSERTS		Adding
RPT	163	DELETES		Deleting
RPT	164	RELHDR		FROM KEY: TO KEY
RPT	165	APNDCHR		A
RPT	166	LINEMSG2		%a - %d
RPT	167	LDSEL		Loading Selection Criteria
RPT	168	LDCND		Loading Conditions
RPT	169	LDSRT		Loading Sort Fields
RPT	170	LDLIST		Loading Field List
RPT RPT	171 172	LDSTR LDREL		Loading Structure List Loading Relation List
KLI	1/4	חהצהח	1 1	LOAUTING RELACTION LISC

Fac	Err #	Code	Sev	Message
RPT	173	LDLST		Loading List
RPT	174	LDLFIL		Loading File List
RPT	175	HDRFLDFTR		HEADER/FOOTER FIELDS [%2a]
RPT	176	ARRGFLD1		Arranging line (%d through %d)
RPT	177	FDSCHDR		NAME CREATED MODIFIED
RPT	178	FDFWD		Find forward
RPT	179	FDBWD		Find reverse
RPT	180	RTNMSG_NU		%a : ^Z(END)
RPT	181	RTNMSG_U		%a : ^D(END)
RPT	182	RTNMSG_NUL		L(eft); R(ight); %a : ^Z(END)
RPT	183	RTNMSG_UL		L(eft); R(ight); %a : ^D(END)
RPT	184	RPTSVD		Report saved
RPT RPT	185 186	DELRPT		Report deleted Temporary field %a deleted!
RPT	187	DELTMPFLD RTNMSG_UD		U(p); D(own); T(op); B(ottom)
RPT	188	RTNMSG_0D		RETURN(cont.); %a
RPT	189	RTNMSG_UNU		^Z(END)
RPT	190	RTNMSG_UU		^D(END)
RPT	191	CREFIL		Create Report Definition File
RPT	192	FILCRE		New report definition file created.
RPT	193	INCMPLT		%a is incomplete.
RPT	194	INCRNG		Range specification
RPT	195	INCSUB		Subscript specification
RPT	196	INCTMP		Temporary field definition
RPT	197	INCCRI		Criterion specification
RPT	198	INVCNCL		Cannot abandon changes after field modifications.
RPT	199	VFYCLR		Are you sure you want to clear the current report?
RPT RPT	200 201	LNKFRMFIL		Link Fields from %a No name link relations available
RPT	201	NOLNKAVL NAMLINK		NAME LINK KEY
RPT	301	NODEFRPT		No reports defined
RPT	302	NOHELP		No help available
RPT	303	NOMSG		No message available
RPT	304	NOFMT		No available formats
RPT	305	NOACTRPT		No report is currently loaded.
RPT	306	NORPTAVL		No available reports
RPT	308	NOINPFIL		No input files have been defined for this report.
RPT	309	NOFILDEF		No files have been defined in the repository.
RPT	310	NOPNTR		No line printer is connected to the system.
RPT	311	NOBRKFLD		No break fields defined
RPT	312	NORPT		Report not found
RPT	313	BLNKNAM		A report name may not start with a blank.
RPT	314 315	INCFLD		Report is incomplete. Please select fields to print. Report "%a" cannot be loaded at this time. Please try again later.
RPT RPT	315 316	RPTINUSE TOOWIDE		Report "%a" cannot be loaded at this time. Please try again later. Maximum report width (255 columns) has been reached.
RPT	310	MAXITMPS		Maximum number of individual temporary fields (%d) has been defined.
RPT	317	MAXFILS		Maximum number of files (%d) has been selected.
RPT	319	MAXFLDS		Maximum number of fields to print (%d) has been selected.
RPT	320	MAXKEYS		Maximum number of sort fields (%d) has been selected.
RPT	321	MAXSELS		Maximum number of selections (%d) has been defined.
RPT	322	MAXSUBS		Maximum number of subscripted fields (%d) has been defined.
RPT	323	MAXLFLD		Maximum number of fields to print per line (%a) has been defined.
RPT	324	MAXCNDS		Maximum number of conditions (5) has been defined.
RPT	326	MAXFSIZ		Field %a exceeds the maximum field size (99).
RPT	327	MAX_BFLD		Maximum number of break line fields (%a) has been defined.
RPT	329	MAXVWLNS		Too many lines to view in the report format. It has been truncated.
RPT	330	NOTSUB		You must use a numeric field for subscripts.

Fac	Err #	Code	Sev	Message
RPT	331	ALPJUST		Alpha fields cannot be right-justified.
RPT	332	BADTMP		Selected field is not a 'created' field.
RPT	333	FILREF		File cannot be deleted. Structure %a is referenced.
RPT	334	NOTNMBR		Only numeric fields may be totaled.
RPT	335	INVNUM		Invalid numeric value
RPT	336	INVDAT		Invalid date specification
RPT	337	INVSEL		Invalid selection criteria specification
RPT	338	INVVAL		Invalid value
RPT	339	INVCMPFLD		Invalid comparison field type
RPT	341	FILLNK		File cannot be deleted. "%a" is linked to it.
RPT	342	FLDLNK		File cannot be deleted. Field "%a" %a
RPT	344	TMPLNK		Field cannot be deleted. It %a
RPT	345	LNKSRT		is used as a sort field.
RPT	346	LNKCRI		is used in a criterion definition.
RPT	347	LNKEXP		is used in a calculation expression.
RPT	348	LNKSUB		is used as a subscript.
RPT	349	LNKRNG		is used as a range offset or length.
RPT	350	LNKRHDR		is printed on a report header line.
RPT	351	LNKRFTR		is printed on a report footer line.
RPT	352	LNKPHDR		is printed on a page header line.
RPT	353	LNKPFTR		is printed on a page footer line.
RPT	354	LNKPBRK		is printed on a pre-break line.
RPT	355	LNKSBRK		is printed on a post-break line.
RPT	356	LNKDATA		is printed on a detail line.
RPT	357	LNKSBT		is used in a subtotal access field.
RPT	358	ERRGENDEF		Cannot generate report '%a': report not stored properly.
RPT	359	BADSUB		Invalid subscript field type
RPT	360	DUPTMPNAM		Temporary field %a already exists. Please enter another name.
RPT	363	NUMJUST		Numeric fields cannot be centered.
RPT	364	INVDEC		Invalid precision specification
RPT	365	DUPRPT		Report cannot be saved into an existing report.
RPT	366	INVSUBREF		An arrayed field cannot be referenced for subscripting.
RPT	367	NOTBRK		Field %a is not defined as a break field.
RPT	368	SUBTDEP		Field %a is computed after selections and cannot be used here.
RPT	369	SUBTKEY		Field used as break level in subtotal field %a. Cannot clear break.
RPT	371	TOOMNYLNK		Too many related files (%d) - only %d will be used
RPT	372	NOTMULTI		Multiple projections not possible for the relation to this file.
RPT	373	NOSISTER		No previous file at the same read level.
RPT	374	MRGFRST		Cannot merge first sort field.
RPT	375	MRGTYPLEN		Merged sort fields must be the same type and length.
RPT	376	MRGDEL		Sort field cannot be deleted. It is merged with the next field.
RPT	377	MRGADD		Cannot add a sort field immediately before a merged field.
RPT	378	MRGBRK		Cannot change break status on merged field.
RPT	379	MRGDIR		Cannot change sort order on merged field.
RPT	380	MRGSEL		Cannot move merged field.
RPT	381	NOUTIL		Unrecognized utility option %a
RPT	382			No enumerated information found. Field will be processed as numeric.
RPT	383	BRKMRG		Cannot merge break field.
RPT	384	INVRPT		Invalid report version %a cannot be loaded with the current ReportWriter.
RPT	385	MRGORD		Merged sort fields must have the same sort order.
RPT	390	SIZTMP		Field size cannot be changed. It is selected to print.
RPT	391	TNDLNK		File cannot be deleted. It is used in a multiple projection.
RPT	392	NAMTMP		Temporary field name cannot be changed.
RPT	393	MAXRNGS		Maximum number of ranged fields (%d) has been defined.
RPT	394	INVSIZ		Invalid size specification.
RPT	395	MAXDLINS		Maximum number of detail lines (10) has been defined.
RPT	396	MAXHLINS		Maximum number of page header lines (10) has been defined.

Fac	Err #	Code	Sev	Message
RPT	397	INVLNK		Invalid name link relation.
RPT	398	BRKCNTKEY		Field used within %BRKCNT in calculation field %a. Cannot clear break.
RPT	401	EXPBIG		Selected field name %a will not fit in the expression.
RPT	402	EXPAMBFLD		Ambiquous field reference: %a
RPT	403	EXPNOOPND		Missing operand: %a
RPT	404	EXPQUOTED		Quoted string encountered in expression: %a
RPT	405	EXPBADCHR		Unrecognized character in expression: %a
RPT	406	EXPBADTKN		Unrecognized token in expression: %a
RPT	407	EXPNOEPAR		Missing ")" or "]" in expression %a
RPT	408	EXPEXOPND		Missing operator in expression: %a
RPT	409	EXPBADUNY		"%a" cannot be used as a unary operator in an expression.
RPT	410 411	EXPNSTPAR		Maximum nesting depth for parentheses and brackets (99) exceeded: %a
RPT RPT	411	EXPNOBPAR TOOMNYNDX		Too many close parentheses in expression: %a Too many dimensioned fields used in report
RPT	413	EXPBADCLN		Period out of place in expression: %a
RPT	414	BADFUNC		Unrecognized intrinsic function reference: %a
RPT	415	EXPBADPCT		Percent sign out of place: %a
RPT	416	FNCARGEXP		Function argument expected: %a
RPT	417	FNCFILARG		File/structure specification expected: %a
RPT	418	TOOMNYCLN		Too many colons in file/structure specification: %a
RPT	419	EXPEOL		Unexpected end of expression
RPT	420	AMBGFIL		Ambiguous file/structure reference: %a
RPT	421	EXPALPHA		Alpha field not allowed: %a
RPT	422	AMBGREF		Ambiguous field reference: %a
RPT	423	EXPNULL		Null value not allowed in expression: %a
RPT	424	EXPNOIDENT		"%a" must follow a field name.
RPT	425	EXPNOTDIM		"%a" can only be used in a subscript or range reference.
RPT RPT	426 427	NORGTPAR FBADSRCTYP		Missing ')' or ']' in RG_EXPR Bad src type %d in FORMAT_IT
RPT	428	EXPDIMERR		Wrong number of dimensions specified: %a
RPT	429	INVEXPR		Expression error #%d at position %d,
RPT	430	EXPALPHOP		Operator (%a) not allowed with alpha operand.
RPT	431	EXPRNGERR		Invalid ranging specification.
RPT	432	EXPNOTRNG		"%a" can only be used in a range reference.
RPT	433	FILEXST		Report definition file "%a" cannot be created. The file already exists.
RPT	436	BLNKFNAM		A report definition filename may not start with a blank.
RPT	437	FILCREER		Cannot create report definition file %a - error #%d.
RPT	503	DICTERR		Error occurred while scanning the repository.
RPT	504	NODCTMFIL		Cannot open main repository file. You may need to set RPSMFIL and RPSTFIL to point to your repos
RPT	505	NODCTTFIL		Cannot open repository text file. You may need to set RPSMFIL and RPSTFIL to point to your repos
RPT	506 507	NOWNDFIL		Cannot open ReportWriter window library.
RPT RPT	507 508	NODEFFIL NOKEY		Cannot open report definition file "%a". Key %a not found for structure %a
RPT	508	NOKET		Key of reference %d not found for structure %a
RPT	510	BADORYFID		Unknown field id for question field: %d
RPT	511	BADENVFID		Unknown field id for environment field: %d
RPT	512	BADNUMLIT		Numeric literal in conditional contains invalid characters for type: %a
RPT	513	BADFIL		File/structure not found: %a
RPT	514	NORPTFLD		Field "%a" not found in file "%a"
RPT	515	NOHDR		Field %a heading not found
RPT	516	NODSCR		Field %a description record not found
RPT	517	NODEFFLD		Field %a not defined
RPT	518	BADSUBFLD		Subtotal not defined for field %a
RPT	519	INVFLDREF		Invalid field '%a' referenced
RPT	520 521	NOSTRCT		Structure %a not found
RPT	521 522	NOSTRCT1		Structure %a not found. Cannot load fields.
RPT	522	NOFILERR	1 1	File %a not found

Fac	Err #	Code	Sev	Message
RPT	523	BADLNKS		Relation linkage corrupted. Report cannot be loaded.
RPT	524	NOFLDS1		Fields for structure %a not found
RPT	525	NORELS1		Relation records for %a not found
RPT	526	INVRELS		Relation %a is not for structure %a.
RPT	527	NOLNKSTRCT		Linked structure %a not found
RPT	529	NOTAGFLD		Tagged field not found
RPT	530	PACKERR		Error while packing report: %a
RPT	602	FILRDSERR		FILE READS ERROR: Could not read file %a
RPT	603	FILRDERR		FILE READ ERROR: Could not read file %a
RPT	604	FILOPNERR		FILE OPEN ERROR: Could not open file %a
RPT	605	BLDERRNUM		Error #%d:
RPT	606	DELERR		Error #%d on DELETE %a %d
RPT	607	RDSERR		Error #%d on READS of %a
RPT	608	RDERR		Error #%d on READ of %a
RPT	609	WRTERR		Error #%d on WRITE saving %a
RPT	610	STRERR		Error #%d on STORE saving %a
RPT RPT	611 612	OOPNERR		Could not open output file "%a" Error #%d while loading report %a
RPT	613	LDRPTERR RPTIOERR		Report library I-O error #%d
RPT	701	SUBSCR		Subscript error: value %d
RPT	701	BADSUBLIT		Subscript value '%a' must be in the range 1 to %d.
RPT	703	CTLOVFLW		Report control structure overflow
RPT	704	MAXTOTS		Too many total fields. Program will terminate.
RPT	705	MAXCHKPTR		Checkpoint area too small, Maximum %d, short by %d
RPT	706	PPOOLOVF		Report Memory Pool Overflow; Report too complex
RPT	708	INVFMT		Invalid format identifier assigned to field %a.
RPT	709	PARSERR		RU_MTHREF: Expression Parsing Error
RPT	710	MAXRDSCR		REPORT ERROR: Too many report descriptors
RPT	711	INVOP		Invalid OP_xxxx code
RPT	712	INVFNC		Invalid FNC_xxxx code
RPT	713	INVFLD		Invalid FLD_xxxx code
RPT	714	TOOMNOPND		Internal error: too many operands in RG_EXPR
RPT	715	TOOMNRGTP		Too many)'s or]'s in RG_EXPR
RPT	716	INVCOLNP		Colon out of place in RG_EXPR
RPT	717	ERSKOVFLW		Operator stack overflow in RG_EXPR
RPT RPT	718 719	MXTMPOUT		Out of available a-temps in RG_EXPR
RPT	719	EDSKOVFLW NOOPRND		Operand stack overflow in RG_EXPR Missing operand in RG_EXPR
RPT	720	LNSKOVFLW		Line stack overflow in DO EXECUTE
RPT	721	RPSKOVFLW		Report SP overflow in DO_CALL
RPT	723	BADRTNCL		OP_RETURN without OP_CALL in DO_OPCODES
RPT	724	RPTSKOVF1		Report stack overflow in OP_PUSH
RPT	725	BADALP_A		operand encountered in DO_ADD
RPT	726	BADALP_S		Alpha operand encountered in DO SUBTRACT
RPT	727	BADALP_M		Alpha operand encountered in DO_MULTIPLY
RPT	728	BADALP_D		Alpha operand encountered in DO_DIVIDE
RPT	729	BADALP_N		Alpha operand encountered in DO_NEGATE
RPT	730	BADMTHFID		INTERNAL ERROR: BAD CALCULATION FIELD ID
RPT	731	BADTXTFID		INTERNAL ERROR: BAD TEXT FIELD ID
RPT	732	BADTMPFLD		INTERNAL ERROR: TEMP FIELD %a NOT FOUND
RPT	733	DIMERR		INTERNAL ERROR (RG_CODE): Field indexing error dimensions: %d, indices: %d
RPT	734	BADSEGSIZ		INTERNAL ERROR (RP_ADD): Segment size invalid
RPT	735	BADFSDIDX		INTERNAL ERROR : Bad FSD index specified, %d %d
RPT	736	EXPRSTKOV		Operator stack overflow; expression too complex: %a
RPT RPT	737 738	EXPNOATMP EXPDSTKOV		Out of available a-temps; expression too complex: %a Operand stack overflow; expression too complex: %a
RPT	738 739	EXPREFOVE		Reference list overflow; too many fields used in expressions: %a
V.P.I	133	PVEVPLOAL	1	reference first overfitow, con many fretas asea in expressions. sa

Fac	Err #	Code	Sev	Message
RPT	740	BADFSO		File stack error; field identified: %d, error code: %d
RPT	741	INVOPCOD		Invalid report opcode %d in DO_OPCODES; pc=%d
RPT	742	INVFNSTR		Invalid FLD NSTR code %d in DO PUSH
RPT	743	INVFFUNC		Invalid FLD FUNC code %d in DO PUSH
RPT	744	INVFXXXX		Invalid FLD xxxx code %d in DO PUSH
RPT	745	BADDSTTYP		Bad dst type %d in STORE IT
RPT	746	BATDGT		Bad digit in STORE_IT, pc=%d, dst=%d, src=%d
RPT	747	BADSRCTYP		Bad src type %d in STORE_IT
RPT	748	INVENTY		Unrecognized entry "%a" selected
RPT	749	NOSTRCT2		Associated structures for file %a not found
RPT	750	TOOMNLFTP		Too many ('s or ['s in RG_EXPR
RPT	751	INVSGLSTR		Single-quoted string encountered in RG_EXPR
RPT	752	INVDBLSTR		Double-quoted string encountered in RG_EXPR
RPT	753	INVTKN		Unrecognized token type code %d in RG_EXPR
RPT	754	INVCHR		Unrecognized character %s in RG_EXPR
RPT	755	MAXPARN		Exceeded maximum paren nesting depth (99) in RG_EXPR
RPT	756	INVTERM		OP_TERMINATE without OP_EXECUTE in DO_OPCODES
RPT	757	CTLTST		At arg=%d, Max=%d, needed=%d, used=%d
RPT	758 759	INVUNARY		%s used as a unary operator in RG_EXPR Multiple colons in ident %s in RG_EXPR
RPT RPT	760	MULCOLNS BADSBTFID		INTERNAL ERROR: BAD SUBTOTAL FIELD ID
RPT	761	BADDIGIT		Bad Digits in Numeric source: %a
RPT	762	CNDLNK		File cannot be deleted. Field %a is used in a conditional.
RPT	763	DIVZERO		Division by zero attempted
RPT	764	RNGERR		INTERNAL ERROR (RG CODE): Field ranging error - indices: %d
RPT	765	BADRNGLIT		Range value '%a' must be in the range 1 to 99.
RPT	766	BADRNGRNG		Range offset plus length '%a' must be within the field size.
RPT	801	DEFHDR1		Report Name : %a
RPT	802	DEFHDR2		Generation Date: %a, %a
RPT	803	DEFHDR3		Definition File : %a
RPT	804	DEFHDR4		Report Version : %a
RPT	805	DEFHDR5		Report Size : %d
RPT	806	SMMSEC		**************************************
RPT	807	DTLSEC		**************************** Detailed Section ************************************
RPT	808	LINES		Data Lines
RPT	809	FILDSC		Filename Description Structure Level ParentFile Tandem External
RPT	810	FLDDSC		Field Name Type Size Cond Totl Strp Frmt Hder Indx Line Pos Just
RPT	811	PAGSIZ		Lines Per Page
RPT	812	DETAIL		Detailed Report
RPT	813	COUNTS BLNKSPR		Detail Record Count
RPT RPT	814 815			Blank Lines Between Records Form Feeds
RPT	815	SUPFRM SUPDSH		Dashed Lines
RPT	817	SUPDSC		Total Descriptions
RPT	818	SELDSC		Connect Selection Field Indexed Operator Comparison Indexed
RPT	819	KEYDSC		Sort Field Name Indexed Merged Reversed Break
RPT	820	HDRDSC		Visible Separate BlankLines Modified
RPT	821	FLLDSC		**************************************
RPT	822	NOSAVRPT		Cannot save this report. Loaded as a non-updatable report.
RPT	823	ENDDEF		************ End of Report (%a) ************************************
RPT	824	RELDEFTTL		# FromStructure FromKeyName ToStructure ToKeyName
RPT	825	FILDEFTTL		FileName FileType OpenFilename
RPT	826	FLDDEFTTL		Field Name Heading Line # Position
RPT	827	FMTDEFENT1		%eFormat : %a
RPT	828	FMTDEFENT2		%eFormat: %a
RPT	829	CNDDEFENT		%eConditional: Operand 1 Operator Operand 2
RPT	830	SELFLDENT		%d) Selection Field - %15a: %a

Fac	Err #	Code	Sev	Message
RPT	831	CMPFLDENT		%d) Comparison Field - %15a: %a
RPT	832	CMPVALENT		%d) Comparison Value - %a
RPT	833	SRTFLDENT		%d) Sort Key Field - %a.%a
RPT	834	PREBRKENT		%ePre-Break Field
RPT	835	PREBRKCND		%ePre-Condtns: Operand1 Operator Operand 2
RPT	836	PSTBRKENT		%ePost-Break Field
RPT	837	PSTBRKCND		%ePost-Condts: Operand1 Operator Operand 2
RPT	838	MTHCNDENT		%eMath-Condts: Operand1 Operator Operand 2
RPT	839	MTHDSC1		%e%e:- Type:%a Size:%d Just:%a Prec:%d
RPT	840	MTHDSC2		%e%e Promote:%a Class:%a
RPT	841	MTHEXPR1		%eExpression =[%a]
RPT	842	MTHEXPR2		%eExpression1=[%a]
RPT	843	DSCDEFENT		%eDescription: %a
RPT	844	QRYDSC1		%e%e:- Type:%a Size:%d Just:%a Prec:%d
RPT	845	QRYDSC2		%e%e Upcase:%a BlankZero:%a Negative:%a Required:%a
RPT	846 847	QRYDFLT		<pre>%eDefault : %a %eInfo Line : %a</pre>
RPT RPT	848	QRYINFLN		%elino line . %a %ePrompt : %a
RPT	849	QRYPRMT ENVUSRTXT		%eUser Text : %a
RPT	850	SUBFLDENT		%eSubtotal Field:%a:%a
RPT	851	SUBTOTVAL		%eSubtotaled : %a
RPT	852	SUBBRKFLD		%eBreak Level Field:%a:%a
RPT	853	SUBBRKLVL		%eBreak Level: %a
RPT	854	SUBRUNNG		%eRunning Total: %a
RPT	855	INDEXED		%eINDEXED BY : %a
RPT	856	NEWTCDSC		New Report Summary Description
RPT	857	SUMARGSYN		%SUM requires array[beq:end] %a
RPT	858	SUM1DIM		%SUM can only be used on a 1-dimensional array.
RPT	859	TYPDECEXP		Decimal type expected: %a
RPT	860	FILREFHDR		Report Name: File Definition - Open Filename
RPT	861	LCKRPTDEL		Report cannot be deleted. It is being used by another user.
RPT	862	LCKRPTSAV		Report cannot be saved. It is being used by another user.
RPT	863	INVFNAM		Invalid filename specified "%a".
RPT	864	CANTOPN		Cannot open file "%a".
RPT	865	ENTERFIL		Please enter another filename.
RPT	866	ERRLDRPT		Cannot load report %a from the specified input file.
RPT	867	ERRRPTLD		Cannot load report %a into the specified report definition file.
RPT	868	ERRDUPLD		Cannot load duplicate report %a.
RPT RPT	869 870	ERRULDRPT		Cannot unload report %a into the specified output file. Cannot unload report %a from the specifed report definition file.
RPT	870 871	ERRRPTULD INCLOAD		Load specifications are incomplete.
RPT	872	INCLOAD		Unload specifications are incomplete.
RPT	873	NODTFMT		No date data format has been defined.
RPT	874	RANGED		%eRANGED BY : %a
RPT	875	ALLINES		Total Lines
RPT	876	BLNKSRB		Blank Lines Between Breaks
RPT	877			Cannot generate report: page size %d too small for %d lines per page
RPT	878	RDONLY		Report in use. Do you want to load the report anyway?
RPT	879	SAVRPT		Report has been modified. Do you want to save changes?
RPT	880	DUPRPTQ		A report already exists with that name. Use it anyway?
RPT	881	DELETEQ		File already exists. Do you want to delete it?
RPT	882	APNDORDEL		Select "No" to append output to the existing file; "Yes" to delete it
RPT	883	BRKCNTS		Break Field Count
RPT	884	INVNAM		Invalid report name specified.
RPT	885	NO_WILDGEN		To generate all of the report schemas, Report name must contain a wildcard (e.g., FRED*) or be bl
RPT	886	NO_WILDLD		To load all of the report schemas, Report name must contain a wildcard (e.g., FRED*) or be blank.
RPT	887	NO_SPACE		Spaces are not allowed in temporary field names.

Fac	Err #	Code	Sev	Message
RPT RPT RPT RPT RPT RPT RPT RPT RPT RPT	888 890 891 893 899 899 900 900 900 900 900 900 900 900	O_HELP POOLSTS NODATALIN INTEXPR INTRNG INVCDAT INVCTIM NOMSGCTL FNF RTINNF TSTDGT PROTECT UNEXP RW_INIT TMPFLDNAM INVPARM INT_INHER NOINIT INVTIM BADDICT NORECS		Press [O.HEMP] for Help Total memory pool available: %d bytes, Number of bytes used: %d. No detail lines have been selected to print in this report. Integer fields cannot be ranged. Calculation resulted in invalid date. Calculation resulted in invalid time. Message controller not running or invalid message. Do you want to continue? File "%a" not found. Routine "%a" not found. Invalid parameter to RM_INIT: "%a". Unexpected error in "%a". ReportWriter methods cannot be overloaded outside of RM_INIT. ReportWriter utilities cannot be called without calling %RW_INIT. Invalid temporary field name. Invalid parameter in %a. Question fields cannot inherit attributes from an integer field. ReportWriter not initialized due to error in RW_INIT. Invalid time specified. %a is not a version 7 or version 10 repository. No records selected by report.