

Fac	Err #	Code	Sev	Message
CMP	1	RECBIG	E	%s size too large
CMP	14	BIGALPHA	E	Alpha temporary result exceeds 65535
CMP	15	BIGNUM	E	Arithmetic operand exceeds maximum size
CMP	25	BDQUOT	E	Unmatched quotes
CMP	30	DIVIDE	E	Attempt to divide by zero
CMP	32	BNDXP	E	Bind name expected
CMP	37	CLOSIN	E	Cannot close: %s
CMP	44	XTREND	E	Too many .ENDC statements
CMP	77	GLCMN	E	COMMON invalid in GLOBAL sections
CMP	82	NUMINCL	F	Too many nested .INCLUDE levels
CMP	90	INVFF	E	Invalid fixed field size
CMP	99	INVOCB	F	Invalid OCB index: %d
CMP	102	INVPOS	F	Invalid OCB load position
CMP	103	INVOPT	E	Invalid option: %s
CMP	104	AMBOPT	E	Ambiguous option: %s
CMP	107	INVSIZ	E	Invalid buffer size (1 to 16 only)
CMP	112	IVBAD	E	Initial value not allowed here
CMP	115	IVLNG	E	Initial value too long
CMP	116	IVXP	E	Initial value expected
CMP	126	LSTXP	E	List file name expected
CMP	132	NAMESUB	W	.NAME not allowed in subroutines
CMP	134	NLREC	W	Preceding RECORD empty
CMP	136	NOGLB	E	Not processing a GLOBAL section
CMP	138	NOPROSEC	E	No procedural section
CMP	144	OBJWRI	F	Cannot write to object file
CMP	145	BDIGXP	E	Binary digits expected in argument (%s)
CMP	146	HDIGXP	E	Hexadecimal digits expected in argument (%s)
CMP	147	ODIGXP	E	Octal digits expected in argument (%s)
CMP	148	NULPR	F	No primary files specified
CMP	149	OBJXP	W	Object file name expected
CMP	150	OLYBD	E	Overlay not allowed
CMP	158	OPENIN	F	Cannot open: %s
CMP	159	OPENOUT	F	Cannot open: %s
CMP	160	WRIFIL	F	Error writing %s
CMP	161	MAXTF	F	Exceeded maximum number of files
CMP	183	SYMND	E	Record or field not declared
CMP	185	STRTOPT	W	Unrecognized .START option: %s
CMP	187	TOKUDF	E	Symbol %s already uniquely defined
CMP	195	TRUNC	E	Source line too long
CMP	197	BADC DIR	E	Invalid compiler directive: %s
CMP	201	WRNGRC	E	Field not in this %s
CMP	202	UTLXP	E	UNTIL statement expected
CMP	213	LISWRI	F	Cannot write to listing file
CMP	214	LSWIDX	W	Listing width expected
CMP	215	LSLENX	W	Listing length expected
CMP	216	VRNTXP	E	Variant value expected
CMP	224	INVPRC	E	Invalid fractional precision
CMP	301	LINLNG	E	Logical line too long
CMP	302	NUMTOK	E	Too many subtokens in logical line
CMP	303	ERRCNT	E	Too many errors
CMP	307	NOIDENT	E	Identifier expected
CMP	310	NOENDC	E	.ENDC expected
CMP	311	NOSPECL	E	%s expected
CMP	312	SYMDEFD	W	Symbol already defined: %s
CMP	313	NOTIMPLE	E	Feature not yet implemented: %s
CMP	314	LNGTITL	W	Title too long
CMP	316	BIGIDEN	W	Identifier too long: %s

Fac	Err #	Code	Sev	Message
CMP	317	CLSYN	E	Invalid command line syntax: %s
CMP	319	NOQUOTE	E	Quoted string expected
CMP	320	NOCND	W	Previous .IFDEF/.IFNDEF statement expected
CMP	322	NOTDEF	W	Identifier not defined: %s
CMP	323	BIGPATH	E	Path name too long
CMP	327	INVARG	E	Invalid argument: %s
CMP	329	ARGNUM	E	Invalid number of arguments
CMP	331	WRILIT	E	Writing to a literal or missing argument
CMP	332	ARGSIZ	E	Argument specified with wrong size
CMP	336	XTRAEND	E	Too many END statements
CMP	337	ENDXP	W	END statement expected
CMP	338	UNDEFLBL	E	Undefined label: %s
CMP	339	LBLDEF	W	Label previously declared
CMP	340	STMTXP	E	Statement expected
CMP	341	ARGTYP	E	%s type argument expected (%s)
CMP	345	OPTTYP	E	%s expression expected for %s value
CMP	346	OPTEXP	E	%s option requires an assigned value
CMP	347	OPTNOEXP	E	%s option does not allow an assigned value
CMP	348	OPENMD	E	Invalid OPEN mode: %s
CMP	349	OPENSUB	E	Invalid OPEN submode: %s
CMP	350	INVKSW	E	Invalid key switch: %s
CMP	351	MRFILS1	E	MERGE requires at least 2 input files
CMP	352	MRFILS2	E	Too many input files for MERGE
CMP	353	INVRSW	E	Invalid record switch: %s
CMP	354	IFSTMT	E	Statement part of IF missing
CMP	355	INTOXP	E	INTO expected in TRAP statement
CMP	356	NOLoop	E	Not currently within a loop statement
CMP	357	LOGTOOBIG	W	Logical expression too large
CMP	358	NOBLOCK	E	Not within a BEGIN-END block
CMP	359	NOTINSUB	E	Not within function or subroutine
CMP	360	INVSCRFNC	E	Invalid screen function or parameter {%s}
CMP	362	INVRERR	E	Invalid error literal
CMP	363	NOTSAMFIL	W	.PROC not in same file as routine header
CMP	364	ALIGN	E	Invalid .ALIGN value (%d)
CMP	365	NOALIGN	W	Alignment not performed
CMP	366	OUTOFRANGE	W	Select value is outside defined range
CMP	367	NOTEXE	W	Statement can never be executed
CMP	368	ONEALPHA	W	Only one character allowed: %s
CMP	369	SFLDREQ	E	STRUCTURE field required
CMP	370	SFLDINV	E	Invalid usage of STRUCTURE field
CMP	371	WRODEFARG	E	Wrong argument count in define reference
CMP	372	INVDEFARG	E	Invalid define parameter specified
CMP	373	BADRNG	E	Invalid range specified
CMP	401	NUMXP1	E	Numeric operand required (unary %s)
CMP	402	ALPHXP	E	Alpha operands required (%s)
CMP	403	SAMXP	E	Operands must be both alpha or both numeric (%s)
CMP	404	PARSE	E	%s at or near {%s}
CMP	405	NUMXP2	E	Numeric operands required (%s)
CMP	406	NOFXD	E	Only integer and decimal operands allowed (%s)
CMP	407	DECXP	E	Decimal or integer operand required (%s)
CMP	408	EOLXP	E	End of line expected at {%s}
CMP	409	INVARGTYP	E	Invalid argument type
CMP	410	NUMREQ	E	Numeric expression required
CMP	411	NOTCEXP	E	Not a compile-time expression
CMP	412	DEXPREQ	E	Decimal or integer expression required
CMP	413	INVTYPSIZ	E	Invalid data type/size specification {%s}
CMP	414	IDXP	E	"%s" expected at or near {%s}

Fac	Err #	Code	Sev	Message
CMP	415	INVRQUAL	E	Invalid routine qualifier {%s}
CMP	416	ALPHAXP	E	Alpha expression expected
CMP	417	INVEXFTYP	E	Invalid external function data type
CMP	418	INVDECSIZ	W	Invalid data size specification {%s}
CMP	419	AMBIGUOUS	E	Path specification is ambiguous (...{%s})
CMP	420	NOENDUSING	E	Missing ENDUSING statement
CMP	421	INVNUMDIM	E	Incorrect number of dimensions for {%s}
CMP	422	NOENDCASE	E	No ENDCASE for current CASE
CMP	423	INVFNCLD	E	Invalid function identifier {%s}
CMP	424	INVINTFNC	E	Unknown intrinsic function {%s}
CMP	425	EXACTPATH	W	Exact specification of ambiguous path used (...{%s})
CMP	426	INVFNCLD	E	Invalid function identifier {%s}
CMP	500	GLSTC	E	STATIC RECORD invalid in GLOBAL sections
CMP	501	NOGROUP	E	No GROUP to end
CMP	502	NOENDGRP	E	No ENDGROUP allowed
CMP	503	NOAUTO	E	Autosizing not allowed here
CMP	504	ENDGRPEXP	E	ENDGROUP expected
CMP	505	GLLIT	E	LITERAL invalid in GLOBAL sections
CMP	506	BDINITVAL	E	Too many initial values
CMP	507	GRPBIG	E	GROUP %s size too large
CMP	508	ILLQUAL	E	Illegal duplicate qualifier
CMP	509	EFDEF	E	External function already declared
CMP	510	GDSDEF	E	Global data section already defined
CMP	511	OLYBG	E	Overlay record too big
CMP	512	REQDIM	E	Dimension specifications required for {%s}
CMP	513	AMBIGIF	W	Ambiguous IF statement - ELSE without THEN
CMP	514	SEGBIG	F	%s segment too big
CMP	515	INVCMDLN	E	Invalid option(s), possibly missing argument {%s}
CMP	516	STXPFOR	W	Statement expected following FOR
CMP	517	INTERR	F	Internal error number: %d
CMP	519	ALPHARG	E	Alpha argument required
CMP	520	BADSYS	F	License management problem - %s
CMP	521	LMFAIL	F	Licensing failure %s
CMP	522	NOLMD	F	Cannot access Synergy License Manager
CMP	523	DDRD	F	Cannot read repository's main file
CMP	524	DDTXTRD	F	Cannot read repository's text file
CMP	525	DDOPN	F	Cannot open repository's main file: %s
CMP	526	DDTXTOPN	F	Cannot open repository's text file: %s
CMP	527	DDNOLOG	F	Logical for repository name expected
CMP	528	DDBADLOG	F	%s is not defined
CMP	529	EXPAN	I	Within expansion: %s
CMP	530	DDAPIERR	F	Internal DDapi error %s %s
CMP	531	INCFIL	I	Occurring in the source file: %s
CMP	532	NOGRP	E	No GROUP specification allowed
CMP	533	XTRASRC	W	Only the first source file on the command line was compiled
CMP	534	IDIGN	W	.IDENT ignored
CMP	535	DDINVLOG	F	Invalid specification for repository files: "%s"
CMP	536	ARGREQ	E	Field not an argument {%s}
CMP	537	NOLEN	E	Length not allowed
CMP	538	GLLCL	E	LOCAL RECORD invalid in GLOBAL sections
CMP	539	GLSTK	E	STACK RECORD invalid in GLOBAL sections
CMP	540	GLSTR	E	STRUCTURE invalid in GLOBAL sections
CMP	541	YIELD	I	Resulting in: %s
CMP	542	ENDGBLEXP	E	ENDGLOBAL expected
CMP	543	TOOMANYSYM	W	More than 65534 symbols in debug source module. Excess ignored
CMP	544	SRCLINBIG	E	More than 65534 source lines (%s). Debug not possible
CMP	545	SRCLINBIGW	W	More than 65534 source lines (%s). Reported error line incorrect

Fac	Err #	Code	Sev	Message
CMP	546	TOOMNYSRC	E	More than 254 source modules
CMP	547	DDBADVERS	F	Incompatible repository version
CMP	548	SYNOBJSUP	E	Synergy objects not supported
CMP	549	DDSTRUCT	E	Structure %s not found in repository %s
CMP	550	LBLSCOPE	E	Label %s out of scope
CMP	551	DDENUM	E	Enumeration %s not found in repository %s
CMP	560	INVCLASS	E	Invalid class: %s
CMP	561	INVPROP	E	Invalid property: %s
CMP	562	INVMTHD	E	Invalid method: %s
CMP	563	INVOHND	E	Invalid object handle: %s
CMP	564	NOOBJHND	E	Object handle/function not allowed {%s}
CMP	565	OBJHNDXP	E	Object handle/function expected
CMP	566	OBJHNDEQ	E	Only both sides of a '=' can be object handles
CMP	568	INMTHD	E	MRETURN %s within a method
CMP	569	INVMRET	E	Invalid MRETURN: %s
CMP	570	VOIDMTHD	E	Cannot reference a void method as a function {%s:%s}
CMP	571	PARAMISMCH	E	Parameter mismatch: %s
CMP	572	INVPARM	E	Invalid parameter: %s
CMP	590	UNXPTOK	E	%s (%s)
CMP	599	PARSERR	F	Fatal parsing error: %d
CMP	600	INVCLIDDEF	F	Invalid/obsolete command verb "%s" used to invoke compiler
CMP	601	ENDLCLXP	W	.END_LOCAL_ROUTINE expected
CMP	602	BEGLCLXP	W	.BEGIN_LOCAL_ROUTINE expected
CMP	603	NOTIMP	W	%s not yet implemented
CMP	604	NOTALIGNED	W	Physical memory alignment not guaranteed
CMP	605	INTLEXERR	E	Internal lexer error: invalid state %s
CMP	606	INTLEXERR2	E	Internal lexer error: invalid token %s
CMP	650	BCUDEF	E	Base %s %s cannot be found
CMP	651	NVRTM	E	Cannot resolve return type for method %s
CMP	652	NVRTF	E	Cannot resolve return type for function %s
CMP	653	NVTP	E	Cannot resolve type for parameter %s
CMP	654	NVTF	E	Cannot resolve type for field %s
CMP	655	NVTG	E	Cannot resolve type for group %s
CMP	656	NVTPR	E	Cannot resolve type for property %s
CMP	657	INVUCDLIT	W	Invalid UNICODE literal encountered
CMP	658	IMPTYPARG	E	Cannot determine implicit type arguments in call of generic method %s
CMP	659	MISTYP	E	Missing expected type for %s
CMP	660	MBOTH	E	%s cannot be both %s
CMP	661	NSRES	E	%s namespace reserved
CMP	662	NFND	E	%s not found
CMP	663	DUPSYM	E	Duplicate symbol %s not allowed
CMP	664	DUPSYP	E	Duplicate symbol %s for same parent not allowed
CMP	665	SYMADD	E	%s %s could not be added
CMP	667	DEFVALMIS	E	Default value for parameter missing
CMP	668	AMBSYM	E	Ambiguous symbol %s
CMP	669	ACCESS	E	%s is inaccessible
CMP	670	TYPPARM	E	Type mismatch for parameter %s in routine %s
CMP	671	TYPRET	E	Type mismatch for return type
CMP	672	MOREARGS	E	More argument values than declared parameters in routine %s
CMP	673	REQPARM	E	Missing required parameter %s in routine %s
CMP	674	INVSTX	E	Invalid syntax
CMP	675	MULTMAIN	E	More than one main routine encountered
CMP	676	NMETHODARG	E	%s not allowed as %s
CMP	677	STARFIELD	E	'*' not allowed in parameter field specification
CMP	678	INVOBJREF	E	Object references not allowed in %s
CMP	679	NONCLSUNSP	E	Non-CLS structures not supported %s
CMP	680	ARRAYBOUND	E	Array dimension out of bounds for {%s}

Fac	Err #	Code	Sev	Message
CMP	681	BADFLDPOS	E	Bad field position for %s
CMP	682	NOEXTEND	E	Cannot extend record by %s bytes with overlay field %s
CMP	683	NOTALLOWED	E	%s not allowed in %s
CMP	684	RETEXP	E	%s expected in %s
CMP	685	INTCMPERR	F	Internal compiler error: %s
CMP	686	TYPMISMCH	E	Type mismatch between %s and %s
CMP	687	DUPQUAL	E	Qualifier %s can only be specified once
CMP	688	INVQUAL	E	%s qualifier is incompatible with %s
CMP	689	NOFIELDS	E	NOFIELDS cannot be used with another qualifier
CMP	690	NUMALPHARQ	E	Numeric or alpha type required: %s
CMP	691	INITCONST	W	CONST/LITERAL field missing initialization value
CMP	692	UNSUPPORT	E	Unsupported syntax
CMP	693	NOOPER	E	No operator %s
CMP	694	TOOSHORT	E	Argument too short for %s
CMP	695	INVFUNCNAM	E	.IF directive does not support function %s%s
CMP	696	NARROWING	W	Narrowing conversion could cause loss of data
CMP	697	RECWHANDLE	E	Cannot %s a record that contains a handle
CMP	698	OUTPARM	E	Must be able to write to argument %s because parameter was declared as OUT or INOUT
CMP	699	INVCAST	E	Invalid cast
CMP	700	BADIMPORTD	E	Invalid directory specified for import: %s
CMP	701	IMPORT	E	Namespace %s not found
CMP	702	CONSARGS	E	Constructor requires argument list
CMP	703	BADDSTRCTR	E	Destructor %s does not match class %s
CMP	704	DUPMETH	E	Class %s already defines a method %s with the same parameter types
CMP	705	PROTOMISMCH	E	%s does not match prototype%s
CMP	706	SYSRTNOVR	W	System routine overridden. Invalid binding may occur
CMP	707	BCSEAL	E	Cannot extend a sealed class
CMP	708	BCOUTER	E	Cannot extend enclosing class
CMP	709	HANDREQD	E	Handle to %s required
CMP	710	BADOPDECL	E	Cannot declare operator %s
CMP	711	OPSTPUB	E	Operator must be declared STATIC and PUBLIC
CMP	712	OPVOID	E	Operator cannot return void
CMP	713	TRUEINT	E	Operator op_True must return integer
CMP	714	OPARGTYP	E	Operator must have at least one argument of the enclosing type
CMP	715	BSMTMCH	E	Best match for %s has an argument type or quantity that doesn't match
CMP	716	NOTSTAT	E	%s required to access non-static member %s
CMP	717	ISSTAT	E	%s required to access static member %s
CMP	718	CLSREFRQD	E	Class type required: %s
CMP	719	INTEXP	W	Initial value expected, defaulting to %s
CMP	720	DEFSIZE	W	Default size may not match %s definition
CMP	721	INITIGN	W	Initial value on external field ignored
CMP	722	NOTINPR	E	Previous .NOPROTO expected
CMP	723	ALRINPR	E	Already in a .NOPROTO section
CMP	724	EMPTYA	E	Invalid usage of empty alpha string
CMP	725	INVALIGN	E	Invalid .ALIGN value (%s)
CMP	726	NOGLOBAL	E	%s cannot be declared globally
CMP	727	INVDEFNS	E	Invalid default namespace %s
CMP	728	CIRCBASE	E	Circular base class not allowed
CMP	729	NOFCSUB	E	Cannot call subroutine %s as a function because it has no parameters
CMP	730	INTCMPWARN	W	Internal warning: %s
CMP	731	EMPTYUCSTM	W	Empty USING or CASE statement
CMP	732	ALPHDIM	E	Alpha not allowed for dimension specification
CMP	733	XCALLHFUNC	E	Cannot XCALL a ^ function
CMP	734	READONLY	E	Cannot write to read-only data
CMP	735	VALREQD	E	^VAL required for argument %s
CMP	736	NOWRITE	E	Cannot write to this entity
CMP	737	INVHFNC	E	Invalid ^ function (%s)

Fac	Err #	Code	Sev	Message
CMP	738	OVRERR	E	Cannot override %s because it is not declared VIRTUAL, OVERRIDE, or ABSTRACT in class %s
CMP	739	INVMOD	E	Invalid modifier %s on %s
CMP	740	INVDSTRCTR	E	Destructor cannot have %s
CMP	741	NOTCALLABL	E	Cannot directly call this method
CMP	742	NOTINFUNC	E	Not within a function
CMP	743	INVEXC	E	Invalid exception type
CMP	744	INVRTHRW	E	Cannot rethrow outside of CATCH
CMP	745	NOTINTRY	E	Not in TRY statement
CMP	746	INTCMPERR2	E	Internal compiler error: %s
CMP	747	OPENIN2	E	Cannot open: %s
CMP	748	NUMINCL2	E	Too many nested .INCLUDE levels
CMP	749	DDBADLOG2	E	%s is not defined
CMP	750	DDNOLOG2	E	Logical for repository name expected
CMP	751	DDOPN2	E	Cannot open repository's main file: %s
CMP	752	DDAPIERR2	E	Internal DDapi error %s %s
CMP	753	DDINVLOG2	E	Invalid specification for repository files: "%s"
CMP	754	INVCALL	E	Invalid calling convention
CMP	755	NOENDC2	W	.ENDC expected
CMP	756	ABSTINST	E	Cannot instantiate abstract class %s
CMP	757	REDEFGBL	E	Cannot redefine macro %s that is defined in DBLDIR:dbl.def
CMP	758	UNDEFGBL	E	Cannot undefine macro %s that is defined in DBLDIR:dbl.def
CMP	759	BADACCESS	E	Inconsistent accessibility
CMP	760	RESWORD	E	Reserved word %s
CMP	761	INCMODIF	E	The modifier %s is incompatible with %s
CMP	762	INVPASSED	W	^PASSED on required parameter is always true
CMP	763	INVINIT	E	Invalid initializer
CMP	764	DUPMODIF	E	Modifier %s can only be specified once
CMP	765	ABSRTN	E	ABSTRACT %s must be in an ABSTRACT class
CMP	766	ABSIMP	E	ABSTRACT or EXTERNAL routine cannot have statements
CMP	767	NAMEREQ	E	Name must be specified with group modifier %s
CMP	768	MISIMP	E	Does not implement %s
CMP	769	BADSLD	E	SEALED modifier can only be used on %s marked as OVERRIDE
CMP	770	NEWREQ	W	NEW modifier is required on %s since it hides a member of an inherited class
CMP	771	INVNEW	W	NEW modifier not required and will be ignored
CMP	772	ABSSEAL	E	Method cannot be ABSTRACT or VIRTUAL in a SEALED class
CMP	773	UNQOVR	E	A UNIQUE method cannot be overloaded, overridden, or redeclared
CMP	774	NORETURN	E	%s cannot have a return type
CMP	775	VALREF	E	Cannot convert parameter %s from value to reference
CMP	776	OPTOBJ	E	REQUIRED modifier must be used on object parameters
CMP	777	IMPSTOP	W	Implicit STOP added to end of routine
CMP	778	BADSTATIC	E	Non-static reference not allowed in this context
CMP	779	BADSTATLOC	E	Static field has improper location
CMP	780	BADCNVCLS	E	Cannot convert %s class within class hierarchy
CMP	781	BADCNVTYP	E	Conversion operator must have a return or parameter type that is the enclosing class
CMP	782	CIRCINIT	E	Circular initializer not allowed
CMP	783	IDXRPARM	E	Indexer property must have at least one parameter
CMP	784	PROPPARM	E	Properties that are not indexers cannot have parameters
CMP	785	BADPROP	E	Improper use of property %s
CMP	786	NOOVR	E	No suitable %s found to override
CMP	787	OVRVIRT	W	%s hides inherited member in class %s. OVERRIDE or NEW required
CMP	788	HIDEERR	W	%s hides method that is not VIRTUAL, OVERRIDE, or ABSTRACT in class %s. NEW required
CMP	789	DUPACC	E	Property cannot have multiple get or set methods
CMP	790	EXPHVAL	E	^VAL function expected
CMP	791	ARGMSMCH	W	Parameter must be declared with the MISMATCH modifier
CMP	792	INFINALLY	E	%s must be completely inside the FINALLY block
CMP	793	NETSUPRT	W	%s not supported in .NET
CMP	794	ATRUNC	W	Alpha expression too long for %s. Truncation may occur

Fac	Err #	Code	Sev	Message
CMP	795	NETRFA	W	RFA variable must be type a in .NET
CMP	796	IMPFLD	W	Position of field %s causes an implicit field to be added
CMP	797	IMPORTNS	E	Invalid import namespace %s
CMP	798	DIMNDIM	W	Dimensioned access of non-dimensioned item %s
CMP	799	INTRNG	W	Ranged access of integer fields not portable between machines of different endian types
CMP	800	NOPSEUDO	E	Pseudo arrays not allowed in this context
CMP	801	XMLDOC	W	%s
CMP	802	INVIMP	E	Invalid IMPORT declaration
CMP	803	IMPOUTNS	E	IMPORT statement must be declared outside of a namespace
CMP	804	INVPROGENT	E	Invalid program entry at or near {%s}
CMP	805	INVNSENT	E	Invalid namespace entry at or near {%s}
CMP	806	INVCLSENT	E	Invalid class member at or near {%s}
CMP	807	INVCRECENT	E	Invalid class record entry at or near {%s}
CMP	808	INVSTRUCEN	E	Invalid structure entry at or near {%s}
CMP	809	INVMETHINI	E	Invalid method initialization list at or near {%s}
CMP	810	INVENUMFLD	E	Invalid enum field at or near {%s}
CMP	811	INVPARAMEN	E	Invalid parameter entry at or near {%s}
CMP	812	INVRECFLD	E	Invalid record field at or near {%s}
CMP	813	INVDATAENT	E	Invalid data division entry at or near {%s}
CMP	814	INVGDSENT	E	Invalid global data section entry at or near {%s}
CMP	815	INVEXTENT	E	Invalid external function entry at or near {%s}
CMP	816	INVSTMT	E	Invalid statement at or near {%s}
CMP	817	INVEXPR	E	Invalid expression at or near {%s}
CMP	818	INVKWD	E	Invalid keyword at or near {%s}
CMP	819	INVIOERRCO	E	Invalid I/O error code at or near {%s}
CMP	820	INVSTMTHDR	E	Invalid header in %s at or near {%s}
CMP	821	INVSTMTBDY	E	Invalid %s body at or near {%s}
CMP	822	INVTERM	E	Invalid termination of %s at or near {%s}
CMP	823	VALIDXP	E	Valid identifier expected at or near {%s}
CMP	824	GRPETY	W	Group is empty
CMP	825	XRETVAL	W	XRETURN cannot return a value on .NET
CMP	826	RETRQD	W	%s missing in %s
CMP	827	NETALLOW	W	%s not allowed %s on .NET
CMP	828	INVBGNHDR	E	BEGIN should be followed by end of line
CMP	829	INVPROTOCX	E	Prototypes must be imported using the IMPORT statement
CMP	830	OVRSLD	E	Cannot override a SEALED %s
CMP	831	STKMAIN	W	STACK not allowed on MAIN and has therefore been ignored
CMP	832	REFARYSCP	E	Cannot apply scope to reference array
CMP	833	PMETHODARG	E	%s not allowed as %s
CMP	834	INVDATASTM	E	Invalid data statement syntax
CMP	835	PARTACC	E	Accessibility declarations of partial %s %s do not match
CMP	836	REFREQD	E	^REF required for argument %s
CMP	837	ARGPASS	E	Parameter passing convention does not match method declaration for argument %s in routine %s
CMP	838	REFLIT	E	Integer literals cannot be passed by reference due to optimization
CMP	839	RECETY	E	Record is empty
CMP	840	MISNGFIL	E	Missing source file
CMP	841	HIDEW	W	%s hides a member of an enclosing scope
CMP	842	INVDATALOC	E	Invalid DATA statement location
CMP	843	IDXCLSARY	E	Cannot index real array %s
CMP	844	STRUCTHIDE	W	Local structure %s hides non-local structure %s
CMP	845	INVDATADEC	E	Invalid %s declaration at or near {%s}
CMP	846	BOXLCLSTR	E	Boxing or unboxing of local structures not allowed
CMP	847	BADCPATH	E	Complex path not supported
CMP	848	ARRLCLSTR	E	Cannot use a local structure in a dynamic array
CMP	849	INVPARMGRP	E	Invalid parameter group declaration at or near {%s}
CMP	850	INVMTHDHDR	E	Invalid method header at or near {%s}
CMP	851	RECURSE	E	Recursion not allowed on %s

Fac	Err #	Code	Sev	Message
CMP	852	NOPRPMTH	E	Operation not allowed with missing or unmatched %s on property %s
CMP	853	INDIMGRP	E	%XTRNL not allowed within a dimensioned group
CMP	854	INVMAINDEC	E	Invalid MAIN declaration at or near {%s}
CMP	855	BADCONSTLO	E	CONST field not allowed in non-CONST record
CMP	856	BADROLOC	E	READONLY field not allowed in non-READONLY record
CMP	857	PRNRQD	E	Parentheses required on call to method %s
CMP	858	PRNPROP	E	Parentheses not needed for property %s
CMP	859	RETTYP	W	Return type for %s assumed to be %s
CMP	860	INVTYP	E	Invalid use of type %s
CMP	861	NOCONS	E	Cannot find matching constructor in class %s. %s
CMP	862	HIDABS	E	%s hides an inherited abstract member
CMP	863	BLTID	W	Potential name conflict with built-in type
CMP	864	BOXSTROBJ	E	Cannot box structure %s that contains a handle
CMP	865	LHSBOX	E	Explicit box invalid on left side of equate statement
CMP	866	UNBXCNCL	W	Auto unbox cancels out boxing of %s. Boxing removed
CMP	867	INVINTFCEN	E	Invalid interface entry at or near {%s}
CMP	868	PASSIMPL	W	Implied decimal argument %s passed to non-implied parameter %s
CMP	869	ATTRTARG	E	Attribute not valid on this target
CMP	870	XFMTHSTR	E	Structure %s used in XFMethod %s must come from repository
CMP	871	NOTATTR	E	%s is not an attribute class
CMP	872	CUSTATTR	E	Cannot create custom attribute
CMP	873	ASMLoad	E	Unable to load assembly %s : %s
CMP	874	ONERRDTA	E	Local data cannot be defined in a routine containing ONERROR/OFFERROR
CMP	875	DUPRMV	W	Duplicate %s in class %s has been removed
CMP	876	PARMOVR	E	New or overridden method changes parameter type from %s to %s
CMP	877	ITOPBAD	E	Unable to do interop for %s
CMP	878	PARTIAL	W	%s %s is declared as partial
CMP	879	MAXLINE	F	Exceeded maximum number of lines in file %s
CMP	880	NOINSTAT	E	Cannot declare instance member in static class
CMP	881	PSCTRUNC	W	Psect name truncated
CMP	882	NOTBEXP	W	Assignment in Boolean expression! Did you intend "=="?
CMP	883	INVSTOR	E	Cannot declare %s on static constructor
CMP	884	NVTREF	E	Cannot find %s used in %s
CMP	885	OBJDIS	W	Object returned from %s discarded
CMP	886	BIGSIZ	E	Size of %s %s too large
CMP	887	PROPCONF	E	Property %s conflicts with %s in same class
CMP	888	IFCIMP	E	Interface %s not implemented by class %s
CMP	889	NUMFILES	F	Too many files
CMP	890	METHDEL	E	Method %s does not match delegate
CMP	891	NVTEVT	E	Cannot resolve type for event %s
CMP	892	DELEVT	E	Delegate type expected for event %s
CMP	893	EVTHDLR	E	Event handler %s does not match event signature
CMP	894	EVTEXP	E	Event expected for %s
CMP	895	EVTCLS	E	Event %s must be raised from within %s
CMP	896	INVEVT	E	Incorrect use of event %s
CMP	897	MISIMP2	E	Does not implement %s since it is either static, not public, or has the wrong return type
CMP	898	NONCLS	E	Non-CLS type used in CLS declaration
CMP	899	MODLOAD	E	Unable to load module %s : %s
CMP	900	ILASM	E	ILASM error: %s
CMP	901	DUPATTR	E	Duplicate %s attribute
CMP	902	VARGOBJ	E	Cannot pass object type for %s as a vararg value
CMP	903	INVHMP	E	Partial structure cannot be used in ^m function
CMP	904	PARTALPH	E	Cannot pass partial structure to an alpha parameter
CMP	905	LYTPARTS	E	Cannot apply StructLayout attribute on partial structure
CMP	906	DECLORDER	E	Cannot use %s before declaring it
CMP	907	EFNFND	E	Call to external function %s cannot be resolved
CMP	908	TYPUNEXP	E	Type %s unexpected here



Fac	Err #	Code	Sev	Message
CMP	909	COLLECTTYP	E	Incompatible collection type %s in FOREACH
CMP	910	ACCIGNORED	W	Accessibility on %s %s ignored
CMP	911	FENEWINDXR	E	A class with an indexer marked NEW is not supported in FOREACH
CMP	912	INVARGOBJ	E	^ARGDIM not allowed on objects; use method to get length
CMP	913	LVARTYP	E	Incompatible loop variable type %s in FOREACH
CMP	914	DUPOPTS	E	Class %s already defines a method %s that differs only by optional parameters
CMP	915	INVUSNGENT	E	Invalid entry within using statement
CMP	916	HIDEHAT	W	Routine hides data reference operation %s
CMP	917	ANYMTH	W	Using type any in method %s may cause unexpected call resolution
CMP	918	NETAPI	W	Routine %s not supported in .NET
CMP	919	NUMSEGS	W	Too many files/includes (more than 255). Subsequent debug line information ignored
CMP	920	NUMLINES	W	Too many file lines. Subsequent debug line information ignored
CMP	921	NUMTYPARG	E	Incorrect number of type arguments passed to %s
CMP	922	INVGENSYNT	E	Invalid generics syntax at or near %s
CMP	923	PRTYPPRM	E	Type parameter %s for partial declaration does not match original declaration
CMP	924	CIRCONS	E	Circular constraint dependency
CMP	925	TYPCONS	E	Type %s does not meet constraint
CMP	926	CONSSPC	E	Cannot use special class %s in constraint
CMP	927	CONSSEAL	E	Cannot use sealed class %s in constraint
CMP	928	CONSDUP	E	Duplicate constraint %s
CMP	929	CONSONE	E	Cannot have more than one %s constraint
CMP	930	GNCEXT	E	Generic class cannot extend %s
CMP	931	TPRMTP	E	Type parameter %s must be an identifier and not a type
CMP	932	CONSBOTH	E	Cannot have both %s and %s constraints
CMP	933	CONSREQD	E	%s constraint required
CMP	934	REFTYPMSC	E	Parameter %s must match type exactly because it is passed by reference, OUT, INOUT or unspecified
CMP	935	DESTYPRQD	E	%s is not a descriptor type.
CMP	936	TPSTAT	E	Keyword %s is invalid with static class member
CMP	937	NOTINI	E	Global data section '%s' not initialized
CMP	938	GBLTNM	E	Type or size for %s does not match global declaration
CMP	939	GBLND	E	Global declaration does not contain %s
CMP	940	GBLTYP	E	Type %s not allowed in common declaration
CMP	941	TYP32	E	Type %s cannot be %s on 32-bit platforms
CMP	942	ASNWR	E	Assignment within write not allowed for %s
CMP	943	BMRET	E	%s cannot be used as method return type
CMP	944	STKETY	E	Stack is empty. %s
CMP	945	ALGFLD	E	Alignment performed on %s
CMP	946	VARARGARY	E	If ^VARARGARRAY used, no other extra arguments allowed
CMP	947	PRTLOAD	E	Unable to load prototype %s : %s
CMP	948	DELAISGN	W	delay signing was requested, but no keyfile was given
CMP	949	NOWRITE2	E	Cannot write to %s
CMP	950	GDSMSMCH	E	Global data section '%s' does not match initialized Global%s
CMP	951	SGN2USGN	W	Assigning negative literal value to unsigned field
CMP	952	DIMMISMCH	W	Parameter dimensions mismatch: %s
CMP	953	DUPDRCTV	E	Duplicate directive
CMP	954	NOARYBASE	E	0 or 1 expected
CMP	955	MTHOUTCLS	E	Cannot declare method outside of a class/interface
CMP	956	STKOVRSZ	E	Data division stack larger than reserved stack
CMP	957	DUPMRNK	E	Class %s already defines a method %s whose signature only differs by rank
CMP	958	CHGCASE	W	Case changed on override to match %s
CMP	959	REFCOMPARE	W	%s compares instance not contents
CMP	960	NOBYVAL	E	BYVAL not supported on %s. Use ^VAL instead
CMP	961	LVARBOX	E	Explicit box invalid on loop variable in %s
CMP	962	NOINTCFLD	E	Cannot use loose integer class field in this context
CMP	963	IMPBOXCAST	W	Implicit argument boxing cast (@a/@d/@i); explicit cast recommended
CMP	964	UNTYPCAST	W	Boxing of untyped literal; explicit boxing cast (@a/@d/@i/@int) recommended
CMP	965	NOPRPSET	E	Cannot set read-only property %s

Fac	Err #	Code	Sev	Message
CMP	966	NEWARRINIT	E	Invalid syntax for dynamic array initialization on new
CMP	967	DUPRTN	E	Duplicate routine %s
CMP	968	TYPHID	W	Built-in type %s can be hidden by %s
CMP	969	MISIMP3	E	Does not implement %s since case does not match
CMP	970	ATTRERR	E	%s error: %s
CMP	971	PASSUR	W	Passing %s for %s could give unexpected results
CMP	972	INVCALL	W	Function %s should be called using function call convention
CMP	973	USDBDECL	E	Data statement %s used before declared
CMP	974	BADGENTYP	E	Unconstructed generic type not allowed in %s
CMP	975	MAININDLL	E	MAIN not allowed in DLL
CMP	976	SRCLINLNG	E	Source line too long
CMP	977	EXTMERR	E	Extension method %s %s
CMP	978	LAMBDA	E	Lambda error: %s
CMP	979	ATOS	W	Passing alpha to structure %s
CMP	980	EVTCUST	E	Custom event error: %s
CMP	981	ACCERR	W	Accessibility %s
CMP	982	INITVERR	E	Initial value error: %s
CMP	983	DLIMP	E	DllImport error: %s
CMP	984	MISMAIN	E	Missing MAIN in EXE
CMP	985	ZEROSIZ	W	%s has zero size
CMP	986	INVNIND	W	Invalid number of indices
CMP	987	PLATSUPT	E	%s not supported in %s
CMP	988	EVTIMP	E	Event interface implementation error: %s
CMP	989	AWTERR	E	Await error: %s
CMP	990	NOMETRO	E	%s not supported in metro
CMP	991	ASNCERR	E	Async error: %s
CMP	992	YLDERR	E	Yield error: %s
CMP	993	UNSPFMT	E	Unsupported file format
CMP	994	BOXSTRSTRC	E	Cannot save a string to a boxed non-CLS structure
CMP	995	GENSTRCLS	E	Generic structure type must be CLS
CMP	996	OPTRUE	W	Calling op_True on %s: may not be what is intended
CMP	997	NOTSUPT	E	%s is not supported %s
CMP	998	INVDEFTYP	E	Invalid type used for default parameter (or descriptor type default used on a non-internal routin
CMP	999	INVINITMBR	E	Invalid initializer member
CMP	1000	MISDECL	E	Missing declaration of %s
CMP	1001	INITIGN2	W	Initial value on %s ignored
CMP	1002	HIDEW2	W	%s hides %s
CMP	1003	NOWINRT	E	%s not supported in WinRT
CMP	1004	INVDEFPARM	E	REQUIRED parameters cannot follow DEFAULT parameters
CMP	1005	UTFALPHA	W	UTF16 literal used as Alpha, may not work as expected
CMP	1006	SCPRNG	W	Scope used instead of range on %s
CMP	1007	GBLDR	W	External common record name containing %s does not match global common record name %s
CMP	1008	STKSIZ	W	Stack data size greater than %s
CMP	1009	MONOSIZLIM	E	%s exceeds MONO %s size limit
CMP	1010	RESTRCALL	E	%s cannot be called with %s
CMP	1011	CONSERR	E	Type constraint error: %s
CMP	1012	CIRC	E	Circular %s not allowed
CMP	1013	OPTREQ	W	Passing optional parameter to required parameter %s in routine %s
CMP	1014	PEVERIFY	W	Peverify error: %s
CMP	1015	TERNMSMCH	E	Type mismatch between %s and %s on each side of the ':' in a ternary operator
CMP	1016	INTYPINIT	E	Initializer applied to unknown or missing class
CMP	1017	GLOBDUPIGN	W	Duplicate global %s ignored
CMP	1018	WALIGN	W	Align warning: %s
CMP	1019	REUSE	E	A local variable named '%s' cannot be declared in this scope, it would give a different meaning t
CMP	1020	INITVALMIS	E	Missing initialization value
CMP	1021	INVPASSED2	W	^PASSED is always true %s
CMP	1022	RNGARY	W	Range on array acts on first element

Fac	Err #	Code	Sev	Message
CMP	1023	RFAERR	E	RFA error: %s
CMP	1052	ERTEXT	I	%s
CMP	1053	ERTXT2	I	%s %s
CMP	1143	OPWRED	I	Operation was READ
CMP	1144	OPWFND	I	Operation was FIND
CMP	1145	OPWRDS	I	Operation was READS
CMP	1146	OPWDEL	I	Operation was DELETE
CMP	1147	OPWSTO	I	Operation was STORE
CMP	1148	OPWWRI	I	Operation was WRITE
CMP	1149	OPWCRE	I	Operation was ISAMC
CMP	1217	BADDSCR	I	Corrupted descriptor: type = %d, class = %d
CMP	1218	BADDIR	I	Specified directory %s does not exist
CPS	1	CREATFAIL	T	he Create failed because you must first select a valid containing object
CPS	2	NONWINDOW	T	his change only affects non-Windows environments. Therefore, although the change has been added t
CPS	3	GRPBADCONT	C	annot add object to current group because they do not share the same containing object
CPS	4	NAMECONFLT	"	%a" already exists
CPS	5	DELETEOBJ	A	re you sure you want to delete "%a"?
CPS	6	SAVECHANGS	D	o you want to save changes to "%a"?
CPS	7	REPLACEFIL	D	o you want to replace the existing "%a"?
CPS	8	DELETEGRP	A	re you sure you want to delete the selected objects?
CPS	9	REMOVESCRP	A	re you sure you want to remove script "%a"?
CPS	10	FILEEXISTS	T	he file could not be found. "%a"
CPS	11	DECORINT	%	a can only be used with numeric fields
CPS	12	RTJUST	R	ight justification cannot be used with text fields
CPS	13	CNTRJUST	C	enter justification cannot be used with numeric or text fields
CPS	14	BADSIZE	I	nvalid field size specified
CPS	15	NOALPHA	A	field viewed as a check box cannot be alphanumeric
CPS	16	NOCHECKBOX	A	n alphanumeric field cannot be viewed as a check box
CPS	17	BADDCSSIZE	I	nternal error: SYNDICT_DCS_SIZE is incorrect. Size specified was %d, correct size is %d.
CPS	18	DDINITFAIL	F	ailed to initialize repository. %a. Main file "%a". Text file "%a".
CPS	19	DDNOFIND	R	epository record not found
CPS	20	DDOPNERR	R	epository file open error
CPS	21	DDINVFN	I	nvalid repository function code
CPS	22	DDSTRINF	F	ailed to load Structure information. %a. Structure name "%a"
CPS	23	DDFLDINF	F	ailed to load Field information. %a. Field name "%a"
CPS	24	DDTXTFAIL	F	ailed to load repository text entry. %a
CPS	25	SCRERROR	E	rror:
CPS	26	SCRWARNING	W	arning:
CPS	27	SCRSUMMARY	E	rrors: %d, Warnings: %d
CPS	28	SCRBADCMD	U	nrecognized command
CPS	29	SCRBADQUAL	U	nrecognized qualifier
CPS	30	SCREXPECT	%	a expected
CPS	31	SCRALREADY	%	a already encountered
CPS	32	SCRBAEOF	U	nexpected end of file encountered
CPS	33	SCRBAEOL	U	nexpected end of line encountered
CPS	34	SCRHUH	I	nvalid object (<%a> created)
CPS	35	SCROPNFAIL	C	ould not open script file
CPS	36	SCRQUOTE	I	nvalid quoted string: Both single and double quotes encountered
CPS	37	SCRLEN	I	nput line too long: Maximum %d characters
CPS	38	SCRTOKEN	T	oken
CPS	39	SCRTRUNCAT	T	oken truncated to "%a" (%d characters)
CPS	40	SCRTPSIZE	T	ype and size
CPS	41	SCRDIMNUM	D	imension not allowed on numeric fields
CPS	42	SCRBADPREC	P	recision not allowed on fields of type %a
CPS	43	SCRPREC	P	recision
CPS	44	SCRMAXSIZ	M	aximum size exceeded for fields of type %a (%d)
CPS	45	SCRINTSIZ	S	ize for integer fields must be 1, 2, 4, or 8

Fac	Err #	Code	Sev	Message
CPS	46	SCRUNSUPP	F	eature not supported (yet)
CPS	47	SCRNUMERIC	Q	ualifier invalid on non-numeric fields
CPS	48	SCRALPHA	Q	ualifier invalid on numeric fields
CPS	49	SCROUTSIDE	P	osition of %a extends outside container's bounds
CPS	50	INVNAME	I	nvalid name specified
CPS	51	SCRFIXED	Q	ualifier only valid on decimal fields with one or more decimal places
CPS	52	SCRNOTEXT	Q	ualifier not allowed on dimensioned fields
CPS	53	SCRBADNAME	I	nvalid name: Must begin with A-Z; subsequent characters A-Z, 0-9, \$ or _; maximum length %d
CPS	54	SCRDSPAREA	D	isplay area must lie within window bounds. Modified to row %d, column %d, height %d, width %d.
CPS	55	FIELDNAME	F	ield name
CPS	56	SCRNOTFND	%	a not defined
CPS	57	SCRFLDNSTR	F	ield already included in structure "%a"
CPS	58	FLDNINSTR	F	ield not a member of structure "%a"
CPS	59	STREMPY	S	tructure "%a" contains no fields
CPS	60	STRUCTURE	S	tructure name
CPS	61	SCRBADSPPOS	I	llegal structure position specified (%d). Changed to 1.
CPS	62	STRINVPOS	"	%a" is referenced in an input window structure. Deleting, moving or cutting it may invalidate on
CPS	63	SCREOLEXP	E	nd-of-line expected
CPS	64	DDCONTROL	F	ailed to read repository control record
CPS	65	DDSTRDUP	"	%a" already exists. Do you want to include the structure under a different name?
CPS	66	DDOPNERRM	C	annot open main repository file
CPS	67	DDOPNERRT	C	annot open repository text file
CPS	68	DDBADVERS	I	ncompatible repository version
CPS	69	DDTYPCHG	C	annot change repository field type from %a to %a
CPS	70	DDDEFSTR	O	ne or more sets reference the default structure. Composer will create a structure for those sets
CPS	71	DDFORMATNF	E	rror retrieving field format. %a. Failed to find a format "%a" of the correct type for the fiel
CPS	72	DCTBADSIZE	T	he field type cannot be changed. The size or number of decimal places is invalid for a date or t
CPS	73	READONLY	T	his file is read only. "%a"
CPS	74	STRHASSETS	T	his structure cannot be deleted. It is referenced by one or more sets.
CPS	75	SCRUNEXPEC	"	%a" unexpected
CPS	76	PASTEFail	T	he Paste failed because you must first select a valid containing object
CPS	77	OBJNOTFIT	T	he %a failed because the object does not fit within the destination container
CPS	78	BTNINVRANG	B	uttons per row or column must be between 0 and %d.
CPS	79	DICTFAIL	T	he %a failed because one or more of the repository fields already exists
CPS	80	PASTE	P	aste
CPS	81	MOVE	M	ove
CPS	82	COPY	C	opy
CPS	83	INVRENAME	S	tructure cannot be renamed to its original name because one or more object names would not be uni
CPS	84	INVBITMAP	T	he bitmap file "%a" could not be found or is invalid.
CPS	85	CREATE	C	reate
CPS	86	INCOMPQUAL	I	ncompatible field qualifiers: %a and %a
CPS	87	WNDTOOBIG	%	a cannot be displayed because it does not fit within the Application Window. Minimum Application
CPS	88	NOCOMPILE	"	%a" cannot be compiled until it is saved.
CPS	89	SCRFONTLEN	F	ont name too long: Maximum %d characters
CPS	90	FONTINIFIL	"	%a" will default to the global font unless "%a" is specified in synuser.ini or synergy.ini at run
CPS	91	NUMVALEXP	N	umeric value expected.
CPS	92	SCRNOREAD	C	heck box, selection window, and radio button fields cannot be read-only.
CPS	93	SCRFLDONLY	R	ead-only fields cannot be viewed as check box, selection window, or radio buttons.
CPS	94	SCRNOBTN	B	utton "%a" is not defined in window "%a".
CPS	95	FOINUSE	T	he file "%a" is in use by another application and cannot be opened.
CPS	96	FSINUSE	T	he file "%a" is in use by another application and cannot be saved.
CPS	97	RPSFLDSIZ	T	he Create failed because the Repository defines this field as %d bytes, and no more than 99 are a
CPS	98	NOSLICKEDT	W	orkbench must be running before you can define or edit a method routine. Start Workbench and try
CPS	99	DDFLDDUP	F	ield name not unique among members of structure. %a. Field name "%a"
CPS	100	BKPPROJ	A	backup project "%a" was found. Do you want to recover it?
CPS	101	DCTDUPOMIT	%	d fields were omitted from the list because their names were not unique within the structure.
CPS	102	LOSTOPTS	S	aving as a version 6 project will not save any project-specific settings. Do you want to continue

Fac	Err #	Code	Sev	Message
CPS	103	NOTSYNPROJ	"	%a" is not a Synergy project.
CPS	104	PRJWBSAVE	Y	ou must save the project file before Workbench can open it. Do you want to save now?
CPS	105	PRJSILENTS	&	Automatically save without prompting
CPS	106	PRJSAVBEF	Y	ou must save the project before Composer can %a. Do you want to save now?
CPS	107	NOBACKUP	C	annot back up existing file "%a". %a. Save cancelled.
CPS	108	AUTOVIEWLN	F	ield %a does not fit in window; the visible width has been changed to %d.
CPS	109	BADINPDSPL	I	nvalid %a length for field: %d. Must be in the range of 0 to %d.
CPS	110	BADELEM	I	nvalid array element specification; must contain only comma-separated numbers enclosed in bracket
CPS	111	RPSELEM	A	rarray element specification does not match Repository dimension definition; dimension %d
CPS	112	NOSCRIPTS	N	o scripts in this project
CPS	113	NOTCMPSPRJ	%	a is not a Composer project
CPS	114	FLDNAMLEN	I	nput field name "%a" is longer than the maximum of %d characters
CPS	115	TXTRUNC	%	d text line%a longer than 255 characters encountered; truncated to 255 characters
CPS	116	OPENERR	T	he file "%a" could not be opened.\nError #d: %a
CPS	117	SCRINTEGER	Q	ualifier only valid on integer fields
CPS	118	SCRSSIZE8	T	imestamp fields must be of size 8
DTK	1	DTKVER	U	I Toolkit V%a - Compiled for %a
DTK	2	SYSMAX	O	verall system maximums: DBL chns = %d, wnds = %d, env/dsp lvls = %d,
DTK	3	WNDINF		wnd plc sav list = %d, hdr/ftr lins = %d, menu ctl area = %d,
DTK	4	COLINF		columns per menu = %d, entries per menu column = %d,
DTK	5	WNDINF2		flds per input window = %d, sets per input window = %d,
DTK	6	WNDINF3		info text per input wnd fld = %d, chars per text wnd row = %d
DTK	7	ENVSTS		Environment level %d, display level %d
DTK	8	ON	o	n
DTK	9	OFF	o	ff
DTK	10	UCONLY	u	pper case only
DTK	11	LCALLOWED	l	ower case allowed
DTK	12	ALLOWED	a	llowed
DTK	13	IGNORED	i	gnored
DTK	14	TERMSTAT		Terminal states: Echo %a, cursor %a, %a, intr %a
DTK	15	DONTW	D	on't w
DTK	16	W	W	
DTK	17	DONT	D	on't
DTK	18	WAITSTS		DBL prog states: %aaait on record locks, %a wait on messages
DTK	19	LCLCHNS		Local channels:
DTK	20	LCLWNDS		Local windows:
DTK	21	LCLCOLS		Local columns:
DTK	22	PLCDCOLS		Placed columns:
DTK	23	PLCDWNDS		Placed windows:
DTK	24	NONE1		None.
DTK	25	CURLVL		Curr env level = %d, Curr disp level = %d
DTK	26	MEMSTS		Total window memory = %d, in use = %d (%d free)
DTK	27	ALLWNDS		All windows:
DTK	28	ALLCHNS		All channels:
DTK	29	INVARG	I	nvalid argument
DTK	30	INVWND	I	nvalid window
DTK	31	NOWND	N	o windows in list
DTK	32	ERROR	*	** ERROR *** ERROR *** ERROR *** ERROR *** ERROR *** ERROR *** ERROR ***
DTK	33	ERRTITLE		*** ERROR *** ERROR *** ERROR ***
DTK	34	EXPROMPT	E	xamine the window system (Y/N)?
DTK	35	TERMMSG	P	ress RETURN to terminate:
DTK	36	MAXCHN	M	aximum of %d channels already in use
DTK	37	MAXENV	N	o more environment channels available
DTK	38	INVCODE	I	nvalid %a code (%d)
DTK	39	BADOPN	E	rror opening file "%a" with
DTK	40	OPTS	O	PTIONS = "%a"
DTK	41	NOWNDLOG	C	ould not log window %a

Fac	Err #	Code	Sev	Message
DTK	42	CLSADVICE	(	class should have been %d, was %d)
DTK	43	WNOTFREE	W	indow not classed as available
DTK	44	WNDNFND	W	indow %a not found in library %a
DTK	45	ENVOVFLW	M	aximum of %d levels already in use
DTK	46	NONEWENV	C	ould not enter new local environment
DTK	47	NOOLDENV	C	ould not exit to previous environment
DTK	48	HDR	H	eader
DTK	49	INF	I	nformation
DTK	50	FTR	F	ooter
DTK	51	UNK	*	*Unknown**
DTK	52	SECTNDEF	%	a section not defined
DTK	53	FLDTOOSML	R	eturn field too small (was %d, needed %d)
DTK	54	RENDNOCP	C	ould not copy display renditions on D_REND_ALL
DTK	55	WNDISCOL	W	indow %a is a menu column
DTK	56	MCOLOONLY	T	hese can only be processed by M_COLUMN
DTK	57	WNDNOTCOL	W	indow %a is not a menu column
DTK	58	MNUOFLOW	M	enu control area overflow (max of %d allowed)
DTK	59	COLNDSMOR	C	olumn %a needed %d bytes, only %d left
DTK	60	CHN	c	hannel
DTK	61	WND	w	indow
DTK	62	MCOL	m	enu column
DTK	63	INVIDENT	I	nvalid %a identifier
DTK	64	IDOUTRANG	I	D %d not in range %d to %d
DTK	65	FILE	f	ile
DTK	66	REL	r	elease
DTK	67	DEL	d	elite
DTK	68	COL	c	olumn
DTK	69	NOPROMO	C	annot promote local %a %a to global
DTK	70	NOTLCL	C	annot %a local %a %a
DTK	71	CURRENV	C	urrent environment level is %d
DTK	72	LCCL2LVL	%	a is local to level %d
DTK	73	COLNPLC	C	ould not place column %a
DTK	74	MAXCOLS	M	aximum of %d columns already placed
DTK	75	NOCOLACC	C	ould not access menu column %a
DTK	76	COLNOTPLC	N	ot placed on the current menu
DTK	77	IDNOACC	C	ould not access %a identifier %a
DTK	78	IDNOTFND	N	ot found in menu column %a
DTK	79	FLD	f	ield
DTK	80	CHR	c	haracter
DTK	81	INVINP	C	ould not perform %a input using window %a
DTK	82	INS	i	nsert
DTK	83	OVRSTRK	o	verstrike
DTK	84	FLDSTS	I	nput field at (%d,%d), length %d, in %a mode
DTK	85	FAILDINP	F	ailed with data length %d, input position %d,
DTK	86	CANTDEL	C	annot delete %a %a
DTK	87	CURRDISP	C	urrent display level is %d
DTK	88	WNDPLCMNT	%	a is placed at level %d
DTK	89	REM	r	emove
DTK	90	PLC	p	lace
DTK	91	MOV	m	ove
DTK	92	CLOSE	c	lose
DTK	93	PROCESS	p	rocess
DTK	94	OPERATE	<	operate?>
DTK	95	RES	<	resource?>
DTK	96	SYRSRRC	C	annot %a %a %a
DTK	97	CHN1	C	hannel
DTK	98	NOTOWNER	%	a is owned by the utility system

Fac	Err #	Code	Sev	Message
DTK	99	NOENTENV	C	ould not enter environment level %d, display level %d
DTK	100	STKOVF	M	aximum of %d entries in the stack, needed %d
DTK	101	DSPSTKOVF	D	isplay level save stack overflow
DTK	102	LINTOOLON	T	ext window %a lines are too long
DTK	103	MAXLINLEN	R	equired %d characters, max of %d allowed
DTK	104	NOTTXT	W	indow %a is not a text window
DTK	105	NOTTEXTEN	E	ntry %a in library %a not a text entry)
DTK	106	INVEXP	T	ext entry has invalid expansion control of %d
DTK	107	LIBENT	E	ntry %a in library %a
DTK	108	CORRENT	E	ntry is probably corrupted
DTK	109	NOTINPWND	W	indow %a is not an input set window
DTK	110	SET	S	et
DTK	111	FLD1	F	ield
DTK	112	INPNOTFND	I	nput window %a does not contain %a %a
DTK	113	NOTINSET	F	ield %a not member of set %a for window %a
DTK	114	NOTSELWND	W	indow %a is not a selection window
DTK	115	WRONGDBL	T	he version was %a, but %a or greater is required
DTK	116	BADDBL	S	et created using an incompatible compiler
DTK	117	COLNOPRO	C	ould not promote menu column %a to global
DTK	118	GBLONLY	C	olumns can only be specified as global when loadedby the M_LDCOL routine
DTK	119	FILEINF	F	ile "%a", mode "%a"
DTK	120	FILINF	F	ile "%a"
DTK	121	NEEDMORE	N	eeded %d bytes, but only max of %d allowed
DTK	122	TXTOOBIG	C	hannel entry text too large
DTK	123	DATAOVF	D	ata space overflow for channel %d
DTK	124	MOREBYTES	N	eeded %d bytes, but only %d available
DTK	125	WDNNOTPLC	W	indow %a not placed on the screen
DTK	126	EDTWND	E	dit window %a, row %d, column %d
DTK	127	COVERED	E	ditting position covered by another window
DTK	128	NOTFND	C	ould not load %a "%a" from library %a
DTK	129	NOTCREATE	C	ould not create %a "%a"
DTK	130	DUPNAME	A	window with that name already exists
DTK	131	WND2BIG	W	indow %a is too large to fit on screen
DTK	132	NOMEM	N	OT Enough window memory for %a on the screen
DTK	133	UNKINTERR	U	nknown internal error code of %d
DTK	134	WNDID	%	a (ID %d)
DTK	135	CHNID	%	a (chn %d)
DTK	136	RNGERR	V	alue not in range %a to %a
DTK	137	VALERR	I	nvalid numeric digit for value
DTK	138	LSTERR	N	ot an allowed entry
DTK	139	REQERR	N	on-zero value required
DTK	140	NONBLK	N	on-blank entry required
DTK	141	DATERR	I	nvalid date
DTK	142	NEGERR	N	egative value not allowed
DTK	143	OVFERR	T	oo many characters (maximum of %d allowed, including "." and "--")
DTK	144	UNKINPERR	*	* UNKNOWN INPUT ERROR CONDITION **
DTK	145	DUPWND	i	nput window
DTK	146	INPTRUNC	.	INPUT name truncated to 15 characters
DTK	147	IGNFILE	R	emainder of file will be ignored
DTK	148	UEOF	U	nexpected End-of-File
DTK	149	NOEND	N	o .END for previous .INPUT
DTK	150	UNRECG	U	nrecognized command
DTK	151	INVCOLR	I	nvalid color palette code (not 1-16)
DTK	152	INVOPT	I	nvalid option
DTK	153	SINGLECH	O	nly a single character is allowed
DTK	154	DEL1	D	ELETE
DTK	155	EOF	E	OF

Fac	Err #	Code	Sev	Message
DTK	156	LEFT	L	EFT
DTK	157	RIGHT	R	IGHT
DTK	158	UP	U	P
DTK	159	DOWN	D	OWN
DTK	160	NONMNUTYP	N	on-menu function %a_KEY typed
DTK	161	ENTRY	e	ntry
DTK	162	LIST	l	ist
DTK	163	NEEDEOL	E	OL expected
DTK	164	EXPECT	"	%a" expected
DTK	165	NOTERMNAT	U	nterminated quoted string
DTK	166	NULLNALLW	N	ull string not allowed
DTK	167	IDEXP	I	entifier expected
DTK	168	SIDEXP	"	%a" expected
DTK	169	STNGEXP	S	tring expected
DTK	170	NUMEXP	N	umber expected
DTK	171	PROCR	P	rocessor
DTK	172	VER	V	ersion
DTK	173	SCRPRMPT	W	indow Libr:
DTK	174	HORVEREXP	"	HORIZONTAL" or "VERTICAL" expected
DTK	175	NOTVALINP	N	ot valid within input windows
DTK	176	POSEXP	L	EFT, CENTERED, RIGHT or FILLED expected
DTK	177	INVTXTCMD	I	nvalid text command
DTK	178	TOOMANYFL	T	oo many fields to be created
DTK	179	ROWLTZRO	N	umber of rows must be greater than zero
DTK	180	WNDEXISTS	S	election Window
DTK	181	EXFLDMAX	E	xceded Maximum number of selection fields
DTK	182	MNTHS	J	AN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
DTK	183	CTLGCONT	P	ress ^G to continue
DTK	184	RETCONT	P	ress RETURN to continue
DTK	185	TERMPROC	M	ake corrections or press RETURN to complete input
DTK	186	FWD	F	orward
DTK	187	REV	R	everse
DTK	188	INSRT	I	nsert
DTK	189	OVR	O	verstrike
DTK	190	TXTRDCNT	T	_TXTRD control
DTK	191	TXTWRTCNT	T	_TXTWRT control
DTK	192	UNKUTL	U	nknown utility entry "%a" received
DTK	193	NOHELP	N	o help available for identifier "%a"
DTK	194	NOHLP	N	o help available
DTK	195	NOUSRSET	N	o user data set is defined
DTK	196	INVFLDSPC	I	nvalid field specification
DTK	197	DUPUSRSET	U	ser data set has already been defined
DTK	198	URECDBG	U	nrecognized debug command
DTK	199	BADSIZ	L	ibrary record size %d incorrect, %d required
DTK	200	OBSWND	W	indow %a obsolete or 32-64bit Mismatch; window library %a needs to be re-created using Script.
DTK	201	LIBRDERR	E	rror reading window library %a [%d, %a]; loading window %a
DTK	202	LIBWRTERR	E	rror storing window %a into library %a [%d]
DTK	203	NONE	*	None **
DTK	204	MOS	J	ANFEBMARAPRMAYJUNJULAUGSEPOCTNOVDEC
DTK	205	SCRPRMT	S	cript File:
DTK	206	CIWEXP	.	SCRIPT, .COLUMN, .INPUT, .SELECT, .LISTCLASS or .WINDOW expected
DTK	207	DTKBAN	D	eveloper's Toolkit v%a
DTK	208	RESTERR	E	rror restoring window
DTK	209	NOENDCOL	N	o .END for previous .COLUMN
DTK	210	ENTIDEXST	E	ntry identifier already exists
DTK	211	NOENTNCOL	N	o entries in the menu column
DTK	212	TOOMNYLST	T	oo many lists



Fac	Err #	Code	Sev	Message
DTK	213	HDENTALL	H	EADER, ENTRIES, or ALL expected
DTK	214	TOOMNYROW	T	oo many rows
DTK	215	DUPLISTID	L	ist identifier already exists
DTK	216	ENTIDNUL	E	ntry ID not defined
DTK	217	INVFUNCT	I	nvalid function key code
DTK	218	INVSHCUT	I	nvalid shortcut specification
DTK	219	UNKOPT	U	nrecognized option
DTK	220	SETCTLS	%	a ctls for %a (in user data set)
DTK	221	EMWS	E	xceeded Maximum Work Space
DTK	222	DUPFLD	F	ield name already defined
DTK	223	TOOMNYFDE	T	oo many .FIELD definitions (max of %d)
DTK	224	ADFEXP	A	, D, or F expected
DTK	225	DIMXTONL	O	nly text fields can be dimensioned
DTK	226	MXLNNUM	M	aximum numeric length is 28
DTK	227	DUPRNG	R	ANGE already specified
DTK	228	BRKQUAL	A	LWAYS, CHANGE, or RETURN expected
DTK	229	LFRICTR	L	EFT, RIGHT, or CENTER expected
DTK	230	DUPALLOW	A	LLOW already specified
DTK	231	ZEROINV	Z	ero value invalid
DTK	232	DUPUSRDAT	U	SER data already defined
DTK	233	UNKFLDOPT	U	nrecognized .FIELD option
DTK	234	DUPFLDQUA	S	ELECT, SELWND, or ALLOW already specified
DTK	235	DORF	F	ield must be numeric
DTK	236	ALPH	F	ield must be alpha type
DTK	237	NOTEXT	F	ield cannot be text type
DTK	238	MATCH	E	XACT or ALL expected
DTK	239	DUPDFLTSP	C	OPY, INCREMENT, DECREMENT, or DEFAULT already specified
DTK	240	DUPSTR	S	tructure name already defined
DTK	241	TOOMNYSTR	T	oo many .STRUCTURE definitions (max of %d)
DTK	242	PREVSTR	C	annot use all fields; previous .STRUCTURES defined
DTK	243	NOFLDS	N	o fields defined for the structure
DTK	244	FLDINSTR	F	ield already part of a structure
DTK	245	FLDNOTDEF	F	ield %a not previously defined within the structure
DTK	246	DUPSETNM	S	et name already defined
DTK	247	MAXSETDEF	T	oo many .SET definitions (max of %d)
DTK	248	NOSTRNM	S	tructure name not defined
DTK	249	NOFLDSNSE	N	o fields defined for the input set
DTK	250	FLDNOTNSE	F	ield not within this set's structure
DTK	251	FLDNMUNDE	F	ield name not defined: %a
DTK	252	NOFLDNDFL	N	o fields defined for default structure
DTK	253	INVDEC	I	nvalid decimal value
DTK	254	DTYPE	T	ype must be D4 through D8, I2 or I4
DTK	255	BADQUAL	P	ERIOD only allowed on D4 and D6 fields
DTK	256	PERORTDY	P	ERIOD, TODAY, or SHORT expected
DTK	257	NOENVSAVD	A	ready at base level (No prior environment saved)
DTK	258	NOFLDRECS	N	o field records available
DTK	259	CTLRECNN		CTL NN - Dump generated ctl record NN
DTK	260	DSPCURRWND		DISPLAY - Display the current input window
DTK	261	DMPHDT		DMPHDR - Dump header info
DTK	262	DMPFLD		DMPFLD - Dump field info
DTK	263	DMPBUF		DMPBUF - Dump work buffer info
DTK	264	DUMP		DUMP - Dump all current info
DTK	265	EXIT		EXIT - Exit debug routine
DTK	266	FLDNN		FLD NN - Dump generated field NN controls
DTK	267	GDMP		GDMP - Do ..DUMP just prior to window generation
DTK	268	HELP		HELP - Display available commands
DTK	269	INPUT		INPUT - Switch to input mode

Fac	Err #	Code	Sev	Message
DTK	270	NOLIB		NOLIB - Don't store generated windows
DTK	271	PAUSE		PAUSE - Pause and wait for terminal input to continue
DTK	272	REDRAW		REDRAW - Redraw the window screen
DTK	273	SELNN		SEL NN - Dump generated selection ctl rec NN
DTK	274	TEST		TEST - Don't do any input window generation
DTK	275	NOSELCTL	N	o selection control records available
DTK	276	INVDDBGCOM	I	nvalid debug command (try HELP)
DTK	277	DBGCOM	D	ebug cmd:
DTK	278	UEOL	U	nexpected End-of-Line
DTK	279	PROC		Compiler
DTK	280	DUPENUM	D	uplicate enumeration specification
DTK	281	ENUMLEN	E	umeration display length must be non-zero
DTK	282	NOENUM	A	LOW, SELECT or SELWND required for enumeration
DTK	283	DUPPROMPT	D	uplicate PROMPT qualifier
DTK	284	RNDMNUENA	E	nabled Menu Entry
DTK	285	RNDMNUDSA	D	isabled Menu Entry
DTK	286	RNDMNUSEL	S	ected Menu Entry
DTK	287	RNDMNUHQS	M	enu Header Quick-Select
DTK	288	RNDMNUEQS	M	enu Entry Quick-Select
DTK	289	RNDINPDSP	I	nput Field Display
DTK	290	RNDINPPRC	I	nput Field Processing
DTK	292	RNDINPCLR	C	leared Input Field
DTK	293	RNDINPBCK	I	nput Window Background
DTK	294	RNDINPTTL	I	nput Window Title
DTK	295	RNDINPBDR	I	nput Window Border
DTK	296	RNDSELSEL	S	elect Wnd Selected Item
DTK	297	RNDSELBCK	S	election Window Body
DTK	298	RNDSELTTL	S	election Window Title
DTK	299	RNDSELBDR	S	election Window Border
DTK	300	RNDWINBCK	G	eneric Window Body
DTK	301	RNDWINTTL	G	eneric Window Title
DTK	302	RNDWINBDR	G	eneric Window Border
DTK	303	RNDMSGBCK	M	essage Window Body
DTK	304	RNDMSGBDR	M	essage Window Border
DTK	305	RNDHLPBCK	H	elp Window Body
DTK	306	RNDHLPPTTL	H	elp Window Title
DTK	307	RNDHLPBDR	H	elp Window Border
DTK	308	RNDHDR	S	creen Header
DTK	309	RNDINFO	I	nformation Line
DTK	310	RNDFTR	S	creen Footer
DTK	311	RNDDLGBCK	D	ialog Box Body
DTK	312	RNDDLGBDR	D	ialog Box Border
DTK	313	RNDUSR1	U	ser Rendition 1
DTK	314	RNDUSR2	U	ser Rendition 2
DTK	315	RNDUSR3	U	ser Rendition 3
DTK	316	RNDUSR4	U	ser Rendition 4
DTK	317	RNDUSR5	U	ser Rendition 5
DTK	318	RMREND	R	enditions
DTK	319	RMCOLORS	C	olors:
DTK	320	RMBOLD	B	old
DTK	321	RMBLNK	B	link
DTK	322	RMRVRS	R	everse
DTK	323	RMUNDR	U	nderscore
DTK	324	RMCLRCDS	C	olor Codes
DTK	325	RMBCKCLR	B	ackground Color:
DTK	326	RMFORCLR	F	oreground Color:
DTK	327	RMSAMPLE	S	ample Windows

Fac	Err #	Code	Sev	Message
DTK	328	RMMNUHDR	M	enu Header
DTK	329	RMMNUBAR	M	enu Bar
DTK	330	RMMNUENA	M	enu Enabled
DTK	331	RMMNUSEL		Menu Selected
DTK	332	RMMNUDSA		Menu Disabled
DTK	333	RMINPTTL	I	nput Window
DTK	334	RMINPDSP	D	isplay
DTK	335	RMINPPRC	P	rocess
DTK	336	RMINPCLR	C	leared
DTK	337	RMINPXXX	x	xxxx
DTK	338	RMSELWIN	S	elect Window
DTK	339	RMSELITM	S	elected Item
DTK	340	RMSELBCK	B	ackground
DTK	341	RMWINTTL	W	indow
DTK	342	RMWINBCK	B	ackground
DTK	343	RMMMSG		Message
DTK	344	RMHLP TTL	H	elp
DTK	345	RMHLP TXT	H	elp Text
DTK	346	RMHDR	S	creen Header
DTK	347	RMINFO	I	nformation Line
DTK	348	RMFTR	S	creen Footer
DTK	349	RMDLG	D	ialog? X
DTK	350	RMSELTTL	S	elect Screen Area
DTK	351	RMSELRND	S	elect Renditions for
DTK	352	RMNOTCLR	N	ot on a Color
DTK	353	RMBADCLR	N	umeric code from 0-255 required
DTK	354	EDTRNDSEL	S	elect Scheme
DTK	355	EDTRNDSCH	S	cheme Name:
DTK	356	STORND RPL	R	eplace %a?
DTK	357	EDTRNDNON	N	o schemes currently defined
DTK	358	EDTRNDDEL	D	elele %a?
DTK	359	BADKEYNM	I	nvalid Key Code passed to M_KEYTXT: %d - Valid range 1-99
DTK	360	NOMAPFIL	C	annot open the Toolkit key mapping file:
DTK	361	NOMAPREC	K	ey map for %a not defined in key map file
DTK	362	WRMAPREC	E	rror %d saving key definitions for terminal type %a to file
DTK	363	ADDIT	D	o you wish to add it?
DTK	364	TERMTYP	E	nter New Terminal Type to Modify:
DTK	365	DELTRMSUR	D	elele key map for %a?
DTK	366	KEYBIGTRE	D	efined key sequences overflow key map tree -- modifications abandoned
DTK	367	KEYSEQ LNG	K	ey sequence exceeds maximum length
DTK	368	KEYBADCOD	I	llegal function code (%d) defined for key.
DTK	369	KEY2MNYSYN	M	ore than 3 keys target the same function code: %d
DTK	370	KEYCNTNS	K	ey sequence for function code %d (%a) contains another defined sequence (code %d, %a) -- ignored
DTK	371	KEYCNTND	K	ey sequence for function code %d (%a) is contained in another defined sequence (code %d, %a) -- i
DTK	372	KEYSELTTL	S	elect Function for %a
DTK	373	KEYSEQ TTL	K	ey Definition
DTK	374	UP_KEY	U	p Arrow
DTK	375	DOWN_KEY	D	own Arrow
DTK	376	RIGHT_KEY	R	ight Arrow
DTK	377	LEFT_KEY	L	eft Arrow
DTK	378	F1_KEY	F	unction 1
DTK	379	F2_KEY	F	unction 2
DTK	380	F3_KEY	F	unction 3
DTK	381	F4_KEY	F	unction 4
DTK	382	F5_KEY	F	unction 5
DTK	383	F6_KEY	F	unction 6
DTK	384	F7_KEY	F	unction 7

Fac	Err #	Code	Sev	Message
DTK	385	F8_KEY	F	unction 8
DTK	386	F9_KEY	F	unction 9
DTK	387	F10_KEY	F	unction 10
DTK	388	F11_KEY	F	unction 11
DTK	389	F12_KEY	F	unction 12
DTK	390	F13_KEY	F	unction 13
DTK	391	F14_KEY	F	unction 14
DTK	392	F15_KEY	F	unction 15
DTK	393	F16_KEY	F	unction 16
DTK	394	F17_KEY	F	unction 17
DTK	395	F18_KEY	F	unction 18
DTK	396	F19_KEY	F	unction 19
DTK	397	F20_KEY	F	unction 20
DTK	398	F21_KEY	F	unction 21
DTK	399	F22_KEY	F	unction 22
DTK	400	F23_KEY	F	unction 23
DTK	401	F24_KEY	F	unction 24
DTK	402	F25_KEY	F	unction 25
DTK	403	F26_KEY	F	unction 26
DTK	404	F27_KEY	F	unction 27
DTK	405	F28_KEY	F	unction 28
DTK	406	F29_KEY	F	unction 29
DTK	407	F30_KEY	F	unction 30
DTK	408	F31_KEY	F	unction 31
DTK	409	F32_KEY	F	unction 32
DTK	410	F33_KEY	F	unction 33
DTK	411	F34_KEY	F	unction 34
DTK	412	F35_KEY	F	unction 35
DTK	413	F36_KEY	F	unction 36
DTK	414	F37_KEY	F	unction 37
DTK	415	F38_KEY	F	unction 38
DTK	416	F39_KEY	F	unction 39
DTK	417	F40_KEY	F	unction 40
DTK	418	F41_KEY	F	unction 41
DTK	419	F42_KEY	F	unction 42
DTK	420	F43_KEY	F	unction 43
DTK	421	F44_KEY	F	unction 44
DTK	422	F45_KEY	F	unction 45
DTK	423	F46_KEY	F	unction 46
DTK	424	F47_KEY	F	unction 47
DTK	425	F48_KEY	F	unction 48
DTK	426	F49_KEY	F	unction 49
DTK	427	F50_KEY	F	unction 50
DTK	428	F51_KEY	F	unction 51
DTK	429	F52_KEY	F	unction 52
DTK	430	F53_KEY	F	unction 53
DTK	431	F54_KEY	F	unction 54
DTK	432	F55_KEY	F	unction 55
DTK	433	F56_KEY	F	unction 56
DTK	434	F57_KEY	F	unction 57
DTK	435	F58_KEY	F	unction 58
DTK	436	F59_KEY	F	unction 59
DTK	437	F60_KEY	F	unction 60
DTK	438	F61_KEY	F	unction 61
DTK	439	F62_KEY	F	unction 62
DTK	440	F63_KEY	F	unction 63
DTK	441	SUB_MENU	S	ubmenu Flag

Fac	Err #	Code	Sev	Message
DTK	442	KEYNUMS		Codes:
DTK	443	SHORTCUT	M	enu Shortcut Text:
DTK	444	KEYCHR2	A	lternate #1:
DTK	445	KEYCHR3	A	lternate #2:
DTK	446	KEYSELINF	S	elect the Shortcut Function to Define
DTK	447	KEYSEQINF	E	nter the Decimal character codes for the Key Sequence
DTK	448	KEYTXTINF	E	nter the Shortcut Text to appear on the menu for this function
DTK	449	KEYACCINF	P	ress the desired key(s), followed by RETURN
DTK	450	KEYUPDTTL	U	pdating
DTK	451	KEYCHRS	K	ey Sequence:
DTK	452	NOENDSEL	N	o .END for previous .SELECT
DTK	453	SEL2DFLT	D	EFAULT already specified on a previous ENTRY
DTK	454	NOENTNSEL	N	o entries in the selection window
DTK	455	TOOMNYSEL	T	oo many entries in selection window
DTK	456	FLDOVER	W	arning: Field overlaps prompt
DTK	457	NOWNDLIB	W	indow %a not found; no library supplied
DTK	458	NOCOLS	N	o columns currently placed
DTK	459	FLSBADCHN	C	hannel %d does not access a file stack
DTK	460	FLSTKNACT	T	he file stack system is not currently active.
DTK	461	FLSTKOVFL	T	he file stack system has overflowed.
DTK	462	FLSTKMAX	A	maximum of %d files has already been stacked.
DTK	463	FLSTKNLFIL	N	o logical file is currently open.
DTK	464	FLSTKINVLV	I	nvalid file stack level
DTK	465	FLSTKVLEV	V	alid levels are currently 1 to %d.
DTK	466	FLSTKINVR1	I	nvalid record number for stack level %d.
DTK	467	FLSTKINVR2	C	urrently %d records are at that level.
DTK	468	FLSTKINVR3	R	equested transfer record number was %d.
DTK	469	AM	A	M
DTK	470	PM	P	M
DTK	471	TIMERR	I	nvalid Time
DTK	472	LLNOCURR	L	inked List Error: No Current Record
DTK	473	LLNOTFND	L	inked List Error: Requested record not found
DTK	474	LLFSERR	L	inked List Error: File Stack Error
DTK	475	LLNOTTOP	L	inked List Error: Cannot extend list, not at top level of file stack
DTK	476	LLNOTOPN	L	inked List not opened; use LL_OPEN
DTK	477	DICTINIT	E	rror initializing repository
DTK	478	DICTEXIT	E	rror exiting repository
DTK	479	DICTSTRUCT	E	rror accessing repository structure %a
DTK	480	DICTFLD	E	rror accessing repository field %a in structure %a
DTK	481	DICTERR	U	nknown error accessing repository
DTK	482	DICTNOFND	R	equested repository record not found
DTK	483	DICTOPEN	C	ould not open file
DTK	484	DICTFUNC	U	nknown repository function code
DTK	485	SAVTOMAP	S	ave current changes to %a ?
DTK	486	SAVTERM	E	nter name of terminal to save current changes
DTK	487	SBNOTSB	W	indow id %d is not a scroll bar window
DTK	488	RNDLSTENA	E	nabled List
DTK	489	RNDLSTBDR	E	nabled List Border
DTK	490	RNDLSTTTL	E	nabled List Title
DTK	491	RNDLSTDSDA	D	isabled List
DTK	492	RNDLSTSEL	S	ected Item in List
DTK	493	RNDSCRBAR	S	croll Bar
DTK	494	RNDSCRIND	S	croll Bar Indicators
DTK	495	RMMLSTENA	E	nabled List
DTK	496	RMMLSTBCK	L	ist Item
DTK	497	RMMLSTSEL	S	ected Item
DTK	498	RNDLSTDSS	D	isabled Selected Item

Fac	Err #	Code	Sev	Message
DTK	499	MAXLIST	M	aximum number of list entries (99) exceeded
DTK	500	IBBADCOL	C	olumn specified (%d) lies outside window (1-%d)
DTK	501	IBBADROW	R	ow specified (%d) lies outside window (1-%d)
DTK	502	NEGQUAL	A	ALLOWED, ONLY, or ORZERO expected
DTK	503	TTYTYPE	T	ype must be D4, D6, I2 or I4
DTK	504	AMPMORNOW	A	MPM or NOW expected
DTK	505	UNKNLSTOPT	U	nknown .LISTCLASS option: %a
DTK	506	RNDLSTHDR	E	nabled List Header
DTK	507	RNDLSTFTR	E	nabled List Footer
DTK	508	RMMLSTHDR	L	ist Header
DTK	509	RMMLSTFTR	L	ist Footer
DTK	510	TERMCOPY	E	nter terminal type to copy from:
DTK	511	MNUSEL	M	enu entry "%a" selected
DTK	512	CHRTYPED	C	haracter "%a" typed
DTK	513	CTLTYPED	C	ontrol character "^%a" typed
DTK	514	NONMNUTYPD	N	on-menu function "%a_KEY" typed
DTK	515	FINDPRMPT	F	ind:
DTK	516	NOTINST	U	I Toolkit is not configured -- Please contact your Synergy supplier
DTK	517	MAXUSER	E	xceeded concurrent user capacity
DTK	518	TIMEOUT	T	his system has timed out -- Please contact your Synergy supplier
DTK	519	DUPCLASS	L	ist Class %a already defined
DTK	520	CLSCREAT	C	annot create List class %a: %a
DTK	521	NOCLASS	L	ist class %a not found
DTK	522	NOCLSLIB	L	ist Class %a not loaded - no library supplied
DTK	523	NOTCLSWND	I	d %d not a List class
DTK	524	PLCDPRLVL	L	ist ID %d placed at a prior level
DTK	525	NOTLOCAL	L	ist ID %d not local to the current environment
DTK	526	NOTFREE	L	ist ID %d already in use
DTK	527	NOFREE	N	o List ID's available -- Maximum number of active Lists (%d) already reached.
DTK	528	NOTLST	I	D %d is not an active List
DTK	529	CMDQOVF	L	ist Request queue overflow
DTK	530	INPINUSE	I	nput window %d already associated with a List
DTK	531	NOSECT	L	ist section %d not found
DTK	532	RMMLSTDSA	D	isabled List
DTK	533	FLSTKDFLT	D	efault file stack already initialized
DTK	534	NEGOERR	N	egative value only allowed
DTK	535	RPOSTXT	R	ETAIN_POSITION only valid for text fields
DTK	536	TXTPOS	I	_TXTPOS can only be used for text fields
DTK	537	HELPINFO	B	rowse help text, then press RETURN or [O_EXIT] to exit
DTK	538	FLAGOLD	W	arning: .FLAG no longer supported; use renditions
DTK	539	RNDSELEQS	S	el Wnd Quick-Selects
DTK	540	SNAPLEN	I	_SNAPSHOT argument too small: %d
DTK	541	LISTLEN	M	aximum storage capacity for list data exceeded; max=%d, needed=%d
DTK	542	LLSIZE	M	aximum storage capacity for linked list data exceeded; max=%d, needed=%d
DTK	543	ABOUT		About %a
DTK	544	VERSION	V	ersion %a
DTK	545	COMPILED	C	omplied on %a
DTK	546	DTKVERS	U	I Toolkit Version %a
DTK	547	STRCTOVR	T	oo many item definitions in structure -- maximum of %d
DTK	548	SETOVR	T	oo many fields in set definition -- maximum of %d
DTK	549	BADINTLEN	I	nvalid size specified for integer field: %d
DTK	550	INTOVF	V	alue too large for field; range %a thru %a
DTK	551	HELPINFO2	P	ress RETURN or [O_EXIT] to exit help
DTK	552	BADDICTTYP	F	ields of type %a not supported by the Toolkit
DTK	553	NAMESETID	%	d is not a valid name set ID
DTK	554	NAMNOTUNIQ	"	%a" is not a unique name within the set of %a
DTK	555	MAXNAME	M	aximum number of %a exceeded

Fac	Err #	Code	Sev	Message
DTK	556	NOROUTINE	%	a (or a routine it calls) missing, or GDS uninitialized.
DTK	557	NOARRIVE	S	pecified as the arrive method for field %a
DTK	558	BTNOK	O	K
DTK	559	BTNCANCEL	C	ancel
DTK	560	BTNABORT	A	bort
DTK	561	BTNRETRY	R	etry
DTK	562	BTNIGNORE	I	gnore
DTK	563	BTNYES	Y	es
DTK	564	BTNNO	N	o
DTK	565	LISTINP	I	nput window %d is associated with list %d - you must use L_INPUT(_P) or L_INPFLD(_P) for input
DTK	566	WNDPLC	C	ould not place window
DTK	567	BADFLDLN	F	ield %a must be in range %d-%d: %d
DTK	568	WROVERS	W	rong version of Toolkit library: %a\nExpected version: %a
DTK	569	COLORS	A	NSI: 0=Black,1=Blue,2=Green,3=Cyan,4=Red,5=Purple,6=Yellow,7=White
DTK	570	FIND_MSG	S	earching list - please wait ...
DTK	571	TOOMNYEOF	%	d EOF characters encountered
DTK	572	BTNHELP	H	elp
DTK	573	BADBTN	I	nvalid button code passed to IB_STDBUTTONS: %d
DTK	574	SCRBADBTN	I	nvalid button name: %a
DTK	575	DEFFILTER	A	ll files (*.*)
DTK	576	BIGFILTER	%	U_GETFILENAME Error: Specified filters too large. Maximum of 8192 characters allowed
DTK	577	FILENAME	F	ile
DTK	578	DIRCMD	U	nable to build directory list.\nCommand was:\n%a
DTK	579	ALLFILES	A	ll files (*.*)
DTK	580	MAXITEM	M	ax token length (%d) exceeded: %d chars encountered - token truncated
DTK	581	TOOLKIT	U	I Toolkit
DTK	582	BADVERSN	I	ncompatible version of %a
DTK	583	MINVERSN		Minimum version required: %a
DTK	584	GOTVERSN		Version in use: %a
DTK	585	TIMOUT	O	_TIMEOUT
DTK	586	INVWAIT		Invalid wait qualifier
DTK	587	NODRILL	S	pecified as the drill method for field %a
DTK	588	NOLSTDATA	L	ist has no associated data
DTK	589	LSTHASDATA		List has associated data but no parameter passed
DTK	590	NOLEAVE	S	pecified as the leave method for field %a
DTK	591	SCR2WIDE	A	pplication screen width specified (%d) exceeds maximum of %d
DTK	592	NOSELRADIO	'	Radio' specified without associated selection window
DTK	593	NOHYPER	S	pecified as the hyperlink method for field %a
DTK	594	SCRINCOMP	I	ncompatible field qualifiers: %a and %a
DTK	595	NOENUMLIST	F	ield specified as enumerated, but no selection or allow list specified
DTK	596	DICTOPENM	C	ould not open main repository
DTK	597	DICTOPENT	C	ould not open repository text file
DTK	599	DICTWROVER	R	epository is not a version %a repository
DTK	600	DICTFLDNA	R	epository field %a not available to the Toolkit
DTK	601	SCRALREADY	%	a already encountered
DTK	602	NOTTSET	%	d is not a tabset id in routine %a.
DTK	603	MAXTABS	M	aximum number of tab items created for tabset %d.
DTK	604	NOTTITM	%	d is not a valid tab item.
DTK	605	TABITEM	t	ab item
DTK	606	TASSOC	W	indow ID %d is already associated with a tab set.
DTK	607	RTNNFDTK	M	ethod %a not found in routine %a.
DTK	608	TOOMNYBTNS	M	aximum number of buttons per window (%d) exceeded.
DTK	609	SCRMAXLIB	M	aximum number of libraries (%d) exceeded.
DTK	610	SCRMAXSCR	M	aximum number of scripts (%d) exceeded.
DTK	611	SFWFSETDEL	I	llegal operation attempted which would result in the destruction of the input set which is being
DTK	612	INPUTWND	S	cript compiler used for input window %a
DTK	613	LWNDEVENT	F	ailed to assign window event set %d to list ID %d

Fac	Err #	Code	Sev	Message
DTK	614	WNDEVENT	F	ailed to assign window event set %d to window ID %d
DTK	615	BADFONT	I	nvalid font name specified.
DTK	616	FONTSPEC	I	nvalid font name specified in %a - "%a".
DTK	617	CRWNDFAIL	C	ould not create window %a with %d rows and %d columns.
DTK	618	NOTAXWID	%	d is not the ID of an ActiveX Container window.
DTK	619	BTNNAME	%	a is not a valid button name in window ID %d
DTK	620	INPOVFLOW	I	nsufficient data space passed to input routine for storage of field:
DTK	621	INPOVFLOW2	%	a. Needed %d, passed data size is %d.
DTK	622	AXLISTLOAD	A	ctiveX list control load failure: OCX/DLL file(s) missing or not registered.
DTK	623	BADAXLSVRS	M	ismatched ActiveX list control version: %a; expected %a
DTK	624	WROVERSN	M	ismatched versions of %a and %a
DTK	625	REQVERSN		Version of %a: %a
DTK	626	BADMCLASS	U	_WNDEVENTS: Argument 2 (%d) is not a valid method set ID for D_ASSIGN
DTK	627	BADBLDID	%	a: %d is not a valid input window build ID
DTK	628	NOAXCNTR	A	X_TKWIN: Could not create ActiveX container window. For more information, run again with AXDEBUG
DTK	629	RNGERROR	V	alue %d not in range %d to %d in %a
DTK	630	INVADDRSIZ	I	nteger address must be of size %d
DTK	631	INVUTYP	I	nvalid user type: %d. Alphanumeric argument required.
DTK	632	RPSDUPFLD	R	epository field name %a is not unique among members of structure %a
DTK	633	BADENV	E	nvironment level specified (%d) not in range 1 to %d
DTK	634	LABORT	L	ist %d aborted; reason code %d (%a)
DTK	635	LABTNORECS	E	mpty list not allowed -- NONULL specified in list class but no records loaded
DTK	636	LABTILLREQ	I	llegal request
DTK	637	LABTNLOAD	L	oad request not honored -- check the load method
DTK	638	LABTUNKWN	U	nknown abort reason
DTK	639	TOOMNYTBS	M	aximum number of toolbars (%d) exceeded.
DTK	640	NOTBLOG	C	ould not log Toolbar %d.
DTK	641	TBNOTFREE	T	oolbar not classed as available.
DTK	642	NOSUCH	N	o such %a logged with the Toolkit.
DTK	643	TOOLBAR	T	oolbar
DTK	644	SELTOOBIG	S	election window exceeds 32767 bytes.
DTK	645	NOUSTART	T	he Synergy/DE UI Toolkit has not been initialized (U_START was not called)
DTK	646	BTNPOS	I	nvalid button position specified for window %d: %d (Valid range is 1 through %d)
DTK	647	BADDEC	D	ecimal places specified (%d) not in range 0-28
DTK	648	FLDTOOBIG	F	ield %a does not fit in the window; maximum width: %d, field width: %d.
DTK	649	LDNAMOVF	O	verflow loading %a names: %as beginning with %a (index %d) will not be accessible by name.
DTK	650	RPSRTNNF	R	epository access routine %a not found.
DTK	651	BTNNDX	%	d is not a valid button index in window ID %d
DTK	652	FLDNAMOVF	F	ield name with element specification exceeds maximum of %d characters.
DTK	653	BADELEMSPC	I	nvalid array element: %a, at character %d: '%a'
DTK	654	LNGELEMSPC	E	lement specification results in field name longer than %d characters: %a
DTK	655	MNYELEMSPC	E	lement specification contains more than 4 dimensions: %a
DTK	656	RPSELEMERR	E	lement does not match Repository dimension specification:
DTK	657	RPSELEMER2	%	a, dimension %d
DTK	658	ELEMNORPS	E	lement specification not allowed on local field: %a
DTK	659	BLANKENTRY	M	enu entry name may not be blank
DTK	660	INPEXACT	I	ncorrect size of data space passed to routine for storage of field:
DTK	661	FLDSELENUM	F	ield %a is enumerated and has no allow list; cannot remove selection window.
DTK	662	NOTCTR	%	d is not the ID of a valid UI Toolkit container window
DTK	663	CHLDALREDY	I	D %d (type %d) is already a child of container %d
DTK	664	NOTCHLD	%	d is not the ID of a contained window
DTK	665	TOOMNYROWS	F	ield %a does not fit in the window; number of rows specified: %d; truncated to %d.
DTK	666	KEYFRDONLY	K	eymap file is read-only
DTK	667	NORNDFIL	U	nable to update renditions file: %a
DTK	668	RNDRFDONLY	R	enditions file is read-only
DTK	669	MSIGCONF	M	_SIGNAL overwriting pending menu entry: %a with %a\nContinue?
DTK	670	DICTFLDLST	E	rror building field list for repository structure %a; validate repository



Fac	Err #	Code	Sev	Message
DTK	671	NOSTARTM	S	pecified as the USTART_METHOD passed to U_START
DTK	672	CONTINUE	C	ontinue?
DTK	673	IUSERARG	I	_USER argument %d smaller than user string for field %a (%d passed, needed %d)
DTK	674	IUSERARGE	I	_USER argument %d is not exactly the same size as the user string for field %a (%d passed, expect
DTK	675	BOUNDSFAIL	D	TK_BOUNDS failure (level %d)
DTK	676	BADRTNADDR	I	nvalid method address: %d
DTK	677	INCOMPTYP	I	ncompatible data type passed to %a for field %a
DTK	678	TSTYPE	T	ype must be I8 for timestamp fields
DTK	679	AMPMORSHRT	A	MPM or SHORT expected
LBR	1	BADFIL	F	Corrupted file: %s
LBR	2	CLOSIN	F	Cannot close: %s
LBR	3	CMDBIG	F	Command line too long: %s
LBR	4	CONOPT	F	Conflicting options on command line
LBR	5	DNXSTMD	F	Cannot delete non-existing module: %s
LBR	6	EXSTMOD	F	Cannot add existing module: %s
LBR	7	INFXP	F	Indirect command file name expected
LBR	8	INPFXP	F	Input file expected
LBR	9	INSMEM	F	Insufficient memory for attempted operation
LBR	10	INVFN	F	Invalid command file name
LBR	11	INVOPT	F	Invalid command line option
LBR	12	INVTR	F	Invalid command file option, [NO]TRACE expected
LBR	13	LError	F	Internal error: %s
LBR	14	MAXIF	F	Exceeded maximum input file limit
LBR	15	MAXIND	F	Exceeded maximum indirect command file limit
LBR	16	MAXMOD	F	Exceeded maximum number of module names
LBR	17	MAXTF	F	Exceeded maximum number of files
LBR	18	MODXP	F	Module name expected
LBR	19	NONAME	F	No name specified for command line option
LBR	20	NOTSUBR	F	Module %s is not a subroutine
LBR	21	OBJXP	F	Object file expected: %s
LBR	22	OLBXP	F	Object library expected: %s
LBR	23	OPENIN	F	Cannot open input file: %s
LBR	24	OPOUT	F	Cannot open output file: %s
LBR	25	RNXSTMD	W	Warning - Replacing non-existing module: %s
LBR	26	XNXSTMD	F	Extracting non-existing module: %s
LBR	28	OPTXP	F	Option expected
LBR	29	DUPMOD	W	Warning - Duplicate module %s in library %s
LBR	30	WRterr	F	Out of disk space for output file
LBR	31	MODSIZ	F	Module length too large %s
LBR	32	DUPMTH	F	Duplicate method specified: %s
LBR	33	IOERR	F	I/O error reading file: %s
LBR	34	OPPNDN	F	Module %s built opposite 'endian'
LBR	35	BADNDN	F	Unrecognized module id in %s
LBR	36	OPPBIT	F	Module %s built with opposite bit size
LBR	37	NDNOPP	F	Library built with opposite 'endian'
LBR	38	NDNBAD	F	Unrecognized library ID
LBR	39	BITOPP	F	Library built with opposite bit size
LBR	517	INTERR	F	Internal Error: %d
LNK	1	BIGSEG	F	Segment exceeds maximum size in module: %s
LNK	2	CMDBIG	F	Command line exceeds maximum length
LNK	3	COMERR	F	Compiler errors in module: %s
LNK	4	COMNF	F	COMMON record undefined: %s in module %s
LNK	5	COMWAR	W	Compile warnings in module: %s
LNK	6	DUPMOD	F	Duplicate module name: %s
LNK	7	DUPSYM	F	Duplicate symbol definition: %s
LNK	8	GLOBNF	F	Global psect %s not in module %s
LNK	9	INSMEM	F	Insufficient memory for attempted operation

Fac	Err #	Code	Sev	Message
LNK	10	INVEN	F	Invalid command file name
LNK	11	INVOPT	F	Invalid option
LNK	12	INVSOF	F	Invalid switch or file name
LNK	13	INVSTK	F	Invalid stack size specification
LNK	14	INVTR	F	Invalid trace option, -T or -N expected
LNK	15	LIBMAX	F	Too many library input files
LNK	16	MAXIF	F	Too many input files open
LNK	17	MAXIND	F	Too many indirect command files
LNK	18	MAXTF	F	Too many files
LNK	19	NOGLOB	F	No global or common records allowed in library
LNK	20	NOLIB	F	No library input allowed for library output
LNK	21	NOMAIN	F	No main-line or primary module specified
LNK	22	NONAME	F	No file name specified with OUTPUT
LNK	23	ONEINI	W	Global data section %s has duplicate , INIT
LNK	24	ONEPRI	F	Second main-line or primary module illegal: %s
LNK	25	OPENIN	F	Cannot open: %s
LNK	26	OPFNF	F	Cannot open input file: %s
LNK	27	OPOUT	F	Cannot open output file: %s
LNK	28	OPTXP	F	Option expected
LNK	29	SUBRLB	F	No main-line's allowed in executable libraries
LNK	30	WRTERR	F	Out of disk space for output file
LNK	31	XCLREF	F	Too many subroutine references from ELB module
LNK	32	XUNDEF	F	XCALL routine undefined: %s
LNK	34	INVNUM	F	Option requires numeric value specification
LNK	35	NOTELB	F	Invalid ELB format in file: %s
LNK	36	ERRCNT	F	Too many errors; compilation aborted
LNK	37	BADFIL	F	Bad record format in file: %s
LNK	38	GBLPSNF	F	Global psect {%d} not found
LNK	39	E65K	F	Modules or shared data symbols > 65K
LNK	40	NOMOD	F	Module %s not found in library
LNK	41	NOTINI	W	Global data section '%s' not initialized
LNK	42	NOENDMOD	F	Internal error: No ENDMOD record in %s
LNK	43	ELBNAM	F	ELB name specified is too long
LNK	44	ELBREF	W	Undefined global data reference '%s'
LNK	45	REFER	F	Fatal referencing errors
LNK	46	ELBSUB	W	In subroutine '%s', ELB '%s'
LNK	47	SUNDEF	W	COMMON symbol '%s' undefined in module %s
LNK	48	OPPNDR	F	Module %s built opposite 'endian' (%s)
LNK	49	BADNDN	F	Unrecognized module id 0x%x in %s
LNK	50	CMNGBL	W	COMMON '%s' conflicts with GLOBAL DATA SECTION in module %s
LNK	51	COMDUP	F	Duplicate common symbol definition: %s in module %s
LNK	52	FILINUSE	F	File %s is open by another user
LNK	53	PROTEC	F	File %s is not writable
LNK	54	CIRELB	F	Circular ELB reference in file %s
LNK	55	NOCOMP	F	Incompatible options specified: %s
LNK	56	OLDELB	F	Old ELB file format%s detected: relink %s
LNK	57	NOCLS	F	Class not found
LNK	58	CLSERR	F	Class definition error
LNK	59	CLSCRC	F	Class CRC mismatch: class %s in module %s
LNK	60	CLSUND	F	Undefined class: %s
LNK	61	OLDDBG	F	Old debug object record, recompile: %s
LNK	62	TEXT	I	%s
LNK	63	DUPCOMN	E	Duplicate Global Common: %s in ELB %s
LNK	64	DUPLIT	E	Duplicate Global Literal: %s in ELB %s
LNK	65	DUPGDS	E	Duplicate Global Data Section: %s in ELB %s
LNK	66	DUPSREC	E	Duplicate Static Record: %s in ELB %s
LNK	67	DUPGBL	E	Duplicate global: %s in ELB %s

Fac	Err #	Code	Sev	Message
LNK	68	DUPCLS	E	Duplicate class: %s in ELB %s
LNK	69	DUPRTN	W	Duplicate routine: %s in %s
LNK	70	DUPLICATES	E	Duplicate symbols
LNK	71	FRSTDEF	I	Symbol %s first defined in %s
LNK	72	FRSTRTN	I	Routine %s first found in %s
LNK	73	COMNDUP	W	Duplicate Global Common: %s in ELB %s
LNK	74	LITDUP	W	Duplicate Global Literal: %s in ELB %s
LNK	75	GDSDUP	W	Duplicate Global Data Section: %s in ELB %s
LNK	76	SRECDUP	W	Duplicate Static Record: %s in ELB %s
LNK	77	GBLDUP	W	Duplicate global: %s in ELB %s
LNK	78	CLSDUP	W	Duplicate class: %s in ELB %s
LNK	79	MODSIZ	F	Module length too large %s
LNK	80	NAMSIZ	F	Module name table too large %d
LNK	81	NOINF	F	No input module specified
LNK	82	NOTOLB	F	Invalid OLB format in file: %s
LNK	83	RUNDEF	W	Undefined routine: %s in %s
LNK	84	REFBIG	W	Global data reference larger than definition: '%s'
LNK	85	NORTN	F	No routines in OLB file: %s
LNK	86	IOERR	F	I/O error reading file: %s
LNK	87	NDNOPP	F	File %s built with opposite 'endian'
LNK	88	NDNBAD	F	Unrecognized file ID in %s
LNK	89	BITOPP	F	File %s built with opposite bit size
LNK	90	OPPBIT	F	Module %s built with opposite bit size (%d)
LNK	91	BADOBJ	F	Bad DBO file: %s
LNK	517	INTERR	F	Fatal internal error %d
PRO	1	VERSLBL	U	I Toolkit Prototyping System
PRO	2	KEYINFO	[	O_HELP]-Help [U_DIR]-Dir [U_VIEW]-View [O_EXIT]-Exit
PRO	3	NOLIB	N	o library open
PRO	4	DIRHDR	D	irectory, pg %d of %d
PRO	5	EMPTYLIB	E	mpty window library
PRO	6	LIBEXIST	E	rror: %a already exists
PRO	7	CREATERR	C	annot create %a\n%a
PRO	8	LIBNF	L	ibrary %a not found
PRO	9	OPENERR	C	annot open %a
PRO	10	NOCOLS	N	o columns in current window library
PRO	11	NOWNDS	N	o non-input windows in current window library
PRO	12	NOINPS	N	o input windows in current window library
PRO	13	ALRDYLD	%	a already loaded by Proto
PRO	14	COLLOD	C	olumn %a loaded (not placed)
PRO	15	COLNF	C	olumn %a not found
PRO	16	MAXCOL	R	each maximum number of loaded columns
PRO	17	WNDNF	W	indow %a not found
PRO	18	MAXWND	R	each maximum number of loaded windows
PRO	19	INPNF	I	nput window %a not found
PRO	20	MAXINP	R	each maximum number of input windows
PRO	21	NOINPLD	N	o input windows loaded
PRO	22	BRKFLD	P	rocessing break field %a
PRO	23	MENUENT	P	rocessing menu entry %a
PRO	24	RDERR	E	rror reading window library
PRO	25	WORKING	W	orking...
PRO	26	SCRERR	E	rrors processing script file
PRO	27	SELHDR	P	age %d of %d
PRO	28	MENUSEL	S	ected menu entry %a
PRO	29	NOCOLLD	N	o columns loaded
PRO	30	ALLCOLRM	A	ll columns removed
PRO	31	NOWNDPLC	N	o windows placed
PRO	32	NOWNDL	N	o windows loaded

Fac	Err #	Code	Sev	Message
PRO	33	NOHELP	N	o help text available
PRO	34	APPKEY	A	pplication keypad mode set
PRO	35	NOAPPKEY	A	pplication keypad mode reset
PRO	36	NOSELS	N	o selection windows in current window library
PRO	37	SELNF	S	election window %a not found
PRO	38	MAXSEL	R	eachd maximum number of selection windows
PRO	39	NOSELLD	N	o selection windows loaded
PRO	40	SELENT	P	rocessing selection window entry %a (#%d)
PRO	41	HDRCL	C	reate Library
PRO	42	HDRMM	M	ain Menu
PRO	43	HDROL	O	pen Library
PRO	44	HDRPS	P	rocess Scripts
PRO	45	HDRTW	T	est Windows
RDL	1	RPTNOT1ST	R	EPORT must be first keyword in RDL file.
RDL	2	INVMAINKW	I	nvalid main keyword.
RDL	3	TMPFLDNOT	T	emp field %a not unique.
RDL	4	INVCALTYP	I	nvalid type for calculation field (%a).
RDL	5	INVCALEXP	I	nvalid expression (%a) for calculation field (%a).
RDL	6	INVCALJST	I	nvalid justification for calculation field (%a).
RDL	7	RELUNDEFI	R	elation undefined for file (%a).
RDL	8	INVCALFLD	I	nvalid calculation field (%a).
RDL	9	INVCALDAT	I	nvalid date storage type for calculation field (%a).
RDL	10	INVQRYTYP	I	nvalid type for question field (%a).
RDL	11	INVQRYDAT	I	nvalid date storage type for question field (%a).
RDL	12	INVQRYJST	I	nvalid justification for question field (%a).
RDL	13	INVQRYFLD	I	nvalid question field (%a).
RDL	14	INVENVTYP	I	nvalid type for environment field (%a).
RDL	15	INVENVDAT	I	nvalid date storage type for environment field (%a).
RDL	16	INVENVJST	I	nvalid justification for environment field (%a).
RDL	17	INVENVFLD	I	nvalid environment field (%a).
RDL	18	INVSUBFLD	I	nvalid subtotal field (%a).
RDL	19	INVLINTYP	I	nvalid type for line statement.
RDL	20	NOPOSSPEC	N	o position specified in text statement.
RDL	21	INVTXTPOS	I	nvalid position for text statement.
RDL	22	INVFILEID	I	nvalid file ID in file statement.
RDL	23	INVPARENT	I	nvalid parent file ID in file statement.
RDL	24	INVRELNAM	I	nvalid relation name in file statement.
RDL	25	INVFLDPOS	I	nvalid position for field statement.
RDL	26	INVFLDJST	I	nvalid justification for field statement.
RDL	27	INVFMTRN	I	nvalid format truncation for field statement.
RDL	28	INVOPRTOR	I	nvalid operator in conditional specification.
RDL	29	INVSUBSCR	I	nvalid subscript in field specification.
RDL	30	INVSRTSUB	S	ort fields can not be subscripted.
RDL	31	INVRANGED	I	nvalid range in field specification.
RDL	32	INVSRTTRNG	S	ort fields can not be ranged.
RDL	33	INVNSTING	N	ested subscripts and ranges are not allowed.
RDL	34	MAXREFS	M	aximum number of referenced fields (%d) has been defined.
RDL	35	NOTRNG	Y	ou must use a numeric field for ranges.
RDL	36	FILE	F	ile %a loading...
RDL	37	SELECTION	S	election loading...
RDL	38	SORT	S	ort loading...
RDL	39	CALC	C	alculation temp field %a loading...
RDL	40	TEMPTEXT	T	ext temp field %a loading...
RDL	41	QUESTION	Q	uestion temp field %a loading...
RDL	42	ENVIRON	E	nvironment temp field %a loading...
RDL	43	SUBTOTAL	S	ubtotal temp field %a loading...
RDL	44	LINE	%	a type line loading...

Fac	Err #	Code	Sev	Message
RDL	45	FIELD	F	field %a loading...
RDL	46	TEXT	T	ext loading...
RDL	47	MISC	M	iscellaneous loading...
RDL	48	GFILE	F	ile %a generating...
RDL	49	GSELECT	S	election generating...
RDL	50	GSORT	S	ort generating...
RDL	51	GCALC	C	alculation temp field %a generating...
RDL	52	GTEMPTEXT	T	ext temp field %a generating...
RDL	53	GQUESTION	Q	uestion temp field %a generating...
RDL	54	GENVIRON	E	nvironment temp field %a generating...
RDL	55	GSUBTOTAL	S	ubtotal temp field %a generating...
RDL	56	GLINE	%	a type line generating...
RDL	57	GFIELD	F	ield %a generating...
RDL	58	GTEXT	T	ext generating...
RDL	59	GMISC	M	iscellaneous generating...
RDL	60	INVBRKREF	I	nvalid break field reference for (%a) temp field.
RDL	61	ICSVER		
RDL	62	GENSUMMARY	%	d reports generated.
RDL	63	LODSUMMARY	%	d errors logged. %d reports loaded.
RDL	64	INVSRT	I	nvalid sort statement.
RDL	65	LDEXIST	R	eport %a already exists. Do you wish to create a new report?
RDL	66	LDREPLACE	R	eport %a exists. Do you want to replace it?
RDL	67	EXISTINFO	S	elect "Yes" to replace the existing report.
RDL	68	CRENEW	D	o you want to create a new report?
RDL	69	BLANK		
RDL	70	CRENEWINFO	S	elect "Yes" to create a new report; "No" to skip this report.
RDL	71	INVNAM	I	nvalid report name specified.
RDL	72	RPTEXTISTS	D	uplicate report name specified. Please enter another report name.
RDL	73	ERRFIL	R	eport %a could not be deleted.
RDL	74	NOLIN	F	IELD specified when LINE is not defined.
RNT	1	EOF	E	End of file
RNT	2	NOCALL	E	Return with no CALL or XCALL
RNT	5	RECEXTCAL	E	Recursive XCALL or .NET CALL exceeds 64
RNT	6	WROARG	E	Incorrect number of subroutine arguments
RNT	7	SUBSCR	E	Invalid subscript specified
RNT	8	WRTLIT	E	Writing to a literal or missing argument
RNT	9	NOMEM	E	Not enough memory for desired operation
RNT	10	ILLCHN	E	Illegal channel number specified
RNT	11	NOOPEN	E	Channel has not been opened
RNT	12	ONLYWR	E	Attempt to open output device in input mode
RNT	13	BACKPEND	E	Backup mode is On
RNT	14	BIGALPHA	E	Alpha temporary result exceeds 65535
RNT	15	BIGNUM	E	Arithmetic operand exceeds maximum size
RNT	16	CHNUSE	E	Channel is in use
RNT	17	FILSPC	E	Bad filename
RNT	18	FNF	E	File not found
RNT	19	NOTAVL	E	Device not available
RNT	20	DIGIT	E	Bad digit encountered
RNT	21	FILOPT	E	Invalid operation for file type
RNT	22	IOFAIL	E	Failure during I/O operation
RNT	23	TOOBIG	E	Input data size exceeds destination size
RNT	24	NOSPAC	E	No space exists for file on device
RNT	25	FILFUL	E	Output file is full
RNT	27	UPDNFD	E	Update of non-file device
RNT	28	RECNUM	E	Illegal record number specified
RNT	29	BADCMP	F	Compile not compatible with execution system
RNT	30	DIVIDE	E	Attempt to divide by zero

Fac	Err #	Code	Sev	Message
RNT	31	ARGSIZ	E	Argument specified with wrong size
RNT	32	REPLAC	E	Cannot supersede existing file
RNT	33	CHNEXC	E	Too many files open
RNT	37	DEVUSE	E	Device in use
RNT	38	FINUSE	E	File in use by another user
RNT	39	OUTRDO	E	Output to read-only device
RNT	40	LOCKED	E	Record is locked
RNT	41	BACKUPMODE	E	Backup mode error or SYNERGYDE64/32 improperly set
RNT	44	ELBREF	W	Undefined global data reference '%s'
RNT	52	BADKEY	E	Illegal key specified
RNT	53	KEYNOT	E	Key not same
RNT	54	NODUPS	E	Duplicate key specified
RNT	56	NOTISM	E	Not an ISAM file
RNT	61	NOCURR	E	No current record
RNT	62	PROTEC	E	Protection violation
RNT	64	RNF	E	Record not found
RNT	67	VMSERROR	F	Unexpected VMS system error
RNT	77	ARGORD	E	Arguments out of order for PAK or UNPAK
RNT	78	ARGREC	E	PAK/UNPAK fields not in record
RNT	80	NOSQL	E	SQL Connection installation error or DBLOPT 48 not set
RNT	82	AORDXP	E	Alpha or decimal variable expected
RNT	86	RECLNG	E	Invalid record length
RNT	87	ARGMIS	E	Argument missing
RNT	95	OPNERR	E	OPEN error
RNT	98	INTRPT	E	Interrupt character detected
RNT	100	RMSERROR	E	Unexpected RMS error
RNT	101	NOCHAIN	E	Stop chain not allowed in callback on Windows 7 or Windows X64
RNT	102	RUNERR	F	Internal runtime failure: %s
RNT	103	FILORG	E	Invalid file organization
RNT	104	OUTRNG	E	Value out of range
RNT	106	EXQUOTA	E	Exceeded quota
RNT	107	DEVNOTRDY	E	Device not ready
RNT	108	IOMODE	E	Bad mode specified
RNT	111	TIMOUT	E	Terminal input operation timeout
RNT	115	BLKSIZ	E	Invalid value specified for BLKSIZ
RNT	120	EXCACT	E	Too many activation characters
RNT	122	QUEUENOTAV	E	Invalid queue specified on LPQUE
RNT	128	VMSRMS	F	Unexpected VMS or RMS error
RNT	129	TSXERR	F	Unexpected TSX error
RNT	131	SMERR	E	SORT or MERGE error
RNT	132	SAMOP	E	Operands must be both alpha or both numeric
RNT	141	MAXIF	E	Too many input files open
RNT	144	ARGDIGPT	E	Numeric digit(s) and at most one decimal point expected
RNT	145	BDIGXP	E	Binary digits expected in argument (%s)
RNT	146	HDIGXP	E	Hexadecimal digits expected in argument (%s)
RNT	147	ODIGXP	E	Octal digits expected in argument (%s)
RNT	151	ARGDIG	E	Numeric digit(s) expected in argument
RNT	153	DECXPT	E	Decimal expected
RNT	154	IORDXP	E	Only integer and decimal operands allowed
RNT	155	RNDVAL	E	Invalid round value: %s
RNT	156	IRNDVAL	E	Invalid round value for integer operand: %d
RNT	157	INVFORENT	E	Invalid entry to FOR loop
RNT	158	IDXP	E	Implied data type required
RNT	159	INVHDL	E	Invalid memory handle
RNT	160	ADDRSIZ	E	Invalid address size
RNT	161	HSIZERR	E	Map outside bounds of field or handle
RNT	162	NOMETHOD	E	Method's routine not found

Fac	Err #	Code	Sev	Message
RNT	163	INVCLASS	E	Class is invalid for operation
RNT	164	DUPEVENT	E	Event code already specified
RNT	165	NOTOBJID	E	Not an object identifier
RNT	166	NUMXP	E	Numeric argument expected
RNT	216	FLSPCW	I	File specification was %s
RNT	223	INVDIM	E	Invalid number of dimensions
RNT	224	INVPRC	E	Invalid fractional precision
RNT	226	MRGERR	E	Merge error
RNT	243	SRTFAI	E	SORT failure
RNT	254	NOXCAL	E	Undefined XCALL referenced
RNT	255	DUPFIL	E	Too many duplicate files open
RNT	256	LPQERR	E	LPQUE failed
RNT	301	RECBK	E	Record size must be a multiple of block size
RNT	302	INTISM	E	Internal Isam error - File may be corrupt
RNT	303	INTLCK	E	Unexpected system locking error
RNT	308	MAXPRC	E	Too many processes
RNT	309	INVACT	E	Invalid action for XCALL FATAL
RNT	311	NOFORK	E	Cannot fork
RNT	313	RELREC	E	Invalid relative record
RNT	316	IRCSIZ	E	Invalid record size
RNT	317	INVALRFA	E	Invalid record's file address
RNT	318	DELREC	E	Deleted record
RNT	319	CLNTERR	E	Client server error, host: %s
RNT	320	NETPROB	E	Network problem reaching server %s
RNT	321	NOSERVER	E	Synergy server on %s is not running or has been shut down
RNT	322	NULARG	E	Improper use of null argument
RNT	323	SETTYP	E	SET data types must be the same
RNT	324	MSGFAIL	E	SEND/RCV message failure
RNT	325	BADHOST	E	Unknown host "%s" in server spec
RNT	326	BADUSER	E	Bad username, login rejected on %s
RNT	327	UNDEFERR	E	Undefined error
RNT	329	WNDERR	E	Window Manager error %d: %s
RNT	330	LIBMAX	E	Maximum open libraries exceeded
RNT	331	NETCONFIG	E	Local network configuration error
RNT	332	SQLERR	E	SQL Connection error
RNT	333	NOMORECURS	E	SQL: No more available open cursors
RNT	334	CURSERR	E	SQL: Error on cursor
RNT	335	BADDATATYP	E	SQL: Invalid data type for this operation
RNT	336	SQLSTACK	E	SQL: Stack variable still bound/defined on routine exit
RNT	337	SQLDYN	E	SQL: ^M variable still bound/defined on dynamic memory deletion
RNT	338	RCBDYN	E	RCB: ^M variable still bound on dynamic memory deletion%s
RNT	339	RCBSTACK	E	RCB: Stack variable still bound on routine exit%s
RNT	340	INVKVAL	E	Invalid key value
RNT	341	INVPKEY	E	Invalid partial key
RNT	342	BADXDLF	E	Bad XDL file
RNT	343	BADXDL	E	Bad XDL string
RNT	400	MSGNOTFND	F	Error message number %d not found or internal failure
RNT	417	INVEXFTYP	E	Invalid external function data type
RNT	420	INVARG	E	Invalid argument
RNT	421	AXERR	E	Error HRESULT (0x%08X) while processing an ActiveX control
RNT	422	AXNLOAD	E	Could not load ActiveX control
RNT	423	AXNOSUB	E	Could not find subroutine or function
RNT	424	AXUNSUP	E	Unsupported feature
RNT	425	AXNOFIND	E	ActiveX parameter not found
RNT	426	MISSMETH	E	Method/Delegate not found
RNT	427	MISSFLD	E	Field/Type/Property/Event not found
RNT	428	NOLOAD	E	Could not load assembly

Fac	Err #	Code	Sev	Message
RNT	429	NULLREF	E	Invalid use of NULL object
RNT	430	NODOTNET	E	Could not load the .NET CLR
RNT	431	RECNOT	E	Record not same
RNT	432	NETCRYPT	E	File requires network encryption
RNT	433	DATACRYPT	E	Error %s data field: %s
RNT	434	SALTIV	E	Error getting salt/initialization vector: %s
RNT	500	INVFATERR	F	Invalid fatal error number for XCALL FATAL
RNT	503	NOTDBR	F	%s is not a DBR file
RNT	506	STKOVF	F	Runtime stack overflow
RNT	507	UNSUP	E	Unsupported command
RNT	508	SIGNAL	F	Signal trap
RNT	509	OPENF	E	Cannot open %s
RNT	510	STPMMSG	S	STOP
RNT	511	RTNMF	E	Cannot access external routine %s
RNT	512	GBLNF	E	Cannot access named global %s
RNT	513	BADSYS	F	License management problem
RNT	514	LMFAIL	F	Licensing failure
RNT	515	CMDBIG	F	Command line too long
RNT	516	INVOPT	F	Invalid option
RNT	517	INTERR	F	Internal failure: %d
RNT	518	NODBLOPT	E	DBLOPT %d is obsolete, use %s
RNT	519	ALPHARG	E	Alpha argument required
RNT	520	WRTERR	F	write failure
RNT	521	INTARG	E	Integer argument required
RNT	522	AORIARG	E	Integer or alpha argument required
RNT	523	FNOTFOUND	E	Function not found
RNT	524	NOTWIN32S	E	Not running with Win32s
RNT	525	BADFORMAT	E	Bad format string
RNT	526	BADHANDLE	E	Bad DLL handle
RNT	527	INVDATE	E	Invalid date
RNT	528	DLLOPNERR	E	DLL could not be opened: %s
RNT	529	DLLCLSERR	E	DLL could not be closed
RNT	530	PURGE	E	DCL purge error
RNT	531	BADADDR	E	Bad address detected: %s
RNT	532	BADELB	E	Bad ELB detected: %s
RNT	533	NOFDL	E	Invalid open mode for FDL usage
RNT	534	SRVRLICNS	E	Server license limit reached on %s
RNT	535	DEADLOCK	E	Operation would cause deadlock
RNT	536	SRVLICERR	E	Licensing error on server %s
RNT	537	SRVLICTIMO	E	Licensing timed out on server %s
RNT	538	WINRSRC	E	Windows resource exhausted
RNT	539	BADFONTNAM	E	Invalid font name specified: %s
RNT	540	DUPFONTNAM	E	Duplicate font name specified: %s
RNT	541	FONTINUSE	E	Font %d in use, cannot delete
RNT	542	BADFONTID	E	Invalid font ID specified: %d
RNT	543	WNFNCERR	E	Windows API function failure: %s
RNT	544	INVRPTHND	E	Invalid report handle
RNT	545	INVPNHAND	E	Invalid pen handle
RNT	546	INVCLLSEQ	E	Invalid calling sequence
RNT	547	OPTINV	E	Invalid option
RNT	548	DLLOPNMOD	E	Associated DLL not in path or not found
RNT	549	BADWNDID	E	Window %d bad or no longer open
RNT	550	XFBADPKTID	E	Incorrect packet identifier
RNT	551	XFBADMTHID	E	Method ID too long
RNT	552	XFNUMPARMS	E	Invalid parameter count
RNT	553	XFBADPKT	E	Packet format error
RNT	554	XFBADTYPE	E	Invalid parameter type



Fac	Err #	Code	Sev	Message
RNT	555	XFREQPARM	E	Required parameter not sent
RNT	556	XFBADARRAY	E	Error mapping array element
RNT	557	XFIOERR	E	File I/O error occurred on server
RNT	558	XF METHKNF	E	Method key not found
RNT	559	XFR TNNF	E	Cannot access remote routine
RNT	560	XFNOCONN	E	No connection to remote host
RNT	561	XFHALT	E	Fatal error occurred on server
RNT	562	XFNOINIT	E	RX_DEBUG_START called without RX_DEBUG_INIT
RNT	563	SRVNOTSUP	E	Unsupported server version/Feature not available
RNT	564	XFUNKERR	E	Unknown error reported by xfServerPlus
RNT	565	XFNOCDT	E	Unable to open method catalog file
RNT	566	XFNOCMPDT	E	Unable to open method parameter file
RNT	567	XFNOELB	E	Unable to open ELB file
RNT	568	INVDSCR	E	Invalid descriptor
RNT	569	SYNSOCK	E	Synsock error %d
RNT	570	INVR CBHND	E	Invalid RCB handle
RNT	571	INV NETHND	E	Invalid network handle
RNT	572	INV WNDHND	E	Invalid window handle
RNT	573	INV NAMHND	E	Invalid namespace handle
RNT	574	INV CLSHND	E	Invalid class handle
RNT	575	INV OBJHND	E	Invalid object handle
RNT	576	PRTOBJHND	E	Protected object handle cannot be deleted
RNT	580	NOTRCBHND	E	Handle is not an RCB handle
RNT	581	NOTNETHND	E	Handle is not a network handle
RNT	582	NOTWNDHND	E	Handle is not a window handle
RNT	583	NOTNAMHND	E	Handle is not a namespace handle
RNT	584	NOTCLSHND	E	Handle is not a class handle
RNT	585	NOTOBJHND	E	Handle is not an object handle
RNT	588	NOTRPTHND	E	Handle is not a report handle
RNT	589	NOTPNHAND	E	Handle is not a pen handle
RNT	590	EXEC F1	E	Cannot execute: %s
RNT	591	SDMSERR	E	SDMS error
RNT	592	XFINCALL	E	Remote call already in progress
RNT	593	XFNOCALL	E	No current call in progress
RNT	594	OLDDBR	F	Old DBR file format%s detected: relink %s
RNT	595	OLDEL B	E	Old ELB file format%s detected: relink %s
RNT	596	XF METHCRYP	E	Method requires encryption
RNT	597	XFSE RVNOSE	E	Encryption not enabled on server
RNT	598	NDNOPP	E	File built with opposite 'endian': %s
RNT	599	BITOPP	E	File built with opposite bit size: %s
RNT	600	INCPTCLS	E	Incompatible classes
RNT	601	NOOBJ	E	No object for handle
RNT	602	NOTOHND	E	Both source and destination must be object handles
RNT	603	CLSM TCH	E	Class mismatch between routines
RNT	604	OHNDREQ	E	Object handle required
RNT	605	IDPAR MREQ	E	Implied-decimal parameter required
RNT	606	OHNDCPY	E	Invalid copy of an object handle
RNT	607	NODBGPORT	E	Debug port number not specified: %s
RNT	608	BADDBGPORT	E	Invalid debug port number: %s. Must be an integer within the range 1024 to 65535, inclusive
RNT	609	BADDBGTMOT	E	Invalid remote debug timeout value: %s
RNT	610	DBGNOSOCK	E	Unable to attach to remote debug port
RNT	611	DBGNOCONN	E	No debug client connection was established
RNT	612	DBG SOCKER	E	Remote debug socket error; continuing without debug
RNT	613	DBG CLOSED	E	Remote debug client closed the connection; continuing without debug
RNT	614	TOOLKIT	E	Toolkit error
RNT	615	SEQRDS	E	Sequential read caching error
RNT	616	EXCEPT	E	Exception of type '%s'

Fac	Err #	Code	Sev	Message
RNT	617	INVCAS	E	Invalid cast operation
RNT	618	SINGLEDIM	E	Array is not a one-dimensional array
RNT	619	ARRAYBNDS	E	Index is outside the bounds of the array
RNT	620	DIFDIMS	E	Arrays must have the same number of dimensions
RNT	621	UNHANDLED	E	Unhandled exception: %s
RNT	622	NORETURN	E	Leaving local scope where a CALLED subroutine is still active
RNT	623	OBJPASSED	E	Unexpected object handle passed as argument
RNT	624	STRMTCH	E	Structure mismatch between routines
RNT	625	HNDCORUPT	E	Handle has been modified; possible subscripting violation
RNT	626	ALCOMPAT	F	ArrayList compatibility issue. See the 9.1.5 release notes
RNT	627	INVOPER	E	Invalid operation: %s
RNT	628	HKNOOPS	E	No I/O hook operations specified; at least one is required
RNT	629	HKNOTACT	E	I/O hooks no longer active on channel
RNT	630	HKNOTIMP	E	Referenced I/O hook operation(s) not implemented: %s
RNT	631	HKACTIVE	E	Attempted I/O on hooked channel from within hook routine
RNT	632	COMPATISAM	E	Incompatible ISAM file - unsupported by this Synergy version
RNT	633	INVATIME	E	Invalid timestamp key exceeds current time
RNT	634	NONETSHR	E	Network share is not allowed with this file
RNT	635	REVUNSUP	E	Specified file revision not supported (ISAMC_REV)
RNT	636	SRVREXP	E	Server session has expired or has been terminated
RNT	637	SRVCONRTY	E	Server connection retry failure
RNT	638	SIZLIMIT	E	File size limit exceeded
RNT	639	RECLIMIT	E	File record limit exceeded
RNT	640	SRVFILCL	E	Remote file has been closed
RNT	641	GBLSIZ	F	Reference exceeds allocated size of Global data: %s
RNT	700	BADALLOC	E	Bad file pre-allocation control - Only read-only access allowed
RNT	701	WRONGTHREA	E	.NET xfServer client I/O on wrong thread
RNT	900	CATCH	E	new catch error mnemonic
RNT	901	SQLOBJ	F	SQL: Class variable still bound/defined on destruction
RNT	902	SQLREL	F	SQL: Variable bound/defined to local record on memory reclaim Routine: %s
RNT	903	RCBREL	F	RCB: Variable bound to local record on memory reclaim Routine: %s%s
RNT	904	RCBCALL	E	RCB: Call in progress
RNT	905	RCBOBJ	E	RCB: Class variable still bound/defined on destruction%s
RNT	1001	ACCVIO	I	Access violation
RNT	1002	ALITXP	I	Alpha literal expected
RNT	1003	ARGWAS	I	Argument number was %d
RNT	1011	BADIND	I	Bad index: %d
RNT	1012	BADRNG	I	Bad range value: %d,%d
RNT	1013	BADRNGR	I	Bad range value: %d:%d
RNT	1021	CHNWAS	I	Channel specified: %u
RNT	1022	CHRSPC	I	Character specified: %s
RNT	1029	COLEQL	I	Colon or equal sign expected
RNT	1030	CREFIL	I	Error creating file
RNT	1040	DBLDIR	I	DBLDIR not set
RNT	1041	DCMPER	I	Data compression/uncompression error
RNT	1042	DECXP	I	Decimal expected
RNT	1043	DELFIL	I	Error deleting file
RNT	1046	DINCON	I	Data incongruity
RNT	1047	DRCSIZ	I	Destination record size: %d
RNT	1052	ERTEXT	I	%s
RNT	1053	ERTXT2	I	%s %s
RNT	1054	ERTXTN	I	%s %d
RNT	1055	EQLEXP	I	Equal sign expected
RNT	1056	EXECF	I	Cannot execute: %s
RNT	1061	FILWAS	I	File specification was %s
RNT	1063	FRCSIZ	I	File record size: %d
RNT	1070	IINCON	I	Index incongruity

Fac	Err #	Code	Sev	Message
RNT	1076	INVCMD	I	Invalid I/O command: %s
RNT	1077	OPTWAS	I	Invalid option: %s
RNT	1078	INVSU	I	Invalid switch
RNT	1079	INVSMD	I	Invalid OPEN submode ??
RNT	1080	INVVAL	I	Invalid value for %s
RNT	1084	IOOPN	I	Cannot open %s
RNT	1088	IOERR2	I	Channel %d, open mode %s
RNT	1101	KEYSPC	I	Could not locate key with identifier %s
RNT	1120	MAXSIZ	I	Maximum record size is %u
RNT	1132	NOEOF	I	No EOF character found. Physical EOF was used
RNT	1134	NUMSPC	I	Number specified: %ld
RNT	1140	OPNFIL	I	Cannot open file
RNT	1142	OPTSPC	I	Option specified %s
RNT	1143	OPWRED	I	Operation was READ
RNT	1144	OPWFND	I	Operation was FIND
RNT	1145	OPWRDS	I	Operation was READS
RNT	1146	OPWDEL	I	Operation was DELETE
RNT	1147	OPWSTO	I	Operation was STORE
RNT	1148	OPWWRI	I	Operation was WRITE
RNT	1149	OPWCRE	I	Operation was ISAMC
RNT	1160	RBKXP	I	Right bracket expected
RNT	1162	READER	I	Cannot read input file
RNT	1163	NUMWAS	I	Record number: %ld
RNT	1164	RECWAS	I	Record size specified: %u
RNT	1166	RENFIL	I	Error renaming file
RNT	1168	RORKXP	I	Record or key expected
RNT	1169	RPEXP	I	Right parenthesis expected
RNT	1185	TTSBMD	I	Submode ignored for terminal open
RNT	1191	VALSPC	I	Value specified is %ld
RNT	1192	VALRNG	I	Value range is %d to %d
RNT	1193	ATLIN	I	At line %d in routine %s
RNT	1194	CALFRO	I	Called from line %d
RNT	1195	ATLINE	I	At line %s in routine %s
RNT	1196	CALFRM	I	Called from line %s
RNT	1205	WRTFIL	I	Cannot write to file
RNT	1207	MSGBIG	I	Message exceeds maximum size
RNT	1208	MSGEXP	I	Message communication timeout
RNT	1209	SYSFLT	I	System fault (%d)
RNT	1210	NOLMD	I	Cannot access Synergy License Manager
RNT	1211	DEVFUL	I	Device full
RNT	1212	INTCON	I	Internal consistency failure
RNT	1213	EXPDEMO	I	This system has timed out
RNT	1214	EXUSER	I	Exceeded concurrent user capacity
RNT	1215	NOTCONF	I	Synergy Runtime license is not configured
RNT	1216	CONSUP	I	Please contact your Synergy/DE supplier
RNT	1217	BADDSCR	I	Corrupted descriptor: type = %d, class = %d
RNT	1218	AMBKWD	I	Ambiguous XDL keyword: %s
RNT	1219	MLTKWD	I	Keyword specified multiple times: %s
RNT	1220	REQKWD	I	Missing required keyword: %s
RNT	1221	NOVAL	I	No value supplied with keyword: %s
RNT	1222	INVAVAL	I	Invalid %s value: %s
RNT	1223	INVDVAL	I	Invalid %s value: %d
RNT	1224	AMBVAL	I	Ambiguous %s value: %s
RNT	1225	KEYSPEC	I	Key specified: %d
RNT	1226	INVIVAL	I	Numeric return argument expected
RNT	1227	INVBUFF	I	Alpha return argument expected
RNT	1228	ERTEXTT	I	%s

Fac	Err #	Code	Sev	Message
RNT	1229	DIMSPC	I	Dimension specified: %d
RNT	1230	DIMEXP	I	Dimensions of passed argument: %d
RNT	1231	STKTRC	I	in %s:line %s
RPS	1	DDTITLE	R	epository
RPS	2	YES	Y	
RPS	3	NO	N	
RPS	4	STRIPCHRS		
RPS	5	BLANK1		
RPS	6	AVLSTR		Available Structures
RPS	7	AVLTMP		Available Templates
RPS	8	AVLFLD		Available Fields
RPS	9	AVLFMT		Available Formats
RPS	10	AVLKEY		Available Keys
RPS	11	AVLFIL		Available Files
RPS	12	AVLALS		Available Aliases
RPS	13	AVLENMS		Available Enumerations
RPS	15	MAINMENU	M	ain Menu
RPS	16	MODSTR	M	odify Structures
RPS	17	VEWSTR	V	iew Structures
RPS	18	ADDSTR	A	dd Structure
RPS	19	CPYSTR	C	opy Structure
RPS	20	EDTSTR	E	dit Structure
RPS	21	FNDSTR	F	ind Structure
RPS	22	VIWSTR	V	iew Structure
RPS	23	MODFIL	M	odify Files
RPS	24	VEWFIL	V	iew Files
RPS	25	ADDFIL	A	dd File
RPS	26	CPYFIL	C	opy File
RPS	27	EDTFIL	E	dit File
RPS	28	FNDFIL	F	ind File
RPS	29	VIWFIL	V	iew File
RPS	30	MODTMP	M	odify Templates
RPS	31	VEWTMP	V	iew Templates
RPS	32	ADDTMP	A	dd Template
RPS	33	CPYTMP	C	opy Template
RPS	34	EDTMP	E	dit Template
RPS	35	FNDTMP	F	ind Template
RPS	36	VIWTMP	V	iew Template
RPS	37	MODGFMT	M	odify Formats
RPS	38	VEWGFMT	V	iew Formats
RPS	39	ADDGFMT	A	dd Format
RPS	40	CPYGFMT	C	opy Format
RPS	41	EDTGFMT	E	dit Format
RPS	42	FNDGFMT	F	ind Format
RPS	43	VIWGFMT	V	iew Format
RPS	44	MODENM	M	odify Enumerations
RPS	45	VEWENM	V	iew Enumerations
RPS	46	ADDENM	A	dd Enumeration
RPS	47	CPYENM	C	opy Enumeration
RPS	48	EDTENM	E	dit Enumeration
RPS	49	FNDENM	F	ind Enumeration
RPS	50	VIWENM	V	iew Enumeration
RPS	51	MODATTR	E	dit Attributes
RPS	52	VIWATTR	V	iew Attributes
RPS	53	MODFLDA	E	dit Field Attributes
RPS	54	MODKEYA	E	dit Key Attributes
RPS	55	MODRELA	E	dit Relation Attributes

Fac	Err #	Code	Sev	Message
RPS	56	MODFMTA	E	dit Format Attributes
RPS	57	MODTAGA	E	dit Tag Attributes
RPS	58	MODALSA	E	dit Alias Attributes
RPS	59	VIWFLDA	V	iew Field Attributes
RPS	60	VIWKEYA	V	iew Key Attributes
RPS	61	VIWRELA	V	iew Relation Attributes
RPS	62	VIWFMTA	V	iew Format Attributes
RPS	63	VIWTAGA	V	iew Tag Attributes
RPS	64	VIWALSA	V	iew Alias Attributes
RPS	65	ADDFLD	A	dd Field
RPS	66	CPYFLD	C	opy Field
RPS	67	EDTFLD	E	dit Field
RPS	68	FNDFLD	F	ind Field
RPS	69	VIWFLD	V	iew Field
RPS	70	MOVFLD	M	ove Field
RPS	71	ADDKEY	A	dd Key
RPS	72	CPYKEY	C	opy Key
RPS	73	EDTKEY	E	dit Key
RPS	74	FNDKEY	F	ind Key
RPS	75	VIWKEY	V	iew Key
RPS	76	MOVKEY	M	ove Key
RPS	77	ADDREL	A	dd Relation
RPS	78	CPYREL	C	opy Relation
RPS	79	EDTREL	E	dit Relation
RPS	80	FNDREL	F	ind Relation
RPS	81	VIWREL	V	iew Relation
RPS	82	MOVREL	M	ove Relation
RPS	83	EXREL	E	xamine Relation
RPS	84	ADDFMT	A	dd Format
RPS	85	CPYFMT	C	opy Format
RPS	86	EDTFMT	E	dit Format
RPS	87	FNDFMT	F	ind Format
RPS	88	VIWFMT	V	iew Format
RPS	89	MOVFMT	M	ove Format
RPS	90	ADDTAG	A	dd Tag
RPS	91	CPYTAG	C	opy Tag
RPS	92	EDTTAG	E	dit Tag
RPS	93	FNDTAG	F	ind Tag
RPS	94	VIWTAG	V	iew Tag
RPS	95	MOVTAG	M	ove Tag
RPS	96	MOVMBR	M	ove Member
RPS	97	ADDALS	A	dd Alias
RPS	98	CPYALS	C	opy Alias
RPS	99	EDTALS	E	dit Alias
RPS	100	FNDALS	F	ind Alias
RPS	101	VIWALS	V	iew Alias
RPS	102	MOVALS	M	ove Alias
RPS	103	GENDEF	G	enerate Definition File
RPS	104	PRTDCT	P	rint Repository Definitions
RPS	105	VFYDCT	V	erify Repository
RPS	106	GSCHM	G	enerate Repository Schema
RPS	107	LSCHM	L	oad Repository Schema
RPS	108	CRTDCT	C	reate New Repository
RPS	109	XGENU	G	enerate Cross-Reference File
RPS	110	VALIDA	V	alidate Repository
RPS	111	SETDFLT	S	et Default Repository
RPS	112	CMPR	C	ompare Repository to Files

Fac	Err #	Code	Sev	Message			
RPS	113	CREATE	C	reating...			
RPS	114	WORK	W	orking...			
RPS	115	DELETE	D	eleting...			
RPS	116	ADD	A	dding...			
RPS	117	COPY	C	opying...			
RPS	118	FIND	F	inding...			
RPS	119	SAVE	S	aving...			
RPS	120	EXIT	E	xiting...			
RPS	121	ABANDON	A	bandoning...			
RPS	122	TERMINATE	T	erminating...			
RPS	123	UPDATE	U	pdating...			
RPS	124	LDATTR	L	oading Attributes...			
RPS	125	LDFLDS	L	oading Fields...			
RPS	126	GENDEF_P	G	enerating Definition File...			
RPS	127	PRTDCT_P	P	rinting Definitions...			
RPS	128	VFYDCT_P	V	erifying Repository...			
RPS	129	GSCHM_P	G	enerating Schema...			
RPS	130	LSCHM_P	L	oading Schema...			
RPS	131	CRTDCT_P	C	reating New Repository...			
RPS	132	XGENU_P	G	enerating Cross-Reference File...			
RPS	133	VALDCT_P	V	alidating Repository...			
RPS	134	STRHDR		STRUCTURE NAME	DESCRIPTION	TYPE	
RPS	135	STRFTR		STRUCTURES [%04d]			
RPS	136	STRTITLE		Structure Definitions			
RPS	137	FILHDR		FILE NAME	DESCRIPTION	TYPE	
RPS	138	FILFTR		FILES [%04d]			
RPS	139	FILTITLE		File Definitions			
RPS	140	FSTRHDR		STRUCTURE NAME			
RPS	141	FSTRFTR		STRUCTURES [%04d]			
RPS	142	FSTRTITLE		Assigned Structures			
RPS	143	TMPHDR		TEMPLATE NAME	DESCRIPTION		
RPS	144	TMPFTR		TEMPLATES [%04d]			
RPS	145	TMPTITLE		Template Definitions			
RPS	146	FMTHDR		FORMAT NAME	TYPE	FORMAT STRING	
RPS	147	FMTFTR		FORMATS [%04d]			
RPS	148	ENMHDR		ENUMERATION NAME	DESCRIPTION		
RPS	149	ENMFTR		ENUMERATIONS [%04d]			
RPS	150	ENMTITLE		Enumeration Definitions			
RPS	151	FMTTITLE		Format Definitions			
RPS	152	FLDHDR		FIELD NAME	TYPE	SIZE	PREC DIMENSION OVERLAY? GROUP?
RPS	153	FLDFTR		FIELDS [%03d] SIZE [%05d]			
RPS	154	FLDTITLE		Field Definitions			
RPS	155	KEYHDR		KEY NAME	TYPE	ORDER	DUPS SEGMENTS SIZE
RPS	156	KEYFTR		KEYS [%02d]			
RPS	157	KEYTITLE		Key Definitions			
RPS	158	RELHDR		NAME FROM KEY	TO STRUCTURE : TO KEY		
RPS	159	RELFTR		RELATIONS [%02d]			
RPS	160	RELTITLE		Relation Definitions			
RPS	161	LFMTHDR		FORMAT NAME	TYPE	FORMAT STRING	
RPS	162	LFMTFTR		FORMATS [%03d]			
RPS	163	LFMTTITLE		Format Definitions			
RPS	164	TAGHDR		NAME FIELD	VALUE		
RPS	165	TAGFTR		TAGS [%02d]			
RPS	166	TAGTITLE		Tag Definitions			
RPS	167	ALSHDR		ALIAS NAME			
RPS	168	ALSFTR		ALIASES [%04d]			
RPS	169	ALSTITLE		Alias Definitions			

Fac	Err #	Code	Sev	Message
RPS	170	FSTRASG	%	d structures assigned
RPS	171	FNDFRWD	F	ind forward
RPS	172	FNDRVRS	F	ind reverse
RPS	173	NAMHDR		NAME
RPS	174	DSCHDR		DESCRIPTION
RPS	175	FMTLHDR		FORMAT
RPS	176	EMBRHDR		MEMBER NAME VALUE
RPS	177	EMBRFTR		MEMBERS [%03d]
RPS	178	BLANK2		
RPS	180	PRTREFTMP	T	emplate %a
RPS	181	PRTTREFCT	R	eferenced by %d templates
RPS	182	GDHDLIN1	;	Structure : %a
RPS	183	GDHDLIN2	;	File Type : %a
RPS	184	GDHDLIN3	;	Creation Date : %a, %a
RPS	185	GDHDLIN4	;	Description : %a
RPS	186	GDHDLIN5	;	Record Size : %d
RPS	187	GDHDLIN6	;	# of Files : %d
RPS	188	GDHDLIN7	;	# of Fields : %d
RPS	189	GDHDLIN8	;	# of Keys : %d
RPS	190	GDHDLIN9	;	# of Relations : %d
RPS	191	PRTHDR1	;	"PRINT REPOSITORY DEFINITIONS" OUTPUT
RPS	192	PRTHDR3	;	REPOSITORY : %a
RPS	193	PRTHDR4	;	: %a
RPS	194	PRTHDR5	;	: Version %a
RPS	195	PRTHDR7	;	GENERATED : %a, %a
RPS	196	PRTHDR8	;	: Version %a
RPS	197	TMPERT	T	emplate %a printed
RPS	198	FMPERT	F	ormat %a printed
RPS	199	STRERT	S	tructure %a printed
RPS	200	ENMPERT	E	numeration %a printed
RPS	201	FLDPRT	F	ield %a printed for structure %a
RPS	202	GRPPRT	G	roup %a printed for structure %a
RPS	203	FLPRT	F	ile %a printed
RPS	204	KEYPRT	K	ey %a printed for structure %a
RPS	205	RELERT	R	elation %a printed for structure %a
RPS	206	LFMPERT	F	ormat %a printed for structure %a
RPS	207	PRTTMPREF	S	tructure %a Field %a
RPS	208	PRTFLDREF	R	eferenced by %d fields
RPS	209	PRTFLASG	A	ssigned structures : %d
RPS	210	PRTFLDCT	F	ield count : %d
RPS	211	PRTFMTCT	F	ormat count : %d
RPS	212	PRTKEYCT	K	ey count : %d
RPS	213	PRTRELCT	R	elation count : %d
RPS	214	PRTRECSZ	R	ecord size [%d]
RPS	215	PRTSTRFL	F	iles assigned to : %d
RPS	216	PRTFLINE		-----
RPS	217	PRTKLINE		-----
RPS	218	PRTRLINE		-----
RPS	219	PRTLLINE		-----
RPS	220	XGENCOMP	G	enerated cross-reference file "%a".
RPS	221	CRCOMP	C	reated repository files "%a" and "%a".
RPS	222	VFYCMP1	R	epository files created : %a\n
RPS	223	VFYCMP2		: %a\n\n
RPS	224	VFYCMP3	V	erification log file created : %a
RPS	225	VFYCOMP	%	d logical records read: %d logical records written
RPS	226	VFYMSG1	%	d logical records read
RPS	227	VFYMSG2	%	d logical records written

Fac	Err #	Code	Sev	Message
RPS	228	VFYMSG3	%	d structures verified
RPS	229	VFYMSG4	%	d files verified
RPS	230	VFYMSG5	%	d formats verified
RPS	231	VFYMSG6	%	d templates verified
RPS	232	VFYMSG7	%	d aliases verified
RPS	233	VFYMSG8	%	d enumerations verified
RPS	234	ALSVFYD	A	lias structure %a verified
RPS	235	ALFVFYD	A	lias field %a verified
RPS	236	ELVFYD	T	emplate %a verified
RPS	237	FLVFYD	F	ile %a verified
RPS	238	FMTVFYD	F	ormat %a verified
RPS	239	STRVFYD	S	tructure %a verified
RPS	240	ENMVFYD	E	umeration %a verified
RPS	241	FLDVFYD	F	ield %a verified for structure %a
RPS	242	KEYVFYD	K	ey %a verified for structure %a
RPS	243	RELVFYD	R	elation %a verified for structure %a
RPS	244	LFMTVFYD	F	ormat %a verified for structure %a
RPS	245	TAGVFYD	T	ag %a verified for structure %a
RPS	246	FLSTRVFYD	A	ssigned structures verified for file %a
RPS	247	ENMBRVFYD	M	embers verified for enumeration %a
RPS	248	FDREFVFYD	F	ield reference verified for template %a
RPS	249	TMREFVFYD	T	emplate reference verified for template %a
RPS	250	ENMREFVFYF	E	umeration reference verified for field %a
RPS	251	ENMREFVFYT	E	umeration reference verified for template %a
RPS	252	STRREFVFYD	S	tructure reference verified for field %a
RPS	253	FLREFVFYD	F	ile reference verified for structure %a
RPS	254	KYREFVFYD	K	ey reference verified for structure %a
RPS	255	FDSREFVFYD	F	ield reference verified for structure %a
RPS	256	FILREFVFYD	R	eferences verified for file %a's assigned structures.
RPS	257	KEYREFVFYD	R	eferences verified for structure %a's keys.
RPS	258	RELREFVFYD	R	eferences verified for structure %a's relations.
RPS	259	RECVFYD	%	a verified
RPS	260	STRNDFLD	C	hecking for stranded field definitions
RPS	261	STRNDALS	C	hecking for stranded alias field definitions
RPS	262	BADDICT	"	%a" is not a version 7 or version 10 repository.
RPS	263	BADDICT10	"	%a" is not a version 10 repository.
RPS	264	BADDICT10C	"	%a" is not a version 10 repository. Do you want to convert it?
RPS	265	SDCOMP	D	efault repository changed to "%a" and "%a".
RPS	266	CMPRCOMP	C	omparison complete. See %a for details.
RPS	267	CMPRFAIL	C	ould not open %a. Try: %a at the command line.
RPS	270	BLANK5		
RPS	271	PRTD	p	rinted.
RPS	272	GND	g	enerated.
RPS	273	ELGND	T	emplate %a generated
RPS	274	FLGND	F	ile %a generated
RPS	275	FMTGND	F	ormat %a generated
RPS	276	STRGND	S	tructure %a generated
RPS	277	ENMGND	E	umeration %a generated
RPS	278	FLDGND	F	ield %a generated for structure %a
RPS	279	GRPGND	G	roup %a generated for structure %a
RPS	280	KEYGND	K	ey %a generated for structure %a
RPS	281	RELGND	R	elation %a generated for structure %a
RPS	282	LFMTGND	F	ormat %a generated for structure %a
RPS	283	TAGGND	T	ag generated for structure %a
RPS	284	FLSTRGND	A	ssigned structure generated for file %a
RPS	285	ALFGND	A	lias field %a generated for structure %a
RPS	286	ALSGND	A	lias structure %a generated



Fac	Err #	Code	Sev	Message
RPS	287	NODEF	N	o definitions
RPS	288	CRCTSCH	R	eview the log file. Correct errors in schema file and reload.
RPS	289	INVKEYWD	L	oad terminated...unrecognized keyword found at line %ld
RPS	290	BLANK6		
RPS	300	RELS	%	d relations
RPS	301	STRUCTS	%	d structures
RPS	302	FILES	%	d files
RPS	303	TEMPS	%	d templates
RPS	304	FMTS	%	d formats
RPS	305	ALIASES	%	d aliases
RPS	306	ENUMS	%	d enumerations
RPS	307	LDDERR	%	d errors logged
RPS	308	LDD	l	oaded
RPS	309	UPD	u	pdated
RPS	310	ADDD	a	dded
RPS	311	ELLDD	T	emplate %a loaded
RPS	312	FLLDD	F	ile %a loaded
RPS	313	FMTLDD	F	ormat %a loaded
RPS	314	STRLDD	S	tructure %a loaded
RPS	315	ENMLDD	E	numeration %a loaded
RPS	316	FLDLDD	F	ield %a loaded for structure %a
RPS	317	GRPLDD	G	roup %a loaded for structure %a
RPS	318	KEYLDD	K	ey %a loaded for structure %a
RPS	319	RELLDD	R	elation %a loaded for structure %a
RPS	320	LFMTLDD	F	ormat %a loaded for structure %a
RPS	321	TAGLDD	T	ag loaded for structure %a
RPS	322	ALSLDD	A	lias structure %a loaded
RPS	323	ALFLDD	A	lias field %a loaded
RPS	324	FLSTRLDD	A	ssigned structures loaded for file %a
RPS	325	FLDREFLDD	F	ield reference loaded for template %a
RPS	326	TMPREFLDD	P	arent reference loaded for template %a
RPS	327	FLREFLDD	F	ile reference loaded for structure %a
RPS	328	KYREFLDD	K	ey reference loaded for structure %a
RPS	329	FLDREFLDD2	F	ield reference loaded for structure %a
RPS	330	FLDREFLDD3	F	ield reference loaded for enumeration %a
RPS	331	TMPREFLD	T	emplate reference loaded for enumeration %a
RPS	339	BLANK7		
RPS	340	TMPCNV	T	emplate %a converted
RPS	341	FLCNV	F	ile %a converted
RPS	342	FMTCNV	F	ormat %a converted
RPS	343	STRCNV	S	tructure %a converted
RPS	344	FLDCNV	F	ield %a for structure %a converted
RPS	345	KEYCNV	K	ey %a for structure %a converted
RPS	346	RELCNV	R	elation %a for structure %a converted
RPS	347	LFMTCNV	F	ormat %a for structure %a converted
RPS	348	TAGCNV	T	ag %a for structure %a converted
RPS	349	NOTINST	R	epository is not configured -- Please contact your Synergy supplier
RPS	350	MAXUSER	E	xceeded concurrent user capacity
RPS	351	TIMEOUT	T	his system has timed out -- Please contact your Synergy supplier
RPS	352	NOMSGAVL	N	o message available
RPS	353	NOHELPAVL	N	o help available
RPS	354	NOHELPAVL1	N	o help available at this level
RPS	355	NOSHARE	S	HARE not loaded/NOSHR not set. Program will terminate.
RPS	356	BLANK8		
RPS	357	SREFINUSE	R	ecord locked. Structure references cannot be saved. After exiting this dialog, select Cancel to d
RPS	358	TREFINUSE	R	ecord locked. Template references cannot be saved. After exiting this dialog, select Cancel to di
RPS	360	STREXIT	S	tructure has been modified. Do you want to save changes?

Fac	Err #	Code	Sev	Message
RPS	361	INUSE	R	ecord locked. Please try again later.
RPS	362	DCTINUSE	R	ecord locked. Do you want to view the definition?
RPS	363	DCTVIEW	Y	ou have chosen to "view" a definition. Modifications will not be saved.
RPS	364	STRDEL	D	delete structure "%a"?
RPS	365	FILDEL	D	delete file "%a"?
RPS	366	TMPDEL	D	delete template "%a"?
RPS	367	FMTDEL	D	delete format "%a"?
RPS	368	ENMDEL	D	delete enumeration "%a"?
RPS	369	ENMBRDEL	D	delete member "%a"?
RPS	370	FLDDEL	D	delete field "%a"?
RPS	371	KEYDEL	D	delete key "%a"?
RPS	372	RELDEL	D	delete relation "%a"?
RPS	373	FLSTRDEL	D	delete structure assignment "%a"?
RPS	374	TAGDEL	D	delete tag "%a"?
RPS	375	ALSDEL	D	delete alias "%a"?
RPS	376	BLANK10		
RPS	380	NOSTRAVL	N	o available structure definitions
RPS	381	NOFILAVL	N	o available file definitions
RPS	382	NOTMPAVL	N	o available template definitions
RPS	383	NOFMTAVL	N	o available format definitions
RPS	384	NOENMAVL	N	o available enumeration definitions
RPS	385	NOKEYAVL	N	o available key definitions
RPS	386	NOFLDAVL	N	o available field definitions
RPS	387	NOALSAVL	N	o available alias definitions
RPS	388	BLANK11		
RPS	390	MAXALFS	M	aximum number of alias fields (%d) has been defined.
RPS	391	MAXFLSTR	M	aximum number of structures (%d) has been assigned to the file.
RPS	392	MAXSTRCTS	M	aximum number of structures (%d) has been defined.
RPS	393	MAXFILS	M	aximum number of files (%d) has been defined.
RPS	394	MAXTMPs	M	aximum number of templates (%d) has been defined.
RPS	395	MAXGFMTS	M	aximum number of formats (%d) has been defined.
RPS	396	MAXALS	M	aximum number of alias structures (%d) has been defined.
RPS	397	MAXENUMS	M	aximum number of enumerations (%d) has been defined.
RPS	398	MAXENMBR	M	aximum number of members (%d) has been defined.
RPS	399	MAXFLDS	M	aximum number of fields (%d) has been defined.
RPS	400	MAXFLDLOD	M	aximum number of fields (%d) has been loaded.
RPS	401	MAXKEYS	M	aximum number of keys (%d) has been defined.
RPS	402	MAXRELS	M	aximum number of relations (%d) has been defined.
RPS	403	MAXFMTS	M	aximum number of structure-specific formats (%d) has been defined.
RPS	404	MAXKREF	M	aximum number of key references (%d) has been defined for structure "%a".
RPS	405	MAXFLREF	M	aximum number of file references (%d) has been defined for structure "%a".
RPS	406	MAXTREF	M	aximum number of template references (%d) has been defined for parent template "%a".
RPS	407	MAXTFREF	M	aximum number of field references (%d) has been defined for template "%a".
RPS	408	MAXTAGS	M	aximum number of tags (%d) has been defined.
RPS	409	DUPSTR	A	structure with the same name already exists.
RPS	410	DUPFIL	A	file with the same name already exists.
RPS	411	DUPTMP	A	template with the same name already exists.
RPS	412	DUPFMT	A	format with the same name already exists.
RPS	413	DUPENM	A	n enumeration with the same name already exists.
RPS	414	DUPFLD	A	field or group with the same name already exists.
RPS	415	DUPKEY	A	key with the same name already exists.
RPS	416	DUPREL	A	relation with the same name already exists.
RPS	417	DUPALIAS	A	n alias with the same name already exists.
RPS	418	DUPMBR	A	member with the same name already exists.
RPS	419	DUPTAG	A	tag with the same name already exists.
RPS	420	INCVAL	V	alidation specifications are incomplete.
RPS	421	INCXGEN	C	ross-reference specifications are incomplete.

Fac	Err #	Code	Sev	Message
RPS	422	INCGENDEF	D	efinition specifications are incomplete.
RPS	423	INCPRTDD	P	rint specifications are incomplete.
RPS	424	INCVFY	V	erification specifications are incomplete.
RPS	425	INCINST	C	reation specifications are incomplete.
RPS	426	INCSHEMA	S	chema specifications are incomplete.
RPS	427	BLANK15		
RPS	430	INCSTR	S	tructure definition is incomplete.
RPS	431	INCFIL	F	ile definition is incomplete.
RPS	432	INCTMP	T	emplate definition is incomplete.
RPS	433	INCENM	E	numeration definition is incomplete.
RPS	434	INCFLD	F	ield definition is incomplete.
RPS	435	INCKEY	K	ey definition is incomplete.
RPS	436	INCREL	R	elation definition is incomplete.
RPS	437	INCFMT	F	ormat definition is incomplete.
RPS	438	INCTAG	T	ag definition is incomplete.
RPS	439	INCALS	A	lias definition is incomplete.
RPS	440	INCFLDLD	L	oad fields information is incomplete.
RPS	441	INCSETDEF	S	et specifications are incomplete.
RPS	442	BLANK16		
RPS	448	INVALSDEL	A	lias cannot be deleted. Field reference exists.
RPS	449	INVSTRDELK	S	tructure cannot be deleted. Key reference exists.
RPS	450	INVSTRDELR	S	tructure cannot be deleted. File reference exists.
RPS	451	INVSTRDELD	S	tructure cannot be deleted. Field reference exists.
RPS	452	INVTMPDEL	T	emplate cannot be deleted. Field reference exists.
RPS	453	INVTMPDEL2	T	emplate cannot be deleted. Template reference exists.
RPS	454	INVENMDEL	E	numeration cannot be deleted. Field reference exists.
RPS	455	INVENMDEL2	E	numeration cannot be deleted. Template reference exists.
RPS	456	INVFLDDELK	F	ield cannot be deleted. It is defined as a key.
RPS	457	INVFLDDELS	F	ield cannot be deleted. It is defined as an external key segment.
RPS	458	INVFLDDELT	F	ield cannot be deleted. It is defined as a tag field.
RPS	459	INVFLDDELA	F	ield cannot be deleted. It is defined as an alias.
RPS	460	INVFLDDELL	S	tructure is assigned to a file, and therefore at least one field must be defined.
RPS	461	INVFLDDELG	S	tructure is referenced as a group or structfield, and therefore at least one field must be define
RPS	462	INVKEYDELR	K	ey cannot be deleted. Key reference exists.
RPS	463	INVKEYDELF	K	ey cannot be deleted. It is defined as a "FROM" KEY in a relation.
RPS	464	INVFMDEL	F	ormat cannot be deleted. It is assigned to a field.
RPS	465	BLANK17		
RPS	470	NOTGTYPMOD	T	ag fields are defined for this structure. Tag type cannot be modified.
RPS	471	NOSTRFTMOD	S	tructure is assigned to a file. File type cannot be modified.
RPS	472	NOFTMODACC	A	ccess keys are defined for this structure. File type cannot be modified.
RPS	473	MAXTMPREF	I	nternal reference buffer is full. Please exit to save changes.
RPS	474	BLANK18		
RPS	480	NOLFILEXST	F	ile no longer exists.
RPS	481	NOLSTREXST	S	tructure no longer exists.
RPS	482	NOLENMEXST	E	numeration no longer exists.
RPS	483	DUPFILSTR	S	electd structure is already assigned.
RPS	484	NOFILFTMOD	S	tructures are assigned to this file. File type cannot be modified.
RPS	485	DIFFILTYP	F	ile type of specified structure does not match that of the file definition.
RPS	486	DIFKEYDEF	S	tructure's primary key does not match those of other assigned structures.
RPS	487	NOFLDDEF	A	t least one field must be defined for the structure you are trying to assign.
RPS	488	NOFLDGDEF	A	t least one field must be defined for the structure you are trying to reference.
RPS	489	NOLTMPEXST	T	emplate no longer exists.
RPS	490	INVKEYCHG	S	tructure's primary key does not match those of other structures assigned to the same file.
RPS	491	BLANK19		
RPS	499	ELMOD1	M	odifying template "%a" will affect one or
RPS	500	ELMOD2	m	ore template, field, and key definitions.
RPS	501	ELMOD3	A	re you sure you want to save your modifications?

Fac	Err #	Code	Sev	Message
RPS	502	ENMOD1	M	odifying enumeration "%a" will affect one or more template and field definitions.
RPS	503	ELSAMENM	T	emplate name and parent template cannot be the same.
RPS	504	GRPDEL1	F	ield "%a" is a group. Deleting it will delete all
RPS	505	GRPDEL2	g	roup members as well. Do you want to continue?
RPS	506	GRPCLR1	F	ield "%a" contains group members. Clearing the "Group" field
RPS	507	GRPCLR2	w	ill delete all group members. Do you want to continue?
RPS	508	STRMOD1	S	tructure "%a" is referenced as an implicit group or structfield.
RPS	509	STRMOD2		Modifying it will affect one or more field and key definitions.
RPS	510	STRMOD3		Are you sure you want to save your modifications?
RPS	511	STRMOD4	S	tructure modifications cannot be saved. They will cause one or
RPS	512	STRMOD5	m	ore referencing structures to exceed the maximum number of fields (%d).
RPS	513	BLANK20		
RPS	515	DELKFLD1	T	his field is defined as a key. All affected keys in the
RPS	516	DELKFLD2	c	urrent structure will be updated when you save changes.
RPS	517	DELKFLDQ	A	re you sure you want to make modifications?
RPS	518	DELKFLD4	T	his field is defined as an external segment by another
RPS	519	DELKFLD3	s	tructure. All affected keys in all external structures
RPS	520	DELKFLD5	w	ill be updated when you save changes.
RPS	521	NOOVRFLD	O	verlaid field does not exist.
RPS	522	MAXFLDSIZ	M	aximum field size (%d) has been exceeded.
RPS	523	MAXFXDSIZ	M	aximum implied-decimal field size (%d) has been exceeded.
RPS	524	MAXPREC	M	aximum precision (%d) has been exceeded.
RPS	525	INVPRECT	'	Precision' can only be specified with decimal and user type fields.
RPS	526	MISFLDDIM	M	issing array dimension
RPS	527	INVGRP	%	a type field cannot be a group.
RPS	528	NOSZMOD	S	ize of %a type fields cannot be modified.
RPS	529	MULTFLD	M	ultiple field or group specifications.
RPS	530	EMPTYGRP	M	issing group member definition. At least one member must be defined.
RPS	531	INVGRPREF	R	eferenced structure cannot be the current structure.
RPS	532	FMTNOTFND	F	ormat "%a" referenced by field "%a" no longer exists.
RPS	533	NOLFMTEXTST	F	ormat no longer exists.
RPS	534	INVOVRLAY	F	ield modifications will invalidate overlay field "%a".
RPS	535	INVOVRDEL	D	leting the current field will invalidate overlay field "%a".
RPS	536	INVOVRMOV	M	oving the current field will invalidate its overlay specification.
RPS	537	INVOVRMOV2	M	oving the current field will invalidate an overlay specification.
RPS	538	INVDTYMOD	F	ield data type modification will invalidate key "%a".
RPS	539	BLANK21		
RPS	545	INVIMPGRP	'	Structure' can only be specified when no explicit group members are defined.
RPS	546	INVABSP0S	A	bsolute position value cannot be negative.
RPS	547	INVUCTYPE	'	Uppercase' can only be used on alpha and user type fields.
RPS	548	INVJUSTR	T	his field cannot be right-justified.
RPS	549	INVJUSTC	T	his field cannot be centered.
RPS	550	INVNODEC	'	Nodecimal' can only be used on numeric fields.
RPS	551	INVBZRO	'	Blank if zero' can only be used on numeric fields.
RPS	552	INVNEGALW	'	Negative allowed' can only be used on numeric fields.
RPS	553	INVINCR	'	Increment' can only be used on numeric fields.
RPS	554	INVDECR	'	Decrement' can only be used on numeric fields.
RPS	555	INVNOECHO	'	Noecho' can only be used on alpha and user type fields.
RPS	556	INVECHOCHR	'	Echo character' can only be used on alpha and user type fields.
RPS	557	INVDTTODAY	'	Date (today)' can only be used on date type fields.
RPS	558	INVDTSHORT	'	Date (short)' can only be used on date type fields.
RPS	559	INVTMNOW	'	Time (now)' can only be used on time type fields.
RPS	560	INVTMAMP	'	Time (ampm)' can only be used on time type fields.
RPS	561	INVALWENT	B	lank allow list entries are not allowed.
RPS	562	INVALWSEL	'	Allow list' and 'Selections' cannot be specified together.
RPS	563	INVALWNOEC	'	Allow list' and 'Noecho' cannot be specified together.
RPS	564	INVMATCH	'	Match' values can only be used on alpha and user type fields.

Fac	Err #	Code	Sev	Message
RPS	565	INVSELCLS	'	Selections' cannot be used with date and time type fields.
RPS	566	INVSELENT	B	Blank selection list entries are not allowed.
RPS	567	INVENUMTYP	'	Enumerated' can only be used on numeric fields.
RPS	568	INVRANGE	'	Range' cannot be specified with allow or selection lists.
RPS	569	INVRNGTYP	'	Range' can only be used on numeric fields.
RPS	570	INVRNGMAX	R	Range maximum must be greater than or equal to range minimum.
RPS	571	INVRETPOS	'	Retain position' can only be used on text (multi-dimension alpha) fields.
RPS	572	INVKCHG	K	Key type cannot be FOREIGN. It is defined as a "TO" KEY in a relation.
RPS	573	INVRADCHK	'	Radio buttons' and 'Check box' cannot be specified together.
RPS	574	INVENMSPC	'	Enumerated' can only be specified in conjunction with a selection list or window or an allow list.
RPS	575	INVENMCHK	'	Enumerated' cannot be specified with 'Check box'.
RPS	576	INVRDONLY	'	Read-only' cannot be specified for Radio button, Check box, or Selection fields.
RPS	577	INVINTSIZ	T	The size of integer fields must be 1, 2, 4, or 8.
RPS	578	INVDSPMTH	'	Display method' cannot be specified for Radio button, Check box, or Selection fields.
RPS	579	INVEDFMTH	'	Edit format method' cannot be specified for Radio button, Check box, or Selection fields.
RPS	580	INVVIEWAS	'	View as' must be set to 'Field' if a 'Display method' or 'Edit format method' is specified.
RPS	581	INVSELMTH	'	Selections' cannot be specified in conjunction with 'Display method' or 'Edit format method'.
RPS	582	INVSEGDTY	I	Invalid key segment type.
RPS	583	INVSEGORD	I	Invalid key segment order.
RPS	584	INVINPLEN	'	Input length' cannot be specified for Radio button, Check box, or Selection fields.
RPS	585	INVDSPLEN	'	Display length' cannot be specified for Radio button, Check box, or Selection fields.
RPS	586	INVVWLEN	'	View length' cannot be specified for Radio button or Check box fields.
RPS	587	INPLENRNG	I	Input length must be in the range 0 to 65535.
RPS	588	DSPLENRNG	D	Display length must be in the range 0 to 65535.
RPS	589	VWLENRNG	V	View length must be in the range 0 to 9999.
RPS	590	INVBLNSIZ	T	The size of boolean fields must be 4.
RPS	591	INVENMSIZ	T	The size of enum fields must be 4.
RPS	592	INVNULL	'	Null allowed' can only be used on alpha, decimal, date, and time fields.
RPS	593	INVNULLDT	A	Nullable DateTime field must have 'Null allowed' set to Default or Yes.
RPS	594	INVENMVAL	E	Enumeration value must be numeric.
RPS	595	EMPTYENUM	M	Missing member definition. At least one member must be defined.
RPS	596	NOENUMNM	M	Missing enumeration name.
RPS	597	NONBLANK	N	Non-blank entry required.
RPS	598	INVAUTSIZ	T	The size of sequence and timestamp autokey fields must be 8.
RPS	599	AUTOFLDRO	A	Autokey fields must be read only.
RPS	600	AUTOFLDNN	A	Autokey fields must be no null allowed.
RPS	601	MISKEYSEG	M	Missing segment definition.
RPS	602	NOKSEGDEF	M	Missing segment definition. At least one segment must be defined.
RPS	603	NOKFLDDEF	M	Missing field name.
RPS	605	NOKSTRDEF	M	Missing structure name.
RPS	606	NOKSEGTPY	M	Missing segment type.
RPS	607	INVKLIT	A	Access keys cannot contain literal segments.
RPS	608	INVKEXT	A	Access keys cannot contain external segments.
RPS	609	MAXKEYSIZ	M	Maximum key size (%d) has been exceeded. Data beyond %d will be ignored.
RPS	610	MAXKEYSEG	M	Maximum number of key segments (%d) has been exceeded.
RPS	611	INVEXTKEY	E	External segment structure cannot be the current structure.
RPS	612	MAXRECKEY	A	Access key already exists for this relative file type.
RPS	613	INVKREC	F	Foreign keys cannot contain record number segments.
RPS	614	INVKRCORD	T	The sort order for a relative file type access key must be ASCENDING.
RPS	615	INVKRCDP	T	The dups allowed value for a relative file type access key must not be set.
RPS	616	INVKRCNSG	O	Only one segment can be defined for a relative file type access key.
RPS	617	INVKRCSGT	T	The segment type for a relative file type access key must be 'RECORD NUMBER'.
RPS	618	LITTRUNC	M	Maximum literal length exceeded. Truncated to 30.
RPS	619	INVKDEN	K	Key density must be in the range 50 to 100.
RPS	620	INVFDEN	K	File density must be in the range 50 to 100.
RPS	621	INVKTYPE	"	"TO" KEY must be an ACCESS key.
RPS	622	MSGFTYPE	M	Missing TYPE keyword for format.

Fac	Err #	Code	Sev	Message
RPS	623	INVEXREL	R	relation cannot be examined. Specifications are invalid.
RPS	624	INVVALUE	I	nvalid value
RPS	625	INVTAGOP	I	nvalid tag comparison operator
RPS	626	INVTAGCON	I	nvalid tag comparison connector
RPS	627	TAGSET	M	ultiple tag specifications.
RPS	628	INVALSTR	A	lias is not for the current structure.
RPS	629	NOCURALS	N	o current alias structure defined.
RPS	630	NOUNQALSTR	A	lias structure name cannot match that of a real structure.
RPS	631	NOUNQALFLD	A	lias field name cannot match that of a real field name.
RPS	632	BLANK24		
RPS	633	INVSTRN	I	nvalid structure name specified.
RPS	634	INVSTRN2	I	nvalid structure name specified "%a".
RPS	635	INVFILN	I	nvalid file definition name specified.
RPS	636	INVELN	I	nvalid template name specified.
RPS	637	INVFMTN	I	nvalid format name specified.
RPS	638	INVENUMN	I	nvalid enumeration name specified.
RPS	639	INVFLDN	I	nvalid field name specified.
RPS	640	INVKEYN	I	nvalid key name specified.
RPS	641	INVFMTYP	I	nvalid format type specified.
RPS	642	INVFILTYP	I	nvalid file type specified.
RPS	643	INVRECTYP	I	nvalid record type specified.
RPS	644	INVPGSIZ	I	nvalid page size specified.
RPS	645	INVADDR	I	nvalid addressing specified.
RPS	646	INVDATYP	I	nvalid data type specified.
RPS	647	INVSTORE	I	nvalid storage format specified.
RPS	648	INVVRFLD	I	nvalid overlay field specified.
RPS	649	INVVRROFF	I	nvalid overlay offset specified.
RPS	650	INVVRSPC	I	nvalid overlay specification.
RPS	651	INVPREC	I	nvalid precision specified.
RPS	652	INVDFMTDSP	I	nvalid display format selected for given Date storage type.
RPS	653	INVFLDSPEC	I	nvalid field specifications.
RPS	654	SMALLGRP	I	nvalid group size specified. Group size must be equal to or larger than the size of its members.
RPS	655	INVKSPEC	I	nvalid key specifications.
RPS	656	INVKEYTYP	I	nvalid key type specified.
RPS	657	INVFLDSIZ	I	nvalid field size specified.
RPS	658	INVRPTN	I	nvalid report name specified.
RPS	659	INVTAGFLD	I	nvalid tag field specified.
RPS	660	INVALSTYP	I	nvalid alias type specified.
RPS	661	INVALSN	I	nvalid alias name specified.
RPS	662	INVFMTJST	I	nvalid justification specified.
RPS	663	INVKEYN2	I	nvalid key name specified "%a".
RPS	664	INVTAGTYP	I	nvalid tag type specified.
RPS	665	INVFLDN2	I	nvalid field name %a specified.
RPS	666	INVODBCFLD	I	nvalid alternate name specified.
RPS	667	INVFONT	I	nvalid font name specified.
RPS	668	INVCOLOR	C	olor palette number must be between 1 and 16, inclusive.
RPS	669	INVODBCTBL	I	nvalid ODBC table name specified.
RPS	670	INVPREFIX	I	nvalid prefix specified.
RPS	671	INVSTRN3	I	nvalid structure name specified. Recursive references not allowed.
RPS	672	MISFILNAM	M	issing file definition name.
RPS	673	INVPARENT	I	nvalid parent template specified. Recursive references not allowed.
RPS	674	INVCOERTYP	I	nvalid coerced type specified.
RPS	675	INVMBRN	I	nvalid member name specified.
RPS	676	INVAUTOKEY	I	nvalid autokey specification.
RPS	677	BLANK25		
RPS	696	NOALSEXIST	A	lias does not exist.
RPS	697	NOFLDEXIST	F	ield does not exist.

Fac	Err #	Code	Sev	Message
RPS	698	NOKEYEXIST	K	ey does not exist.
RPS	699	NORELEXIST	R	elation does not exist.
RPS	700	NOSTREXIST	S	tructure does not exist.
RPS	701	NOFILEEXIST	F	ile definition does not exist.
RPS	702	NOELEXIST	T	emplate does not exist.
RPS	703	NOFMTEXIST	F	ormat does not exist.
RPS	704	NOENMEXIST	E	numeration does not exist.
RPS	705	NOEXSTSTR	N	on-existent structure referenced.
RPS	706	NOEXSTFLD	N	on-existent field "%a" referenced.
RPS	707	CANTFREEID	U	nique ID allocated for structure could not be freed. Run the Verify Repository utility to free it
RPS	708	UNDEFSTRID	U	ndefined structure ID
RPS	709	MISFLNAME	M	issing open filename
RPS	710	LDCTLERR	E	rror occurred while storing control record.
RPS	711	LDFLDERR	E	rror occurred while storing field definition.
RPS	712	NOGRPNAME	M	issing field name
RPS	713	XENDGRP	T	oo many Endgroup statements encountered.
RPS	714	INVFNNAME	I	nvalid filename specified "%a".
RPS	715	CANTOPN	C	annot open file "%a".
RPS	716	EXISTS	C	annot create file "%a". File already exists.
RPS	717	APNDORDEL	S	elect "No" to append output to the existing file; "Yes" to delete it.
RPS	718	QDELETE	F	ile "%a" already exists. Do you want to delete it?
RPS	719	ENTERFIL	P	lease enter another filename.
RPS	720	DUPFILNS	R	epository filenames cannot be the same.
RPS	721	LONGLINE	L	ine %d too long (len=%d, max=%d) ... Truncated.
RPS	722	QMERGE	R	epository files already exist. Do you want to merge the schema?
RPS	723	NORENAME	O	iginal repository cannot be replaced. Files are in use.
RPS	724	NOCOPY	O	iginal repository cannot be copied. Files are in use.
RPS	725	VFYERR1	W	ARN: Blank structure ID found: type = %a: name = %a
RPS	726	VFYERR2	I	NFO: Stranded sequential record found: access = %a: name = %a
RPS	727	VFYERR3	W	ARN: Unknown record found: access = %a: type = %a: name = %a
RPS	728	VFYERR10	I	NFO: Old structure count = %d, Actual structure count = %d
RPS	729	VFYERR11	I	NFO: Old file count = %d, Actual file count = %d
RPS	730	VFYERR12	I	NFO: Old format count = %d, Actual format count = %d
RPS	731	VFYERR13	I	NFO: Old template count = %d, Actual template count = %d
RPS	732	VFYERR14	I	NFO: Old alias structure count = %d, Actual alias structure count = %d
RPS	733	VFYERR14A	I	NFO: Old enumeration count = %d, Actual enumeration count = %d
RPS	734	VFYERR14B	I	NFO: Old alias structure count = %d, Actual alias structure count = %d. Exceeds d3 variable. No c
RPS	735	VFYERR15	I	NFO: Structure %a: Field %a: Old parent ID = %a, Actual parent ID = %a
RPS	736	BLANK30		
RPS	737	VFYERR16	I	NFO: Stranded field reference for template %a: field: %a, structure: %a
RPS	738	VFYERR17	I	NFO: Description text not found for template %a. Description reference cleared.
RPS	739	VFYERR18	I	NFO: Template %a's description stranded. New description reference created.
RPS	740	VFYERR19	I	NFO: Long description text not found for template %a. Description reference cleared.
RPS	741	VFYERR20	I	NFO: Template %a's long description was stranded. New description reference created.
RPS	742	VFYERR21	I	NFO: Stranded file-structures record %a found
RPS	743	VFYERR22	W	ARN: Missing file-structures record for file %a
RPS	744	VFYERR23	W	ARN: Missing ODBC tables names record for file %a
RPS	745	VFYERR25	I	NFO: Assigned structure count for file %a was %d; updated to actual count, %d
RPS	746	VFYERR26	I	NFO: Assigned structure %a does not exist
RPS	747	VFYERR27	I	NFO: File reference %a for structure %a did not exist. It was created.
RPS	748	VFYERR28	I	NFO: Description text not found for file %a. Description reference cleared.
RPS	749	VFYERR29	I	NFO: File %a's description was stranded. New description reference created.
RPS	750	VFYERR30	I	NFO: Long description text not found for file %a. Description reference cleared.
RPS	751	VFYERR31	I	NFO: File %a's long description was stranded. New description reference created.
RPS	752	VFYERR32	I	NFO: Text not found for file %a's user text. User text reference cleared.
RPS	753	VFYERR33	I	NFO: File %a's user text was stranded. New user text reference created.
RPS	754	VFYERR34	I	NFO: Template %a not found for field %a. Template cleared in field definition.

Fac	Err #	Code	Sev	Message
RPS	755	VFYERR35	I	NFO: Template reference %a not found for field %a. Template reference created.
RPS	756	VFYERR34A	I	NFO: Enumeration %a not found for field %a. Field definition changed to integer.
RPS	757	VFYERR34B	I	NFO: Structure %a not found for field %a. Field definition changed to alpha.
RPS	758	VFYERR35A	I	NFO: Enumeration reference %a not found for field %a. Enumeration reference created.
RPS	759	VFYERR35B	I	NFO: Structure reference %a not found for field %a. Structure reference created.
RPS	760	VFYERR36	I	NFO: Text not found for field %a's description. Description reference cleared.
RPS	761	VFYERR37	I	NFO: Field %a's description was stranded. New description reference created.
RPS	762	VFYERR38	I	NFO: Long description text not found for field %a. Description reference cleared.
RPS	763	VFYERR39	I	NFO: Field %a's long description was stranded. New description reference created.
RPS	764	VFYERR40	I	NFO: Text not found for field %a's heading. Heading reference cleared.
RPS	765	VFYERR41	I	NFO: Field %a's heading was stranded. New heading reference created.
RPS	768	VFYERR43	I	NFO: Structure %a: Field %a: Group members not found. Group flag cleared.
RPS	769	VFYERR43A	I	NFO: Structure %a: Field %a: Implicit group not found. Group flag cleared.
RPS	770	VFYERR44	I	NFO: Structure %a: Old field count = %d, new field count = %d
RPS	771	VFYERR44A	I	NFO: Structure %a: Old field count = %d, actual field count = %d. Exceeds d3 variable. No change
RPS	772	VFYERR45	I	NFO: Structure %a: Old key count = %d, new key count = %d
RPS	773	VFYERR46	I	NFO: Structure %a: Old relation count = %d, new relation count = %d
RPS	774	VFYERR47	I	NFO: Structure %a: Old format count = %d, new format count = %d
RPS	775	VFYERR44B	I	NFO: Structure %a: Old child count = %d, new child count = %d
RPS	776	VFYERR44C	I	NFO: Structure %a: Group %a: Old child count = %d, new child count = %d
RPS	777	VFYERR48	I	NFO: Structure %a: Old tag count = %d, new tag count = %d
RPS	778	VFYERR48A	I	NFO: Structure %a: Old alias count = %d, new alias count = %d
RPS	779	VFYERR49	I	NFO: Blank file reference record found for structure %a
RPS	780	VFYERR50	I	NFO: File reference count = %d; Number of files for structure %a = %d
RPS	781	VFYERR51	I	NFO: Duplicate file reference %a found for structure %a
RPS	782	VFYERR52	I	NFO: Stranded file reference %a found for structure %a
RPS	783	VFYERR53	I	NFO: Blank key reference record found for structure %a
RPS	784	VFYERR55	I	NFO: Stranded key reference found for structure %a: key: %a, structure: %a
RPS	785	VFYERR56	I	NFO: Stranded relation reference found for structure %a: structure: %a, relation: %a
RPS	786	VFYERR57	W	ARN: Invalid key reference found for structure %a: reference type = %a
RPS	787	VFYERR58	I	NFO: Description text not found for structure %a. Description reference cleared.
RPS	788	VFYERR59	I	NFO: Structure %a's description was stranded. New description reference created.
RPS	789	VFYERR60	I	NFO: Long description text not found for structure %a. Description reference cleared.
RPS	790	VFYERR61	I	NFO: Structure %a's long description was stranded. New description reference created.
RPS	791	VFYERR62	I	NFO: Text not found for structure %a's user text. User text reference cleared.
RPS	792	VFYERR63	I	NFO: Structure %a's user text was stranded. New user text reference created.
RPS	795	VFYERR64	I	NFO: Duplicate structure id found (%a) for structure %a.
RPS	796	VFYERR65	I	NFO: Stranded %a record: access code = %a; name = %a
RPS	797	VFYERR66	I	NFO: Blank field reference record found for template %a
RPS	798	VFYERR67	I	NFO: Old file/structures count = %d, Actual file/structures count = %d
RPS	799	VFYERR69	I	NFO: Relation reference %a not found for structure %a. Relation reference created.
RPS	800	VFYERR70	I	NFO: Key reference %a not found for structure %a. Key reference created.
RPS	801	VFYERR71	I	NFO: Heading text not found for template %a. Heading reference cleared.
RPS	802	VFYERR72	I	NFO: Template %a's heading was stranded. New heading reference created.
RPS	803	VFYERR73	I	NFO: Prompt text not found for template %a. Prompt reference cleared.
RPS	804	VFYERR74	I	NFO: Template %a's prompt was stranded. New prompt reference created.
RPS	805	VFYERR75	I	NFO: Help text not found for template %a. Help reference cleared.
RPS	806	VFYERR76	I	NFO: Template %a's help text was stranded. New help text reference created.
RPS	807	VFYERR77	I	NFO: Info line text not found for template %a. Info line reference cleared.
RPS	808	VFYERR78	I	NFO: Template %a's info line text was stranded. New info line reference created.
RPS	809	VFYERR79	I	NFO: User text not found for template %a. User text reference cleared.
RPS	810	VFYERR80	I	NFO: Template %a's user text was stranded. New user text reference created.
RPS	811	VFYERR81	I	NFO: User type text not found for template %a. User type reference cleared.
RPS	812	VFYERR82	I	NFO: Template %a's user type text was stranded. New user type reference created.
RPS	813	VFYERR83	I	NFO: Default value not found for template %a. Default value reference cleared.
RPS	814	VFYERR84	I	NFO: Template %a's default value was stranded. New default value reference created.
RPS	815	VFYERR85	I	NFO: Allow list not found for template %a. Allow list reference cleared.



Fac	Err #	Code	Sev	Message
RPS	816	VFYERR86	I	NFO: Template %a's allow list was stranded. New allow list reference created.
RPS	817	VFYERR87	I	NFO: Selection info not found for template %a. Selection info reference cleared.
RPS	818	VFYERR88	I	NFO: Template %a's selection info was stranded. New selection info reference created.
RPS	819	VFYERR89	I	NFO: Enumerated info not found for template %a. Enumerated info reference cleared.
RPS	820	VFYERR90	I	NFO: Template %a's enumerated info was stranded. New enumerated info reference created.
RPS	821	VFYERR91	I	NFO: Range info not found for template %a. Range info reference cleared.
RPS	822	VFYERR92	I	NFO: Template %a's range info was stranded. New range info reference created.
RPS	823	VFYERR93	I	NFO: Prompt text not found for field %a. Prompt reference cleared.
RPS	824	VFYERR94	I	NFO: Field %a's prompt was stranded. New prompt reference created.
RPS	825	VFYERR95	I	NFO: Help text not found for field %a. Help reference cleared.
RPS	826	VFYERR96	I	NFO: Field %a's help text was stranded. New help text reference created.
RPS	827	VFYERR97	I	NFO: Info line text not found for field %a. Info line reference cleared.
RPS	828	VFYERR98	I	NFO: Field %a's info line text was stranded. New info line reference created.
RPS	829	VFYERR99	I	NFO: User text not found for field %a. User text reference cleared.
RPS	830	VFYERR100	I	NFO: Field %a's user text was stranded. New user text reference created.
RPS	831	VFYERR101	I	NFO: User type text not found for field %a. User type reference cleared.
RPS	832	VFYERR102	I	NFO: Field %a's user type text was stranded. New user type reference created.
RPS	833	VFYERR103	I	NFO: Default value not found for field %a. Default value reference cleared.
RPS	834	VFYERR104	I	NFO: Field %a's default value was stranded. New default value reference created.
RPS	835	VFYERR105	I	NFO: Allow list not found for field %a. Allow list reference cleared.
RPS	836	VFYERR106	I	NFO: Field %a's allow list was stranded. New allow list reference created.
RPS	837	VFYERR107	I	NFO: Selection info not found for field %a. Selection info reference cleared.
RPS	838	VFYERR108	I	NFO: Field %a's selection info was stranded. New selection info reference created.
RPS	839	VFYERR109	I	NFO: Enumerated info not found for field %a. Enumerated info reference cleared.
RPS	840	VFYERR110	I	NFO: Field %a's enumerated info was stranded. New enumerated info reference created.
RPS	841	VFYERR111	I	NFO: Range info not found for field %a. Range info reference cleared.
RPS	842	VFYERR112	I	NFO: Field %a's range info was stranded. New range info reference created.
RPS	843	VFYERR113	I	NFO: Structure %a: Old record size = %d, new record size = %d
RPS	844	VFYERR114	I	NFO: Stranded template reference for parent %a.
RPS	845	VFYERR115	I	NFO: Parent %a not found for template %a. Parent cleared in template definition.
RPS	846	VFYERR116	I	NFO: Template reference %a not found for template %a. Template reference created.
RPS	847	VFYERR117	I	NFO: Blank template reference record found for template %a
RPS	848	VFYERR118	I	NFO: Duplicate structure id found (%a) for alias structure %a.
RPS	849	VFYERR119	I	NFO: Stranded %a alias record: access code = %a; name = %a
RPS	850	VFYERR120	I	NFO: Field %a, aliased by %a:%a no longer exists.
RPS	851	VFYERR121	N	OTE: Text not found for key %a's null value. Null value reference cleared.
RPS	852	VFYERR122	N	OTE: Key %a's null value was stranded. New null value reference created.
RPS	853	VFYERR123	N	OTE: Description text not found for key %a. Description reference cleared.
RPS	854	VFYERR124	N	OTE: Key %a's description was stranded. New description reference created.
RPS	855	VFYERR125	I	NFO: Arrive method info not found for template %a. Arrive method reference cleared.
RPS	856	VFYERR126	I	NFO: Template %a's arrive method info was stranded. New arrive method reference created.
RPS	857	VFYERR127	I	NFO: Leave method info not found for template %a. Leave method reference cleared.
RPS	858	VFYERR128	I	NFO: Template %a's leave method info was stranded. New leave method reference created.
RPS	859	VFYERR129	I	NFO: Drill method info not found for template %a. Drill method reference cleared.
RPS	860	VFYERR130	I	NFO: Template %a's drill method info was stranded. New drill method reference created.
RPS	861	VFYERR131	I	NFO: Hyperlink method info not found for template %a. Hyperlink method reference cleared.
RPS	862	VFYERR132	I	NFO: Template %a's hyperlink method info was stranded. New hyperlink method reference created.
RPS	863	VFYERR133	I	NFO: Arrive method info not found for field %a. Arrive method reference cleared.
RPS	864	VFYERR134	I	NFO: Field %a's arrive method info was stranded. New arrive method reference created.
RPS	865	VFYERR135	I	NFO: Leave method info not found for field %a. Leave method reference cleared.
RPS	866	VFYERR136	I	NFO: Field %a's leave method info was stranded. New leave method reference created.
RPS	867	VFYERR137	I	NFO: Drill method info not found for field %a. Drill method reference cleared.
RPS	868	VFYERR138	I	NFO: Field %a's drill method info was stranded. New drill method reference created.
RPS	869	VFYERR139	I	NFO: Hyperlink method info not found for field %a. Hyperlink method reference cleared.
RPS	870	VFYERR140	I	NFO: Field %a's hyperlink method info was stranded. New hyperlink method reference created.
RPS	871	VFYERR141	I	NFO: Text not found for field %a's alternate name. Alternate name reference cleared.
RPS	872	VFYERR142	I	NFO: Field %a's alternate name was stranded. New alternate name reference created.

Fac	Err #	Code	Sev	Message
RPS	873	VFYERR143	I	NFO: Text not found for template %a's alternate name. Alternate name reference cleared.
RPS	874	VFYERR144	I	NFO: Template %a's alternate name was stranded. New alternate name reference created.
RPS	877	VFYMAXTMR	W	ARN: Maximum template references have been exceeded. Reference for template %a lost.
RPS	878	VFYMAXFLRF	W	ARN: Maximum file references have been exceeded. Reference for structure %a lost.
RPS	879	VFYMAXKRF	W	ARN: Maximum key references have been exceeded. Reference for structure %a lost.
RPS	880	VFYMAXRRF	W	ARN: Maximum relation references have been exceeded. Reference for structure %a lost.
RPS	881	VFYMAXFDRF	W	ARN: Maximum field references have been exceeded. Reference for template %a lost.
RPS	882	VFYMAXFSRF	W	ARN: Maximum field references have been exceeded. Reference for structure %a lost.
RPS	883	VFYMAXGRRF	W	ARN: Maximum group references have been exceeded. Reference for structure %a lost.
RPS	884	VFYMAXENMT	W	ARN: Maximum enumeration references have been exceeded. Reference for template %a lost.
RPS	885	VFYMAXENMF	W	ARN: Maximum enumeration references have been exceeded. Reference for field %a lost.
RPS	886	VFYMAXSSRF	W	ARN: Maximum structure references have been exceeded. Reference for structure %a lost.
RPS	889	ALSVALD	A	alias structure %a validated
RPS	890	ELVALD	T	emplate %a validated
RPS	891	FLVALD	F	ile %a validated
RPS	892	FMTVALD	F	ormat %a validated
RPS	893	STRVALD	S	tructure %a validated
RPS	894	ENMVALD	E	umeration %a validated
RPS	895	FLDVALD	F	ield %a validated for structure %a
RPS	896	GRPVALD	G	roup %a validated for structure %a
RPS	897	KEYVALD	K	ey %a validated for structure %a
RPS	898	RELVALD	R	elation %a validated for structure %a
RPS	899	LFMTVALD	F	ormat %a validated for structure %a
RPS	900	TAGVALD	T	ag %a validated for structure %a
RPS	901	NOXREF	C	annot open repository cross-reference file "%a".
RPS	902	NOMAIN	C	annot open main repository file "%a".
RPS	903	NOTEXT	C	annot open repository text file "%a".
RPS	904	NOLIST	C	annot open repository list file "%a".
RPS	905	NOMSG	C	annot open message file "%a".
RPS	906	NOTEMP	C	annot open repository temporary file "%a".
RPS	907	NODSCRPT	C	annot open Repository window library "%a".
RPS	908	CANTCRT	C	annot create file "%a". %a.
RPS	911	BLANK32		
RPS	912	RECTOOSML	D	ata record (a_rec) too small
RPS	913	TRLCTOOLG	T	ree-lock record too long
RPS	914	UNDEFIOCD	U	nsupported I/O code
RPS	915	IOERR	U	nexpected I/O error %d
RPS	927	IOKEYNSM	"	Key not same" error. Program will terminate.
RPS	928	IODUPKEY	"	Duplicate key" error. Program will terminate.
RPS	929	BLANK33		
RPS	930	CONVERT	O	ld %a name = "%a", New name = "%a"
RPS	931	FLDFTR2		FIELDS [%03d of %03d] SIZE [%05d]
RPS	932	FLDFTR3		FIELDS [%03d of %03d]
RPS	940	VFYERR145	I	NFO: Text not found for field %a's font name. Font name reference cleared.
RPS	941	VFYERR146	I	NFO: Field %a's font name was stranded. New font name reference created.
RPS	942	VFYERR147	I	NFO: Text not found for template %a's font name. Font name reference cleared.
RPS	943	VFYERR148	I	NFO: Template %a's font name was stranded. New font name reference created.
RPS	944	VFYERR149	I	NFO: Text not found for field %a's prompt font name. Font name reference cleared.
RPS	945	VFYERR150	I	NFO: Field %a's prompt font name was stranded. New font name reference created.
RPS	946	VFYERR151	I	NFO: Text not found for template %a's prompt font name. Font name reference cleared.
RPS	947	VFYERR152	I	NFO: Template %a's prompt font name was stranded. New font name reference created.
RPS	948	VFYERR153	I	NFO: Change method info not found for field %a. Change method reference cleared.
RPS	949	VFYERR154	I	NFO: Field %a's change method info was stranded. New change method reference created.
RPS	950	VFYERR155	I	NFO: Change method info not found for template %a. Change method reference cleared.
RPS	951	VFYERR156	I	NFO: Template %a's change method info was stranded. New change method reference created.
RPS	954	VFYERR159	I	NFO: Text not found for file %a's portable integer info. Portable integer info reference cleared.
RPS	955	VFYERR160	I	NFO: File %a's portable integer info was stranded. New portable integer info reference created.

Fac	Err #	Code	Sev	Message
RPS	956	VFYERR161	I	NFO: Text not found for field %a's referenced structure. Structure reference cleared.
RPS	957	VFYERR162	I	NFO: Field %a's referenced structure was stranded. New structure reference created.
RPS	958	VFYERR163	I	NFO: Text not found for field %a's prefix. Prefix reference cleared.
RPS	959	VFYERR164	I	NFO: Field %a's prefix was stranded. New prefix reference created.
RPS	960	VFYERR165	I	NFO: Stranded field reference for structure %a: field: %a, parent: %a
RPS	961	VFYERR166	I	NFO: Structure %a not found for field %a, parent %a. Structure cleared in field definition.
RPS	962	VFYERR167	I	NFO: Group reference %a not found for field %a, parent %a. Structure reference created.
RPS	963	VFYERR167A	I	NFO: Structure reference %a not found for field %a, parent %a. Structure reference created.
RPS	964	VFYERR168	I	NFO: Display method info not found for field %a. Display method reference cleared.
RPS	965	VFYERR169	I	NFO: Field %a's display method info was stranded. New display method reference created.
RPS	966	VFYERR170	I	NFO: Editfmt method info not found for field %a. Editfmt method reference cleared.
RPS	967	VFYERR171	I	NFO: Field %a's editfmt method info was stranded. New editfmt method reference created.
RPS	968	VFYERR172	I	NFO: Display method info not found for template %a. Display method reference cleared.
RPS	969	VFYERR173	I	NFO: Template %a's display method info was stranded. New display method reference created.
RPS	970	VFYERR174	I	NFO: Editfmt method info not found for template %a. Editfmt method reference cleared.
RPS	971	VFYERR175	I	NFO: Template %a's editfmt method info was stranded. New editfmt method reference created.
RPS	972	VFYERR176	I	NFO: Structure %a: Implicit group %a: Old field size = %d, New field size = %d
RPS	973	VFYERR177	I	NFO: Description text not found for enumeration %a. Description reference cleared.
RPS	974	VFYERR178	I	NFO: Enumeration %a's description was stranded. New description reference created.
RPS	975	VFYERR179	I	NFO: Long description text not found for enumeration %a. Description reference cleared.
RPS	976	VFYERR180	I	NFO: Enumeration %a's long description was stranded. New description reference created.
RPS	977	VFYERR181	W	ARN: Missing members record for enumeration %a
RPS	978	VFYERR182	I	NFO: Member count for enumeration %a was %d; updated to actual count, %d
RPS	979	VFYERR183	I	NFO: Blank field reference record found for enumeration %a
RPS	980	VFYERR184	I	NFO: Stranded field reference for enumeration %a: field: %a, structure: %a
RPS	981	VFYERR185	I	NFO: Blank template reference record found for enumeration %a
RPS	982	VFYERR186	I	NFO: Stranded template reference for enumeration %a: template: %a
RPS	983	VFYERR187	I	NFO: Enumeration %a not found for template %a. Template definition changed to integer.
RPS	984	VFYERR188	I	NFO: Enumeration reference %a not found for template %a. Enumeration reference created.
RPS	985	VFYERR189	I	NFO: Text not found for file %a's file text info. File text info reference cleared.
RPS	986	VFYERR190	I	NFO: File %a's file text info was stranded. New file text info reference created.
RPS	987	GRPREFVFYD	R	References verified for structure %a's implicit groups.
RPS	1000	ARVMETH	%	a_ARRIVE
RPS	1001	LVMETH	%	a_LEAVE
RPS	1002	DRLMETH	%	a_DRILL
RPS	1003	HYPMETH	%	a_HYPER
RPS	1004	CHGMETH	%	a_CHANGE
RPS	1005	DSPMETH	%	a_DISPLAY
RPS	1006	FMTMETH	%	a_EDITFMT
RPT	1	RPTHDR	R	eportWriter
RPT	2	VIEW	V	iew Report Format
RPT	3	EXIT	E	xit ReportWriter
RPT	4	UTILS	U	tility Functions
RPT	5	MAIN	M	ain Menu
RPT	6	CREATE	C	reate New Report
RPT	7	LOAD	L	oad Report
RPT	8	DISPLAY	D	isplay Report
RPT	9	PRINT	P	rint Report
RPT	10	RPTFIL	G	enerate Report File
RPT	11	CLEAR	C	lear Report
RPT	12	RENAME	R	ename Current Report
RPT	13	SAVE	S	ave Report
RPT	14	DELETE	D	delete Report
RPT	15	FILES	F	iles to Read
RPT	16	CREFLD	F	ields to Create
RPT	17	FIELDS	F	ields to Print
RPT	18	SELECT	S	elections to Make

Fac	Err #	Code	Sev	Message
RPT	19	KEYS	F	ields to Sort
RPT	20	HDER	H	eaders/Footer Layout
RPT	21	MISC	M	iscellaneous
RPT	22	FILHDR	F	iles to Read
RPT	23	FLDHDR	F	ields to Print
RPT	24	KEYHDR	S	ort Fields
RPT	25	SELHDR	S	election Fields
RPT	26	CALC	C	alculation Fields
RPT	27	QUERY	Q	uestion Fields
RPT	28	TEXT	T	ext Fields
RPT	29	ENVIRON	E	nvironment Fields
RPT	30	SUBTOTAL	S	ubtotal Access Fields
RPT	31	CNDHDR	C	onditions
RPT	32	RPTHDRINF	R	eport Header
RPT	33	RPTFTRINF	R	eport Footer
RPT	34	PAGHDRINF	P	age Header
RPT	35	PAGFTRINF	P	age Footer
RPT	36	DATNUMINF	D	ate and Page #
RPT	37	EDRENDHDR	E	dit Renditions
RPT	38	GENDEFHDR	P	rint Report Definitions
RPT	39	GENREFHDR	G	enerate Cross-Reference
RPT	40	LDDEFHDR	L	oad Report Definitions
RPT	41	AVLFIL	A	available Files
RPT	42	AVLSTR	A	available Structures
RPT	43	AVLREL	A	available Relations
RPT	44	NORELAVL	N	o relation available
RPT	45	ULDDEFHDR	U	nload Report Definitions
RPT	46	LDRPT	L	oading Report %a...
RPT	47	BDRPT	B	uilding Report...
RPT	48	GNRPT	G	enerating Report...
RPT	49	LDFIL	L	oading Files...
RPT	50	LDFLD	L	oading Fields...
RPT	51	GETFLD	P	rocessing Files...
RPT	52	LDTFLD	L	oading Temporary Fields...
RPT	53	LDBFLD	L	oading Break Line Fields...
RPT	54	GENDEF	P	rinting Definition...
RPT	55	LDDEF	L	oading Definition....
RPT	56	UNLDDEF	U	nloading Definition...
RPT	57	GENREF	G	enerating Cross-Reference...
RPT	58	LDRDLHDR	L	oad Report Schema
RPT	59	UNRDLHDR	G	enerate Report Schema
RPT	60	EXTRPT	E	xiting ReportWriter...
RPT	61	GENINF		Menu-<^P>      %a-<%a>      %a-<%a>      %a-<%a>
RPT	62	CMDINF		%a-<%a>
RPT	63	CNCLRPT	P	ress Interrupt key to abort report generation.
RPT	64	NORPTNAM	N	o Loaded Report
RPT	65	RPTFTR	%	a (%a)
RPT	66	NOTINST	R	eportWriter is not configured.
RPT	67	MAXUSER	E	xceeded concurrent user capacity
RPT	68	TIMEOUT	T	his system has timed-out
RPT	69	CONTACT	P	lease contact your Synergy supplier
RPT	70	PRRPT	P	rinting Report...
RPT	71	GENNAMHDR	#	FLAGS NAMES
RPT	72	GENDSCHDR	#	FLAGS DESCRIPTIONS
RPT	73	CNDCRIHDR	#	FLAGS CONNECT CONDITIONS
RPT	74	SELCRIHDR	#	FLAGS CONNECT SELECTIONS
RPT	75	TMPNAMHDR	#	TYPE DATA TEMPORARY FIELD NAMES

Fac	Err #	Code	Sev	Message
RPT	76	TMPDSCHDR		# TYPE DATA TEMPORARY FIELD DESCRIPTIONS
RPT	77	FILNAMHDR		# PARENT NAMES
RPT	78	FILDSCHDR		# PARENT DESCRIPTIONS
RPT	79	FILFTR		FILES [%2a]
RPT	80	FLDFTR		DETAIL FIELDS [%2a] of (%a)
RPT	81	FLDFTR1		DETAIL FIELDS [%2a]
RPT	82	PREFLDFTR		PRE-BREAK LINE FIELDS [%2a]
RPT	83	PSTFLDFTR		POST-BREAK LINE FIELDS [%2a]
RPT	84	CNDFTR		CONDITION CRITERIA [%1a]
RPT	85	SELFTR		SELECTION CRITERIA [%2a]
RPT	86	TMPFLDFTR		TEMPORARY FIELDS [%3a]
RPT	87	SRTFLDFTR		SORT FIELDS [%2a]
RPT	88	FLDFRMFIL		%a (File %d of %d)
RPT	89	PAGE	P	age
RPT	90	CLCAFTSRT	A	fter Sort
RPT	91	CLCBFSEL	B	efore Selection
RPT	92	MPPARALLEL	T	ogether
RPT	93	MPTANDEM	S	eparately
RPT	94	CNDMSG	-	Conditioned
RPT	95	OVERST	O	VERST
RPT	96	INSERT	I	NSERT
RPT	97	TOTCNT	t	otal (count
RPT	98	TOTSCNT	t	otals (count
RPT	99	TOTCNTCLS	)	:
RPT	100	TOTAL	t	otal:
RPT	101	TOTALS	t	otals:
RPT	102	COUNT	c	ount:
RPT	103	REPORT	R	eport
RPT	104	DSCFIL	X	RPT%d.ZZQ
RPT	105	BLDFIL	R	B%d.TMP
RPT	106	SRTFIL	R	G%d.TMP
RPT	107	SRTMSG	S	ORT ... %a
RPT	108	DTLMSG	D	etail line %d of %d -
RPT	109	PREMSG	P	re-break line
RPT	110	PSTMSG	P	ost-break line
RPT	111	RPTACTV	A	n active report exists. Save or abandon loaded report first.
RPT	112	SUPPBLMSG	%	a - Blank line suppressed
RPT	113	FMTHDR	F	ORMAT
RPT	114	VFYDEL	A	re you sure you want to delete %a %a?
RPT	115	TMPFLD	t	emporary field
RPT	116	REPORTLC	r	eport
RPT	117	TMPFNAM	T	EMP
RPT	118	TMPFDSC	T	emporary File
RPT	119	ARRGFLD	A	ranging line %d of %d (%d through %d)
RPT	120	LINEMSG	L	ine %d of %d - %e
RPT	121	LINEMSG1	%	a - %d of %d
RPT	122	HDRPOS	(	%d through %d)
RPT	123	NAMHDR	N	AME
RPT	124	DSCHDR	D	ESCRPTION
RPT	125	OPRADD	+	: Addition
RPT	126	OPRSUB	-	: Subtraction
RPT	127	OPRMUL	*	: Multiplication
RPT	128	OPRDIV	/	: Division
RPT	129	LEFTVW	L	
RPT	130	RIGHTVW	R	
RPT	131	PGUPVW	U	
RPT	132	PGDWVW	D	

Fac	Err #	Code	Sev	Message
RPT	133	PGTPVW	T	
RPT	134	PGBTVW	B	
RPT	135	TOTFLG	T	
RPT	136	REVFLG	R	
RPT	137	BRKFLG	B	
RPT	138	STRBLK	S	
RPT	139	CNDFLG	C	
RPT	140	MRGFLG	M	
RPT	141	AND	A	ND
RPT	142	OR	O	R
RPT	143	EQ	E	Q
RPT	144	NE	N	E
RPT	145	LE	L	E
RPT	146	LT	L	T
RPT	147	GE	G	E
RPT	148	GT	G	T
RPT	149	BFLDFLG	P	
RPT	150	RONLYFLG	<	R>
RPT	151	BLANK		
RPT	152	DFLTDTFMT	M	M/DD/YY
RPT	153	RPTSBT	<	REPORT>
RPT	154	CNTSBT	<	COUNT>
RPT	155	RPTNAM	%	a
RPT	156	RPTNAM_M	%	a (modified)
RPT	157	RPTNAM_C	%	a (%d wide)
RPT	158	RPTNAM_CM	%	a (%d wide, modified)
RPT	159	YESCHAR	Y	
RPT	160	NOCHAR	N	
RPT	161	WORK	W	orking...
RPT	162	INSERTS	A	dding...
RPT	163	DELETES	D	leting...
RPT	164	RELHDR	F	ROM KEY : TO KEY
RPT	165	APNDCHR	A	
RPT	166	LINMSG2	%	a - %d
RPT	167	LDSEL	L	oading Selection Criteria...
RPT	168	LDCND	L	oading Conditions...
RPT	169	LDSRT	L	oading Sort Fields...
RPT	170	LDLIST	L	oading Field List...
RPT	171	LDSTR	L	oading Structure List...
RPT	172	LDREL	L	oading Relation List...
RPT	173	LDLST	L	oading List...
RPT	174	LDLFIL	L	oading File List...
RPT	175	HDRFLDFTR		HEADER/FOOTER FIELDS [%2a]
RPT	176	ARRGFLD1	A	ranging line (%d through %d)
RPT	177	FDSCHDR	N	AME CREATED MODIFIED
RPT	178	FDFWD	F	ind forward
RPT	179	FDBWD	F	ind reverse
RPT	180	RTNMSG_NU	%	a : ^Z(END)
RPT	181	RTNMSG_U	%	a : ^D(END)
RPT	182	RTNMSG_NUL	L	(eft); R(ight); %a : ^Z(END)
RPT	183	RTNMSG_UL	L	(eft); R(ight); %a : ^D(END)
RPT	184	RPTSVD	R	eport saved
RPT	185	DELRPT	R	eport deleted
RPT	186	DELTMPFLD	T	emporary field %a deleted!
RPT	187	RTNMSG_UD	U	(p); D(own); T(op); B(ottom)
RPT	188	RTNMSG	R	ETURN(cont.); %a
RPT	189	RTNMSG_UNU	^	Z(END)

Fac	Err #	Code	Sev	Message
RPT	190	RTNMSG_UU	^	D(END)
RPT	191	CREFIL	C	reate Report Definition File
RPT	192	FILCRE	N	ew report definition file created.
RPT	193	INCMPLT	%	a is incomplete.
RPT	194	INCRNG	R	ange specification
RPT	195	INCSUB	S	ubscript specification
RPT	196	INCTMP	T	emporary field definition
RPT	197	INCCRI	C	riterion specification
RPT	198	INVCNCL	C	annot abandon changes after field modifications.
RPT	199	VFYCLR	A	re you sure you want to clear the current report?
RPT	200	LNKFRMFIL	L	ink Fields from %a
RPT	201	NOLNKAVL	N	o name link relations available
RPT	202	NAMLINK	N	AME_LINK_KEY
RPT	301	NODEFRPT	N	o reports defined
RPT	302	NOHELP	N	o help available
RPT	303	NOMSG	N	o message available
RPT	304	NOFMT	N	o available formats
RPT	305	NOACTRPT	N	o report is currently loaded.
RPT	306	NORPTAVL	N	o available reports
RPT	308	NOINPFIL	N	o input files have been defined for this report.
RPT	309	NOFILDEF	N	o files have been defined in the repository.
RPT	310	NOPNTR	N	o line printer is connected to the system.
RPT	311	NOBRKFLD	N	o break fields defined
RPT	312	NORPT	R	eport not found
RPT	313	BLNKNAM	A	report name may not start with a blank.
RPT	314	INCFLD	R	eport is incomplete. Please select fields to print.
RPT	315	RPTINUSE	R	eport "%a" cannot be loaded at this time. Please try again later.
RPT	316	TOOWIDE	M	aximum report width (255 columns) has been reached.
RPT	317	MAXITMPS	M	aximum number of individual temporary fields (%d) has been defined.
RPT	318	MAXFILS	M	aximum number of files (%d) has been selected.
RPT	319	MAXFLDS	M	aximum number of fields to print (%d) has been selected.
RPT	320	MAXKEYS	M	aximum number of sort fields (%d) has been selected.
RPT	321	MAXSELS	M	aximum number of selections (%d) has been defined.
RPT	322	MAXSUBS	M	aximum number of subscripted fields (%d) has been defined.
RPT	323	MAXLFLD	M	aximum number of fields to print per line (%a) has been defined.
RPT	324	MAXCNDS	M	aximum number of conditions (5) has been defined.
RPT	326	MAXFSIZ	F	ield %a exceeds the maximum field size (99).
RPT	327	MAX_BFLD	M	aximum number of break line fields (%a) has been defined.
RPT	329	MAXVWLNS	T	oo many lines to view in the report format. It has been truncated.
RPT	330	NOTSUB	Y	ou must use a numeric field for subscripts.
RPT	331	ALPJUST	A	lpha fields cannot be right-justified.
RPT	332	BADTMP	S	electd field is not a 'created' field.
RPT	333	FILREF	F	ile cannot be deleted. Structure %a is referenced.
RPT	334	NOTNMBR	O	nly numeric fields may be totaled.
RPT	335	INVNUM	I	nvalid numeric value
RPT	336	INVDAT	I	nvalid date specification
RPT	337	INVSEL	I	nvalid selection criteria specification
RPT	338	INVVAL	I	nvalid value
RPT	339	INVCMPFLD	I	nvalid comparison field type
RPT	341	FILLNK	F	ile cannot be deleted. "%a" is linked to it.
RPT	342	FLDLNK	F	ile cannot be deleted. Field "%a" %a
RPT	344	TMPLNK	F	ield cannot be deleted. It %a
RPT	345	LNKSRT	i	s used as a sort field.
RPT	346	LNKCRI	i	s used in a criterion definition.
RPT	347	LNKEXP	i	s used in a calculation expression.
RPT	348	LNKSUB	i	s used as a subscript.
RPT	349	LNKRNG	i	s used as a range offset or length.

Fac	Err #	Code	Sev	Message
RPT	350	LNKRHDR	i	s printed on a report header line.
RPT	351	LNKRFTTR	i	s printed on a report footer line.
RPT	352	LNKPHDR	i	s printed on a page header line.
RPT	353	LNKPFTR	i	s printed on a page footer line.
RPT	354	LNKPBRK	i	s printed on a pre-break line.
RPT	355	LNKSBK	i	s printed on a post-break line.
RPT	356	LNKDATA	i	s printed on a detail line.
RPT	357	LNKSBT	i	s used in a subtotal access field.
RPT	358	ERRGENDEF	C	annot generate report '%a': report not stored properly.
RPT	359	BADSUB	I	nvalid subscript field type
RPT	360	DUPTMPNAM	T	emporary field %a already exists. Please enter another name.
RPT	363	NUMJUST	N	umeric fields cannot be centered.
RPT	364	INVDEC	I	nvalid precision specification
RPT	365	DUPRPT	R	eport cannot be saved into an existing report.
RPT	366	INVSUBREF	A	n arrayed field cannot be referenced for subscripting.
RPT	367	NOTBRK	F	ield %a is not defined as a break field.
RPT	368	SUBTDEP	F	ield %a is computed after selections and cannot be used here.
RPT	369	SUBTKEY	F	ield used as break level in subtotal field %a. Cannot clear break.
RPT	371	TOOMNYLNK	T	oo many related files (%d) - only %d will be used
RPT	372	NOTMULTI	M	ultiple projections not possible for the relation to this file.
RPT	373	NOSISTER	N	o previous file at the same read level.
RPT	374	MRGFRST	C	annot merge first sort field.
RPT	375	MRGTYPLEN	M	erged sort fields must be the same type and length.
RPT	376	MRGDEL	S	ort field cannot be deleted. It is merged with the next field.
RPT	377	MRGADD	C	annot add a sort field immediately before a merged field.
RPT	378	MRGBRK	C	annot change break status on merged field.
RPT	379	MRGDIR	C	annot change sort order on merged field.
RPT	380	MRGSEL	C	annot move merged field.
RPT	381	NOUTIL	U	nrecognized utility option %a
RPT	382	NOENMCNV	N	o enumerated information found. Field will be processed as numeric.
RPT	383	BRKMRG	C	annot merge break field.
RPT	384	INVRPT	I	nvalid report version %a cannot be loaded with the current ReportWriter.
RPT	385	MRGORD	M	erged sort fields must have the same sort order.
RPT	390	SIZTMP	F	ield size cannot be changed. It is selected to print.
RPT	391	TNDLNK	F	ile cannot be deleted. It is used in a multiple projection.
RPT	392	NAMTMP	T	emporary field name cannot be changed.
RPT	393	MAXRNGS	M	aximum number of ranged fields (%d) has been defined.
RPT	394	INVSIZ	I	nvalid size specification.
RPT	395	MAXDLINS	M	aximum number of detail lines (10) has been defined.
RPT	396	MAXHLINS	M	aximum number of page header lines (10) has been defined.
RPT	397	INVLNK	I	nvalid name link relation.
RPT	398	BRKCNTKEY	F	ield used within %BRKCNT in calculation field %a. Cannot clear break.
RPT	401	EXPBIG	S	elect field name %a will not fit in the expression.
RPT	402	EXPAMBFLD	A	mbiguous field reference: %a
RPT	403	EXPNOOPND	M	issing operand: %a
RPT	404	EXPQUOTED	Q	uoted string encountered in expression: %a
RPT	405	EXPBADCHR	U	nrecognized character in expression: %a
RPT	406	EXPBADTKN	U	nrecognized token in expression: %a
RPT	407	EXPNOEPAR	M	issing ")" or "]" in expression %a
RPT	408	EXPXOPND	M	issing operator in expression: %a
RPT	409	EXPBADUNY	"	%a" cannot be used as a unary operator in an expression.
RPT	410	EXPNSTPAR	M	aximum nesting depth for parentheses and brackets (99) exceeded: %a
RPT	411	EXPNOBPAP	T	oo many close parentheses in expression: %a
RPT	412	TOOMNYNDX	T	oo many dimensioned fields used in report
RPT	413	EXPBADCLN	P	eriod out of place in expression: %a
RPT	414	BADFUNC	U	nrecognized intrinsic function reference: %a
RPT	415	EXPBADPCT	P	ercent sign out of place: %a



Fac	Err #	Code	Sev	Message
RPT	416	FNCARGEXP	F	unction argument expected: %a
RPT	417	FNCFILARG	F	ile/structure specification expected: %a
RPT	418	TOOMNYCLN	T	oo many colons in file/structure specification: %a
RPT	419	EXPEOL	U	nexpected end of expression
RPT	420	AMBGFIL	A	mbiguous file/structure reference: %a
RPT	421	EXPALPHA	A	lpha field not allowed: %a
RPT	422	AMBGREF	A	mbiguous field reference: %a
RPT	423	EXPNULL	N	ull value not allowed in expression: %a
RPT	424	EXPNOIDENT	"	%a" must follow a field name.
RPT	425	EXPNOTDIM	"	%a" can only be used in a subscript or range reference.
RPT	426	NORGTPAR	M	issing ')' or ']' in RG_EXPR
RPT	427	FBADSRCTYP	B	ad src type %d in FORMAT_IT
RPT	428	EXPDIMERR	W	rong number of dimensions specified: %a
RPT	429	INVEXPR	E	xpression error #%d at position %d,
RPT	430	EXPALPHOP	O	perator (%a) not allowed with alpha operand.
RPT	431	EXPRNGERR	I	nvalid ranging specification.
RPT	432	EXPNOTRNG	"	%a" can only be used in a range reference.
RPT	433	FILEXST	R	eport definition file "%a" cannot be created. The file already exists.
RPT	436	BLNKFNAM	A	report definition filename may not start with a blank.
RPT	437	FILCREER	C	annot create report definition file %a - error #%d.
RPT	503	DICTERR	E	rror occurred while scanning the repository.
RPT	504	NODCTMFIL	C	annot open main repository file. You may need to set RPSMFIL and RPSTFIL to point to your reposi
RPT	505	NODCTTFIL	C	annot open repository text file. You may need to set RPSMFIL and RPSTFIL to point to your reposi
RPT	506	NOWNDFIL	C	annot open ReportWriter window library.
RPT	507	NODEFFIL	C	annot open report definition file "%a".
RPT	508	NOKEY	K	ey %a not found for structure %a
RPT	509	NOKRF	K	ey of reference %d not found for structure %a
RPT	510	BADQRYFID	U	nknown field id for question field: %d
RPT	511	BADENVFID	U	nknown field id for environment field: %d
RPT	512	BADNUMLIT	N	umeric literal in conditional contains invalid characters for type: %a
RPT	513	BADFIL	F	ile/structure not found: %a
RPT	514	NORPTFLD	F	ield "%a" not found in file "%a"
RPT	515	NOHDR	F	ield %a heading not found
RPT	516	NODSCR	F	ield %a description record not found
RPT	517	NODEFFLD	F	ield %a not defined
RPT	518	BADSUBFLD	S	ubtotal not defined for field %a
RPT	519	INVFLDREF	I	nvalid field '%a' referenced
RPT	520	NOSTRCT	S	tructure %a not found
RPT	521	NOSTRCT1	S	tructure %a not found. Cannot load fields.
RPT	522	NOFILERR	F	ile %a not found
RPT	523	BADLNKS	R	elation linkage corrupted. Report cannot be loaded.
RPT	524	NOFLDS1	F	ields for structure %a not found
RPT	525	NORELS1	R	elation records for %a not found
RPT	526	INVRELS	R	elation %a is not for structure %a.
RPT	527	NOLNKSTRCT	L	inked structure %a not found
RPT	529	NOTAGFLD	T	agged field not found
RPT	530	PACKERR	E	rror while packing report: %a
RPT	602	FILRDSERR	F	ILE READS ERROR: Could not read file %a
RPT	603	FILRDERR	F	ILE READ ERROR: Could not read file %a
RPT	604	FILOPNERR	F	ILE OPEN ERROR: Could not open file %a
RPT	605	BLDERRNUM	E	rror #%d:
RPT	606	DELERR	E	rror #%d on DELETE %a %d
RPT	607	RDSERR	E	rror #%d on READS of %a
RPT	608	RDERR	E	rror #%d on READ of %a
RPT	609	WRTERR	E	rror #%d on WRITE saving %a
RPT	610	STRERR	E	rror #%d on STORE saving %a
RPT	611	OOPNERR	C	ould not open output file "%a"

Fac	Err #	Code	Sev	Message
RPT	612	LDRPTERR	E	error #%d while loading report %a
RPT	613	RPTIOERR	R	report library I-O error #%d
RPT	701	SUBSCR	S	ubscript error: value %d
RPT	702	BADSUBLIT	S	ubscript value '%a' must be in the range 1 to %d.
RPT	703	CTLOVFLW	R	report control structure overflow
RPT	704	MAXTOTS	T	oo many total fields. Program will terminate.
RPT	705	MAXCHKPTR	C	heckpoint area too small, Maximum %d, short by %d
RPT	706	PPOOLOVF	R	report Memory Pool Overflow; Report too complex
RPT	708	INVFMT	I	nvalid format identifier assigned to field %a.
RPT	709	PARSERR	R	U_MTHREF: Expression Parsing Error
RPT	710	MAXRDSCR	R	REPORT ERROR: Too many report descriptors
RPT	711	INVOP	I	nvalid OP_xxxx code
RPT	712	INVFNC	I	nvalid FNC_xxxx code
RPT	713	INVFLD	I	nvalid FLD_xxxx code
RPT	714	TOOMNOPND	I	nternal error: too many operands in RG_EXPR
RPT	715	TOOMNRGTP	T	oo many ')'s or ']'s in RG_EXPR
RPT	716	INVCOLNP	C	olon out of place in RG_EXPR
RPT	717	ERSKOVFLW	O	perator stack overflow in RG_EXPR
RPT	718	MXTMPOUT	O	ut of available a-temps in RG_EXPR
RPT	719	EDSKOVFLW	O	perand stack overflow in RG_EXPR
RPT	720	NOOPRND	M	issing operand in RG_EXPR
RPT	721	LNSKOVFLW	L	ine stack overflow in DO_EXECUTE
RPT	722	RPSKOVFLW	R	eport SP overflow in DO_CALL
RPT	723	BADRTNCL	O	P_RETURN without OP_CALL in DO_OPCODES
RPT	724	RPTS KOVF1	R	eport stack overflow in OP_PUSH
RPT	725	BADALP_A	O	perand encountered in DO_ADD
RPT	726	BADALP_S	A	lpha operand encountered in DO_SUBTRACT
RPT	727	BADALP_M	A	lpha operand encountered in DO_MULTIPLY
RPT	728	BADALP_D	A	lpha operand encountered in DO_DIVIDE
RPT	729	BADALP_N	A	lpha operand encountered in DO_NEGATE
RPT	730	BADMTHFID	I	TERNAL ERROR: BAD CALCULATION FIELD ID
RPT	731	BADTXTFID	I	TERNAL ERROR: BAD TEXT FIELD ID
RPT	732	BADTMPFLD	I	TERNAL ERROR: TEMP FIELD %a NOT FOUND
RPT	733	DIMERR	I	TERNAL ERROR (RG_CODE): Field indexing error -- dimensions: %d, indices: %d
RPT	734	BADSEGSIZ	I	TERNAL ERROR (RP_ADD) : Segment size invalid
RPT	735	BADFSDIDX	I	TERNAL ERROR : Bad FSD index specified, %d %d
RPT	736	EXPRSTKOV	O	perator stack overflow; expression too complex: %a
RPT	737	EXPNOATMP	O	ut of available a-temps; expression too complex: %a
RPT	738	EXPDSTKOV	O	perand stack overflow; expression too complex: %a
RPT	739	EXPREFOVF	R	eference list overflow; too many fields used in expressions: %a
RPT	740	BADFSO	F	ile stack error; field identified: %d, error code: %d
RPT	741	INVOPCOD	I	nvalid report opcode %d in DO_OPCODES; pc=%d
RPT	742	INVFNSTR	I	nvalid FLD_NSTR code %d in DO_PUSH
RPT	743	INVFFUNC	I	nvalid FLD_FUNC code %d in DO_PUSH
RPT	744	INVFXXXX	I	nvalid FLD_xxxx code %d in DO_PUSH
RPT	745	BADDSTTYP	B	ad dst type %d in STORE_IT
RPT	746	BATDGT	B	ad digit in STORE_IT, pc=%d, dst=%d, src=%d
RPT	747	BADSRCTYP	B	ad src type %d in STORE_IT
RPT	748	INVENTY	U	nrecognized entry "%a" selected
RPT	749	NOSTRCT2	A	ssociated structures for file %a not found
RPT	750	TOOMNLFTP	T	oo many '('s or '['s in RG_EXPR
RPT	751	INVSGLSTR	S	ingle-quoted string encountered in RG_EXPR
RPT	752	INVDLSTR	D	ouble-quoted string encountered in RG_EXPR
RPT	753	INVTKN	U	nrecognized token type code %d in RG_EXPR
RPT	754	INVCHR	U	nrecognized character %s in RG_EXPR
RPT	755	MAXPARN	E	xceeded maximum paren nesting depth (99) in RG_EXPR
RPT	756	INVTERM	O	P_TERMINATE without OP_EXECUTE in DO_OPCODES

Fac	Err #	Code	Sev	Message
RPT	757	CTLTST	A	t arg=%d, Max=%d, needed=%d, used=%d
RPT	758	INVUNARY	%	s used as a unary operator in RG_EXPR
RPT	759	MULCOLNS	M	ultiple colons in ident %s in RG_EXPR
RPT	760	BADSBTFID	I	TERNAL ERROR: BAD SUBTOTAL FIELD ID
RPT	761	BADDIGIT	B	ad Digits in Numeric source: %a
RPT	762	CNDLNK	F	ile cannot be deleted. Field %a is used in a conditional.
RPT	763	DIVZERO	D	ivision by zero attempted
RPT	764	RNGERR	I	TERNAL ERROR (RG_CODE): Field ranging error - indices: %d
RPT	765	BADRNLIT	R	ange value '%a' must be in the range 1 to 99.
RPT	766	BADRNGRNG	R	ange offset plus length '%a' must be within the field size.
RPT	801	DEFHDR1	R	eport Name : %a
RPT	802	DEFHDR2	G	eneration Date : %a, %a
RPT	803	DEFHDR3	D	efinition File : %a
RPT	804	DEFHDR4	R	eport Version : %a
RPT	805	DEFHDR5	R	eport Size : %d
RPT	806	SMMSEC	*	***** Summary Section *****
RPT	807	DTLSEC	*	***** Detailed Section *****
RPT	808	LINES	D	ata Lines
RPT	809	FILDSC	F	ilename Description Structure Level ParentFile Tandem External
RPT	810	FLDDSC	F	ield Name Type Size Cond Totl Strp Frmt Hder Indx Line Pos Just
RPT	811	PAGSIZ	L	ines Per Page
RPT	812	DETAIL	D	etailed Report
RPT	813	COUNTS	D	etail Record Count
RPT	814	BLNKSPR	B	lank Lines Between Records
RPT	815	SUPFRM	F	orm Feeds
RPT	816	SUPDSH	D	ashed Lines
RPT	817	SUPDSC	T	otal Descriptions
RPT	818	SELDSC	C	onnect Selection Field Indexed Operator Comparison Indexed
RPT	819	KEYDSC	S	ort Field Name Indexed Merged Reversed Break
RPT	820	HDRDSC	V	isible Separate BlankLines Modified
RPT	821	FLLDSC	*	***** Full Description Section *****
RPT	822	NOSAVRPT	C	annot save this report. Loaded as a non-updatable report.
RPT	823	ENDEFF	*	***** End of Report (%a) *****
RPT	824	RELDEFTTL	#	FromStructure FromKeyName ToStructure ToKeyName
RPT	825	FILDEFTTL	F	ileName FileType OpenFilename
RPT	826	FLDDEFTTL	F	ield Name Heading Line # Position
RPT	827	FMTDEFENT1	%	eFormat : %a
RPT	828	FMTDEFENT2	%	eFormat: %a
RPT	829	CNDDEFENT	%	eConditional: Operand 1 Operator Operand 2
RPT	830	SELFLDENT	%	d) Selection Field - %15a: %a
RPT	831	CMPFLDENT	%	d) Comparison Field - %15a: %a
RPT	832	CMPVALENT	%	d) Comparison Value - %a
RPT	833	SRTFLENT	%	d) Sort Key Field - %a.%a
RPT	834	PREBRKENT	%	ePre-Break Field
RPT	835	PREBRKCND	%	ePre-Condtns: Operand1 Operator Operand 2
RPT	836	PSTBRKENT	%	ePost-Break Field
RPT	837	PSTBRKCND	%	ePost-Condtns: Operand1 Operator Operand 2
RPT	838	MTHCNDENT	%	eMath-Condtns: Operand1 Operator Operand 2
RPT	839	MTHDSC1	%	e%- Type:%a Size:%d Just:%a Prec:%d
RPT	840	MTHDSC2	%	e% Promote:%a Class:%a
RPT	841	MTHEXPR1	%	eExpression=[%a]
RPT	842	MTHEXPR2	%	eExpression1=[%a]
RPT	843	DSCDEFENT	%	eDescription: %a
RPT	844	QRYDSC1	%	e%- Type:%a Size:%d Just:%a Prec:%d
RPT	845	QRYDSC2	%	e% Upcase:%a BlankZero:%a Negative:%a Required:%a
RPT	846	QRYDFLT	%	eDefault : %a
RPT	847	QRYINFLN	%	eInfo Line : %a

Fac	Err #	Code	Sev	Message
RPT	848	QRYPRMT	%	ePrompt : %a
RPT	849	ENVUSRTXT	%	eUser Text : %a
RPT	850	SUBFLDENT	%	eSubtotal Field:%a:%a
RPT	851	SUBTOTVAL	%	eSubtotaled : %a
RPT	852	SUBBRKFLD	%	eBreak Level Field:%a:%a
RPT	853	SUBBRKLVL	%	eBreak Level: %a
RPT	854	SUBRUNNG	%	eRunning Total: %a
RPT	855	INDEXED	%	eINDEXED BY : %a
RPT	856	NEWTCDS	N	ew Report Summary Description
RPT	857	SUMARGSYN	%	SUM requires array[beg:end] %a
RPT	858	SUMIDIM	%	SUM can only be used on a 1-dimensional array.
RPT	859	TYPDECEXP	D	ecimal type expected: %a
RPT	860	FILEFHDR	R	eport Name: File Definition - Open Filename
RPT	861	LCKRPTDEL	R	eport cannot be deleted. It is being used by another user.
RPT	862	LCKRPTSAV	R	eport cannot be saved. It is being used by another user.
RPT	863	INVFNAM	I	nvalid filename specified "%a".
RPT	864	CANTOPN	C	annot open file "%a".
RPT	865	ENTERFIL	P	lease enter another filename.
RPT	866	ERRLDRPT	C	annot load report %a from the specified input file.
RPT	867	ERRRPTLD	C	annot load report %a into the specified report definition file.
RPT	868	ERRDUPLD	C	annot load duplicate report %a.
RPT	869	ERRULDRPT	C	annot unload report %a into the specified output file.
RPT	870	ERRRPTULD	C	annot unload report %a from the specified report definition file.
RPT	871	INCLOAD	L	oad specifications are incomplete.
RPT	872	INCUNLOAD	U	nload specifications are incomplete.
RPT	873	NODTFMT	N	o date data format has been defined.
RPT	874	RANGED	%	eRANGED BY : %a
RPT	875	ALLINES	T	otal Lines
RPT	876	BLNKS	B	lank Lines Between Breaks
RPT	877	PAGTOOSML	C	annot generate report: page size %d too small for %d lines per page
RPT	878	RDONLY	R	eport in use. Do you want to load the report anyway?
RPT	879	SAVRPT	R	eport has been modified. Do you want to save changes?
RPT	880	DUPRPTQ	A	report already exists with that name. Use it anyway?
RPT	881	DELETEQ	F	ile already exists. Do you want to delete it?
RPT	882	APNDORDEL	S	elect "No" to append output to the existing file; "Yes" to delete it
RPT	883	BRKCNTS	B	reak Field Count
RPT	884	INVNAM	I	nvalid report name specified.
RPT	885	NO_WILDGEN	T	o generate all of the report schemas, Report name must contain a wildcard (e.g., FRED*) or be bla
RPT	886	NO_WILDLD	T	o load all of the report schemas, Report name must contain a wildcard (e.g., FRED*) or be blank.
RPT	887	NO_SPACE	S	paces are not allowed in temporary field names.
RPT	888	O_HELP	P	ress [O_HELP] for Help
RPT	889	POOLSTS	T	otal memory pool available: %d bytes. Number of bytes used: %d.
RPT	890	NODATALIN	N	o detail lines have been selected to print in this report.
RPT	891	INTEXPR	I	nteger field not allowed: %a.
RPT	892	INTRNG	I	nteger fields cannot be ranged.
RPT	893	INVCDAT	C	alculation resulted in invalid date.
RPT	894	INVTIM	C	alculation resulted in invalid time.
RPT	895	NOMSGCTL	M	essage controller not running or invalid message. Do you want to continue?
RPT	896	FN	F	ile "%a" not found.
RPT	897	RTN	R	outine "%a" not found.
RPT	898	TSTDGT	I	nvalid parameter to RW_INIT: "%a".
RPT	899	PROTECT	P	rotection violation in access of "%a".
RPT	900	UNEXP	U	nexpected error in "%a".
RPT	901	RW_INIT	R	eportWriter methods cannot be overloaded outside of RW_INIT.
RPT	902	NORW_INIT	R	eportWriter utilities cannot be called without calling %RW_INIT.
RPT	903	TMPFLDNAM	I	nvalid temporary field name.
RPT	904	INVPARM	I	nvalid parameter in %a.

Fac	Err #	Code	Sev	Message
RPT	905	INT_INHER	Q	uestion fields cannot inherit attributes from an integer field.
RPT	906	NOINIT	R	eportWriter not initialized due to error in RW_INIT.
RPT	907	INVTIM	I	nvalid time specified.
RPT	908	BADDICT	%	a is not a version 7 or version 10 repository.
RPT	909	NORECS	N	o records selected by report.