



HandicapMaster®
<http://www.handicapmaster.org>

Master Scoreboard Application Programming Interface

Version: 8
Date: Friday, 31 March 2023

Table of Contents

1. Licence Restrictions.....	2
2. Change log.....	3
3. Authentication	4
4. The Player Object	5
5. Handicap List; Retrieve a list of members and their handicaps.....	7
6. Retrieve playing record for a member	9
7. Retrieve handicap record for a member.....	11
8. Retrieve scoring analysis for a member	13
9. Fixture List; Retrieve list of forthcoming events	17
10. Stroke-play competitions; Retrieve a Start Sheet for a future competition.....	20
11. Stroke-play competitions; Retrieve a list of competitions with Leader Board scores.....	22
12. Stroke-play competitions; Retrieve Leader Board scores for a competition.....	24
13. Stroke-play competitions; Retrieve a list of recent closed competitions	26
14. Stroke-play competitions; Retrieve a selected competition result report	30
15. 'Best-of series' competitions; Retrieve a list.....	34
16. 'Best-of series' competitions; Retrieve a selected series report	36
17. Match-play KO competitions; Retrieve a list	39
18. Match-play KO competitions; Retrieve a selected draw	40
19. Orders of Merit; Retrieve a list	44
20. Orders of Merit; Retrieve a selected report	45
21. Eclectics; Retrieve a list.....	47
22. Eclectics; Retrieve a result report	49
23. Eclectics; Retrieve an analysis report.....	52
24. Good Scoring Reports; Retrieve a list	55
25. Good Scoring Reports; Retrieve a result report.....	56

1. Licence Restrictions

Important

These APIs are subject to restricted licencing conditions. By using these APIs, you agree to meet the conditions placed upon your usage of these APIs.

Restrictions

Handicap Indexes

You may not display WHS Handicap Indexes on **any** screen, unless the following Golf Union licence condition is met:

- That the player is logged into the host website/app using their own login and password.

When displaying a 'plus' Handicap Index (an index mathematically below zero), the WHS Authority *Display Format* must be used. The Handicap Index must be displayed with a plus symbol prefix, not a minus sign. E.g., a Handicap Index of -2.1 must always be displayed as '+2.1'.

Handicap Lists

When showing a Handicap List of players WHS handicaps, any 'Mandatory Notice' supplied must be displayed above the Handicap List.

Note:

Further restrictions apply to specific API's

2. Change log

Version	Date	Changes
1	6/12/2022	First version of Document
2	7/12/2022	Added the following API's: • 'Best-of series' competitions; Retrieve a list • 'Best-of series' competitions; Retrieve a selected series report • Orders of Merit; Retrieve a list • Orders of Merit; Retrieve a selected report • Eclectics; Retrieve a list • Eclectics; Retrieve a result report • Eclectics; Retrieve an analysis report API 'players_list.php' is renamed as 'handicap_list.php'. Handicaps in players_list API are now shown in WHS 'Display Format' ('Plus' handicaps displayed with "+" before their handicap value). WHS licence requirement.
3	9/12/2022	Added the following API: • Retrieve scoring analysis for a member
4	12/12/2022	Added the following API: • Stroke-play competitions; Retrieve a Start Sheet for a future competition Changed the return data from the following API: • Fixture List; Retrieve list of forthcoming events
5	14/12/2022	Added the following APIs: • Stroke-play competitions; Retrieve a list of competitions with Leader Board scores • Stroke-play competitions; Retrieve Leader Board scores for a competition • Good Scoring Reports; Retrieve a list • Good Scoring Reports; Retrieve a result report
6	22/12/2022	Added attribute 'compVenue' to API Fixture List; Retrieve list of forthcoming events, detailing the course to be used for the competition.
7	22/3/2023	Added attribute 'agegroup' to the Player Object, corrected some typos in URL's
8	31/3/2023	Clarify JWT token construction.

3. Authentication

Your credentials for *each* of your clubs will consist of a *Club Web ID* and a Secret Key.

The API authentication is *JWT-based* (that is, uses a 'JSON Web Token'). For further information about JSON Web Tokens, see

<https://jwt.io/introduction/>

In the syntax of your chosen [JWT library](#), generate a JWT token with the following required details:

Header

alg: "HS256" (HMACSHA256 Algorithm)
typ: "JWT"

PayLoad

aud: "msb-api" (Audience)
iss: <your ClubWebID> (Issuer)
iat: {current UNIX timestamp} (Issued at - seconds since Epoch)

Signature

Encrypt the signature using the Secret/Signing key.

Secret/Signing key: "<your Secret Key>" (As supplied by HandicapMaster Ltd)

Create a JWT access token with the above criteria. Add the access token as an HTTP Bearer Authorization header to all other requests to the API, idiomatic to your programming language.

For example, pass an HTTP header parameter such as:

```
Authorization: Bearer  
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiIxMjM0NTY3ODkwIiwibmFtZSI6IkpvaG4gRG91IiwiaWF0IjoxNTE2MjM5MDIyfQ.SflKxwRJSMeKKF2QT4fwpMeJf36POk6yJV_adQssw5c
```

4. The Player Object

This is an object representing a player being reported in an API result.

Example

```
{
  "playerId": 4,
  "name": "Adkinson, Margaret ",
  "gender": "F",
  "handicap": "30.8",
  "nationalId": "1008039296",
  "agegroup": 1
}
```

Attributes

playerId

Integer number greater than zero. A unique ID for this player on the Master Scoreboard system (unique to that organisation).

name

String. Name of the player, in the format "Last name, First name(s)".

gender

String. The gender of the player. One of

- M
- F

handicap

String. One of the following:

- "-" (meaning player holds no Handicap Index)
- "Away" (meaning player is an 'Away' player)
- A numerical value (player's Handicap Index).

Note: The handicap will be displayed in WHS "display" format. This means that a handicap index below zero will be returned with the plus symbol as a prefix. I.e., a handicap index of -2.0 will be returned as "+2.0", to represent the 'plus' handicap. This is a WHS licence requirement.

nationalId

String. The National ID for this player.

agegroup

Integer number (power of 2) representing the age group of the player.

- 1 (Adult)
- 2 (Junior)
- 4 (Senior)
- 8 (Other1)
- 16 (Other2)

Integer. One of the following:

The age groups are managed within HandicapMaster so that actual ages are configured within HandicapMaster.

5. Handicap List; Retrieve a list of members and their handicaps

Important

This API is subject to restricted licencing conditions. By using this API, you agree to the conditions placed upon your usage of this API.

Call

https://www.masterscoreboard.co.uk/api/public/v1/handicap_list.php?CWID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Returns

Example

```
{
  "licenceRestrictions": "When displaying a list of member's Handicap
Indexes, the 'Mandatory Notice' must be displayed above the list.",
  "mandatoryNotice": "Handicap Index values calculated and supplied by
England Golf",
  "declareDate": "2022-12-13T09:55:00+00:00",
  "players": [
    {
      "playerId": 4,
      "name": "Adkinson, Margaret ",
      "gender": "F",
      "handicap": "30.8",
      "nationalId": "1008039296",
      "agegroup": 1
    },
    ...
  ]
}
```

licenceRestrictions

String.

Details the restrictions placed on the publication of the data returned by this API.

This notice itself is not for publication.

mandatoryNotice

String. A mandatory notice that **must be displayed**, when displaying a 'Handicap List' from this data.

declareDate

String. Date and time when the information was last published to Master Scoreboard.

players

Array of Player Object entries describing the players listed.

6. Retrieve playing record for a member

Call

https://www.masterscoreboard.co.uk/api/public/v1/player_play_record.php?CWID=nnnnnn&PlayerID=nnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

PlayerID

Pass on URL.

The unique identifier for the player. Obtained as return **playerId** from call to *Handicap List* API.

Returns

Example

```
{
  "declareDate": "2022-12-13T09:55:00+00:00",
  "player": {
    "playerId": 95,
    "name": "Hambling, Robert ",
    "gender": "M",
    "handicap": "6.5",
    "nationalId": "1013578765",
    "ageGroup": 1
  },
  "headings": {
    "1": "Date",
    "2": "Competition",
    "3": "Score",
    "4": "Overall Position (Net)",
    "5": "Comments"
  },
  "rows": [
    {
      "1": "7 Jun 22",
      "2": "Monthly Medal",
      "3": " 77 - 07 = 70",
      "4": "2",
      "5": "Division 1 - Winner & Lowest Gross Score"
    },
    {
      "1": "14 Apr 21",
      "2": "MEN Number '1'",
      "3": " 82 - 08 = 74",
      "4": "24",
      "5": " "
    }
  ]
}
```

```
"footer": [],  
"note": "Displaying records covering last 24 months (or last 30  
competitions processed)."  
}
```

declareDate

String. Date and time when the information was last published to Master Scoreboard.

player

Player Object. A Player Object representing the player whose playing record is being returned.

headings

String. A list of columns headings for the data reported in **rows**.

rows

String. An array of lists, each list containing the data for one row, with each value corresponding to the column headings reported in **headings**.

footer

String. An array of messages to be displayed below the player's record.

note

String. Note to be displayed below the player's record.

7. Retrieve handicap record for a member

Important

This API is subject to restricted licencing conditions. By using this API, you agree to the conditions placed upon your usage of this API.

Call

https://www.masterscoreboard.co.uk/api/public/v1/player_hcap_record.php?CWID=nnnnnn&PlayerID=nnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

PlayerID

Pass on URL.

The unique identifier for the player. Obtained as return **playerId** from call to *Handicap List* API.

Returns

Example

```
{
  "licenceRestrictions": "This information returned may only be displayed in accordance with the following conditions: (1) That the player is logged into the host website using their own account and password, and (2) that the 'Mandatory Notice' is displayed below the table of data.",
  "declareDate": "2022-12-13T09:55:00+00:00",
  "player": {
    "playerId": 95,
    "name": "Hambling, Robert ",
    "gender": "M",
    "handicap": "6.5",
    "nationalId": "1013578765",
    "ageGroup": 1
  },
  "headings": {
    "1": "Played",
    "2": "Course",
    "3": "Marker",
    "4": "CR",
    "5": "Slope",
    "6": "Adjusted Gross",
    "7": "PCC",
    "8": "Score Differential",
    "9": "Adjustments"
  }
}
```

```
    },
    "rows": [
      {
        "1": "3 Jun 2021",
        "2": "Southwold",
        "3": "White F9",
        "4": "43.2",
        "5": "125",
        "6": "45",
        "7": "0",
        "8": "9.6 *"
      },
      ...
    ],
    "footer": [],
    "note": "(*) indicates Score Differential used in calculation of Handicap Index.",
    "mandatoryNotice": "Data provided by England Golf."
  }
}
```

licenceRestrictions

String.

Details the restrictions placed on the publication of the data returned by this API.

This notice itself is not for publication.

declareDate

String. Date and time when the information was last published to Master Scoreboard.

player

Player Object. A Player Object representing the player whose playing record is being returned.

headings

String. A list of columns headings for the data reported in **rows**.

rows

String. An array of lists, each list containing the data for one row, with each value corresponding to the column headings reported in **headings**.

footer

String. An array of messages to be displayed below the player's record.

note

String. Note to be displayed below the player's record.

mandatoryNotice

String. A mandatory notice that **must be displayed** below the table, when displaying the player's record.

8. Retrieve scoring analysis for a member

Retrieves details of the hole-by-hole scoring for a selected member. Enables an analysis page (like the following on Master Scoreboard) to be produced.

Recent Competition Scores

Played at Southwold

Competition	Date	Hole																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
36-Hole Day 2	30 May 22	4	5	6	6	5	6	4	4	4	5	6	5	6	4	8	4	5	6
36-Hole Day 1	29 May 22	6	5	4	8	6	4	6	4	8	6	4	3	5	4	6	4	4	6
15-hole counting	25 Oct 21	5	5	4	5	5	6	5	5	4	5	5	6	5	5	4	-	-	-
MEN Number '1'	14 Apr 21	6	5	4	6	8	4	6	4	5	4	6	5	4	4	6	5	4	4
Lowest		4	5	4	5	5	4	4	4	4	4	3	4	4	4	4	4	4	4
Highest		6	5	6	8	8	6	6	5	8	6	6	6	5	8	5	5	6	6

Displaying records covering last 24 months (or last 30 competitions processed).

Call

https://www.masterscoreboard.co.uk/api/public/v1/player_scores.php?CWID=nnnnnn&PlayerID=nnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

PlayerID

Pass on URL.

The unique identifier for the player. Obtained as return **playerId** from call to *Handicap List* API.

Returns

Example

```
{
  "declareDate": "2022-12-13T09:55:00+00:00",
  "player": {
    "playerId": 5,
    "name": "Adlington, Alan ",
    "gender": "M",
    "handicap": "11.4",
```

```
"nationalId": "1006785662",
"ageGroup": 1
},
"dataDepth": "Minimum last 24 months (or last 30 competitions
processed).",
"courses": [
  {
    "courseName": "Southwold",
    "scores": [
      {
        "compName": "36-Hole Day 2",
        "date": "30 May 22",
        "holes": [
          {
            "hole": 1,
            "score": "4",
            "result": "0"
          },
          {
            "hole": 2,
            "score": "5",
            "result": "+1"
          },
          {
            "hole": 3,
            "score": "6",
            "result": "+1"
          }
        ],
        ...
      },
      {
        "summary": {
          "lowestScores": [
            {
              "hole": 1,
              "score": "4",
              "result": "0"
            },
            {
              "hole": 2,
              "score": "5",
              "result": "+1"
            },
            {
              "hole": 3,
              "score": "4",
              "result": "-1"
            }
          ],
          ...
        },
        {
          "highestScores": [
            {
              "hole": 1,
              "score": "6",
              "result": "+2"
            },
            {
              "hole": 2,
              "score": "5",
              "result": "+1"
            },
            {
              "hole": 3,
              "score": "6",
              "result": "+1"
            }
          ],
          ...
        }
      }
    ]
  }
]
```

```
}  
  }  
}  
]
```

declareDate

String. Date and time when the information was last published to Master Scoreboard.

player

Player Object. A Player Object representing the player whose playing record is being returned.

dataDepth

String. Describes how far back in time (maximum) that scores have been published to the Master Scoreboard service.

courses

Array of course objects. One entry for each 'course' the player has returned scores over.

*Child Attributes***courseName**

String. Name of the course.

scores

Array of entries, one per competition round played.

*Child Attributes***compName**

String. Name of the competition.

date

String. Date when the competition round was played.

holes

Array of Holes objects (see below). Hole, Score and Results against Par for each hole played.

summary

Details of the player's lowest and highest scores on each hole for this course.

*Child Attributes***lowestScores**

Array of Holes objects (see below). Hole, Score and Results against Par for each hole played.

highestScores

Array of Holes objects (see below). Hole, Score and Results against Par for each hole played.

The Holes Object.**hole**

Integer. Number of the hole played.

score

String. The player's score on this hole.

result

String. The result of the player's score against the Par for that hole. One of

- "NR"
Represents a No Return score for the Hole.
- "-2<"
Represents a gross Eagle or better (2 or more strokes under par) for the Hole.
- "-1"
Represents a gross Birdie (one stroke under par) for the Hole.
- "0"
Represents a gross Par for the Hole.
- "+1"
Represents a gross Bogey (one stroke over par) for the Hole.
- "+2"
Represents a gross Double-Bogey (two strokes over par) for the Hole.
- "+3>"
Represents three or more strokes over par for the Hole.
- "?"
Represents no result for the Hole.

9. Fixture List; Retrieve list of forthcoming events

Retrieves a list of forthcoming competitions, and other events, as published to Master Scoreboard.

Call

https://www.masterscoreboard.co.uk/api/public/v1/fixture_list.php?CWID=nnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Returns

Example

```
{
  "declareDate": "2022-12-13T09:55:00+00:00",
  "month": [
    {
      "monthTitle": "December 2022",
      "entry": [
        {
          "rowType": 1,
          "rowTypeDesc": "Competition",
          "date": "2022-12-23",
          "title": "Best 1 of 3",
          "subTitle": "Men's 3 Player Team Stroke Play Competition.",
          "startTime": "",
          "endTime": "",
          "compId": 145,
          "compGender": "male",
          "compVenue": "Southwold",
          "calendarId": "145.comp.108891@masterscoreboard.co.uk"
        }
      ]
    },
    {
      "monthTitle": "February 2023",
      "entry": [
        {
          "rowType": 3,
          "rowTypeDesc": "Calendar Note",
          "date": "2023-02-02",
          "title": "AGM",
          "subTitle": "",
          "calendarId": "1642.calnote.108891@masterscoreboard.co.uk"
        }
      ]
    }
  ]
}
```

declareDate

String. Date and time when the information was last published to Master Scoreboard.

month

An array of month objects.

*Child Attributes***monthTitle**

String. Description of the month.

entry

An array of 1 or more event objects.

*Child Attributes***rowType**

Integer. One of the following:

- 1 (Competition)
- 2 (Group Booking)
- 3 (Calendar Note)
- 7 (General Booking)

rowTypeDesc

String. A description of the type of row.

date

String. Date for the entry, in format YYYY-MM-DD.

title

String. A description of the event.

subTitle

String. A secondary description of the event.

startTime

String. Only included when the **rowType** is 1 (i.e., a competition). When a booking sheet has been created, the start time of the booking reservation for the competition.

endTime

String. Only included when the **rowType** is 1 (i.e., a competition). When a booking sheet has been created, the end time of the booking reservation for the competition.

compId

Integer greater than zero. Only included when the **rowType** is 1 (i.e., a competition). An identifier representing the competition.

compGender

String. Only included when the **rowType** is 1 (i.e., a competition). One of the following:

- 'male'
- 'female'

- 'both'
- 'unknown'

compVenue

String. Only included when the **rowType** is 1 (i.e., a competition). A description of the course which will be used for the competition.

calenderId

String. An id for this competition.

10. Stroke-play competitions; Retrieve a Start Sheet for a future competition

Retrieves a Start Sheet for a future competition, as published to Master Scoreboard.

Call

https://www.masterscoreboard.co.uk/api/public/v1/competition_start_sheet.php?CWID=nnnnn&Comp_ID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Comp_ID

Pass on URL.

The unique identifier for the competition. Obtained as return **compId** from *Fixture List; Retrieve list of forthcoming events* API.

Returns

Example

```
{
  "declareDate": "2022-12-13T09:55:00+00:00",
  "compId": 145,
  "name": "Best 1 of 3",
  "venue": "Southwold",
  "date": "Friday, 23 December 2022",
  "isOpenToVisitors": true,
  "isShotGunStart": false,
  "notes": [
    "Format: 3 Player Team, Regular Stroke Play competition. Handicap allowance: 70% of Course Handicap.",
    "Play from Blue Tees."
  ],
  "additionalNote": [],
  "games": [
    {
      "game": 1,
      "tee": 1,
      "players": [
        {
          "player": {
            "playerId": 8,
            "name": "Aldous, Stephen ",
            "gender": "M",
            "handicap": "12.8",
            "nationalId": "1002660306",
```

```
        "ageGroup":1,  
        "homeClub": "Club Member"  
    },  
    ...  
    ],  
    ...  
    ]  
}
```

declareDate

String. Date and time when the information was last published to Master Scoreboard.

compId

Integer greater than zero. The id for this competition, as requested in the URL.

name

String. Name of the competition.

venue

String. Name of the venue for the competition.

date

String. Date when the competition is due to be played

isOpenToVisitors

Boolean. True when the competition allows Visitors (i.e., non-members) to play.

isShotGunStart

Boolean. True when the Start Sheet is set up for all players to start at the same time.

notes

An array containing zero or more lines of notes that the competition organiser has applied to this Start Sheet.

additionalNote

String. An additional note included when the competition is a Shot Gun start.

games

An array of items, each one representing a game as defined in the Start Sheet.

*Child Attributes***game**

Integer greater than zero. An identifier for this game, starting from 1 for the first game defined to the Start Sheet.

time

String. The time this game is due to tee off. Not included when **isShotGunStart** is *True*.

tee

Integer between 1 and 18. The tee that this game is due to play from at the start of their round.

players

An array of Player Objects, where one or more players have been allocated to this game.

homeClub

When **isOpenToVisitors** is *True*, an additional attribute **homeClub** is included. This is String, with value 'Club Member' for each player who is a member of the club, and a home club for any Visitor.

11. Stroke-play competitions; Retrieve a list of competitions with Leader Board scores

Retrieves a list of competitions currently underway, who have had their scores returned published to Master Scoreboard as a competition leader board.

Competitions remain available up to 1 hour beyond their last publish date.

Call

https://www.masterscoreboard.co.uk/api/public/v1/competitions_leaderboard_list.php?CWID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Returns

Example

```
{
  "count": 8,
  "message": "",
  "competitions": [
    {
      "compId": 84,
      "name": "Foursome",
      "division": 0,
      "isGrossScores": false,
      "lastUpdated": "2022-12-13T13:04:00+00:00",
    },
    ...
  ]
}
```

count

Integer zero or above. Number of leader board competitions in the list.

message

String. A system message relating to the leader board.

competitions

An array of competitions for which there are currently leader board data.

Child Attributes

compId

Integer greater than zero. An identifier for the competition.

name

String. The name of the competition.

division

Integer. Zero to Four. Zero when the competition is not split into Divisions. 1 to 4 for the leading scores for a chosen division.

isGrossScores

Boolean. True when the scores will be leading *Gross* scores for the competition.

lastUpdated

String. Date and time when the scores for this competition were last published to Master Scoreboard.

12. Stroke-play competitions; Retrieve Leader Board scores for a competition

Retrieves the leader board scores for a selected competition, or competition division, as published to Master Scoreboard.

Call

https://www.masterscoreboard.co.uk/api/public/v1/competition_leaderboard.php?CWID=nnnnn&Comp_ID=nnn&Division=n

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Comp_ID

Pass on URL.

Integer Number greater than zero.

The unique identifier for the competition. Obtained as return **compId** from *Stroke-play competitions; Retrieve a list of competitions with Leader Board scores* API.

Division

Pass on URL.

Integer Number greater than zero.

The division scores to be returned. Use 0 (zero) for a competition that is not split into divisions. Obtained as return **division** from *Stroke-play competitions; Retrieve a list of competitions with Leader Board scores* API.

Gross

Pass on URL.

String. 'True' or 'False'.

Optional, defaults to 'False'

Whether Gross scores to be returned. Obtained as return **isGrossScores** from *Stroke-play competitions; Retrieve a list of competitions with Leader Board scores* API.

Returns

Example

```
{
  "compId": 95,
  "name": "Monthly Medal",
  "division": 0,
  "isGrossScores": false,
  "lastUpdated": "2022-12-13T13:04:00+00:00",
  "message": "Results are subject to confirmation by Competition Committee",
  "scores": [
    {
      "position": 1,
      "players": "Peter Hurr",
      "score": "69 - 07 = 62"
    },
    ...
  ]
}
```

compId

Integer greater than zero. An identifier for the competition.

name

String. The name of the competition.

division

Integer. Zero to Four. Zero when the competition is not split into Divisions. 1 to 4 for the leading scores for a chosen division.

isGrossScores

Boolean. True when the scores will be leading *Gross* scores for the competition.

lastUpdated

String. Date and time when the scores for this competition were last published to Master Scoreboard.

message

String. A system leader board message.

scores

An array of players/teams and their scores.

*Child Attributes***position**

Integer greater than zero. The position for the player/team in the competition.

players

String. The name of the player or players in the team.

score

String. The score for this player or team.

13. Stroke-play competitions; Retrieve a list of recent closed competitions

Retrieves the list of the most recent competitions, as published to Master Scoreboard.

Lists the competitions in reverse date order (most recent competition first).

Call

https://www.masterscoreboard.co.uk/api/public/v1/competitions_closed_list.php?CWID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Count

Optional.

Integer Number greater than zero.

Pass on URL.

Limits the returns to a maximum of *Count* competition rounds.

Offset

Optional.

Integer Number greater than zero.

Pass on URL.

Limits the returns to those competition rounds starting after the *Offset* number of competitions.

Often used in conjunction with the *Count* parameter.

Gender

Optional.

String data. One of the following tokens:

- M
- Male
- F
- Female
- B
- Both

Pass on URL.

Limits the returns to only those competitions which a nominated gender of player could enter.

Date

Optional.

String data in format 'YYYY-MM-DD'.

Pass on URL.

Limits the returns to only the competitions on the selected date.

Returns

Example

```
{
  "declareDate": "2022-12-13T09:55:00+00:00",
  "competitions": [
    {
      "compId": 195,
      "date": "2022-08-09",
      "name": "FBBB Stableford Overall",
      "venue": "Southwold",
      "gender": "Male",
      "format": "Stableford",
      "numberHoles": 18,
      "linked": {
        "isAlternativeDay": true,
        "altDayId": 1,
        "isMultipleRound": false
      },
      "reports": [
        {
          "reportId": 66,
          "reportType": "Full Net Result"
        },
        {
          "reportId": 67,
          "reportType": "Aggregated Net Result"
        }
      ]
    },
    ...
  ]
}
```

declareDate

String. Date and time when the information was last published to Master Scoreboard.

compId

Integer Number greater than zero. Unique identifier for the competition.

date

String. Date when competition rounds played. In format YYYY-MM-DD.

name

String. Name given to the competition.

venue

String. Name of Club where competition was played.

gender

String. One of the following, indicating which genders of players were eligible to enter:

- Male
- Female
- Both

format

String. One of the following, indicating which format of scoring was employed:

- Regular Stroke-Play
- Stableford
- Par/Bogey
- Maximum Score
- Unknown

numberHoles

Integer Number between 1 and 18. How many holes were played in this competition round.

linked

Contains information about linked competition rounds where this round has been aggregated with others as either an *Alternative Day* or *Multiple Round* competition.

Is an empty array when the competition round is not part of an aggregated competition.

*Child Attributes***isAlternativeDay**

Boolean. Whether this competition round forms part of an Aggregated competition.

altDayId

Integer Number greater than zero. Only present when **isAlternativeDay** is **true**, provides a unique ID for the aggregated competition (unique amongst Alternative Day competitions only).

isMultipleRound

Boolean. Whether this competition round forms part of a Multiple Round competition.

multiRoundId

Integer Number greater than zero. Only present when **isMultipleRound** is **true**, provides a unique ID for the aggregated competition (unique amongst Multiple Round competitions only).

reports

Contains information about the available competition results reports for this competition. Array of sets of Child Attributes ...

Child Attributes

reportId

Integer Number greater than zero. Unique identifier for this results report.

reportType

String. A description of the type of report.

14. Stroke-play competitions; Retrieve a selected competition result report

Retrieves a selected competition result report, as published to Master Scoreboard.

Call

https://www.masterscoreboard.co.uk/api/public/v1/competition_closed_result.php?CWID=nnnnnn&Comp_ID=nnn&ReportID=nnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Comp_ID

Pass on URL.

The unique identifier for the competition. Obtained as return **compId** from *Stroke-play competitions; Retrieve a list of recent closed competitions* API.

ReportID

Pass on URL.

The unique identifier for the report. Obtained as return **reportId** from *Stroke-play competitions; Retrieve a list of recent closed competitions* API.

Returns

Example (partial)

```
{
  "declareDate": "2022-12-13T09:55:00+00:00",
  "compId": 198,
  "reportId": 74,
  "name": "36-Hole Comp",
  "dateDescription": "Aggregate result of the Competition played on 29 May 2022 and 30 May 2022 and 31 May 2022 at Southwold (Southwold).",
  "report": "Aggregated Net Result",
  "scores": [
    {
      "type": "Player",
      "overallPosition": "1",
      "player": {
        "name": "Wilson, Dottie ",
        "id": 230
      },
      "scores": [
```

```
        "67",
        "--",
        "66"
    ],
    "scoreTotal": "133",
    "placing": "Overall Winner"
},
...
],
"entrants": "Number of Entrants = 8",
"notes": [
    "Round 1 (29/05/2022): day 1 notes are here!",
    "Round 2 (30/05/2022): test2"
]
}
```

declareDate

String. Date and time when the information was last published to Master Scoreboard.

compld

Integer Number greater than zero. Unique identifier for the competition.

reportId

Integer Number greater than zero. Unique identifier for this results report.

name

String. Name of the competition.

dateDescription

String. A description of the date and venue where the competition round was played.

report

String. A description of the type of report.

scores

An array containing the players and their scores.

*Child Attributes***type**

String. One of the following:

- Player
- Partner

When *Partner*, then only **player** child attribute is provided. In this case, this player is a partner in a team competition, partnering the previously listed *Player*.

player

Player Object. A Player Object representing the player who is being reported.

division

Contains details of the Division this player was placed into, when the competition was split into divisions.

Child Attributes

division

Integer Number between 0 and 4 inclusive. The number of the Division this player was placed into, with players in the 'Overall Winners' section given a division number of 0.

title

String. The description given to this section of the results report.

info

String. Information about the makeup of player's Handicap Indexes being used to place the player into this division.

overallPosition

String. The overall place this player/team finished in the competition.

scores

Array containing a description of the player's/team's scores. Where the report is a Multiple Round aggregated result report, the scores will be returned in their chronological order. Where a player did not return a score for a round, "--" is returned.

scoreTotal

String. A total score for the player/team.

Only present when the report is a Multiple Round aggregated result report.

placing

String. A description of the winning place achieved by this player/team.

Countback

String. Where a player/team place was decided by card matching ('Countback'), a description of the calculation required to place this player/team ahead of the next player/team in the results.

entrants

String. A statement of number of entrants in the competition.

notes

An array containing zero or more lines of notes that the competition organiser has applied to this competition.

notesFormat

An array containing one or more lines of notes about the format of the competition that was played.

notesCountback

An array containing zero or more lines of notes about how Card Matching (Countback) was applied to the splitting of ties in the competition.

notesDisqualifications

An array containing zero or more lines of notes about the Rules of Golf reasons applied to some players who were disqualified from the competition results.

twos

Contains information about players returning a two (or even a hole in one) in the competition.

Only present when the competition official included the reporting of twos in the competition results.

Child attributes

notes

String. Array containing one or more lines of notes about the number of players returning twos.

Scores

Array containing details of the players/teams returning a two.

Child Attributes

name

String. Name of the player(s) returning the two.

division

String. Name of the division that the player was placed into for the competition.

hole

Integer Number between 1 and 18. The hole where the player/team returned the two.

description

String. Description of the 'two', typically highlighting when the return was actually a hole-in-one.

15. 'Best-of series' competitions; Retrieve a list

Retrieves the list of the 'best-of series' competitions, as published to Master Scoreboard. Series are listed in 'most recently updated' order.

Call

https://www.masterscoreboard.co.uk/api/public/v1/competitions_bestof_list.php?CWID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Returns

Example

```
{
  "declareDate": "2022-12-13T09:55:00+00:00",
  "series": [
    {
      "seriesId": 1,
      "name": "Example Series",
      "lastUpdated": "2022-12-14",
      "numBestScores": 3,
      "isGrossScores": false
    }
  ]
}
```

Attributes

declareDate

String. Date and time when the information was last published to Master Scoreboard.

series

An array of series currently underway or completed.

Child Attributes

seriesId

Integer Number greater than zero. Unique identifier for the series.

name

String. Name given to the competition.

lastUpdated

String. Date when competition rounds played. In format YYYY-MM-DD.

numBestScores

Integer number greater than zero. Number of each player's best scores that counts towards their series total.

isGrossScores

Boolean. True when the players scores being added to the series are their Gross scores, not Net scores.

16. 'Best-of series' competitions; Retrieve a selected series report

Call

https://www.masterscoreboard.co.uk/api/public/v1/competition_bestof_result.php?CWID=nnnnn&Series_ID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Series_ID

Pass on URL.

The unique identifier for the series. Obtained as return **seriesId** from *'Best-of series' competitions; Retrieve a list API*.

Returns

Example:

```
{
  "name": "Example Series",
  "details": [
    "Best 3 Rounds Competition",
    "Position of competition as at Tuesday, 6 December 2022"
  ],
  "isShowScores": false,
  "notes": [
    "These notes! Where players have the same total, players are ordered by best last 9 holes (summed using the players' best scores). If there is still a tie, the best last 6 holes are matched (then last 3 holes and finally best last hole, as required).",
    "The best 3 rounds by each player count towards their total.",
    "COUNT identifies the number of scores counting for each player.",
    "MIN and MAX identifies the lowest and highest scores of those counting."
  ],
  "sections": [
    {
      "title": "Overall",
      "players": [
        {
          "position": 1,
          "player": {
            "playerId": 17,
            "name": "Barnes, Ken ",
            "gender": "M",
            "handicap": "12.6",
            "nationalId": "1002661655",
```

```
        "ageGroup":1
      },
      "count": 3,
      "min": 29,
      "max": 31,
      "total": 90
    }
  ],
  ...
}
```

name

String. Name given to the Series.

details

Array of Strings. Details of the configuration of the Series.

isShowScores

Boolean. Defines whether the series has been set up to report each of the best scores for each player (true), or a summary with maximum and minimum scores for each player (false).

notes

Array of Strings. Notes and further details about the series.

sections

Array of one or more 'sections'. Each section is a part of the report, typically a Division that some players have been included in.

*Child Attributes***title**

String. The title given to this section of the report.

players

Array of entries for each player in the report.

*Child Attributes***position**

Integer. Position player is placed in the Series.

player

Player Object. Details of the player.

count

Integer. Number of best scores counting for this player in this series.

min

Integer. Only included when **isShowScores** is *false*. The player's minimum best score counting for this series.

max

Integer. Only included when **isShowScores** is *false*. The player's maximum best score counting for this series.

bestScores

Array of Integers. Only included when **isShowScores** is *true*. The player's best scores, counting for this series, in ascending order.

total

Integer. The total of the player's counting best scores.

17. Match-play KO competitions; Retrieve a list

Call

https://www.masterscoreboard.co.uk/api/public/v1/competitions_matchplay_list.php?CWID=nnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Returns

Example:

```
{
  "declareDate": "Sunday, 4 December 2022 23:48",
  "competitions": [
    {
      "compId": 3,
      "name": "A KO Competition"
    },
    ...
  ]
}
```

declareDate

String. A declaration of when the Match-play competitions and match scores were last published.

competitions

An array of Match-play competitions currently underway or completed.

Child Attributes

compId

Integer Number greater than zero. Unique identifier for the competition.

name

String. Name of the Match-play competition.

18. Match-play KO competitions; Retrieve a selected draw

Retrieves a selected Match-play KO draw, as published to Master Scoreboard.

Call

https://www.masterscoreboard.co.uk/api/public/v1/competition_matchplay_draw.php?CWID=nnn&Comp_ID=nnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Comp_ID

Pass on URL.

The unique identifier for the match-play competition. Obtained as return **compId** from *Match-play KO competitions; Retrieve a list* API.

Returns

Example:

```
{
  "declareDate": "2022-12-13T09:55:00+00:00",
  "name": "Club Knockout 2022",
  "isShowResults": true,
  "rounds": [
    {
      "title": "Round 1",
      "playDate": "Monday, 28 February 2022",
      "isPlayOnDate": false,
      "matches": [
        {
          "matchNumber": 1,
          "side1": {
            "player1": {
              "playerId": 4,
              "name": "Adkinson, Margaret ",
              "gender": "F",
              "handicap": "30.8",
              "nationalId": "1008039296",
              "ageGroup": 1
            },
            "isBye": false
          },
          "side2": {
            "isBye": true
          },
          "matchResult": []
        }
      ]
    }
  ]
}
```

```
    },
    {
      "matchNumber": 2,
      "side1": {
        "player1": {
          "playerId": 81,
          "name": "Gilbert, Gill ",
          "gender": "F",
          "handicap": "34.6",
          "nationalId": "1008039491",
          "ageGroup": 1
        },
        "isBye": false
      },
      "side2": {
        "player1": {
          "playerId": 82,
          "name": "Gilbert, Jim ",
          "gender": "F",
          "handicap": "",
          "nationalId": "",
          "ageGroup": 2
        },
        "isBye": false
      },
      "matchResult": {
        "winner": "side1",
        "matchScore": "4 & 2"
      }
    },
    ...
  ],
  ...
],
"notes": ""
}
```

declareDate

String. Date and time when the information was last published to Master Scoreboard.

name

String. The name of the Match-Play competition.

isShowResults

Boolean. *True* if match scores should be displayed alongside completed matches in the draw, *false* if match scores should be hidden.

rounds

Array of rounds to be completed in the competition.

*Child Attributes***title**

String. Title of this round of the Match-play competition.

playDate

String. Date when this rounds matches must be completed by. However, if **isPlayOnDate** is *True*, then Date when this rounds matches must be played on.

isPlayOnDate

Boolean. *True* if the **playDate** is the date on which the matches must be played, or *False* if **playDate** is the date the matches must be played by.

matches

Array of matches within this round. Child Attributes

matchNumber

Integer number greater than zero. A number representing this match in the competition.

side1

Array of player(s) of the first side in this match.

*Child Attributes***player1**

Player Object. A Player Object representing the first player who is included in side 1 of this match.

player2

Player Object. A Player Object representing the second player who is included in side 1 of this match. Only present when the competition is a Pair's competition.

isBye

Boolean. True when side 2 received a bye to the next round, without playing a match.

side2

Array of player(s) of the second side in this match.

*Child Attributes***player1**

Player Object

A Player Object representing the first player who is included in side 2 of this match.

player2

Player Object

A Player Object representing the second player who is included in side 2 of this match. Only present when the competition is a Pair's competition.

isBye

Boolean.

True when side 1 received a bye to the next round, without playing a match.

matchResult

Array of the match result, if a match was played and a result recorded.

Child Attributes

winner

String. The winning side when this match has been completed. Will always be "side1" if present, as the winning side will always be reported as the side 1, after a result is reported.

matchScore

String. The reported match score for this match.

notes

String. Any notes that should be displayed alongside the draw.

19. Orders of Merit; Retrieve a list

Retrieves the list of orders of merit (e.g., 'Golfer of the year'), as published to Master Scoreboard. Series are listed in 'most recently updated' order.

Call

https://www.masterscoreboard.co.uk/api/public/v1/ordersofmerit_list.php?CWID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Returns

Example

```
{
  "declareDate": "Tuesday, 6 December 2022 23:33",
  "ordersOfMerit": [
    {
      "oomId": 3,
      "name": "Team comp",
      "lastUpdated": "2022-04-17"
    },
    ...
  ]
}
```

Attributes

declareDate

String. Date and time when the information was last published to Master Scoreboard.

ordersOfMerit

An array of Orders of Merit currently published.

Child Attributes

oomId

Integer Number greater than zero. Unique identifier for the Order of Merit.

name

String. Name given to the Order of Merit.

lastUpdated

String. Date when Order of Merit was last updated.

20. Orders of Merit; Retrieve a selected report

Call

https://www.masterscoreboard.co.uk/api/public/v1/orderofmerit.php?CWID=nnnnn&Series_ID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Series_ID

Pass on URL.

The unique identifier for the Order of Merit. Obtained as return **oomId** from *Orders of Merit; Retrieve a list API*.

Returns

Example:

```
{
  "name": "Order of Merit",
  "details": [],
  "isShowScores": true,
  "notes": [
    "The maximum number of competitions to count per player has been set at 3. Where players return more than 3 competition scores, their best 3 scores are used."
  ],
  "lastUpdated": "2022-04-19T10:21:00+01:00",
  "sections": [
    {
      "title": "",
      "players": [
        {
          "position": 1,
          "player": {
            "playerId": 14,
            "name": "Barnes, Chris ",
            "gender": "M",
            "handicap": "7.9",
            "nationalId": "1013364883",
            "ageGroup": 1
          },
          "count": 3,
          "scores": [
            8,
            15,
            15
          ],
          "total": 38
        }
      ]
    }
  ]
}
```

```
...
    ]
  }
]
```

name

String. Name given to the Series.

details

Array of Strings. Details of the configuration of the Series.

isShowScores

Boolean. Defines whether the series has been set up to report each of the counting scores for each player (true).

notes

Array of Strings. Notes and further details about the series.

sections

Array of one or more 'sections'. Each section is a part of the report, typically a Division that some players have been included in.

*Child Attributes***title**

String. The title given to this section of the report.

players

Array of entries for each player in the report.

*Child Attributes***position**

Integer. Position player is placed in the order of merit.

player

Player Object. Details of the player.

count

Integer. Number of scores counting for this player in this order of merit.

points

Array of Integers. Only included when **isShowScores** is *true*. The player's order of merit scores (points) counting for this order of merit, competition by competition, in ascending order.

total

Integer. The total of the player's counting scores.

21. Eclectics; Retrieve a list

Retrieves the list of eclectic competitions as published to Master Scoreboard. Series are listed in 'most recently updated' order.

Call

https://www.masterscoreboard.co.uk/api/public/v1/eclectics_list.php?CWID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Returns

Example

```
{
  "declareDate": "Tuesday, 6 December 2022 23:33",
  "eclectics": [
    {
      "eclecticId": 11,
      "name": "18 Hole comp, played 16",
      "lastUpdated": "2022-03-17",
      "format": "Fewest Strokes on each hole"
    },
    ...
  ]
}
```

Attributes

declareDate

String. Date and time when the information was last published to Master Scoreboard.

eclectics

An array of Eclectic competitions currently published.

Child Attributes

eclecticId

Integer Number greater than zero. Unique identifier for the Eclectic competition.

name

String. Name given to the Eclectic competition.

lastUpdated

String. Date when Eclectic competition was last updated.

format

String. The format applied to the eclectic competition. One of ...

- "Fewest Strokes on each hole"
- "Most Stableford Points on each hole"

22. Eclectics; Retrieve a result report

Call

https://www.masterscoreboard.co.uk/api/public/v1/eclectic_result.php?CWID=nnnnn&Eclectic_ID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Eclectic_ID

Pass on URL.

The unique identifier for the Eclectic. Obtained as return **eclecticid** from *Eclectics; Retrieve a list* API.

Returns

Example:

```
{
  "eclecticId": 8,
  "name": "9-hole",
  "details": [
    "Fewest strokes taken on each hole",
    "Eclectic Scores as at Friday, 18 February 2022"
  ],
  "lastUpdated": "2022-02-18T10:09:00+00:00",
  "isStablefordScoring": false,
  "isShowNumberRounds": false,
  "notes": [
    " ",
    "The number of scores (holes) analysed for this report was 27."
  ],
  "sections": [
    {
      "title": "",
      "players": [
        {
          "position": 1,
          "player": {
            "playerId": 80,
            "name": "Gee, Pat ",
            "gender": "F",
            "handicap": "20.0",
            "nationalId": "1008039489",
            "ageGroup": 1
          },
          "gross": "49",
          "hcap": "20.0",
          "net": "39",
          "countback": ""
        }
      ]
    }
  ]
}
```

```
...  
    ]  
  }  
  ]  
}
```

eclecticId

Integer. The identifier for this Eclectic competition.

name

String. Name given to the Eclectic competition.

details

Array of Strings. Details of the configuration of the Eclectic competition.

lastUpdated

String. Date and time when the eclectic competition results were last recalculated.

isStablefordScoring

Boolean. Defines whether the Eclectic competition has been set-up to be based upon the most Stableford points each player returns on each hole (true). Alternatively, will be lowest gross score on each hole (false).

isShowNumberRounds

Boolean. Whether the Eclectic has been set-up to report the number of scorecards for each player that have been included in the results (true).

notes

Array of Strings. Notes and further details about the Eclectic competition.

sections

Array of one or more 'sections'. Each section is a part of the report, typically a Division that some players have been included in.

*Child Attributes***title**

String. The title given to this section of the report.

players

Array of entries for each player in the report.

*Child Attributes***position**

Integer. Position player is placed in the Eclectic competition.

player

Player Object. Details of the player.

count

Integer. Number of scores counting for this player in this Eclectic competition.

gross

String. Only included when **isStablefordScoring** is *false*. The number of strokes for the player across the set of holes included in the Eclectic competition.

hcap

String. Only included when **isStablefordScoring** is *false*. The number of strokes handicap allowance this player is receiving in this Eclectic competition.

net

String. Only included when **isStablefordScoring** is *false*. The number of strokes for the player across the set of holes included in the Eclectic competition, less their Handicap allowance.

points

String. Only included when **isStablefordScoring** is *true*. The player's order of merit scores (points) counting for this Eclectic competition.

countback

String. The countback split where players have tied in the Eclectic competition. Alternatively, countback scores may be provided as an array of scores, titled **last9**, **last6**, **last3**, **last1**, **last6F9**, **last3F9**, **last1F9**.

23. Eclectics; Retrieve an analysis report

Returns the hole-by-hole scores that make up player's Eclectic score, for a selected Eclectic competition.

Call

https://www.masterscoreboard.co.uk/api/public/v1/eclectic_analysis.php?CWID=nnnnn&Eclectic_ID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Eclectic_ID

Pass on URL.

The unique identifier for the Eclectic. Obtained as return **eclecticId** from *Eclectics; Retrieve a list* API.

Returns

Example:

```
{
  "eclecticId": 8,
  "name": "9-hole",
  "lastUpdated": "2022-02-18T10:09:00+00:00",
  "sections": [
    {
      "title": "",
      "players": [
        {
          "position": 1,
          "player": {
            "playerId": 80,
            "name": "Gee, Pat ",
            "gender": "F",
            "handicap": "20.0",
            "nationalId": "1008039489",
            "ageGroup": 1
          },
          "scores": [
            {
              "hole": 1,
              "score": "5"
            },
            {
              "hole": 2,
              "score": "5"
            },
            {
              "hole": 3,
              "score": "5"
            }
          ]
        }
      ]
    }
  ]
}
```

```
    },
    {
      "hole": 4,
      "score": "5"
    },
    {
      "hole": 5,
      "score": "5"
    },
    {
      "hole": 6,
      "score": "6"
    },
    {
      "hole": 7,
      "score": "6"
    },
    {
      "hole": 8,
      "score": "6"
    },
    {
      "hole": 9,
      "score": "6"
    }
  ],
  ...
],
...
}
```

eclecticId

Integer. The identifier for this Eclectic competition.

name

String. Name given to the Eclectic competition.

lastUpdated

String. Date when this eclectic competition was last updated.

sections

Array of one or more 'sections'. Each section is a part of the report, typically a Division that some players have been included in.

*Child Attributes***title**

String. The title given to this section of the report.

players

Array of entries for each player in the report.

*Child Attributes***position**

Integer. Position player is placed in the Eclectic competition.

player

Player Object. Details of the player.

scores

Array of scores for this player.

*Child Attributes***hole**

Integer. Number of the hole.

score

String. Player's score for the selected hole.

24. Good Scoring Reports; Retrieve a list

Retrieves the list of good scoring reports as published to Master Scoreboard. Reports are listed in 'most recently updated' order.

Call

https://www.masterscoreboard.co.uk/api/public/v1/good_scoring_reports_list.php?CWID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Returns

Example

```
{
  "declareDate": "Tuesday, 13 December 2022 09:55",
  "reports": [
    {
      "reportId": 8,
      "name": "Pars and better",
      "lastUpdated": "2022-12-12",
      "format": "Number of Pars (or better) Scored"
    },
    ...
  ]
}
```

declareDate

String. Date and time when the information was last published to Master Scoreboard.

reports

An array of reports currently published.

Child Attributes

reportId

Integer Number greater than zero. Unique identifier for the good scoring report.

name

String. Name given to the report.

lastUpdated

String. Date when the report was last updated (in YYYY-MM-DD format).

format

String. The format used to generate the report.

25. Good Scoring Reports; Retrieve a result report

Call

https://www.masterscoreboard.co.uk/api/public/v1/good_scoring_report.php?CWID=nnnnn&Report_ID=nnnnn

Parameters

CWID

Pass on URL.

Integer Number greater than zero.

The ID for the organisation on Master Scoreboard.

Report_ID

Pass on URL.

The unique identifier for the Report. Obtained as return **reportId** from *Good Scoring Reports; Retrieve a list API*.

Returns

Example:

```
{
  "reportId": 7,
  "title": "Birdies!",
  "subTitle": "Number of Birdies (or better) Scored",
  "lastUpdated": "2022-12-12T23:50:00+00:00",
  "notes": "",
  "rows": [
    {
      "position": 1,
      "player": {
        "playerId": 52,
        "name": "Davies, Brian ",
        "gender": "M",
        "handicap": "14.4",
        "nationalId": "1001428443",
        "ageGroup": 1
      },
      "count": 16
    },
    ...
  ]
}
```

reportId

Integer greater than zero. The identifier for this report.

title

String. The name given to this report when it was created in HandicapMaster.

subtitle

String. A description of the nature/format of the report, describing which good scores have counted towards the report totals.

lastUpdated

String. The date and time when this report was last updated.

notes

String. Notes associated with the report.

rows

An array of entries (rows) for the report.

*Child Attributes***position**

Integer greater than zero. The numeric position a player has achieved in the report

player

A Player Object.

count

Integer, zero or above. The number of 'good scores' returned by the player.