



PART NUMBER
10118193-0001LF



NOTES:

1. MATERIAL:

HOUSING: HIGH THERMOPLASTIC RESIN, UL94V-0, COLOR: BLACK
TERMINAL: COPPER ALLOY
SHELL: STAINLESS





2. FINISH:

CONTACT AREA: GOLD PLATED
CONTACT SOLDER AREA: GOLD FLASH
SHELL: MATTE TIN PLATED
UNDER NICKEL PLATED ALL OVER.


3. PRODUCT SPECIFICATION: GS-12-641.

4. PACKAGING SPECIFICATION: GS-14-2180.

5. THE "LF" MEANS FOR LEAD FREE AND CAN WITHSTAND EXPOSE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN IR REFLOW PROCESS.



REFERENCE PCB LAYOUT
SCALE 1:2(TOLERANCE:±0.05)



Item	Title	Q'TY
1	Shell	1
2	Terminal	5
3	InsertMolding	1

mat'l. code				surface ASME Y14.5	tolerance ASME Y14.5	projection MM	product family USB
ltr	ecn no	dr	date	tolerances unless otherwise specified			title
A	LS	10/21/11	10/21/13	angles	.X±0.38	MM	MICRO USB B TYPE RECEPTACLE
B	ELX-N-16099	JH	10/21/13	linear	.XX±0.25	scale	
				X°±2°	.XXX±0.10		
				dr	JASON HSU 05/21/11	FCI	dwg no
				enr	JASON HSU 05/21/11		sheet 1 of 1
				chr	JASON HSU 05/21/11		size
				appd	GARY HSIEH 05/21/11		A4
sheet index	revision sheet	B 1					type
							CUSTOMER Drawing