



## Generic Cryptographic Interface

Documentation Steve Wagner

January 14, 2016

Laboratory for Embedded Systems and Communication Electronics Hochschule Offenburg Prof. Axel Sikora Andreas Walz

### Statutory declaration

I declare that	I have authored this thesis indepe	endently, that I have not us	sed other than the declared		
sources / resources, and that I have explicitly marked all material which has been quoted either					
literally or by content from the used sources.					
Offenburg,					
	Date	Signature			

#### Abstract

### **Contents**

	1.1. Cryptography	. 1
	1.2. SSL/TLS protocol	
	1.3. Why should EmbetterSSL used as an exemple of bad written programm	
	1.3.1. Size of functions	
	1.3.2. Usage of global variables as well as contexts	
	1.3.3. Bad usage of preprocessor includes	1
2.	Motivation	2
3.	Design	3
4.	Cryptography in the TLS protocol	4
	4.1. Handshake Protocol	
	4.2. Cryptographic parts in the Handshake Protocol	4
5.	Creation of the Generic Cryptographic Interface	5
	5.1. Principe of context	. 5
	5.2. Key management	
	5.3. Principal functions needed in the interface	5
	5.3.1. Hash	_
	5.3.2. Signature	_
	5.3.3. Generate key pairs	_
	5.3.4. Diffie-Hellmann	_
	5.3.5. Cipher	_
	5.3.6. Pseudo-random number generator	5
6.	Integration of the new interface in embetterTLS's project	6
	6.1. old embetterTLS VS new embetterTLS	
	6.2. CryptoWrap Interface to Generic Crypto Interface	. 6
7.	Implementation of LibTomCrypt Designer	7
	7.1. embetterTLS as client	•
	7.2. embetterTLS as server	7
Bil	bliography	8
Α.	Documentation of the Generic Cryptographic Interface	10

#### 1. Introduction

- 1.1. Cryptography
- 1.2. SSL/TLS protocol
- 1.3. Why should EmbetterSSL used as an exemple of bad written programm
- 1.3.1. Size of functions
- 1.3.2. Usage of global variables as well as contexts
- 1.3.3. Bad usage of preprocessor includes

## 2. Motivation

# 3. Design

- 4. Cryptography in the TLS protocol
- 4.1. Handshake Protocol
- 4.2. Cryptographic parts in the Handshake Protocol

# 5. Creation of the Generic Cryptographic Interface


- 5.1. Principe of context
- 5.2. Key management
- 5.3. Principal functions needed in the interface
- 5.3.1. Hash
- 5.3.2. Signature
- 5.3.3. Generate key pairs
- 5.3.4. Diffie-Hellmann
- 5.3.5. Cipher
- 5.3.6. Pseudo-random number generator

- 6. Integration of the new interface in embetterTLS's project
- 6.1. old embetterTLS VS new embetterTLS
- 6.2. CryptoWrap Interface to Generic Crypto Interface

- 7. Implementation of LibTomCrypt Designer
- 7.1. embetterTLS as client
- 7.2. embetterTLS as server

## **Bibliography**

- [1] Christof Paar and Jan Pelzl. *Understanding cryptography: a textbook for students and practitioners*. Springer Berlin Heidelberg, Berlin; Heidelberg [u.a.], 2. corr. printing edition, 2010.
- [2] Ph.D. Rolf, Oppliger. *SSL and TLS: Theory and Practice*. Artech House, eSECURITY Technologies; Beethovenstrasse 10; CH-3073; Gümligen; Switzerland, 2009.



## Appendix A.

Documentation of the Generic Cryptographic Interface

Link