Airborne Transmission of Covid-19

Anita Klein - Mariam Grigoryan - Steve de Rose

12 avril 2021

- Covid 19 virus reported to the World Health Organization (WHO) on December 31, 2019.
- ► Reduce/Prevent its spread
- Cemosis and Synapse-Concept project 4fastsim-ibat.
- ► Air quality since Covid-19.

- ► Cemosis created in January 2013 by Christophe Prud'homme.
- Strasbourg Centre for Modelling and Simulation.
- Synapse-Concept created in November 1999.
- Specialised in engineering and technical studies.

- Study of the airborne transmission of COVID-19 in an indoor space.
- ► The air in the room follows an advection-diffusion-reaction equation.
- ▶ With only one infectious person in the room.
- ▶ Rome of size $8m(l) \times 8m(w) \times 3m(h)$.
- Breathing/Talking with and without a face mask.

Illustration

Airborne Transmission of Covid-19

Anita Klein -Mariam Grigoryan - Steve de Rose

illu.png

Figure – Virus airborne transmission in an office

- Firstly, 2D model to study/reproduce the concentration of airborne infectious particles.
- Using the advection–reaction–diffusion equation.
- Assumptions :
 - particles released from the infected person with zero initial velocity.
 - transported via advection due to the airflow in the room and diffusion due to turbulent mixing
 - the advection velocity of the air, v(m/s) controlled by the air-conditioning unit.
 - the recirculation of air leads to turbulent mixing of the infectious particles.

► Hence, the advection—reaction—diffusion equation :

$$\frac{\partial C}{\partial t} = \nabla . (K \nabla C) - \nabla . (\overrightarrow{v} C) + S.$$

► C = concentration of airborne infectious particles

t = time

 ∇ = two-dimensional gradient operator

K = isotropic eddy diffusion coefficient (turbulent diffusion)

 \overrightarrow{V} = advection velocity of the air

S = sum of sources and sinks of viral particles.

- Secondly, using «N-point ASOM» (air supply opening model).
- Developped in 2003 by Bin Zhaoa, Xianting Lib and Qisen Yanb at Tsinghua University, Beijing, China.
- Replace the real diffuser by several simple openings, maintaining the inlet momentum and mass flows.

- ► Feel++ to solve advection-reaction-diffusion equation.
- Paraview to visualize the solution.
- ▶ Antora to generate the documentation site.
- Visual Studio Code.

- ➤ Z. Lau, K. Kaouri, I. Griffiths. Modelling Airborne Transmission of COVID-19 in Indoor Spaces Using anAdvection—Diffusion—Reaction Equation. School of Mathematics, Cardiff University and Mathematical Institute, University of Oxford.
- ► B. Zhao and X. Li. A simplified system for indoor airflow simulation. Building and Environment · April 2003
- Zohra Djatouti, Christophe Prud'homme, Vincent Chabannes, Romain Hild IBat Website
- https://twitter.com/T_Fiolet/status/ 1378989583682179075?s=09