

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	01-12-2025 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	01-12-2025 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	6
वस्तु श्रेणी /Item Category	Mobile Storage Compactors (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	21 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	21 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Turnover	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Exemption for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	20 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Mobile Storage Compactors
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	126000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	13

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई

कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Garrison Engineer (I) (CG) Daman

Garrison Engineer Daman, Tat Rakshak Vihar, Dalwada, Nani Daman, Daman-396210

(Rajesh Kumar)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder

shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.

2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and

for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
25-11-2025 11:00:00	GarrisonEngineer Daman, Dalwada, Nani Daman, Daman-396210

Mobile Storage Compactors (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GUIDE RAIL	Number of guide rail rows	2, 3, 4, 5, 6, 7, 8
	Number of 915 mm Rail Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
	Number of 1830 mm Rails Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
	Number of 2745 mm Rails Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	1-Bay
	Type of Drive	Push Pull Type, Mechanized Drive Type
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	0, 1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	1, 4
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments, 5 Shelves/6 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments, 5 Shelves/6 Compartments

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Shelves in Each Almira / Body of the single faced movable bodies	4 Shelves/5 Compartments, 5 Shelves/6 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg, 40 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg, 40 kg
	Load bearing capacity of under structure and base frame	600 Kg, 3000 Kg
	Shelves in the cabinets	Adjustable
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Anti frictional ball bearing, Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	1, 3
	Minimum number of pairs of Bearings in Every Base frame	4, 6
	Drive cover included on Body	YES, NO
	Stud	Main only, Main and add on construction, N.A
DOORS and LOCKING	Central Locking System for locking entire compactor unit	YES
	Separate door lock for each section	YES, NO
	Handle	Chrome plated 'C' handle fitted on 1.6 mm thick plate, Steel star Wheel type
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.6 mm thick CRC sheet conforming to Grade D of IS 513 latest.

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	M S Sheet Thickness of the Shelf Panels (mm)	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.7 mm thick CRC sheet conforming to Grade D of IS 513 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, N.A.
	Height of base frame ± 2(mm)	65 mm, 75 mm, 90 mm, 100 mm, 120 mm, 80 mm
	Height of track and moving clearance ± 2(mm)	35 mm, 45 mm, 55 mm, 65 mm, 80 mm
	Material of Stud	Rubber stud between bodies, PVC stud between bodies, NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:1079/Latest, H R Sheet 3.15MM thick confmg. to IS:1079/Latest, H R Sheet 2MM thick confmg. to IS:2062/Latest, H R Sheet 3.15MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction, 0. 8 mm thick CRC sheet conforming to grade D of IS 513/2008 latest and box type construction, No Cover
	Number of Folds in Shelf Panels	8 Nos., 10 Nos., 12 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm ± 20 (mm)	1725 mm, 2080 mm, 2180 mm, 2350 mm, 2600 mm, 2750 mm, 2900 mm, 2950 mm, 2130 mm, 1875 mm, 2561 mm, 2460 mm, 1976 mm, 2276 mm, 2376 mm, 2576 mm, 2776 mm, 2876 mm, 3176 mm, 3276 mm, 3476 mm, 2400 mm, 1980 mm, 2500 mm
	Depth of the single faced fixed / static bodies Cabinet ± 10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 300 mm, 400 mm, 500 mm, 475 mm
	Depth of the single faced movable bodies Cabinet ± 10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 300 mm, 400 mm, 500 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of the movable bodies Cabinet ±10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 760 mm, 300 mm, 400 mm, 500 mm, 800 mm, 1000 mm, 1200 mm, 475 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm, 915 mm, 1050 mm, 1180 mm, 1300 mm, 1500 mm, 4700 mm, 1200 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm, 915 mm, 1050 mm, 1180 mm, 1300 mm, 1500 mm, 4700 mm, 1200 mm
PAINT	Paint	Powder Coating, Enamel Paint, Pre Coated, Powder Coated with fire retardant epoxy polyester powder, Lead free Paint Powder coating
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year, 2 - Years, 3 - Years, 4 - Years, 5 - Years

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Daman	1	45

Mobile Storage Compactors (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GUIDE RAIL	Number of guide rail rows	2
	Number of 915 mm Rail Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
	Number of 1830 mm Rails Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
	Number of 2745 mm Rails Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
GENERIC	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	3-Bay
	Type of Drive	Mechanized Drive Type
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	3, 6
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments, 5 Shelves/6 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments, 5 Shelves/6 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments, 5 Shelves/6 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg
	Load bearing capacity of under structure and base frame	1600 Kg, 3000 Kg
	Shelves in the cabinets	Fixed, Adjustable
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings, MS wheels
	Number of pairs of Wheels in Every Base frame	2, 3
	Minimum number of pairs of Bearings in Every Base frame	1, 2, 3, 4, 5, 6, 7, 8, N.A
	Drive cover included on Body	YES
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM
	Stud	Main and add on construction, N.A
DOORS and LOCKING	Central Locking System for locking entire compactor unit	YES
	Safety Lock for each Movable Body	YES

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Separate door lock for each section	YES, NO
	Handle	High Quality polyurathene(PU) with three attractive arms, Wheel Type, Steel star Wheel type
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.6 mm thick CRC sheet conforming to Grade D of IS 513 latest.
	M S Sheet Thickness of the Shelf Panels (mm)	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.7 mm thick CRC sheet conforming to Grade D of IS 513 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, N.A.
	Height of base frame ± 2(mm)	65 mm, 75 mm, 90 mm, 100 mm, 120 mm, 80 mm
	Height of track and moving clearance ± 2(mm)	35 mm, 45 mm, 55 mm, 65 mm, 80 mm
	Material of Stud	Rubber stud between bodies, PVC stud between bodies, NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:1079/Latest, H R Sheet 3.15MM thick confmg. to IS:1079/Latest, H R Sheet 2MM thick confmg. to IS:2062/Latest, H R Sheet 3.15MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction, 0. 8 mm thick CRC sheet conforming to grade D of IS 513/2008 latest and box type construction, No Cover

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Folds in Shelf Panels	8 Nos., 10 Nos., 12 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm ± 20 (mm)	1725 mm, 2080 mm, 2180 mm, 2350 mm, 2600 mm, 2750 mm, 2900 mm, 2950 mm, 2130 mm, 1875 mm, 2561 mm, 2460 mm, 1976 mm, 2276 mm, 2376 mm, 2576 mm, 2776 mm, 2876 mm, 3176 mm, 3276 mm, 3476 mm, 2400 mm, 1980 mm, 2500 mm
	Depth of the single faced fixed / static bodies Cabinet ± 10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 300 mm, 400 mm, 500 mm, 475 mm
	Depth of the single faced movable bodies Cabinet ± 10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 300 mm, 400 mm, 500 mm
	Depth of the movable bodies Cabinet ± 10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 760 mm, 300 mm, 400 mm, 500 mm, 800 mm, 1000 mm, 1200 mm, 475 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm, 915 mm, 1050 mm, 1180 mm, 1300 mm, 1500 mm, 4700 mm, 1200 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm, 915 mm, 1050 mm, 1180 mm, 1300 mm, 1500 mm, 4700 mm, 1200 mm
PAINT	Paint	Powder Coating, Enamel Paint, Pre Coated, Powder Coated with fire retardant epoxy polyester powder, Lead free Paint Powder coating
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year, 2 - Years, 3 - Years, 4 - Years, 5 - Years

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Daman	1	45

Mobile Storage Compactors (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GUIDE RAIL	Number of guide rail rows	2, 3, 4, 5, 6, 7, 8
	Number of 915 mm Rail Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
	Number of 1830 mm Rails Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
	Number of 2745 mm Rails Pieces per Rail Row	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
GENERIC	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	2-Bay
	Type of Drive	Mechanized Drive Type

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	3, 5
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	70 kg, 100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	70 kg, 100 kg
	Load bearing capacity of under structure and base frame	1200 Kg, 5000 Kg
	Shelves in the cabinets	Fixed, Adjustable
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	MS wheels
	Number of pairs of Wheels in Every Base frame	2

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum number of pairs of Bearings in Every Base frame	1, 2, 3, 4, 5, 6, 7, 8, N.A
	Drive cover included on Body	YES
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM
	Stud	Main only, Main and add on construction, N.A
DOORS and LOCKING	Separate door lock for each section	YES, NO
	Handle	High Quality polyurathene(PU) with three attractive arms, Wheel Type
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.6 mm thick CRC sheet conforming to Grade D of IS 513 latest.
	M S Sheet Thickness of the Shelf Panels (mm)	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.25 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 0.7 mm thick CRC sheet conforming to Grade D of IS 513 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 1.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, 0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest, 2.0 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146, N.A.
	Height of base frame ±2(mm)	65 mm, 75 mm, 90 mm, 100 mm, 120 mm, 80 mm
	Height of track and moving clearance ±2(mm)	35 mm, 45 mm, 55 mm, 65 mm, 80 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Stud	Rubber stud between bodies, PVC stud between bodies, NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:1079/Latest, H R Sheet 3.15MM thick confmg. to IS:1079/Latest, H R Sheet 2MM thick confmg. to IS:2062/Latest, H R Sheet 3.15MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction, 0. 8 mm thick CRC sheet conforming to grade D of IS 513/2008 latest and box type construction, No Cover
	Number of Folds in Shelf Panels	8 Nos., 10 Nos., 12 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm ± 20 (mm)	1725 mm, 2080 mm, 2180 mm, 2350 mm, 2600 mm, 2750 mm, 2900 mm, 2950 mm, 2130 mm, 1875 mm, 2561 mm, 2460 mm, 1976 mm, 2276 mm, 2376 mm, 2576 mm, 2776 mm, 2876 mm, 3176 mm, 3276 mm, 3476 mm, 2400 mm, 1980 mm, 2500 mm
	Depth of the single faced fixed / static bodies Cabinet ± 10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 300 mm, 400 mm, 500 mm, 475 mm
	Depth of the single faced movable bodies Cabinet ± 10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 300 mm, 400 mm, 500 mm
	Depth of the movable bodies Cabinet ± 10(mm)	315 mm, 375 mm, 450 mm, 560 mm, 610 mm, 915 mm, 760 mm, 300 mm, 400 mm, 500 mm, 800 mm, 1000 mm, 1200 mm, 475 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm, 915 mm, 1050 mm, 1180 mm, 1300 mm, 1500 mm, 4700 mm, 1200 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm, 915 mm, 1050 mm, 1180 mm, 1300 mm, 1500 mm, 4700 mm, 1200 mm
PAINT	Paint	Powder Coating, Enamel Paint, Pre Coated, Powder Coated with fire retardant epoxy polyester powder, Lead free Paint Powder coating
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year, 2 - Years, 3 - Years, 4 - Years, 5 - Years

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Daman	4	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. The bidder should be O.E.M. (Original Equipment Manufacture) OR OEM' s Authorized Dealer, of premium quality furniture having trade mark registered brand. Attach Proof of OEM i.e. Factory License, Certificate of incorporation & Trade mark registration copy.

2. The bidder should have their own service centre or dealer to provide timely pre or after sales service within 48 hrs.

3. MSME & NSIC vendor get exemption from tender Fees, EMD & Security Deposit, therefore bidder should attach valid MSME & NSIC Valid Certificate along with Bid.

4.

(a) The purchaser/committee will be visiting the manufacturing facility of the bidder before technical bid opening. Therefore, the bidder should be the original manufacturer and should agree to demonstrate their following production facilities.

(b) 10 tank anti-rust treatment plant with R.O. water plant, confirming to IS-3618 (1996) and IS-6005 (1998) to ensure at least B grade Phosphating before final finish.

(c) Conveyorised powder coating plant and high capacity baking oven (min 210 C °) to ensure timely delivery

ery of bulk orders. Test Report from Kansai Nerolac to be uploaded.

(d) CNC machines for high precision punching and bending for manufacturing process.

(e) other all discussion will be carried out at time of Pre- Bid meeting .

5. The bidder should have valid NABCB Accreditation certifications for quality ISO 9001:2015, for environment ISO 14001:2015, ISO 50001:2018, ISO 13485:2016, AIOTA, BIFMA Membership, BIFMA Level-3, Green Guard, Zed Gold Certificate, SEFA 8-M:2016, CE Certificate, WHO-GMP, GRIHA, GREEN PRO for Mobile storage system, Indian Design Mark, IGBC Membership & valid copy of certificates should be uploaded. Vendor must be BIFMA Member company from last 10 Years and same will be verified from the BIFMA website <https://www.bifma.org/page/MembersList>.

6. The ISO certified bidder should provide the documentary proof of their QAP (Quality assurance plan) as well as testing of main raw material certificates as per ISO standard in a NABL approved laboratory as envisaged in their quality management system (QMS).

7. The bidder should be a member of ANSI/BIFMA International, Michigan (USA) and IGBC (Indian Green Building Council), BIFMA member bidder should enclose test certificates of at least two products of their own manufacturing as per ANSI /BIFMA standard.

8. The bidder should have their own product catalogue and product specification of the item quoted and same should be available in their website.

9. Before participating bid, bidder must be visiting the site where furniture will be installed and the site visit confirmation report submitted in technical Document.

10.

(a) Size of 1 BAY COMPACTOR -600 x 457 x 2080 mm, Body - 1 mm , Rail- 25mm Round Bright Bar, Trolley - 2.5 MM Duly Powder coated with 7 Tank Phosphating Process. Make :- Godrej or Equivalent.

(b) Size of 2 BAY COMPACTOR -1828 x 457 x 2080 mm, Body - 1 mm , Rail- 25mm Round Bright Bar, Trolley - 2.5 MM Duly Powder coated with 7 Tank Phosphating Process. Make :- Godrej or Equivalent.

(c) Size of 3 BAY COMPACTOR -2742 x 457 x 2080 mm, Body - 1 mm , Rail- 25mm Round Bright Bar, Trolley - 2.5 MM Duly Powder coated with 7 Tank Phosphating Process. Make :- Godrej or Equivalent.

11. Installation of compactor should be done by the seller at the required place.

.

4. **Generic**

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 7 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 10 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---