


Nama: STEVEN EMMANUEL

Kelas: TI24KA

Npm: 242310002

Mata Kuliah: Lab.PemrogramanPerangkatBergerak



```
...  profile.jsx U X  qr-scanner.jsx U  settings.jsx U  bookDetail.jsx  mapView.jsx  header.jsx  ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > profile.jsx > ...
1  import React, { useState, useRef, useCallback, useEffect } from 'react';
2  import {
3    View,
4    Text,
5    TouchableOpacity,
6    StyleSheet,
7    Alert,
8    Platform,
9    Image,
10   Modal,
11   TextInput,
12   ScrollView,
13 } from 'react-native';
14 import { SafeAreaView } from 'react-native-safe-area-context';
15 import { useRouter, useFocusEffect } from 'expo-router';
16 import { Ionicons, FontAwesome } from '@expo/vector-icons';
17 import AsyncStorage from '@react-native-async-storage/async-storage';
18 import * as ImagePicker from 'expo-image-picker';
19 import { GET_USER_BY_USERNAME } from '../../components/hooks/API';
20 import { color_list } from '../../components/styles/styleAppLatihan';
21
22 let CameraView = null;
23 let useCameraPermissions = null;
24 if (Platform.OS !== 'web') {
25   const CameraModule = require('expo-camera');
26   CameraView = CameraModule.CameraView;
27   useCameraPermissions = CameraModule.useCameraPermissions;
28 }
29
30 export default function ProfileScreen() {
31   const router = useRouter();
32   const [username, setUsername] = useState('');
33   const [profileData, setProfileData] = useState(null);
34
35   let CameraView = null;
36   let useCameraPermissions = null;
37   if (Platform.OS !== 'web') {
38     const CameraModule = require('expo-camera');
39     CameraView = CameraModule.CameraView;
40     useCameraPermissions = CameraModule.useCameraPermissions;
41   }
42
43   export default function ProfileScreen() {
44     const router = useRouter();
45     const [username, setUsername] = useState('');
46     const [profileData, setProfileData] = useState(null);
47     const [avatarUri, setAvatarUri] = useState(null);
48     const [isCameraVisible, setIsCameraVisible] = useState(false);
49     const cameraRef = useRef(null);
50     const [isEditing, setIsEditing] = useState(false);
51
52     const permissionHook = useCameraPermissions?();
53     const permission = permissionHook?.[0];
54     const requestPermission = permissionHook?.[1];
55
56     useFocusEffect(
57       useCallback(() => {
58         loadProfile();
59       }, [])
60     );
61
62     const loadProfile = async () => {
63       const userDataString = await AsyncStorage.getItem('userData');
64       if (!userDataString) {
65         Alert.alert('Error', 'Not signed in');
66         router.back();
67       }
68     };
69   }
70 }
```

```
... profile.jsx U X qr-scanner.jsx U settings.jsx U bookDetail.jsx MapsView.jsx header.jsx ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > profile.jsx > ...
30 export default function ProfileScreen() {
44   useCallback(() => {
46     }, [])
47   };
48
49   const loadProfile = async () => {
50     const userDataString = await AsyncStorage.getItem('userData');
51     if (!userDataString) {
52       Alert.alert('Error', 'Not signed in');
53       router.back();
54       return;
55     }
56     const parsed = JSON.parse(userDataString);
57     setUsername(parsed.username);
58     const response = await GET_USER_BY_USERNAME(parsed.username);
59     if (response.data) {
60       setProfileData(response.data);
61     }
62   };
63
64   const showImagePickerOptions = () => {
65     Alert.alert('Change Avatar', 'Choose an option', [
66       { text: 'Take Photo', onPress: handleOpenCamera },
67       { text: 'Choose from Gallery', onPress: pickImageFromGallery },
68       { text: 'Cancel', style: 'cancel' },
69     ]);
70   };
71
72   const handleOpenCamera = async () => {
73     if (Platform.OS === 'web') return;
74     if (!permission) {
75       const { status } = await requestPermission();
76       if (status === 'denied') {
77         Alert.alert('Permission denied', 'You need to allow camera access to use this feature.');
78       }
79     }
80   };
81
82   return (
83     <View style={styles.container}>
84       <Text style={styles.welcome}>Welcome, {username}</Text>
85       <Text style={styles.email}>Email: {email}</Text>
86       <Text style={styles.phone}>Phone: {phone}</Text>
87       <Text style={styles.address}>Address: {address}</Text>
88       <Text style={styles.zipcode}>Zipcode: {zipcode}</Text>
89       <Text style={styles.city}>City: {city}</Text>
90       <Text style={styles.country}>Country: {country}</Text>
91       <Text style={styles.date}>Date: {date}</Text>
92       <Text style={styles.time}>Time: {time}</Text>
93       <Text style={styles.status}>Status: {status}</Text>
94       <Text style={styles.role}>Role: {role}</Text>
95       <Text style={styles.job}>Job: {job}</Text>
96       <Text style={styles.hobby}>Hobby: {hobby}</Text>
97       <Text style={styles.favorite}>Favorite: {favorite}</Text>
98       <Text style={styles.note}>Note: {note}</Text>
99       <Text style={styles.comment}>Comment: {comment}</Text>
100      <Text style={styles.review}>Review: {review}</Text>
101      <Text style={styles.rating}>Rating: {rating}</Text>
102      <Text style={styles.feedback}>Feedback: {feedback}</Text>
103      <Text style={styles.suggestion}>Suggestion: {suggestion}</Text>
104      <Text style={styles.idea}>Idea: {idea}</Text>
105      <Text style={styles.project}>Project: {project}</Text>
106      <Text style={styles.task}>Task: {task}</Text>
107      <Text style={styles.todo}>Todo: {todo}</Text>
108      <Text style={styles.calendar}>Calendar: {calendar}</Text>
109      <Text style={styles.clock}>Clock: {clock}</Text>
110      <Text style={styles.timer}>Timer: {timer}</Text>
111      <Text style={styles.counter}>Counter: {counter}</Text>
112      <Text style={styles.counter2}>Counter2: {counter2}</Text>
113      <Text style={styles.counter3}>Counter3: {counter3}</Text>
114      <Text style={styles.counter4}>Counter4: {counter4}</Text>
115      <Text style={styles.counter5}>Counter5: {counter5}</Text>
116      <Text style={styles.counter6}>Counter6: {counter6}</Text>
117      <Text style={styles.counter7}>Counter7: {counter7}</Text>
118      <Text style={styles.counter8}>Counter8: {counter8}</Text>
119      <Text style={styles.counter9}>Counter9: {counter9}</Text>
120      <Text style={styles.counter10}>Counter10: {counter10}</Text>
121      <Text style={styles.counter11}>Counter11: {counter11}</Text>
122      <Text style={styles.counter12}>Counter12: {counter12}</Text>
123      <Text style={styles.counter13}>Counter13: {counter13}</Text>
124      <Text style={styles.counter14}>Counter14: {counter14}</Text>
125      <Text style={styles.counter15}>Counter15: {counter15}</Text>
126      <Text style={styles.counter16}>Counter16: {counter16}</Text>
127      <Text style={styles.counter17}>Counter17: {counter17}</Text>
128      <Text style={styles.counter18}>Counter18: {counter18}</Text>
129      <Text style={styles.counter19}>Counter19: {counter19}</Text>
130      <Text style={styles.counter20}>Counter20: {counter20}</Text>
131      <Text style={styles.counter21}>Counter21: {counter21}</Text>
132      <Text style={styles.counter22}>Counter22: {counter22}</Text>
133      <Text style={styles.counter23}>Counter23: {counter23}</Text>
134      <Text style={styles.counter24}>Counter24: {counter24}</Text>
135      <Text style={styles.counter25}>Counter25: {counter25}</Text>
136      <Text style={styles.counter26}>Counter26: {counter26}</Text>
137      <Text style={styles.counter27}>Counter27: {counter27}</Text>
138      <Text style={styles.counter28}>Counter28: {counter28}</Text>
139      <Text style={styles.counter29}>Counter29: {counter29}</Text>
140      <Text style={styles.counter30}>Counter30: {counter30}</Text>
141      <Text style={styles.counter31}>Counter31: {counter31}</Text>
142      <Text style={styles.counter32}>Counter32: {counter32}</Text>
143      <Text style={styles.counter33}>Counter33: {counter33}</Text>
144      <Text style={styles.counter34}>Counter34: {counter34}</Text>
145      <Text style={styles.counter35}>Counter35: {counter35}</Text>
146      <Text style={styles.counter36}>Counter36: {counter36}</Text>
147      <Text style={styles.counter37}>Counter37: {counter37}</Text>
148      <Text style={styles.counter38}>Counter38: {counter38}</Text>
149      <Text style={styles.counter39}>Counter39: {counter39}</Text>
150      <Text style={styles.counter40}>Counter40: {counter40}</Text>
151      <Text style={styles.counter41}>Counter41: {counter41}</Text>
152      <Text style={styles.counter42}>Counter42: {counter42}</Text>
153      <Text style={styles.counter43}>Counter43: {counter43}</Text>
154      <Text style={styles.counter44}>Counter44: {counter44}</Text>
155      <Text style={styles.counter45}>Counter45: {counter45}</Text>
156      <Text style={styles.counter46}>Counter46: {counter46}</Text>
157      <Text style={styles.counter47}>Counter47: {counter47}</Text>
158      <Text style={styles.counter48}>Counter48: {counter48}</Text>
159      <Text style={styles.counter49}>Counter49: {counter49}</Text>
160      <Text style={styles.counter50}>Counter50: {counter50}</Text>
161      <Text style={styles.counter51}>Counter51: {counter51}</Text>
162      <Text style={styles.counter52}>Counter52: {counter52}</Text>
163      <Text style={styles.counter53}>Counter53: {counter53}</Text>
164      <Text style={styles.counter54}>Counter54: {counter54}</Text>
165      <Text style={styles.counter55}>Counter55: {counter55}</Text>
166      <Text style={styles.counter56}>Counter56: {counter56}</Text>
167      <Text style={styles.counter57}>Counter57: {counter57}</Text>
168      <Text style={styles.counter58}>Counter58: {counter58}</Text>
169      <Text style={styles.counter59}>Counter59: {counter59}</Text>
170      <Text style={styles.counter60}>Counter60: {counter60}</Text>
171      <Text style={styles.counter61}>Counter61: {counter61}</Text>
172      <Text style={styles.counter62}>Counter62: {counter62}</Text>
173      <Text style={styles.counter63}>Counter63: {counter63}</Text>
174      <Text style={styles.counter64}>Counter64: {counter64}</Text>
175      <Text style={styles.counter65}>Counter65: {counter65}</Text>
176      <Text style={styles.counter66}>Counter66: {counter66}</Text>
177      <Text style={styles.counter67}>Counter67: {counter67}</Text>
178      <Text style={styles.counter68}>Counter68: {counter68}</Text>
179      <Text style={styles.counter69}>Counter69: {counter69}</Text>
180      <Text style={styles.counter70}>Counter70: {counter70}</Text>
181      <Text style={styles.counter71}>Counter71: {counter71}</Text>
182      <Text style={styles.counter72}>Counter72: {counter72}</Text>
183      <Text style={styles.counter73}>Counter73: {counter73}</Text>
184      <Text style={styles.counter74}>Counter74: {counter74}</Text>
185      <Text style={styles.counter75}>Counter75: {counter75}</Text>
186      <Text style={styles.counter76}>Counter76: {counter76}</Text>
187      <Text style={styles.counter77}>Counter77: {counter77}</Text>
188      <Text style={styles.counter78}>Counter78: {counter78}</Text>
189      <Text style={styles.counter79}>Counter79: {counter79}</Text>
190      <Text style={styles.counter80}>Counter80: {counter80}</Text>
191      <Text style={styles.counter81}>Counter81: {counter81}</Text>
192      <Text style={styles.counter82}>Counter82: {counter82}</Text>
193      <Text style={styles.counter83}>Counter83: {counter83}</Text>
194      <Text style={styles.counter84}>Counter84: {counter84}</Text>
195      <Text style={styles.counter85}>Counter85: {counter85}</Text>
196      <Text style={styles.counter86}>Counter86: {counter86}</Text>
197      <Text style={styles.counter87}>Counter87: {counter87}</Text>
198      <Text style={styles.counter88}>Counter88: {counter88}</Text>
199      <Text style={styles.counter89}>Counter89: {counter89}</Text>
200      <Text style={styles.counter90}>Counter90: {counter90}</Text>
201      <Text style={styles.counter91}>Counter91: {counter91}</Text>
202      <Text style={styles.counter92}>Counter92: {counter92}</Text>
203      <Text style={styles.counter93}>Counter93: {counter93}</Text>
204      <Text style={styles.counter94}>Counter94: {counter94}</Text>
205      <Text style={styles.counter95}>Counter95: {counter95}</Text>
206      <Text style={styles.counter96}>Counter96: {counter96}</Text>
207      <Text style={styles.counter97}>Counter97: {counter97}</Text>
208      <Text style={styles.counter98}>Counter98: {counter98}</Text>
209      <Text style={styles.counter99}>Counter99: {counter99}</Text>
210      <Text style={styles.counter100}>Counter100: {counter100}</Text>
211    </View>
212  );
213}
```

```
... profile.jsx U X qr-scanner.jsx U settings.jsx U bookDetail.jsx MapsView.jsx header.jsx ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > profile.jsx > ...
30 export default function ProfileScreen() {
307   <Text style={styles.value}>{profileData.address?.city}</Text>
308   </View>
309   <View style={styles.fieldRow}>
310     <Text style={styles.label}>Zipcode</Text>
311     {isEditing ? (
312       <TextInput
313         style={styles.input}
314         value={profileData.address?.zipcode}
315         onChangeText={(text) => updateAddressField('zipcode', text)}
316       />
317     ) : (
318       <Text style={styles.value}>{profileData.address?.zipcode}</Text>
319     )}
320   </View>
321   </View>
322   </ScrollView>
323   <Platform.OS !== 'web' && (
324     <Modal visible={isCameraVisible} animationType="slide">
325       <View style={styles.cameraContainer}>
326         <CameraView && (
327           <CameraView
328             ref={cameraRef}
329             style={styles.camera}
330             facing="front"
331             mode="picture"
332           />
333           <View style={styles.cameraControls}>
334             <TouchableOpacity
335               style={styles.cancelButton}
336               onPress={() => setIsCameraVisible(false)}
337             />
338           </View>
339         )
340       </View>
341     </Modal>
342   )
343 }
344
```

```
... profile.jsx U X qr-scanner.jsx U settings.jsx U bookDetail.jsx MapsView.jsx header.jsx
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > profile.jsx > ...
30 export default function ProfileScreen() {
216
217   <View style={styles.formCard}>
218     <Text style={styles.sectionTitle}>Personal Information</Text>
219     <View style={styles.fieldRow}>
220       <Text style={styles.label}>First Name</Text>
221       {isEditing ? (
222         <TextInput
223           style={styles.input}
224           value={profileData.name?.firstname}
225           onChangeText={(text) => updateNameField('firstname', text)}
226         />
227       ) : (
228         <Text style={styles.value}>{profileData.name?.firstname}</Text>
229       )}
230     </View>
231     <View style={styles.fieldRow}>
232       <Text style={styles.label}>Last Name</Text>
233       {isEditing ? (
234         <TextInput
235           style={styles.input}
236           value={profileData.name?.lastname}
237           onChangeText={(text) => updateNameField('lastname', text)}
238         />
239       ) : (
240         <Text style={styles.value}>{profileData.name?.lastname}</Text>
241       )}
242     </View>
243     <View style={styles.fieldRow}>
244       <Text style={styles.label}>Email</Text>
245       {isEditing ? (
246         <TextInput
```

```
... profile.jsx U X qr-scanner.jsx U settings.jsx U bookDetail.jsx MapsView.jsx header.jsx
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > profile.jsx > ...
359 const styles = StyleSheet.create({
454   camera: { flex: 1 },
455   cameraControls: {
456     position: 'absolute',
457     bottom: 40,
458     left: 0,
459     right: 0,
460     flexDirection: 'row',
461     justifyContent: 'space-around',
462     alignItems: 'center',
463   },
464   cancelButton: {
465     backgroundColor: 'rgba(255,255,255,0.3)',
466     paddingHorizontal: 20,
467     paddingVertical: 12,
468     borderRadius: 8,
469   },
470   captureButton: {
471     width: 70,
472     height: 70,
473     borderRadius: 35,
474     backgroundColor: 'white',
475     justifyContent: 'center',
476     alignItems: 'center',
477   },
478   captureButtonInner: {
479     width: 60,
480     height: 60,
481     borderRadius: 30,
482     backgroundColor: 'rgba(0,0,0,0.5)',
483     borderWidth: 2,
484     borderColor: 'black',
485   },
}
```

```
...  profile.jsx U  qr-scanner.jsx X  settings.jsx U  bookDetail.jsx  mapView.jsx X  header.jsx  ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > qr-scanner.jsx > ...
1  import React, { useState } from 'react';
2  import { View, Text, TouchableOpacity, StyleSheet, Alert, Platform } from 'react-native';
3  import { useRouter } from 'expo-router';
4  import { Ionicons } from '@expo/vector-icons';
5
6  let CameraView = null;
7  let useCameraPermissions = null;
8  if (Platform.OS !== 'web') {
9    const CameraModule = require('expo-camera');
10    CameraView = CameraModule.CameraView;
11    useCameraPermissions = CameraModule.useCameraPermissions;
12  }
13
14  export default function QRScanner() {
15    const router = useRouter();
16    const [permission, requestPermission] = useCameraPermissions?.() ?? [null, null];
17    const [scanned, setScanned] = useState(false);
18
19    const handleBarcodeScanned = ({ data }) => {
20      if (scanned) return;
21      setScanned(true);
22      try {
23        const bookId = extractBookId(data);
24        if (bookId) {
25          router.replace(`/books/${bookId}`);
26        } else {
27          Alert.alert('Invalid QR Code', 'No valid book ID found');
28          setScanned(false);
29        }
30      } catch (error) {
31        Alert.alert('Error', 'Failed to read QR code');
32        setScanned(false);
33      }
34    }
35  }
36
37  In 1 Col 1 Spaces: 2 UTF-8 CRLF {} JavaScript JSX  Go Live
```

```
...  profile.jsx U  qr-scanner.jsx X  settings.jsx U  bookDetail.jsx  mapView.jsx  header.jsx  ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > qr-scanner.jsx > ...
14  export default function QRScanner() {
15    <Text style={styles.rescanText}>Scan Again</Text>
16  </TouchableOpacity>
17  </View>
18  );
19  }
20
21  const styles = StyleSheet.create({
22    container: { flex: 1, backgroundColor: 'black' },
23    camera: { flex: 1 },
24    overlay: {
25      position: 'absolute',
26      top: 50,
27      left: 20,
28      right: 20,
29      flexDirection: 'row',
30      alignItems: 'center',
31      justifyContent: 'space-between',
32    },
33    closeIcon: { marginLeft: 10 },
34    instruction: { color: 'white', fontSize: 16, textAlign: 'center', flex: 1 },
35    permissionText: { color: 'white', textAlign: 'center', marginTop: 100, fontSize: 16, paddingHorizontal: 20 },
36    permissionButton: { backgroundColor: '#006eff', padding: 12, borderRadius: 8, marginTop: 20, alignSelf: 'center' },
37    permissionButtonText: { color: 'white', fontWeight: 'bold' },
38    backButton: { backgroundColor: 'gray', padding: 12, borderRadius: 8, marginTop: 20, alignSelf: 'center' },
39    backButtonText: { color: 'white' },
40    rescanButton: {
41      position: 'absolute',
42      bottom: 50,
43      alignSelf: 'center',
44      backgroundColor: '#006eff',
45      paddingHorizontal: 30,
46    },
47  });
48
49  In 1 Col 1 Spaces: 2 UTF-8 CRLF {} JavaScript JSX  Go Live
```

```
...  profile.jsx U  qr-scanner.jsx U  settings.jsx U X  bookDetail.jsx  mapView.jsx  header.jsx  ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > settings.jsx > ...
1  import React, { useState, useCallback } from "react";
2  import {
3    View,
4    Text,
5    TouchableOpacity,
6    ActivityIndicator,
7    Alert,
8    Platform,
9    ScrollView,
10   StyleSheet,
11 } from "react-native";
12 import { SafeAreaView } from "react-native-safe-area-context";
13 import AsyncStorage from "@react-native-async-storage/async-storage";
14 import { useFocusEffect, useRouter } from "expo-router";
15 import { Ionicons } from "@expo/vector-icons";
16 import { GET_USER_BY_USERNAME } from "../../components/hooks/API";
17 import { color_list } from "../../components/styles/styleAppLatihan";
18
19 export default function SettingsScreen() {
20   const router = useRouter();
21   const [isLoggedIn, setIsLoggedIn] = useState(false);
22   const [username, setUsername] = useState("");
23   const [profileData, setProfileData] = useState(null);
24   const [isLoading, setIsLoading] = useState(false);
25
26   const fetchUserProfile = useCallback(async (uname) => {
27     setIsLoading(true);
28     const response = await GET_USER_BY_USERNAME(uname);
29     if (response.data) {
30       setProfileData(response.data);
31     } else {
32       console.warn("Failed to load details:", response.message);
33     }
34   });
```

```
...  profile.jsx U X  qr-scanner.jsx U  settings.jsx U X  bookDetail.jsx  mapView.jsx  header.jsx  ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > settings.jsx > ...
19 export default function SettingsScreen() {
200
201   </View>
202   </View>
203   <View style={localStyles.infoRowDivider} />
204   <View style={localStyles.infoRow}>
205     <Ionicons name="business-outline" size={20} color={color_list.green} style={localStyles.infoIcon} />
206     <View>
207       <Text style={localStyles.infoLabel}>City</Text>
208       <Text style={localStyles.infoValue}>{profileData.address?.city}</Text>
209     </View>
210   </View>
211   <View style={localStyles.infoRowDivider} />
212   <View style={localStyles.infoRow}>
213     <Ionicons name="mail-open-outline" size={20} color={color_list.green} style={localStyles.infoIcon} />
214     <View>
215       <Text style={localStyles.infoLabel}>Zip Code</Text>
216       <Text style={localStyles.infoValue}>{profileData.address?.zipcode}</Text>
217     </View>
218   </View>
219   <View>
220     <TouchableOpacity style={localStyles.logoutButton} onPress={handleLogout}>
221       <Ionicons name="log-out-outline" size={20} color="white" style={{ marginRight: 8 }} />
222       <Text style={localStyles.logoutButtonText}>Log Out</Text>
223     </TouchableOpacity>
224   </View>
225   </View>
226   <View style={localStyles.errorContainer}>
227     <Text style={localStyles.errorText}>Unable to load profile data.</Text>
228     <TouchableOpacity style={localStyles.retryButton} onPress={() => fetchUserProfile(username)}>
229       <Text style={localStyles.retryButtonText}>Retry</Text>
230     </TouchableOpacity>
231   </View>
232 };
```

```
... U qr-scanner.jsx U settings.jsx U bookDetail.jsx X MapView.jsx header.jsx app.json U ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > components > components > books > bookDetail.jsx > ...
1 import React, { useState, useEffect } from 'react';
2 import {
3   View,
4   Text,
5   TouchableOpacity,
6   ScrollView,
7   StyleSheet,
8   Platform,
9 } from 'react-native';
10 import { SafeAreaView } from 'react-native-safe-area-context';
11 import { useLocalSearchParams, useRouter } from 'expo-router';
12 import { Ionicons } from '@expo/vector-icons';
13 import ListBooks from '../../constants/listBooks';
14 import { color_list } from '../../styles/styleAppLatihan';
15
16 let Speech = null;
17 if (Platform.OS !== 'web') {
18   Speech = require('expo-speech');
19 }
20
21 export default function BookDetail() {
22   const params = useLocalSearchParams();
23   const router = useRouter();
24   const id = params?.id;
25   const book = ListBooks.find((b) => String(b.id) === String(id));
26
27   const [isSpeaking, setIsSpeaking] = useState(false);
28   const [isPaused, setIsPaused] = useState(false);
29   const [highlightedIndex, setHighlightedIndex] = useState(-1);
30   const storyWords = book?.story ? book.story.split(' ') : [];
31
32   useEffect(() => {
33     return () => {
```

```
... U qr-scanner.jsx U settings.jsx U bookDetail.jsx X MapView.jsx header.jsx app.json U ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > components > components > books > bookDetail.jsx > ...
21 export default function BookDetail() {
138
139   <TouchableOpacity>
140     <TouchableOpacity onPress={handleStop} style={[styles.ttsButton, styles.stopButton]}>
141       <Ionicons name="stop" size={28} color="white" />
142     </TouchableOpacity>
143     <Text style={styles.ttsStatus}>
144       {isSpeaking ? (isPaused ? 'Paused' : 'Reading...') : 'Tap play to listen'}
145     </Text>
146   </View>
147 </SafeAreaView>
148 );
149 }
150
151 const styles = StyleSheet.create({
152   container: { flex: 1, backgroundColor: color_list.cream },
153   header: {
154     flexDirection: 'row',
155     alignItems: 'center',
156     justifyContent: 'space-between',
157     paddingHorizontal: 16,
158     paddingVertical: 12,
159     backgroundColor: '■#fff',
160     borderBottomWidth: 1,
161     borderBottomColor: '■#eee',
162   },
163   headerTitle: { fontSize: 18, fontWeight: 'bold', flex: 1, textAlign: 'center' },
164   content: { padding: 20, paddingBottom: 120 },
165   title: { fontSize: 24, fontWeight: 'bold', color: '■#333' },
166   author: { fontSize: 16, color: 'gray', marginBottom: 20 },
167   sectionTitle: { fontSize: 18, fontWeight: 'bold', marginTop: 16, marginBottom: 8, color: color_list.green },
168   synopsis: { fontSize: 15, color: '■#555', lineHeight: 22 },
169   storyContainer: { flexDirection: 'row', flexWrap: 'wrap', marginTop: 8 }.
```

```
... U qr-scanner.jsx U settings.jsx U bookDetail.jsx MapsView.jsx X header.jsx app.json U ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > components > components > explore > MapsView.jsx > ...

1 import React from 'react';
2 import { Platform, Text, View, StyleSheet } from 'react-native';
3 import MapView, { Marker } from 'react-native-maps';
4 import { Ionicons } from '@expo/vector-icons';
5 import { color_list } from '../../styles/styleApLatihan';
6
7 const MapsView = ({ current_location, markersAddress = [] }) => {
8   const cameraPosition = {
9     latitude: current_location?.latitude || 37.78825,
10    longitude: current_location?.longitude || -122.4324,
11    latitudeDelta: 0.0922,
12    longitudeDelta: 0.0421,
13  };
14
15   if (Platform.OS === 'web') {
16     return (
17       <View style={styles.mapFallback}>
18         <Ionicons name="map-outline" size={80} color={color_list.green} />
19         <Text style={styles.mapFallbackText}>Map View Unavailable</Text>
20         <Text style={styles.mapFallbackSubtext}>
21           Maps are only available on Android and iOS devices
22         </Text>
23         <Text style={styles.mapFallbackHint}>
24           Please run this app on a mobile device or emulator
25         </Text>
26       </View>
27     );
28   }
29
30   return (
31     <MapView
32       style={{ flex: 1 }}
33       initialRegion={cameraPosition}
34     />
35   );
36 }
```

Ln 1, Col 1 Spaces: 2 UTF-8 LF {} JavaScript JSX 88 Go Live

```
... U X qr-scanner.jsx U settings.jsx U bookDetail.jsx MapsView.jsx X header.jsx app.json U ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > components > components > explore > MapsView.jsx > ...

7 const MapsView = ({ current_location, markersAddress = [] }) => {
45   };
46 };
47
48 const styles = StyleSheet.create({
49   mapFallback: {
50     flex: 1,
51     justifyContent: 'center',
52     alignItems: 'center',
53     backgroundColor: color_list.cream,
54     padding: 20,
55   },
56   mapFallbackText: {
57     fontSize: 20,
58     fontWeight: 'bold',
59     color: color_list.green,
60     marginTop: 15,
61   },
62   mapFallbackSubtext: {
63     fontSize: 16,
64     color: 'black',
65     textAlign: 'center',
66     marginTop: 8,
67   },
68   mapFallbackHint: {
69     fontSize: 14,
70     color: 'gray',
71     textAlign: 'center',
72     marginTop: 8,
73   },
74 });
75
76 export default MapsView;
```

Ln 1, Col 1 Spaces: 2 UTF-8 LF {} JavaScript JSX 88 Go Live

```
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > components > components > latihan-page > header.jsx > ...
1  import { Ionicons } from "@expo/vector-icons";
2  import AsyncStorage from "@react-native-async-storage/async-storage";
3  import { useFocusEffect, useRouter } from "expo-router";
4  import React, { useCallback, useState } from "react";
5  import { Text, TouchableOpacity, View } from "react-native";
6  import { styles } from "../../styles/styleAppLatihan";
7
8  const Header = () => {
9    const router = useRouter();
10    const [userData, setUserData] = useState(null);
11
12    const checkLoginStatus = useCallback(async () => {
13      try {
14        const userDataString = await AsyncStorage.getItem("userData");
15        if (userDataString === null) {
16          setUserData({ username: "Discover Books" });
17        } else {
18          const parsedUserData = JSON.parse(userDataString);
19          setUserData(parsedUserData);
20        }
21      } catch (error) {
22        console.warn("Error checking login status", error);
23        setUserData({ username: "Discover Books" });
24      }
25    }, []);
26
27    useFocusEffect(
28      useCallback(() => {
29        checkLoginStatus();
30      }, [checkLoginStatus])
31    );
32
33    return (
```

```
8    const Header = () => {
12      const checkLoginStatus = useCallback(async () => {
17        if (userDataString === null) {
18          const parsedUserData = JSON.parse(userDataString);
19          setUserData(parsedUserData);
20        }
21      } catch (error) {
22        console.warn("Error checking login status", error);
23        setUserData({ username: "Discover Books" });
24      }
25    }, []);
26
27    useFocusEffect(
28      useCallback(() => {
29        checkLoginStatus();
30      }, [checkLoginStatus])
31    );
32
33    return (
34      <View style={styles.h_container}>
35        <View>
36          <Text style={styles.sub_title}>Good Morning</Text>
37          <Text style={styles.title}>
38            {userData?.username || "Discover Books"}
39          </Text>
40        </View>
41        <View style={{ flexDirection: "row", gap: 10 }}>
42          <TouchableOpacity
43            style={[styles.btn_icon, styles.shadow]}
44            onPress={() => router.push("/search")}
45          >
46            <Ionicons name="search-outline" size={24} color="gray" />
47          </TouchableOpacity>
48        </View>
49      </View>
50    );
51  }
52
53  export default Header;
```

```
... U qr-scanner.jsx U settings.jsx U bookDetail.jsx MapsView.jsx header.jsx app.json U X ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app.json > ...
1 {
2   "expo": {
3     "plugins": [
4       "expo-router",
5       [
6         "expo-splash-screen",
7         {
8           "image": "../assets/images/splash-icon.png",
9           "imageWidth": 200,
10          "resizeMode": "contain",
11          "backgroundColor": "#ffffff",
12          "dark": {
13            "backgroundColor": "#000000"
14          }
15        }
16      ],
17       "expo-maps",
18       "expo-secure-store",
19       "expo-web-browser",
20       [
21         "expo-camera",
22         {
23           "cameraPermission": "Allow $(PRODUCT_NAME) to access your camera",
24           "microphonePermission": "Allow $(PRODUCT_NAME) to access your microphone"
25         }
26       ],
27       [
28         "expo-image-picker",
29         {
30           "photosPermission": "Allow $(PRODUCT_NAME) to access your photos",
31           "cameraPermission": "Allow $(PRODUCT_NAME) to access your camera"
32         }
33       ]
34     ]
35   }
36 }
```

```
... profile.jsx U X qr-scanner.jsx U settings.jsx U bookDetail.jsx MapsView.jsx header.jsx app.json U X ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > profile.jsx > ...
30 export default function ProfileScreen() {
278   value={profileData.address?.street}
279   onChangeText={({text}) => updateAddressField('street', text)}
280   />
281   ) : (
282     <Text style={styles.value}>{profileData.address?.street}</Text>
283   )
284 </View>
285 <View style={styles.fieldRow}>
286   <Text style={styles.label}>Number</Text>
287   {isEditing ? (
288     <TextInput
289       style={styles.input}
290       value={String(profileData.address?.number || '')}
291       onChangeText={({text}) => updateAddressField('number', text)}
292       keyboardType="numeric"
293     />
294   ) : (
295     <Text style={styles.value}>{profileData.address?.number}</Text>
296   )}
297 </View>
298 <View style={styles.fieldRow}>
299   <Text style={styles.label}>City</Text>
300   {isEditing ? (
301     <TextInput
302       style={styles.input}
303       value={profileData.address?.city}
304       onChangeText={({text}) => updateAddressField('city', text)}
305     />
306   ) : (
307     <Text style={styles.value}>{profileData.address?.city}</Text>
308   )}
309 </View>
```



```
...  profile.jsx U X  qr-scanner.jsx U  settings.jsx U  bookDetail.jsx  mapView.jsx  header.jsx  ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > profile.jsx > ...
30  export default function ProfileScreen() {
336      <TouchableOpacity
337          style={styles.cancelButton}
338          onPress={() => setIsCameraVisible(false)}
339      >
340      <Text style={styles.buttonText}>Cancel</Text>
341      </TouchableOpacity>
342      <TouchableOpacity
343          style={styles.captureButton}
344          onPress={takePicture}
345      >
346      <View style={styles.captureButtonInner} />
347      </TouchableOpacity>
348      <View style={{ width: 80 }} />
349      </View>
350      </CameraView>
351      </View>
352      </Modal>
353      </SafeAreaView>
354      </SafeAreaView>
355      </SafeAreaView>
356      </SafeAreaView>
357      </SafeAreaView>
358      </SafeAreaView>
359      const styles = StyleSheet.create({
360          container: { flex: 1, backgroundColor: color_list.cream },
361          header: {
362              flexDirection: 'row',
363              alignItems: 'center',
364              justifyContent: 'space-between',
365              paddingHorizontal: 16,
366              paddingVertical: 12,
367              backgroundColor: '#fff',
```

```
...  profile.jsx U X  qr-scanner.jsx U  settings.jsx U  bookDetail.jsx  mapView.jsx  header.jsx  ...
PPB-Praktikum-242310002 > MobileProgrammingV_02Lengkap-116-139 > app > main-apps > profile.jsx > ...
359  const styles = StyleSheet.create({
455      cameraControls: {
460          flexDirection: 'row',
461          justifyContent: 'space-around',
462          alignItems: 'center',
463      },
464      cancelButton: {
465          backgroundColor: 'rgba(255,255,255,0.3)',
466          paddingHorizontal: 20,
467          paddingVertical: 12,
468          borderRadius: 8,
469      },
470      captureButton: {
471          width: 70,
472          height: 70,
473          borderRadius: 35,
474          backgroundColor: 'white',
475          justifyContent: 'center',
476          alignItems: 'center',
477      },
478      captureButtonInner: {
479          width: 60,
480          height: 60,
481          borderRadius: 30,
482          backgroundColor: '#f0f0f0',
483          borderWidth: 2,
484          borderColor: '#999',
485      },
486      buttonText: { color: 'white', fontWeight: 'bold' },
487  });
```

1.

Profile

Cancel Save

SE

Personal Information

First Name
Steven

Last Name
Emmanuel

Email


Phone

Address

Street

Home Explore Settings profile qr-scanner

2.



3.

