

**Proceedings of the Stockton
Mathematics Seminar**

SIR MODELING AND COVID

STEVEN BLYTHE

ABSTRACT. ABSTRACT HERE

1. INTRODUCTION

What is Differential Equations and why do we use it to model infectious diseases? It is important to note that the goal of mathematical models are not to create a perfect representation of an event occurring in the real world. Instead, mathematical models are a mere representation of an event with the goal to help understand an aspect of the event.

While we may use mathematical models, we must take note that the real world has many variables that complicates our representation. For example, we might make a model for the amount of crop yield in a given year based on crop data. However, we may say blueberries tend to bloom over the summer so we should expect a higher yield over the summer, real-world factors such as droughts, demand fluctuation, and ongoing diseases may lower crop yield in a given year.

When we build models, we should look to compare our model with data from the real world. If our model accurately describes what we are representing, then we have created a tool to assist us in predicting a system. Otherwise, if our model is wrong, we should study and pay close attention to our model to improve our knowledge for our assumption.

2. MODEL BUILDING

Think to yourself. How do you think you might model population growth? If we have a population of 100 in a given year, we might first consider adding a fraction of our population back into the total population. As the population grows, the fraction we add back in also grows. Our model may only have a few factors considered, but our model is a good basis for what we are looking for. Our model suggests the rate of growth of our population is proportional to

the population itself. Using this assumption, we can derive a working model with variables.

We established a population for our model, a population of 100, in our first model for population growth. Instead of using 100, we can use variable P to represent our population size. We also represented our population growth in terms of a fraction, or k . Here, we have a simple model to represent change from one instance. However, how should we find our population after many days? Here, we can use t to represent years and $P(t)$ will represent the quantity of our population.

If we want to consider a model where we can find the rate of change of our population P , we might want to find $\frac{dP}{dt}$. Now, from our assumption, we are looking for a model where we can measure the rate of growth for a given population. We know this rate of growth is proportional to our population. Here, we want to look for the following differential equation:

$$\frac{dP}{dt} = kP$$

Here, we created a differential equation. Our differential equation is a first-order equation since we are only considering the first derivative of our dependent variable.

3. FINDING MEANING IN OUR MODELS

For the model we created, we know our model will predict our population after a given amount of time. Our model always assume our population will grow at a rate k . What would it mean if $\frac{dP}{dt} = 0$? Since our rate of growth is positive, that means our population P must have began at 0. Here, we can represent our equation as:

$$\frac{dP}{dt} = k(0)$$

For all our t , $P(t) = 0$. Since k is a positive constant, we can expect to have a population of 0 if our population begins at 0 at $t = 0$, or t_0 . We can represent our initial population, or initial condition, as $P(t_0)$.

Can we expect our differential equation to be negative at some point? Since we are looking at a population, we only want to consider $kP \geq 0$, which would never 'grow' into a negative population.

Now, can we graph our equation right now? Not yet. If we graph kP , we only have a linear graph. Should our growth, which is proportional to our current population, produce a linear graph? If our growth is 10% and our initial population is 100, we may expect an increase of roughly 10 people in one time step. If we move another time step, should we expect the same increase of 10 or should we expect an increase of 11? To find the equation

we can use to predict our growth, we must solve our differential equation. If we solve our differential equation, our solution is as follows:

$$P(t) = ce^{kt}$$

This is the general solution for our system. Remember, k is our rate of growth and t represents time. Note that we also added c to our equation. The constant c came from an integration we performed to find our solution. To find c , we use our initial condition $P(t_0)$. If $P(t_0)$ is 10, then we have:

$$P(t_0) = ce^{k(t_0)}$$

$$10 = c$$

$$P(t) = 10e^{kt}$$

Here, we have a specific solution for our initial condition, $P(t_0) = 10$. We can plot the specific solution to predict our population growth. Now, let us consider a few initial conditions for our starting population. Remember, population should be non-negative. Let us let $P(t_0)$ be 0 first.

Graphhere

Looking at the graph, we can see our population is always 0 for all of t . Now, let us consider a few other examples, such as $P(t_0) = 0, 0.5, 1, 1.5, \dots, 10$.

Graphhere

4. LOGISTIC POPULATION MODEL

Looking at the graphs in the previous section, should we expect our model to work in the real world? Not always. If we're modeling the population of rabbits in an area, we may expect an initial growth. However, as time goes on, there will eventually be not enough resources for all the rabbits in an area. Now, we want a model where we can predict a growth while under a threshold but a decay above a threshold. Let us look at our original equation for growth:

$$\frac{dP}{dt} = kP$$

Here, let us consider a threshold for our equation, N . Let us consider a few cases surrounding N :

- (1) If $P < N$, let population grow: $\frac{dP}{dt} \approx kP$
- (2) If $P = N$, let our population growth become stagnant.
- (3) If $P > N$, let population decrease: $\frac{dP}{dt} < 0$

Here, we can see our population size and threshold are related in some way. If $P < N$, we should expect a positive number, whereas if $P > N$, we should expect a negative number. One way we can represent this is with the following:

$$\left(1 - \frac{P}{N}\right)$$

Here, we can plug our new expression into our original equation.

$$\frac{dP}{dt} = kP\left(1 - \frac{P}{N}\right)$$

If we go ahead and solve for the general solution, we can expect to find:

$$P(t) = \frac{N}{1 - ce^{-kt}}$$

Here, we can use our general solution to help us plot different particular solutions. Note that k is our rate of growth, t is time, N is our carrying capacity, and c is our constant from our integration. When we set $P(0)$, we can find our initial condition.

What can we expect to find with our graph? Will our initial condition always grow to infinity, or can we expect to experience a decay after a period of growth? Here, let us plot a few particular solutions.

Graphhere : onec

Here, we can see our solution approaches a certain value, the equilibria, in the graph and slows down its growth or decay. When we are above this line, we see our solution is always decaying. When we are below this line, we see our solution is always growing. Eventually, the growth and decay slows down to a halt.

What does this graph tell us? Looking at this graph, we can predict the growth or decay of our rabbit population. If we pick a point underneath the equilibria, then we should expect our population to grow until our population reaches the threshold. If we pick a point above this line, we should expect our population to decay until we reach the threshold.

Graphhere : Multiplec

5. PREDATOR-PREY SYTEMS

Now, let us modify our model one more time. We created a logistic population model for the rabbits in our forest. However, we only took account for limited resources in a given area. In the real world, the rabbit population also depends on how many predators are in the area. If there are a lot of

predators in the area, then the rabbit population might shrink until foxes can no longer find rabbits with ease. Let us consider a model with the following parameters:

- (1) R : Rabbit Population
- (2) α : Growth-rate for Rabbits
- (3) β : Death-rate between Rabbits-Foxes interaction.
- (4) F : Fox Population

Taking a look at our scenario and parameters, we can find the following model:

$$\frac{dR}{dt} = \alpha R - \beta RF$$

Here, α and β are constant values. We can see as the fox population increases, more rabbits are hunted and removed from the population. However, note that F is a variable similar as R . If we can model R , how might we model F ?

Since we know foxes benefit from interacting with rabbits, what would happen if all the rabbits disappeared from the area? Those foxes depend on rabbits to sustain their population. Without rabbits, we can expect the fox population to decline at a given rate. Let us consider a few more parameters:

- (1) F : Fox Population
- (2) γ : Decay-rate for Foxes
- (3) δ : Beneficial-rate for Fox-Rabbit interactions.
- (4) R : Rabbit Population

Here, let us take a look at our model for the Rabbit population and our new model for the Fox population:

$$(5.1) \quad \frac{dR}{dt} = \alpha R - \beta RF$$

$$(5.2) \quad \frac{dF}{dt} = -\gamma F + \delta FR$$

Here, we can see a relationship between the Rabbit population and the Fox population. This first-order system have variables which depend on each other. The size of the Rabbit population is dependent on the size of the Fox population and vice versa. Let us take a look at what our graph looks like when $\alpha = 2$, $\beta = 1.6$, $\gamma = 1$, and $\delta = 0.8$

GraphHere

Looking at our graph, we can see our Rabbit population and Fox population dance around a point in the graph. Here, the graph is moving about

the system's equilibrium point. Let us take a look at how R and F grow and decay as time goes on in a $R - t$ and $F - t$ graph:

GraphHere

Here, we can see there are times when our Rabbit population will grow until the population hits a peak and begin to shrink again, repeating the process over again. The Fox population exhibits a similar graph. However, when we stack both graphs on top of each other, we can see the peak for the Fox population occurs right after the Rabbit population peak. In addition, we can see as the Fox population decreases, the Rabbit population benefits and begins to grow once more.

6. SIR MODELING

How can we configure our Predator-Prey model to model an epidemic? Here, let us consider the stages of an infection, such as the common cold. At first, we might consider a healthy individual who is not infected. Once the individual catches the infection, the individual might go a few days with the illness. However, after a few more days, the individual will recover and potentially have a stronger immune system to combat against that infection.

Here, we can see we go through three phases: susceptible, infected, and recovered phases. Also note that when we expand this model to a community, we might consider a fraction of the population to be susceptible, infected, or recovered. For this model, we consider and deceased individuals as recovered. Here, we have a few variables we are considering:

- (1) $s(t) = S$: Number of susceptible individuals
- (2) $i(t) = I$: Number of infected individuals
- (3) $r(t) = R$: Number of recovered individuals

Now, how might we model our pandemic? Let us consider our susceptible population. Our susceptible population is decreasing at a rate proportional to the interaction between susceptible and infected individuals. Our infected population increases by the same interaction. In addition, our infected population decreases at a rate proportional to the recovery rate. Our recovered population increases by the same rate. With our given assumptions, we can create the following model where α is the infection rate and β is the recovery rate:

$$\begin{aligned}\frac{dS}{dt} &= -\alpha SI \\ \frac{dI}{dt} &= \alpha SI - \beta I \\ \frac{dR}{dt} &= \beta I\end{aligned}$$

Consider our population, N . Here, N can represent the population of the globe or the population of one's community. If we look at our population, note that the population size is constant throughout the model. In the predator-prey model, the population size fluctuates as we move forward in time. In our SIR model, our size is constant. This means we can rewrite our variables as:

- (1) $s(t)/N = S(t)$: Percentage of population considered as Susceptible
- (2) $i(t)/N = I(t)$: Percentage of population considered as Infected
- (3) $r(t)/N = R(t)$: Percentage of population considered as Recovered

Here, since $S(t)$, $I(t)$, and $R(t)$ are all a fraction of our population. If we add them all together, we should find $S(t) + I(t) + R(t) = 1$

7. VISUALIZING OUR PANDEMIC

Let us put a pin on our differential equations and let us visualize portions of our model to help understand why each component is important.

First, let us consider how fast an infection can spread starting from one individual. Let us assume all infected individuals remain infected and each infected individual infects one non-infected individual at each time step.

Modelhere

Looking at our model, we can see our number of infected individuals double after every time interval. If the time step is one day, that means we will have a population of 16 infected individuals after 4 days. What would happen if we let this simulation run for more days? How long would it take to infect our entire population? If we let our population be 100000, how long would it take to infect everyone starting from one infected individual?

GraphHere

The growth at the start of our graph starts out slow. It takes time for the infection to catch wind and start spreading fast throughout the population. Fortunately for us, infections cannot exhibit such exponential growth. Consider this: If the population is roughly 100% susceptible, then the individuals that the infected person comes into contact with is roughly 100%. If 50% of the population is susceptible, then the infected should expect its contacted people to be about 50% susceptible. Here, let us visualize the infected person's interactions:

Imagehere

Here, recall we modified our first population model and created a logistic population model. Let us see how a logistic growth can change the way our model runs:

Graphhere

Here, our graph exhibits a slow growth at the start, a rapid growth when our population is roughly 50% infected, then a slow growth as our infected population reaches 100%.

Now, we know when we become infected, we can recover from the infection. Now, let us make the assumption that once an individual recovers from an infection, the individual becomes immune to the infection. Let us consider a population made up of 100% infected individuals. If infected individuals become recovered at a rate of β . Here is what our graph looks like when our population can recover from the infection:

Graphhere

How would our graph look like if we let our population become infected and recover from the infection?

Graphhere

This graph represents our SIR model. Other SIR models consider many more factors, such as increasing population, vaccinations rates, mask rates, and so on.

Why might our infection grow? In epidemiology, diseases are associated with a reproduction number. This reproduction number is the average number of people an infected individual can infect before the infected individual can recover. As an outbreak ensues, the infection's reproduction number, R , changes. When an infection begins, the infection's initial R is considered R_0 . What might R look like if R_0 is greater than 1?

Imageshere

To give a perspective, the common cold has an R_0 of about 2 – 3 and Measles has an R_0 of 12 – 18.

How might we start looking for R_0 ? To begin, we can look at how many days it would take for an infected individual to infect one person. In addition, we may look at how long it will take for an infected person to recover. For example, if a person infects one person every four days and it takes the infected individual eight days to recover, we can expect R_0 to be 2. However, if it takes two days to recover, then R_0 would be 0.5.

If we can make $R < 1$, then we have reached herd immunity. We can lower R through measures such as quarantining, contact tracing, and vaccine campaigns.

And finally, the references you used (if any):

REFERENCES

- [1] John Milnor, *American Mathematical Monthly* **85** (7), August-September 1978, 521–528.
- [2] P. S. Aleksandrov, *Combinatorial Topology*, Dover Publications, 1998.

8. PAUL'S ONLINE NOTES

<https://tutorial.math.lamar.edu/Classes/DE/DE.aspx>

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

9. DIFFERENTIAL EQUATIONS BY PAUL BLANCHARD, ROBERT DEVANEY,
GLEN HALLUnlimited Growth

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel

magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Logistic Population Models

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Predator-Prey System

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat

sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

The SIR Model of an epidemic

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor,

pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetur odio sem sed wisi.

10. THE SIR MODEL FOR SPREAD OF DISEASE

<https://www.maa.org/press/periodicals/loci/joma/the-sir-model-for-spread-of-disease-the-differential-equation-model>

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

11. COVID-19 FUTURES, EXPLAINED WITH SIMULATIONS

<https://ncase.me/covid-19/>

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa

ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

12. HOW OUTBREAKS LIKE CORONAVIRUS SPREAD EXPONENTIALLY, AND HOW TO "FLATTEN THE CURVE"

<https://www.washingtonpost.com/graphics/2020/world/corona-simulator/>
 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies

et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

13. MODELING EXPONENTIAL GROWTH

<https://www.youtube.com/watch?v=Kas0tlxDvrg>

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

14. MODELING COVID-19 WITH DIFFERENTIAL EQUATIONS

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Email address: StevenBlytheSU@gmail.com