

Name:
J#:
Date: <b>2017 July 20</b>

Exercise Type:

**Quiz**

Standard: This student is able to...	Mark:
<b>C11: LineInt.</b> Compute and apply line integrals.	
3/4	★ reattempt due on:

Recall that if  $C$  is oriented counter-clockwise, then flux may be computed with the line integral  $\int_C \mathbf{F} \cdot \mathbf{n} \, ds = \int_C (M \, dy - N \, dx) = \int_{t=a}^{t=b} (M \frac{dy}{dt} - N \frac{dx}{dt}) \, dt$ . Find the flux of the vector field  $\mathbf{F} = \langle x^2, xy \rangle$  around the circle  $x^2 + y^2 = 16$ .

Name:
J#:
Date: <b>2017 July 20</b>

Exercise Type:

**Quiz**

Standard: This student is able to...	Mark:
<b>C12: FundThmLine.</b> Apply the Fundamental Theorem of Line Integrals.	
2/4	★ reattempt due on:

Find  $\int_C \mathbf{F} \cdot d\mathbf{r}$  where  $\mathbf{F} = \langle e^{x+2z} + 4y^2, 8xy, 2e^{x+2z} - 3 \rangle$  and  $C$  is the elliptical curve formed by the intersection of the cylinder  $y^2 + z^2 = 7$  and the plane  $3x + 2y - \sqrt{3}z = \pi$ . (Hint: what's the only important property of the curve?)

Name:
J#:
Date: <b>2017 July 20</b>

Exercise Type:

**Quiz**

Standard: This student is able to...	Mark:
<b>S09: ParamSurf.</b> Parametrize surfaces in three-dimensional Euclidean space.	
1/3	★ reattempt due on:

Use the spherical coordinate transformation  $\mathbf{s}(\rho, \phi, \theta) = \langle \rho \sin \phi \cos \theta, \rho \sin \phi \sin \theta, \rho \cos \phi \rangle$  to find a parametrization  $\mathbf{r}(\phi, \theta)$  for the hemispherical surface  $x = \sqrt{4 - y^2 - z^2}$ . You may orient this surface however you like, but make sure to give appropriate bounds for  $\phi, \theta$ .