# Object-Centric Instrumentation with Pharo

Steven Costiou

February 4, 2019

Copyright 2017 by Steven Costiou.

The contents of this book are protected under the Creative Commons Attribution-ShareAlike 3.0 Unported license.

#### You are **free**:

• to **Share**: to copy, distribute and transmit the work,

• to **Remix**: to adapt the work,

Under the following conditions:

Attribution. You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work).

Share Alike. If you alter, transform, or build upon this work, you may distribute the resulting work only under the same, similar or a compatible license.

For any reuse or distribution, you must make clear to others the license terms of this work. The best way to do this is with a link to this web page: http://creativecommons.org/licenses/by-sa/3.0/

Any of the above conditions can be waived if you get permission from the copyright holder. Nothing in this license impairs or restricts the author's moral rights.



Your fair dealing and other rights are in no way affected by the above. This is a human-readable summary of the Legal Code (the full license): http://creativecommons.org/licenses/by-sa/3.0/legalcode

# Contents

	Illustrations	II
1	Introduction	1
2	What we are talking about	3
2.1	Illustration example	3
2.2	Evaluation criteria	3
2.3	Performance overhead evaluation	3
3	Anonymous subclasses	5
3.1	What are Talents	5
3.2	Example	5
3.3	Evaluation	6
4	Talents	7
4.1	What are Talents	7
4.2	Example	7
4.3	Evaluation	7
5	Proxies	9
5.1	What are Talents	9
5.2	Example	9
5.3	Evaluation	10
6	Reflectivity	11
6.1	What are Talents	11
6.2	Example	11
6.3	Evaluation	11
7	Low-level techniques	13
7.1	Example	13
7.2	Evaluation	14
8	Conclusion	15
8.1	Example	15
8.2	Evaluation	16
	Bibliography	17

# Illustrations

3-1	installation from Citrius	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2
3-2	Installation from Github																													5
4-1	Installation from Github																													7
4-2	Installation from Github																													8
5-1	Installation from Github																													9
5-2	Installation from Github																													9
6-1	Installation from Github																													11
6-2	Installation from Github																													12
7-1	Installation from Github																													13
7-2	Installation from Github																													13
8-1	Installation from Github																													15
8-2	Installation from Github													_	_															15

CHAPTER

### Introduction

This booklet is about object-centric instrumentation in Pharo. An instrumentation is object-centric if it applies to one specific object (or a set of objects), without consideration of its class. It means the instrumentation can be applied on one object, leaving untouched all other instances of its class, or to an heterogeneous set of instances of different classes. This booklet gives an overview of available object-centric instrumentation techniques in Pharo, either present in the standard distribution or available on download. We will not go into deep technical usage description, nor into implementation details. Each chapter illustrates one solution with examples, and gives the necessary references if one wants to go deeper in the study of the solution. Each solution is evaluated against a set of criteria presented in Chapter 2, along with a short performance overhead evaluation.

# What we are talking about

#### 2.1 Illustration example

#### 2.2 Evaluation criteria

- constraints: make a list and evaluate all solutions?
- · flexibility: no constraint on the source code
- granularity: method, AST, other?
- integration: is it integrated into the system?
- self preservation: case of proxies?

#### 2.3 Performance overhead evaluation

- source code with instrumentation example
- · describe the used method
- · describe the limitations of the method

## Anonymous subclasses

#### 3.1 What are Talents

#### 3.2 Example

#### **Installing Talents**

aa

#### **Example**

bb

#### Listing 3-1 Installation from Github

```
Metacello new
  baseline: 'Talents';
  repository: 'github://tesonep/pharo-talents/src';
  load.
```

#### **Listing 3-2** Installation from Github

```
talent := Trait named: 'MyTalent'.
talent compile: 'add: anObject
anObject logCr.
super add: anObject'.
col := OrderedCollection new.
col addTalent: talent.
col add: 'This is an added object.'
```

## 3.3 **Evaluation**

сс

**Note** this is a note annotation.

**To do** this is a todo annotation

Country	Capital
France	Paris
Belgium	Brussels
<b>Country</b>	<b>Capital</b>
France	Paris
Belgium	Brussels

## **Talents**

Talents is this.

#### 4.1 What are Talents

#### 4.2 Example

#### **Installing Talents**

aa

#### **Example**

bb

#### 4.3 **Evaluation**

СС

#### **Listing 4-1** Installation from Github

```
Metacello new
  baseline: 'Talents';
  repository: 'github://tesonep/pharo-talents/src';
  load.
```

#### **Listing 4-2** Installation from Github

talent := Trait named: 'MyTalent'.
talent compile: 'add: anObject
anObject logCr.
super add: anObject'.
col := OrderedCollection new.
col addTalent: talent.
col add: 'This is an added object.'

**Note** this is a note annotation.

**To do** this is a todo annotation

Country	Capital
France	Paris
Belgium	Brussels
<b>Country</b>	<b>Capital</b>
France	Paris
Belgium	Brussels

# CHAPTER 5

### **Proxies**

#### 5.1 What are Talents

#### 5.2 Example

#### **Installing Talents**

aa

#### **Example**

bb

#### **Listing 5-1** Installation from Github

```
Metacello new
  baseline: 'Talents';
  repository: 'github://tesonep/pharo-talents/src';
  load.
```

#### **Listing 5-2** Installation from Github

```
talent := Trait named: 'MyTalent'.
talent compile: 'add: anObject
anObject logCr.
super add: anObject'.
col := OrderedCollection new.
col addTalent: talent.
col add: 'This is an added object.'
```

## 5.3 **Evaluation**

сс

**Note** this is a note annotation.

■ **To do** this is a todo annotation

Country	Capital
France	Paris
Belgium	Brussels
<b>Country</b>	<b>Capital</b>
France	Paris
Belgium	Brussels

# Reflectivity

Talents is this.

#### 6.1 What are Talents

#### 6.2 Example

**Installing Talents** 

aa

**Example** 

bb

#### 6.3 **Evaluation**

СС

#### **Listing 6-1** Installation from Github

```
Metacello new
  baseline: 'Talents';
  repository: 'github://tesonep/pharo-talents/src';
  load.
```

#### **Listing 6-2** Installation from Github

talent := Trait named: 'MyTalent'.
talent compile: 'add: anObject
anObject logCr.
super add: anObject'.
col := OrderedCollection new.
col addTalent: talent.
col add: 'This is an added object.'

- **Note** this is a note annotation.
- **To do** this is a todo annotation

Country	Capital
France Belgium	Paris Brussels
Country	Capital

# Low-level techniques

#### 7.1 Example

#### **Installing Talents**

aa

#### **Example**

bb

#### **Listing 7-1** Installation from Github

```
Metacello new
  baseline: 'Talents';
  repository: 'github://tesonep/pharo-talents/src';
  load.
```

#### **Listing 7-2** Installation from Github

```
talent := Trait named: 'MyTalent'.
talent compile: 'add: anObject
anObject logCr.
super add: anObject'.
col := OrderedCollection new.
col addTalent: talent.
col add: 'This is an added object.'
```

#### 7.2 **Evaluation**

сс

**Note** this is a note annotation.

**To do** this is a todo annotation

Country	Capital
France	Paris
Belgium	Brussels
<b>Country</b>	<b>Capital</b>
France	Paris
Belgium	Brussels

## Conclusion

#### 8.1 Example

#### **Installing Talents**

aa

#### **Example**

bb

#### **Listing 8-1** Installation from Github

```
Metacello new
baseline: 'Talents';
repository: 'github://tesonep/pharo-talents/src';
load.
```

#### Listing 8-2 Installation from Github

```
talent := Trait named: 'MyTalent'.
talent compile: 'add: anObject
anObject logCr.
super add: anObject'.
col := OrderedCollection new.
col addTalent: talent.
col add: 'This is an added object.'
```

#### 8.2 **Evaluation**

сс

**Note** this is a note annotation.

■ **To do** this is a todo annotation

Country	Capital
France	Paris
Belgium	Brussels
<b>Country</b>	<b>Capital</b>
France	Paris
Belgium	Brussels

# Bibliography