

## API Endpoints – Minimarket Tatylu

### Público / Vistas

#### GET /

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/>

Description: Home page

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: .json

#### GET /index

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/index>

Description: Landing page

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: index.json

#### GET /product

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/product>

Description: Lista de productos

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: product.json

### GET /product/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/product/{id}>

Description: Vista detalle de producto

Request Parameters:

- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: product\_{id}.json

### GET /cart

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/cart>

Description: Vista del carrito

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: cart.json

### **GET /checkout**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/checkout>

Description: Inicia checkout

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: checkout.json

### **GET /checkout/confirmation**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/checkout/confirmation>

Description: Página de confirmación

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: checkout\_confirmation.json

### **GET /about-us**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/about-us>

Description: Acerca del minimarket

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: about-us.json

### **GET /contact**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/contact>

Description: Página de contacto

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: contact.json

### **GET /loyalty**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/loyalty>

Description: Página de fidelización

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: loyalty.json

### **GET /profile**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/profile>

Description: Perfil del usuario

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: profile.json

### GET /purchases

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/purchases>

Description: Historial de compras

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: purchases.json

## Autenticación y Usuarios

### GET /login

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/login>

Description: Página de login

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: login.json

### POST /login

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/login>

Description: Autentica usuario

Request Parameters:

- email: string

- password: string

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: login.json

### POST /logout

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/logout>

Description: Cerrar sesión

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: logout.json

### GET /signup

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/signup>

Description: Página de registro

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: signup.json

### POST /signup

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/signup>

Description: Registrar usuario

Request Parameters:

- name: string
- email: string
- password: string

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: signup.json

### GET /users/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/users/{id}>

Description: Obtener perfil

Request Parameters:

- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: users\_{id}.json

### PUT /users/{id}

HTTP Method: PUT

URI: https://minimarkettatylu.onrender.com/users/{id}

Description: Actualizar perfil

Request Parameters:

- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: users\_{id}.json

### GET /users/{id}/loyalty

HTTP Method: GET

URI: https://minimarkettatylu.onrender.com/users/{id}/loyalty

Description: Puntos del programa de lealtad

Request Parameters:



- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: users\_{id}\_loyalty.json

## Productos y Categorías

### GET /api/products

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products>

Description: Listar productos

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_products.json

### GET /api/products/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/{id}>

Description: Producto por ID

Request Parameters:

- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_products\_{id}.json

### **GET /api/products/top-selling**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/top-selling>

Description: Top ventas

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_products\_top-selling.json

### **GET /api/products/search**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/search>

Description: Buscar productos

Request Parameters:

- q: string

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_products\_search.json

### GET /api/categories

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/categories>

Description: Listar categorías

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_categories.json

### GET /api/categories/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/categories/{id}>

Description: Categoría por ID

Request Parameters:

- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_categories\_{id}.json

### GET /api/categories/{id}/products

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/categories/{id}/products>

Description: Productos por categoría

Request Parameters:

- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_categories\_{id}\_products.json

### **POST /api/products**

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/products>

Description: Crear producto

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_products.json

### **PUT /api/products/{id}**

HTTP Method: PUT

URI: <https://minimarkettatylu.onrender.com/api/products/{id}>

Description: Editar producto

Request Parameters:

- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_products\_{id}.json

### **DELETE /api/products/{id}**

HTTP Method: DELETE

URI: <https://minimarkettatylu.onrender.com/api/products/{id}>

Description: Eliminar producto

Request Parameters:

- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_products\_{id}.json

### **POST /api/products/{id}/stock-adjust**

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/products/{id}/stock-adjust>

Description: Ajustar stock

Request Parameters:

- id: integer

- change: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_products\_{id}\_stock-adjust.json

### **GET /api/products/{id}/price-history**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/{id}/price-history>

Description: Historial de precios

Request Parameters:

- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_products\_{id}\_price-history.json

### **Carrito y Checkout**

#### **GET /api/cart**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/cart>

Description: Obtener carrito

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_cart.json

### **POST /api/cart/items**

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/cart/items>

Description: Agregar ítem

Request Parameters:

- productId: integer
- qty: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_cart\_items.json

### **PUT /api/cart/items/{itemId}**

HTTP Method: PUT

URI: <https://minimarkettatylu.onrender.com/api/cart/items/{itemId}>

Description: Actualizar cantidad

Request Parameters:

- itemId: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_cart\_items\_{itemId}.json

### **DELETE /api/cart/items/{itemId}**

HTTP Method: DELETE

URI: <https://minimarkettatylu.onrender.com/api/cart/items/{itemId}>

Description: Eliminar ítem

Request Parameters:

- itemId: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_cart\_items\_{itemId}.json

### **DELETE /api/cart**

HTTP Method: DELETE

URI: <https://minimarkettatylu.onrender.com/api/cart>

Description: Vaciar carrito

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_cart.json

### **POST /api/checkout**

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/checkout>

Description: Iniciar checkout



JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_checkout.json

### **GET /api/checkout/summary**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/checkout/summary>

Description: Resumen de checkout

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_checkout\_summary.json

### **POST /api/checkout/payment**

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/checkout/payment>

Description: Procesar pago

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_checkout\_payment.json

### **POST /api/orders**

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/orders>

Description: Crear orden

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_orders.json

### **GET /api/orders/{orderId}**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/orders/{orderId}>

Description: Obtener orden

Request Parameters:

- orderId: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_orders\_{orderId}.json

## **Administración**

### **GET /admin**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/admin>

Description: Panel admin

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: admin.json

### **GET /api/purchases**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/purchases>

Description: Lista compras proveedor

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_purchases.json

### **POST /api/purchases**

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/purchases>

Description: Registrar compra

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_purchases.json

### **GET /api/purchases/{id}**

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/purchases/{id}>

Description: Compra por ID

Request Parameters:

- id: integer

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_purchases\_{id}.json

### **POST /api/init-admin-data**

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/init-admin-data>

Description: Inicializar datos admin

JSON Response:

```
{  
  "status": "ok"  
}
```

Status: 200 OK

Json file: api\_init-admin-data.json