

Is Stephen Curry really a guard? New perspective on players typology using functional data analysis

Steven Golovkine*

Edward Gunning†

October 5, 2024

Abstract

Your abstract.

Keywords— Basketball, Clustering, Functional Data Analysis, Sport Analytics

1 Introduction

- Paragraph on basketball and analysis.
- Paragraph on typology of players.
- Paragraph on shot charts.
- Paragraph on what has been done analyze shot charts. These are mainly been analyzed using spatial point processes.
- What is the problem we try do solve? We aim to determine which players are similar to each others. Some work has been done is this area.
- What do we propose. An estimation of the density of the shoots + MFPCA + Clustering

The rest of the article is organized as follows. In Section 2, we introduce the motivating dataset from the 2018 to 2019 regular season to the 2022 to 2023 regular season. In Section 3, we present our methodology. Application of the methodology to NBA player data are reported in Section 4. We conclude the article in Section 5 with a discussion.

Look at [Hu et al. \(2023\)](#) for the skeleton of a paper.

In recent years, the field of sports analytics has witnessed a significant transformation, driven by the increasing availability of detailed performance data and advancements in statistical methodologies. Among the various sports, basketball stands out as a prime candidate for analytical exploration due to its fast-paced nature and the critical role of shooting efficiency in determining game outcomes. The National Basketball Association (NBA), with its wealth of data on player performance and shooting patterns, provides an exceptional opportunity to delve into the intricacies of scoring behavior.

This paper aims to analyze shooting patterns in the NBA through the lens of functional data analysis (FDA) and clustering techniques. Functional data analysis offers a robust framework for examining shooting performance by treating shot attempts as continuous functions rather than discrete observations. This approach allows for a nuanced understanding of how shooting accuracy varies across different court locations, shot types, and game contexts. By employing FDA, we can capture the underlying trends and variations in shooting behavior that traditional statistical methods may overlook.

Moreover, clustering techniques will be utilized to group players based on their shooting patterns, revealing similarities and differences in their scoring tendencies. Identifying distinct clusters of shooters can provide valuable insights into player development, coaching strategies, and team dynamics. For instance, understanding whether a player excels in specific areas of the court or struggles under defensive pressure can inform targeted training interventions and game strategies.

*MACSI, Department of Mathematics and Statistics, University of Limerick, Ireland steven.golovkine@ul.ie

†Department of Biostatistics and Epidemiology, University of Pennsylvania, USA edward.gunning@pennmedicine.upenn.edu

The implications of this research extend beyond individual player analysis; they have the potential to enhance team performance optimization and inform coaching decisions. As basketball continues to evolve into a more data-driven sport, leveraging advanced analytical techniques will be crucial for teams seeking a competitive edge.

In this paper, we will outline our methodology for collecting and analyzing NBA shooting data, present our findings on shooting patterns through functional data analysis, and discuss the clustering results that emerge from our analysis. Ultimately, this study aims to contribute to the growing body of knowledge in sports analytics by providing actionable insights that can influence player development and strategic decision-making within the realm of professional basketball.

Basketball is a dynamic sport where player performance, particularly shooting accuracy and patterns, plays a crucial role in determining the outcome of games. Among the myriad skills that contribute to a player's effectiveness, the ability to consistently make successful shots from various locations on the court stands out as a critical factor. Understanding shooting patterns is not only essential for evaluating individual player performance but also for developing team strategies and game plans.

Traditional statistical methods have provided valuable insights into shooting performance by analyzing metrics such as shooting percentage, shot distribution, and efficiency from different areas of the court. However, these methods often treat shooting events as isolated points, failing to capture the continuous nature of player behavior and the temporal and spatial dependencies inherent in the game. This limitation poses a challenge when trying to understand the more intricate aspects of shooting patterns, such as hot zones, streaks, and variability over time.

Functional Data Analysis (FDA) offers a robust framework to address these challenges by treating shooting data as continuous functions rather than discrete points. FDA allows for the modeling of shooting patterns as smooth curves, which can represent the underlying processes more accurately and reveal subtle trends and patterns that traditional methods might overlook. By converting shot locations and outcomes into functional data objects, we can apply FDA techniques to analyze the smooth trajectories of shooting performance across different contexts and time frames.

In this study, we leverage FDA to analyze the shooting patterns of NBA players. Our approach involves collecting detailed shooting data, including shot locations, outcomes, and contextual variables, and then applying FDA methods to convert this data into continuous curves. This enables us to examine how shooting patterns evolve over time, identify consistent shooting tendencies, and compare these patterns across different players and game situations.

The primary objective of this research is to demonstrate the efficacy of FDA in capturing the complexities of shooting behavior in basketball. By providing a more nuanced understanding of shooting patterns, we aim to offer valuable insights for coaches, analysts, and players. Additionally, this study seeks to bridge the gap between traditional shooting analysis and advanced statistical techniques, showcasing how FDA can be integrated into sports analytics to enhance performance evaluation and strategic decision-making.

Through this research, we contribute to the growing field of sports analytics by introducing a novel application of FDA to basketball shooting data. Our findings have the potential to inform coaching strategies, player development programs, and analytical models, ultimately contributing to a deeper understanding of the game and its players.

Question: Is Stephen Curry really a guard? It poses the questions of the characterisation of the players through their shooting patterns. Does all guards, forwards, ... shoot at the same locations? Can we find another typology of the players based on their shooting patterns?

Miller et al. (2014) factorized point process intensities. They represent and analyze the underlying spatial structure that governs shot selection. They model shot attempt as a point process. They create a low-dimensional representation using non-negative matrix factorization.

Jiao et al. (2021) proposes a Bayesian marked spatial point processes model. Study if the success rate of shot is higher at locations where players makes more shots. Interested by shots intensity. Clustering of players intensity.

Franks et al. (2015) are interested by the defensive aspect of basketball. Use matrix factorization techniques.

Maddox et al. (2022) propose Bayesian methods to estimate in-game home team win probabilities.

Terner and Franks (2021) review methods to modeling player and team performance in basketball.

Cervone et al. (2016) present a multiresolution stochastic process model for predicting basketball possession outcomes. They are interested by the expected possession value.




Figure 1: Examples of shooting charts

Fu and Stasko (2024) use (interactive) data visualization to analyze and compare basketball shooting performance.

Liu and Burton (1999) examines the effect of distance on the accuracy and movement form in shooting. Non-professional players.

Csataljay et al. (2013) are interested by defensive pressure.

Okazaki et al. (2015) reviews of the mechanics of shooting.

Zuccolotto et al. (2023) aims at representing maps of the court visualizing areas with different levels of scoring probability,

Reich et al. (2006) uses shots data to infer other players abilities. Hierarchical spatial model with spatially varying effect of covariates.

Wong-Toi et al. (2022) analyzes shooting patterns among different players. They quantify the shooting patterns using a discretisation of the field. Perform Bayesian nonparametric mixture model to find latent clusters of players.

Yin et al. (2023) proposes a Bayesian nonparametric matrix clustering approach to analyze the structure in the shot selection. Use a mixture of matrix normal distribution representation. Estimated intensity maps.

Hu et al. (2023) uses zero-inflated Poisson model with clustered regression coefficients.

2 Dataset

We consider data from the National Basketball Association (NBA). To access comprehensive game data, we utilize the Python package `nba_api`¹, which provides access to the APIs of nba.com. The dataset consists of both made and missed field goal attempt locations from the offensive half-court from all NBA games spanning the seasons between 2018 – 2019 and 2022 – 2023. Filtering the dataset, we focus solely on players who have made more than 1000 field goal attempts during this five-season period, resulting in a cohort of 131 players. These players accounted for a total of 493723 shots attempted, of which 234941 (47%) were successful. Subsequently, we exclude shots deemed impossible (e.g., out-of-bounds), leaving us with a dataset comprising 492621 shots. We also remove all players that have scored fewer than 100 shots during the five-season period. This results in a cohort of ... players, with ... attempted shots and ... (...) made shots.

Something on players information. add a table with some characteristics of the players, age, height, position, ...

The dataset that we used is available on Github². Figure ?? presents the shots chart for four players with different behaviors (Bogdan Bogadanović, Stephen Curry, LeBron James and Giannis Antetokounmpo).

To analyze shooting behavior, we employ a 2-dimensional kernel density estimation for both the attempted and made shots, utilizing Silverman’s rule ? for bandwidth estimation. The density estimation is conducted on a regularly spaced grid consisting of 201×201 points (see Figure ?? for the estimated densities for Stephen Curry). We obtain observations of bivariate functional data (i.e., $P = 2$ functional features), where both features are defined on a two-dimensional rectangular domain, and observed on an equidistant grid of size 201×201 .

¹https://github.com/swar/nba_api/

²https://github.com/StevenGolovkine/shooting_nba_fda/




Figure 2: Mean + eigenfunctions

3 Method

The method can be summarized with these steps:

1. 2D Kernel density estimation
2. MFPCA
3. Clustering

We estimate the functional principal components using the **Gram**, **(Tensor) PCA** and **2D/1D B-Splines** methods. For the **Gram** method, we directly use the estimated densities to estimate the eigencomponents. For the **(Tensor) PCA** method, the estimation of the multivariate eigenimages is based on the univariate estimation of 30 univariate eigenimages. The estimation of the (univariate) eigenimages is performed with the FCP-TPA where the smoothing parameters are chosen via cross-validation in $[10^{-5}, 10^5]$. For the **2D/1D B-splines** method, the two components are expanded in tensor products of 13×13 B-splines. We do not add a smoothing penalty in that case, as the smoothing step is performed in the kernel density estimation.

Clustering of the scores in the FPCA basis. I would probably use k -means with $k = 5$, it makes sense to have $k = 5$ because there are 5 players of the court.

4 Results

Figure ?? shows the estimated mean surfaces and eigenfunctions for the **Gram** method. The functional principal components, as a representation of the deviation from the mean surface function, may take negative values, while densities can only take positive values. For presentation purposes, the functional principal components have been normalized between -1 and 1 . Blue areas correspond to negative values of the functional components, and thus contribute negatively to the density, while red area corresponds to positive values of the functional components, and thus contribute positively to the density. The decomposition of the density of made shots is similar that of attempted shots. The obtained functional components can be explained as different shooting behavior. The first component, accounting for 56.9% of the variance explained, contrasts two-point and three-point shooting. A player with a positive score for ϕ_1 will tend to take/attempt shots more behind the three-point line, while if he has a negative score, he will prefer shooting within the two-points zone. For the second component (11.5% of the variance explained), the contrast is between the left and right sides of the court. Similarly, if a player has a positive (resp. negative) score for ϕ_2 , he will prefer to shoot on the right (resp. left) side of the court while looking at the hoop. The third component (9.4% of the variance explained) contrasts shooting from the wing with shooting in the axis of the hoop. Positive (resp. negative) score players will shot in the axis of the hoop (resp. from the wing). The fourth component (4.7% of the variance explained) is more difficult to explain from a shooting behavior perspective. It may be linked to players having a preferred shooting location so that most of their shots are taken from the same position. The estimation of the eigencomponents with the **(Tensor) PCA** and **2D/1D B-Splines** methods are similar to the results with the **Gram** method and are thus provided in the Appendix ??.

Maybe it is possible to add something on huge shooters that miss a lot.




Figure 3: Examples of players decomposition




Figure 4: Scatter plots of FPCs colored by groups




Figure 5: Highlights particular players

5 Discussion

The practical applications of analyzing basketball shooting patterns using functional data analysis and clustering can significantly enhance various aspects of player development, coaching strategies, and team performance. Here's a detailed exploration of these applications:

****1. Player Development:**** - ****Tailored Training Programs:**** By identifying specific shooting patterns and inefficiencies, coaches can design personalized training regimens that focus on improving weak areas. For example, if a player's analysis shows a lower shooting percentage from certain court locations, targeted drills can be implemented to enhance their skills in those areas. - ****Biomechanical Adjustments:**** Insights from functional data analysis can help players refine their shooting mechanics. Understanding the optimal release angles, velocities, and body positioning can lead to improved shooting accuracy. For instance, adjusting the release height or speed based on biomechanical feedback can enhance performance[1][3].

****2. Coaching Strategies:**** - ****Game Preparation:**** Coaches can utilize shooting pattern analyses to prepare specific game strategies against opponents. By studying the shooting tendencies of opposing players, coaches can develop defensive schemes that effectively limit high-percentage shots from preferred locations[2][4]. - ****In-Game Adjustments:**** Real-time data analysis during games allows coaches to make informed decisions about substitutions or play calls based on player performance metrics. For example, if a player is consistently missing shots from a particular area, they may be advised to alter their shot selection or take a break to reassess their approach.

****3. Team Performance Optimization:**** - ****Shot Selection Analysis:**** Teams can analyze collective shooting data to determine the most effective shot selections during games. This includes evaluating the success rates of different shot types (e.g., three-pointers vs. mid-range shots) and making strategic decisions about when to attempt specific shots based on situational context[4][5]. - ****Enhanced Scouting Reports:**** Detailed analyses of shooting patterns allow for more comprehensive scouting reports on both players and teams. This information can be invaluable for identifying potential trade targets or assessing the strengths and weaknesses of upcoming opponents[2][3].

****4. Fan Engagement and Analytics:**** - ****Visualizations for Fans:**** Shot charts and other visual analytics tools can be used to engage fans by providing deeper insights into player performances and game strategies. This not only enhances the viewing experience but also fosters a greater understanding of the game among fans[2][4]. - ****Data-Driven Storytelling:**** Teams and analysts can leverage shooting data to tell compelling stories about player development, game trends, and historical comparisons, enriching the narrative around the sport.

1. Biomechanics of the Basketball Jump Shot: This source discusses how biomechanics impact shooting performance and provides insights into effective training methods that could be informed by data analysis[1]. 2. A Model-Based Approach to Shot Charts Estimation in Basketball: This paper outlines advanced methodologies for estimating shot patterns and emphasizes the importance of accurate visualizations in basketball analytics[2]. 3. New Technology Changing NBA Shooting: This article highlights how emerging technologies are revolutionizing player training through detailed biomechanical analysis, which complements functional data analysis approaches[3]. 4. Shot Distribution in the NBA: This research examines how shot patterns have evolved over time in relation to rule changes like the three-point line, offering valuable context for current shooting trends[4]. 5. Using Data to Investigate NBA Shot Patterns: This project demonstrates practical applications of data science in analyzing NBA shooting data, providing insights into shooter accuracy relative to distance and defensive pressure[5].

Acknowledgment

S. Golovkine is partially supported by Science Foundation Ireland under Grant No. 19/FFP/7002 and co-funded under the European Regional Development Fund.

References

- Cervone, D., D'Amour, A., Bornn, L., and Goldsberry, K. (2016). A Multiresolution Stochastic Process Model for Predicting Basketball Possession Outcomes. *Journal of the American Statistical Association*, 111(514):585–599.
- Csataljay, G., James, N., Hughes, M., and Dancs, H. (2013). Effects of defensive pressure on basketball shooting performance. *International Journal of Performance Analysis in Sport*, 13(3):594–601.

- Franks, A., Miller, A., Bornn, L., and Goldsberry, K. (2015). Characterizing the Spatial Structure of Defensive Skill in Professional Basketball. *The Annals of Applied Statistics*, 9(1):94–121.
- Fu, Y. and Stasko, J. (2024). HoopInSight: Analyzing and Comparing Basketball Shooting Performance Through Visualization. *IEEE Transactions on Visualization and Computer Graphics*, 30(1):858–868.
- Hu, G., Yang, H.-C., Xue, Y., and Dey, D. K. (2023). Zero-inflated Poisson model with clustered regression coefficients: Application to heterogeneity learning of field goal attempts of professional basketball players. *Canadian Journal of Statistics*, 51(1):157–172.
- Jiao, J., Hu, G., and Yan, J. (2021). A Bayesian marked spatial point processes model for basketball shot chart. *Journal of Quantitative Analysis in Sports*, 17(2):77–90.
- Liu, S. and Burton, A. W. (1999). Changes in Basketball Shooting Patterns as a Function of Distance. *Perceptual and Motor Skills*, 89(3):831–845.
- Maddox, J. T., Sides, R., and Harvill, J. L. (2022). Bayesian estimation of in-game home team win probability for college basketball. *Journal of Quantitative Analysis in Sports*, 18(3):201–213.
- Miller, A., Bornn, L., Adams, R., and Goldsberry, K. (2014). Factorized point process intensities: A spatial analysis of professional. In *Proceedings of the 31st International Conference on International Conference on Machine Learning - Volume 32*, ICML’14, pages I-235–I-243, Beijing, China. JMLR.org.
- Okazaki, V. H., Rodacki, A. L., and Satern, M. N. (2015). A review on the basketball jump shot. *Sports Biomechanics*, 14(2):190–205.
- Reich, B. J., Hodges, J. S., Carlin, B. P., and Reich, A. M. (2006). A Spatial Analysis of Basketball Shot Chart Data. *The American Statistician*.
- Turner, Z. and Franks, A. (2021). Modeling Player and Team Performance in Basketball. *Annual Review of Statistics and Its Application*, 8(Volume 8, 2021):1–23.
- Wong-Toi, E., Yang, H.-C., Shen, W., and Hu, G. (2022). A Joint Analysis for Field Goal Attempts and Percentages of Professional Basketball Players: Bayesian Nonparametric Resource. *Journal of Data Science*, 21(1):68–86.
- Yin, F., Hu, G., and Shen, W. (2023). Analysis of Professional Basketball Field Goal Attempts via a Bayesian Matrix Clustering Approach. *Journal of Computational and Graphical Statistics*, 32(1):49–60.
- Zuccolotto, P., Sandri, M., and Manisera, M. (2023). Spatial performance analysis in basketball with CART, random forest and extremely randomized trees. *Annals of Operations Research*, 325(1):495–519.