

Jenkins Pipeline Integration - Complete Guide

Scenario: Existing Jenkins job requires File, Destination, Email, then Build

Current Manual Process

1. Click Build with Parameters. 2. Select file. 3. Select destination. 4. Enter email. 5. Click Build. 6. Jenkins uploads the file and sends notifications.

Recommended Enterprise Solution

Replace the browser File Parameter with a FILE_PATH string parameter. This allows pipelines to pass generated artifacts automatically.

New Parameters

FILE_PATH	(String Parameter)
DESTINATION	(Choice Parameter)
EMAIL	(String Parameter)

Example Pipeline

```
pipeline {
  agent any

  parameters {
    choice(
      name: 'DESTINATION',
      choices: ['DEV', 'QA', 'PROD'],
      description: 'Upload destination'
    )

    string(
      name: 'EMAIL',
      defaultValue: 'user@company.com',
      description: 'Notification email'
    )
  }

  stages {
    stage('Build Artifact') {
      steps {
        sh '''
          mkdir -p output
          zip -r output/build.zip .
        '''
      }
    }

    stage('Call Upload Job') {
      steps {
        build job: 'Upload_File_Job',
              wait: true,
              parameters: [
                string(name: 'FILE_PATH',
                      value: "${WORKSPACE}/output/build.zip"),
                string(name: 'DESTINATION',
                      value: params.DESTINATION),
                string(name: 'EMAIL',
                      value: params.EMAIL)
              ]
      }
    }
  }
}
```