
Scored confrontations with a Gaussian pull
D1.1 Universality of free fall, Ti/Pt (MICROSCOPE): eta ...
D1.2 Universality of free fall, Be/Ti torsion balance ...
D1.3 Present drift of alpha, optical clocks (Yb+ E3/E2 ...
D1.6 Delta alpha/alpha: Quasar absorption, ESPRESSO, z = ...
D1.7 Delta alpha/alpha: Quasar absorption, four systems ...
D1.8 Delta alpha/alpha: CMB (Planck 2015), alpha at ...
D1.9 Delta alpha/alpha: BBN (alpha alone varying; 2001 ...
D1.12 Joint fit, Model B (thawing): present drift from ...
D2.1 Light bending / Shapiro delay, gamma - 1 (Cassini)
D2.2 gamma - 1, planetary ephemerides (combined ...
D2.3 beta - 1, planetary ephemerides (combined intervals)
D2.4 beta - 1, Mercury from MESSENGER (gamma fixed to ...
D2.5 Nordtvedt parameter eta, MESSENGER
D2.6 beta - 1, lunar laser ranging
D2.7 gamma - 1, lunar laser ranging
D2.8 Earth-Moon free fall towards the Sun ...
D2.9 Strong-field SEP, pulsar in a triple system (Delta)
D2.10 Gravitational redshift (local position invariance) ...
D3.1 Transition redshift to acceleration, z_t = (2 ...
D3.3 de Sitter floor (w = -1 for all time) against DESI ...
D3.4 Hubble constant: GUID's late universe (flat ...
D3.5 Hubble constant against the tip of the red giant ...
D3.7 Spatial flatness: Omega_K, DESI DR2 BAO + CMB
D4.1 Scalar spectral index n_s for N = 50 to 60 e-folds ...
D4.3 Scalar spectral index n_s for N = 50 to 60 e-folds ...
D9.1 Content is quantum and reaches, but does not ...
FAIL +2.8
FAIL +4.9
FAIL +2.1
FAIL +2.4
−4
−2
0
2
4
pull = (datum - GUID) / sigma; shaded: consistent at 95%; X: FAIL