
(b) (4)



*This artwork requires that the supplier insert a UPC-A bar code master in the position indicated. Bar code must match human readable on art and on spec. Bar code must conform to all applicable Baxter specifications.

Reference ID: 5536045

(b) (4)



* This artwork requires that the supplier insert a UPC-A bar code master in the position indicated. Bar code must match human readable on art and on spec. Bar code must conform to all applicable Baxter specifications.

Reference ID: 5536045

LOT: ABXXXXXX
EXP: YYYY-MM-DD

NDC 43066-360-20

Nexterone
(amiodarone HCl)
Premixed Injection

360 mg/200 mL
(1.8 mg/mL)

Rx Only

For Intravenous Use

GALAXY
200mL Single-Dose Container
Discard unused portion

Iso-osmotic solution in Dextrose
Code 2G3450
Sterile, Nonpyrogenic

Each mL contains: 1.8 mg amiodarone HCl, USP; 18 mg Betadex Sulfobutyl Ether Sodium, NF; 0.362 mg citric acid anhydrous, 0.183 mg sodium citrate dihydrate, and 41.4 mg dextrose anhydrous in water for injection. Sodium hydroxide or hydrochloric acid may have been added to adjust pH.

CAUTIONS: Check for minute leaks by squeezing bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear.

Do not add supplemental medication. Must not be used in series connections.

Dosage: See prescribing information.

Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F).

See USP Controlled Room Temperature. Protect from freezing. **Avoid excessive heat.**
USE CARTON TO PROTECT CONTENTS FROM LIGHT UNTIL USE.

Baxter, Galaxy and Nexterone are trademarks of Baxter International Inc. or its subsidiaries.

Baxter

Baxter Healthcare Corporation, Deerfield, IL 60015 USA
Made in the USA

07-34-00-2401

3 43066 36020 7

LOT: ABXXXXXX
EXP: YYYY-MM-DD

NDC 43066-150-10

Nexterone
(amiodarone HCl)
Premixed Injection

150 mg/100 mL
(1.5 mg/mL)

Rx Only
GALAXY
100mL Single-Dose Container
Discard unused portion

For Intravenous Use

Iso-osmotic solution in Dextrose
Code 2G3451
Sterile, Nonpyrogenic

Each mL contains: 1.5 mg amiodarone HCl, USP; 15 mg Betadex Sulfobutyl Ether Sodium, NF; 0.362 mg citric acid anhydrous, 0.183 mg sodium citrate dihydrate, and 42.1 mg dextrose anhydrous in water for injection. Sodium hydroxide or hydrochloric acid may have been added to adjust pH.

CAUTIONS: Check for minute leaks by squeezing bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear.

Do not add supplemental medication. Must not be used in series connections.

Dosage: See prescribing information.

Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F). See USP Controlled Room Temperature. Protect from freezing. **Avoid excessive heat.**

USE CARTON TO PROTECT CONTENTS FROM LIGHT UNTIL USE.

Baxter, Galaxy and Nexterone are trademarks of Baxter International Inc. or its subsidiaries.

Baxter

Baxter Healthcare Corporation, Deerfield, IL 60015 USA
Made in the USA

07-34-00-2461

3 43066 15010 6

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

MARY R SOUTHWORTH
02/21/2025 03:26:16 PM