

Contents

Awesome Mnemonics - Complete Guide	2
Quick Reference & On-Call Guide	2
Categorized Index	3
Ops	3
RCA (Root Cause Analysis)	3
Systems Design	4
Human Factors	4
Personal Life	4
Who Uses This?	5
Mnemonic Selection Flowchart	5
Table of Contents	6
Problem Solving Techniques	7
Problem Analysis	42
Problem Resolution Threats	54
DICE	54
FATE	54
Communication & Conflict	55
Stress & Resilience	68
PACE	68
STOP	68
ARIES	68
HELP	69
HANDLE	69
CALM	69
PUSH	69
HOPE	69
SHINE	70
Infrastructure & Systems Engineering	70
TRACE (Network Troubleshooting)	70
SCALE (Infrastructure Design)	70
DEBUG (Code & System Analysis)	71
Proven Mnemonic Pipelines	71
1. CRISIS RESPONSE CHAIN	71
2. CONFLICT RESOLUTION CHAIN	72
3. ROOT CAUSE INVESTIGATION CHAIN	72
4. STRATEGIC DESIGN CHAIN	73
5. STRESS BURNOUT RECOVERY CHAIN	74
6. RAPID TRIAGE CHAIN	74
Pipeline Selection Matrix	75
Pro Tips for Using Pipelines	76
Common Mistakes to Avoid	76
Jumping to Solutions	76
Using Wrong Pipeline	76
Incomplete Execution	76

Solo Hero Mode	76
Analysis Paralysis	77
Contributing	77
Sources & References	77
Problem-Solving Methodologies	77
Strategic & Analysis Frameworks	77
Problem Resolution Threats & Triage	78
Communication, Stress & Resilience, Infrastructure	78

Awesome Mnemonics - Complete Guide

Memory hacks that compress complex workflows into actionable acronyms. Use during incidents, RCAs (root cause analysis), design decisions, or high-stress situations.

Disclaimer: This collection includes both established, documented frameworks (e.g. 8D, SWOT, PESTEL, RACI, SET) and mnemonics compiled for learning and incident use. See Sources & References for attribution and classification.

Release Version - Last Updated: 2026-01-25

Quick Reference & On-Call Guide

Production incident? → Crisis Response Chain (STOP → TRACE → DEBUG → 8D)

Need quick decision? → Rapid Triage Chain (IDEA → DICE → FATE)

Mobile: Table scrolls horizontally if needed

Situation	Use This	Time
Immediate crisis	IDEA → STOP	2-5 min
Root cause needed	ICEBERG + 5 Whys	30-60 min
Team conflict	BREATHE → PAUSE → WAIT	5-10 min
Strategic planning	PREPARE + SWOT	1-2 hours
System design	SCALE + PESTEL	Planning
Technical debugging	TRACE → DEBUG	Variable
Stress overload	PACE → ARIES → CALM	10-15 min

Quick links: [Index](#) | [Pipelines](#) | [Print](#) | [TOC](#) | [Back to top](#)

Categorized Index

Quick lookup by functional area with “when to use” guidance

Ops

Incident response, troubleshooting, and operational decision-making

Mnemonic	When to Use
STOP	First response to any crisis—immediate stress management (2-5 min)
IDEA	Quick, simple problems requiring fast action (2-5 min)
TRACE	Network/system diagnostics—start with connectivity tests
DEBUG	Code or system analysis when problem definition is unclear
DICE	Identify blockers (Delay, Incompetence, Conflict, External factors) before execution
FATE	Validate resource availability (Funding, Allocation, Time, Expertise) for feasibility
PEST	Identify external threats (Political, Economic, Social, Technological) to solutions

RCA (Root Cause Analysis)

Deep investigation, recurring issues, and prevention

Mnemonic	When to Use
ICEBERG	Complex problems with hidden root causes (30-60 min)
5 Whys	Drill down to root cause—keep asking until systemic failure is found
Ishikawa (Fishbone)	Visual cause-effect analysis; map multiple causes to a problem
8D Approach	Critical incidents requiring formal resolution and prevention
A3 Problem Solving	Structured one-page problem-solving (Toyota); good for sharing and alignment
PADDER	Data-driven problem solving when patterns need identification
PREPARE	Strategic planning for medium complexity problems (1-2 hours)

Systems Design

Architecture, planning, and technical decision-making

Mnemonic	When to Use
SCALE	Infrastructure design—Security, Capacity, Automation, Load balancing, Error handling
SWOT	Evaluate options—Strengths, Weaknesses, Opportunities, Threats (1-2 hours)
PESTEL	Strategic planning considering external factors (Political, Economic, Sociocultural, Technological, Environmental, Legal)
SET	Set stakeholder expectations—pick 2: Good, Fast, Cheap

Human Factors

Team dynamics, conflict resolution, and collaboration

Mnemonic	When to Use
RACI	Resolve role confusion—assign Responsible, Accountable, Consulted, Informed
WAIT	Before speaking—ask “Why am I talking?” to choose the right response
BREATHE	First step when tensions rise—regulate emotions before responding
PAUSE	When BREATHE isn’t enough—step away and evaluate before acting (5-20 min)
DICE	Check for Conflict as a blocker in team execution
FATE	Validate team Expertise and resource Allocation

Personal Life

Stress management, burnout recovery, and personal resilience

Mnemonic	When to Use
PACE	Immediate stress management—Physical activity, Avoid unhealthy behaviors, Coping skills, Emotional awareness

Mnemonic	When to Use
ARIES	Lifestyle changes for long-term stress reduction (2-4 weeks)
CALM	Build resilience—Confidence, Awareness, Logic, Mindfulness
HELP	Stress management strategies—Handle one at a time, Exercise, Learn to relax, Pace yourself
HANDLE	Six stress-management strategies including positive attitude and support system
PUSH	Build positivity—Practice Gratitude, Use affirmations, Spend time with positive people, Have positive outlook
HOPE	Harness positive thoughts, Open up, Prioritize self-care, Exercise regularly
SHINE	Ongoing practice for sustainable positivity—Stay present, Healthy perspective, Identify positive activities, Nourish relationships, Express yourself

Who Uses This?

Teams and engineers using these mnemonics in production:

- *Your team here? Add yourself!*

Using this? Add your organization/team via pull request. See CONTRIBUTING.md for details.

Mnemonic Selection Flowchart

Mobile tip: If the flowchart below is hard to read, use Quick Reference & On-Call Guide or Categorized Index instead.

Problem?

Quick? Complex? Stress?

IDEA	PREPARE/	STOP →
+	ICEBERG+	PACE
STOP	5 Whys	

Table of Contents

- Awesome Mnemonics
 - Quick Reference & On-Call Guide
 - Categorized Index
 - * Ops
 - * RCA (Root Cause Analysis)
 - * Systems Design
 - * Human Factors
 - * Personal Life
 - Who Uses This?
 - Mnemonic Selection Flowchart
 - Table of Contents
 - Problem Solving Techniques
 - * PREPARE
 - * PADDER
 - * ICEBERG
 - * IDEA
 - * 5 Whys
 - * Ishikawa (Fishbone)
 - * 8D Approach
 - * A3 Problem Solving
 - * 5Ps
 - Problem Analysis
 - * RACI
 - * PESTEL
 - * SWOT
 - * SET (Systems Engineering Triangle)
 - Problem Resolution Threats
 - * DICE
 - * FATE
 - * PEST
 - Communication & Conflict
 - * BREATHE
 - * PAUSE
 - * WAIT
 - Stress & Resilience
 - * PACE
 - * STOP

- * ARIES
- * HELP
- * HANDLE
- * CALM
- * PUSH
- * HOPE
- * SHINE
- Infrastructure & Systems Engineering
 - * TRACE (Network Troubleshooting)
 - * SCALE (Infrastructure Design)
 - * DEBUG (Code & System Analysis)
- Proven Mnemonic Pipelines
 - * **1. CRISIS RESPONSE CHAIN**
 - * **2. CONFLICT RESOLUTION CHAIN**
 - * **3. ROOT CAUSE INVESTIGATION CHAIN**
 - * **4. STRATEGIC DESIGN CHAIN**
 - * **5. STRESS BURNOUT RECOVERY CHAIN**
 - * **6. RAPID TRIAGE CHAIN**
- Pipeline Selection Matrix
- Pro Tips for Using Pipelines
- Common Mistakes to Avoid
 - * **Jumping to Solutions**
 - * **Using Wrong Pipeline**
 - * **Incomplete Execution**
 - * **Solo Hero Mode**
 - * **Analysis Paralysis**
- Contributing
- Release Versions
- Sources & References

Problem Solving Techniques

Start here for systematic approaches to complex problems

##	#	PR	EPARE
P	-		
R	-		
E	-		
P	-		
A	-		
R	-		
E	-		

** W hen
 - - St ra to
 - Me di use:**
 Wh en te-
 gic
 plan-
 ning
 ses-
 sions
 (1-
 2
 hours)
 um
 com-
 plex-
 ity
 prob-
 lems
 with
 mul-
 ti-
 ple
 stake-
 hold-
 ers
 you
 need
 struc-
 tured
 doc-
 u-
 men-
 ta-
 tion

** Co mmon
 - - ** An pit-
 - Sk falls:
 Wr al-
 y-
 sis
 paral-
 y-
 sis
 -
 Spend-
 ing
 2
 hours
 plan-
 ning
 a
 10-
 minute
 prob-
 lem.
 If
 you're
 past
 30
 min-
 utes
 on
 "Re-
 search",
 switch
 to
 IDEA.
 ip-
 ping
 re-
 flec-
 tion**
 -
 Act-
 ing
 with-
 out
 the
 fi-
 nal
 "Re-
 9 flect/Evaluate"
 cre-
 ates
 re-
 cur-
 ring
 is-
 sues.

** C ombines
well
with:**
RACI
(as-
sign
re-
spon-
si-
bil-
i-
ties),
SWOT
(eval-
u-
ate
op-
tions),
ICE-
BERG
(if
re-
flec-
tion
re-
veals
deeper
is-
sues)

**		R	eal-
##	#	PA	world
P	-		ex-
A	-		am-
D	-		ple:**
D	-		<i>Plan-</i>
E	-		<i>ning</i>
R	-		<i>in-</i>
			<i>fras-</i>
			<i>truc-</i>
			<i>ture</i>
			<i>mi-</i>
			<i>gra-</i>
			<i>tion</i>
			-
			<i>Use</i>
			<i>PRE-</i>
			<i>PARE</i>
			<i>to</i>
			<i>struc-</i>
			<i>ture</i>
			<i>ap-</i>
			<i>proach,</i>
			<i>RACI</i>
			<i>dur-</i>
			<i>ing</i>
			<i>plan-</i>
			<i>ning</i>
			<i>phase</i>
			<i>for</i>
			<i>role</i>
			<i>clar-</i>
			<i>ity,</i>
			<i>SWOT</i>
			<i>to</i>
			<i>eval-</i>
			<i>u-</i>
			<i>ate</i>
			<i>cloud</i>
			<i>provider</i>
			<i>op-</i>
			<i>tions</i>
			DDER

```

**      W  hen
- -    Da  ta  to
-      Wh  en  use:**
      Pa  ir  -
              driven
              prob-
              lem
              solv-
              ing
              pat-
              terns
              need
              to
              be
              iden-
              ti-
              fied
              s
              with
              8D
              Ap-
              proach's
              D3
              (In-
              terim
              Con-
              tain-
              ment)
              for
              quick
              fixes

```

** C ombines
 well
 with:**
 IDEA
 (sim-
 pler
 ver-
 sion),
 8D
 Ap-
 proach
 (for-
 mal
 res-
 o-
 lu-
 tion),
 A3
 Prob-
 lem
 Solv-
 ing
 (doc-
 u-
 ment
 PAD-
 DER
 out-
 put
 on
 one
 page
 for
 shar-
 ing)

**		R	eal-
##	#	IC	world
I	-		ex-
C	-		am-
E	-		ple:**
B	-		Re-
E	-		cur-
R	-		ring
G	-		server
			crashes
			-
			Pin-
			point
			tim-
			ing,
			An-
			a-
			lyze
			logs
			for
			pat-
			terns,
			De-
			velop
			in-
			terim
			so-
			lu-
			tions
			(restart
			ser-
			vice)
			+
			per-
			ma-
			nent
			fix
			(in-
			crease
			mem-
			ory),
			Mon-
			i-
			tor
			ef-
			fec-
			tive-
			ness
			EBERG

** W hen
 - - Co mp to
 - Wh en use:**
 Es ca lex
 prob-
 lems
 re-
 quir-
 ing
 deep
 anal-
 y-
 sis
 (30-
 60
 min)
 sur-
 face
 symp-
 toms
 hide
 deeper
 root
 causes
 late
 from
 IDEA
 when
 com-
 plex-
 ity
 in-
 creases

** Co mmon
 - - Go pit-
 Sk falls:
 ing
 too
 deep
 on
 sim-
 ple
 prob-
 lems
 -
 Us-
 ing
 ICE-
 BERG
 for
 a
 5-
 minute
 pass-
 word
 re-
 set.
 Start
 with
 IDEA,
 es-
 ca-
 late
 only
 if
 com-
 plex-
 ity
 emerges.
 ip-
 ping
 feed-
 back
 (G)**
 -
 Gath-
 er-
 ing
 feed-
 back
 seems
 op-
 tional
 but
 pre-
 vents
 re-
 cur-

** C ombines
 well
 with:**
 5
 Whys
 (deeper
 root
 cause),
 Ishikawa
 (Fish-
 bone)
 (struc-
 ture
 “Ex-
 am-
 ine
 causes”
 into
 a
 fish-
 bone),
 8D
 Ap-
 proach
 (for-
 mal
 pre-
 ven-
 tion),
 IDEA
 (start
 sim-
 ple,
 es-
 ca-
 late
 if
 needed)

**	R	eal-
## #	ID	world
I	-	ex-
D	-	am-
E	-	ple:**
A	-	<i>Net-</i>
		<i>work</i>
		<i>per-</i>
		<i>for-</i>
		<i>mance</i>
		<i>degra-</i>
		<i>da-</i>
		<i>tion</i>
		-
		<i>Iden-</i>
		<i>tify</i>
		<i>slow-</i>
		<i>ness,</i>
		<i>Col-</i>
		<i>lect</i>
		<i>met-</i>
		<i>rics</i>
		<i>(la-</i>
		<i>tency,</i>
		<i>packet</i>
		<i>loss),</i>
		<i>Ex-</i>
		<i>am-</i>
		<i>ine</i>
		<i>causes</i>
		<i>(rout-</i>
		<i>ing</i>
		<i>changes,</i>
		<i>band-</i>
		<i>width</i>
		<i>sat-</i>
		<i>u-</i>
		<i>ra-</i>
		<i>tion),</i>
		<i>Brain-</i>
		<i>storm</i>
		<i>so-</i>
		<i>lu-</i>
		<i>tions,</i>
		<i>Ex-</i>
		<i>e-</i>
		<i>cute,</i>
		<i>Re-</i>
		<i>view</i>
		<i>with</i>
		<i>team,</i>
		<i>Gather</i>
		<i>feed-</i>
		<i>back</i>
		<i>from</i>

** W hen
 - - Qu ic to
 - Cr is use:**
 Us e k,
 sim-
 ple
 prob-
 lems
 (2-
 5
 min-
 utes)
 is
 sit-
 u-
 a-
 tions
 re-
 quir-
 ing
 im-
 me-
 di-
 ate
 ac-
 tion
 STOP
 first
 if
 un-
 der
 stress

** Co mmon
 - - Es pit-
 Sk falls:
ca-
la-
tion
fail-
ure
 -
 Not
 mov-
 ing
 to
 ICE-
 BERG
 or
 PRE-
 PARE
 when
 prob-
 lem
 re-
 veals
 com-
 plex-
 ity.
 If
 you're
 past
 10
 min-
 utes
 or
 hit-
 ting
 mul-
 ti-
 ple
 block-
 ers,
 es-
 ca-
 late.
 ip-
 ping
 as-
 sess-
 ment**
 -
 Ex-
 e-
 cut-
 ing
 with-
 out

** C ombines
well
with:**
STOP
(cri-
sis
stress
man-
age-
ment),
PRE-
PARE/ICEBERG
(es-
ca-
la-
tion
path
for
com-
plex
is-
sues)

**		R	eal-
##	#	5	world
*	Ke	ep	ex-
			am-
			ple:**
			<i>User</i>
			<i>can't</i>
			<i>ac-</i>
			<i>cess</i>
			<i>VPN</i>
			-
			<i>Iden-</i>
			<i>tify</i>
			<i>(con-</i>
			<i>nec-</i>
			<i>tion</i>
			<i>er-</i>
			<i>ror),</i>
			<i>De-</i>
			<i>velop</i>
			<i>(re-</i>
			<i>set</i>
			<i>cre-</i>
			<i>den-</i>
			<i>tials),</i>
			<i>Ex-</i>
			<i>e-</i>
			<i>cute</i>
			<i>(send</i>
			<i>new</i>
			<i>pass-</i>
			<i>word),</i>
			<i>As-</i>
			<i>sess</i>
			<i>(con-</i>
			<i>firm</i>
			<i>ac-</i>
			<i>cess</i>
			<i>re-</i>
			<i>stored)</i>
			Whys
			ask-
			ing
			why
			un-
			til
			root
			causes
			are
			iden-
			ti-
			fied

** W hen
 - - Es se to
 - Du ri use:**
 Co mb ntial
 for
 root
 cause
 anal-
 y-
 sis
 ng
 8D
 Ap-
 proach's
 D4
 (Root
 Cause
 Anal-
 y-
 sis)
 ine
 with
 ICE-
 BERG
 for
 sys-
 tem-
 atic
 deep
 dives

** Co mmon
 - - St pit-
 As falls:
op-
ping
at
symp-
toms
 -
 Stop-
 ping
 at
 “Why
 #3:
 Database
 slow”
 in-
 stead
 of
 drilling
 to
 root
 cause
 (miss-
 ing
 mi-
 gra-
 tion).
 Keep
 ask-
 ing
 un-
 til
 you
 reach
 a
 pro-
 cess/systemic
 fail-
 ure.
 sum-
 ing
 sin-
 gle
 root
 cause**

24 - Com-
 plex
 prob-
 lems
 of-
 ten
 have
 mul-

** C ombines
 well
 with:**
 ICE-
 BERG
 (struc-
 tured
 ap-
 proach),
 Ishikawa
 (Fish-
 bone)
 (or-
 ga-
 nize
 causes
 into
 branches,
 then
 ask
 “why”
 on
 each),
 8D
 Ap-
 proach
 (for-
 mal
 in-
 ci-
 dent
 man-
 age-
 ment)

** R eal-
 world
 ex-
 am-
 ple:**
 De-
 ploy-
 ment
 fail-
 ures
 -
 Why?
 Pipeline
 failed.
 Why?
 Tests
 timed
 out.
 Why?
 Database
 slow.
 Why?
 In-
 dex
 miss-
 ing.
 Why?
 Schema
 change
 didn't
 in-
 clude
 mi-
 gra-
 tion.
 Root
 cause:
 Miss-
 ing
 mi-
 gra-
 tion
 val-
 i-
 da-
 tion
 step

##	#	Is	hikawa
*C	au	se	(Fish-
1.	S		bone)
2.	C		Di-
3.	B		a-
4.	D		gram
5.	I	—	
			effect
			di-
			a-
			gram;
			map
			mul-
			ti-
			ple
			con-
			tribut-
			ing
			causes
			to
			one
			prob-
			lem.
			Pairs
			with
			5
			Whys.*

** W hen
 - - Mu lt to
 - Du ri use:**
 Te am ip le
 po-
 ten-
 tial
 causes;
 5
 Whys
 alone
 might
 miss
 branches
 ng
 8D
 Ap-
 proach's
 D4
 (Root
 Cause
 Anal-
 y-
 sis)
 or
 ICE-
 BERG's
 "Ex-
 am-
 ine
 causes"
 brain-
 storm-
 ing
 when
 causes
 span
 peo-
 ple,
 pro-
 cess,
 tech-
 nol-
 ogy,
 en-
 vi-
 ron-
 ment

** Co mmon
 - - To pit-
 Sk falls:
 o
 many
 bones
 -
 Limit
 branches
 per
 cat-
 e-
 gory;
 fo-
 cus
 on
 likely
 causes
 first.
 ip-
 ping
 the
 drill-
 down**
 -
 Use
 5
 Whys
 on
 the
 most
 likely
 bones
 to
 reach
 root
 cause.

** C ombines
 well
 with:**
 5
 Whys
 (drill
 into
 branches),
 8D
 Ap-
 proach
 (D4),
 ICE-
 BERG
 (Ex-
 am-
 ine
 causes),
 A3
 Prob-
 lem
 Solv-
 ing
 (doc-
 u-
 ment
 the
 fish-
 bone
 on
 an
 A3)

** R eal-
 world
 ex-
 am-
 ple:**
 Up-
 time
 drop
 -
 Prob-
 lem
 (head):
 “*Ser-*
 vices
 un-
 reach-
 able.”
 Bones:
 Method
 (re-
 cent
 de-
 ploy),
 Ma-
 chine
 (high
 CPU),
 Man-
 power
 (con-
 fig
 change).
 Drill
 with
 5
 Whys
 on
 “*re-*
 cent
 de-
 ploy”
 →
 miss-
 ing
 health-
 check
 in
 pipeline.
 Root
 cause:
 CI
 didn't
 run
 post-
 deploy

##	#	8D	Approach
*I	nd	us	try
D1	-		stan-
D2	-		dard
D3	-		in
D4	-		au-
D5	-		to-
D6	-		mo-
D7	-		tive/manufacturing,
D8	-		adapted
			for
			IT
			in-
			ci-
			dent
			man-
			age-
			ment*

** W hen
 - - Cr it to
 - Pr ob use:**
 Wh en ical
 in-
 ci-
 dents
 re-
 quir-
 ing
 for-
 mal
 res-
 o-
 lu-
 tion
 lems
 need-
 ing
 doc-
 u-
 men-
 ta-
 tion
 and
 pre-
 ven-
 tion
 team
 co-
 or-
 di-
 na-
 tion
 is
 es-
 sen-
 tial
 (D1:
 use
 RACI)

** Co mmon
- - ** St pit-
- So falls:
Bu **op-**
ping
at
D3

-
Im-
ple-
ment-
ing
the
band-
aid
but
never
reach-
ing
D7
(Pre-
vent
Re-
oc-
cur-
rence)
means
it
will
hap-
pen
again.
lo
8D**

-
Try-
ing
to
do
all
8
steps
alone
in-
stead
of
D1
(Form
a
team).
Use
RACI
dur-
ing
D1

** C ombines
 well
 with:**
 PAD-
 DER
 (D3
 in-
 terim
 fixes),
 5
 Whys
 +
 Ishikawa
 (Fish-
 bone)
 +
 ICE-
 BERG
 (D4
 root
 cause),
 A3
 Prob-
 lem
 Solv-
 ing
 (one-
 page
 8D
 sum-
 mary),
 RACI
 (D1
 team
 for-
 ma-
 tion)

** R eal-
 world
 ex-
 am-
 ple:**
 Data
 breach
 in-
 ci-
 dent
 -
 Form
 se-
 cu-
 rity
 re-
 sponse
 team
 (*RACI*
 roles),
 De-
 scribe
 scope,
 Con-
 tain
 (*dis-*
 able
 com-
 pro-
 mised
 ac-
 counts),
 An-
 a-
 lyze
 root
 cause
 (5
 Whys:
 phish-
 ing
 →
 no
 MFA
 →
 in-
 suf-
 fi-
 cient
 train-
 ing),
 Im-
 ple-
 ment
 MFA,

##	#	A3	Problem
*T	oy	ot	Solv-
1.	B		ing
2.	C		a's
3.	G		single-
4.	R		page
5.	C		(A3
6.	I		size)
			struc-
			tured
			problem-
			solving.
			Plan-
			Do-
			Check-
			Act
			on
			one
			sheet
			for
			clar-
			ity
			and
			align-
			ment.*

** W hen
 - - Ne ed to
 - Li gh use:**
 [I CE to
 share
 a
 prob-
 lem
 and
 plan
 with
 stake-
 hold-
 ers
 on
 one
 page
 ter-
 weight
 than
 full
 8D
 Ap-
 proach;
 good
 for
 re-
 cur-
 ring
 or
 medium-
 severity
 is-
 sues
 BERG](#iceberg)
 or
 PAD-
 DER
 out-
 put
 you
 need
 to
 so-
 cial-
 ize

** Co mmon
 - - Cr pit-
 Sk falls:
 am-
 ming
 -
 If
 it
 doesn't
 fit
 on
 one
 page,
 the
 prob-
 lem
 may
 be
 too
 large;
 split
 or
 use
 8D.
 ip-
 ping
 root
 cause**
 -
 The
 "Root
 cause
 anal-
 y-
 sis"
 box
 must
 use
 5
 Whys
 or
 Ishikawa
 (Fish-
 bone),
 not
 just
 symp-
 toms.

** C ombines
 well
 with:**
 5
 Whys,
 Ishikawa
 (Fish-
 bone)
 (for
 the
 root
 cause
 box),
 8D
 Ap-
 proach
 (A3
 can
 sum-
 ma-
 rize
 8D),
 ICE-
 BERG,
 PAD-
 DER

** R eal-
 world
 ex-
 am-
 ple:**
 Sprint
 over-
 runs
 -
 A3:
 Back-
 ground
 (de-
 liv-
 ery
 slip-
 ping),
 Cur-
 rent
 state
 (scope
 creep,
 no
 Def-
 i-
 ni-
 tion
 of
 Done),
 Goal
 (pre-
 dictable
 sprints),
 Root
 cause
 (5
 Whys
 →
 no
 in-
 take
 pri-
 or-
 i-
 ti-
 za-
 tion),
 41 Coun-
 ter-
 mea-
 sures
 (back-
 log
 re-
 fine-

##	#	5P	s
*	Po	or	plan- ning pro- duces piti- ful prod- ucts

Problem Analysis

Frameworks for understanding scope and impact

##	#	RA	CI
*	Us	ed	to
R	-		iden-
A	-		tify
C	-		the
I	-		roles and re- spon- si- bil- i- ties of dif- fer- ent stake- hold- ers in a problem- solving pro- cess

```

**      W  hen
- -    Re so to
-      [8 D use:**
      En d  lv-
           ing
           role
           con-
           fu-
           sion
           in
           teams
           Approach](#8d-
           approach)'s
           D1
           (Form
           a
           team)
           step
           of
           WAIT
           →
           BREATHE
           →
           PAUSE
           chain
           for
           con-
           flict
           res-
           o-
           lu-
           tion

```

** Co mmon
- - Mu pit-
To falls:
**lti-
ple
Ac-
count-
a-
bles**

-
More
than
one
“A”
cre-
ates
con-
fu-
sion.
There
should
be
ex-
actly
one
Ac-
count-
able
per-
son
per
task.
o
many
Con-
sulted**

-
Adding
ev-
ery-
one
as
“C”
slows
de-
ci-
sions.

44 Be
se-
lec-
tive
-
only
in-
clude

**	R	eal-
##	#	PE world
*	Us	ed ex-
		am-
		ple:**
		<i>In-</i>
		<i>fras-</i>
		<i>truc-</i>
		<i>ture</i>
		<i>up-</i>
		<i>grade</i>
		<i>project</i>
		-
		<i>Re-</i>
		<i>spon-</i>
		<i>si-</i>
		<i>ble:</i>
		<i>De-</i>
		<i>vOps</i>
		<i>en-</i>
		<i>gi-</i>
		<i>neers,</i>
		<i>Ac-</i>
		<i>count-</i>
		<i>able:</i>
		<i>In-</i>
		<i>fras-</i>
		<i>truc-</i>
		<i>ture</i>
		<i>Man-</i>
		<i>ager,</i>
		<i>Con-</i>
		<i>sulted:</i>
		<i>Se-</i>
		<i>cu-</i>
		<i>rity</i>
		<i>team,</i>
		<i>In-</i>
		<i>formed:</i>
		<i>All</i>
		<i>de-</i>
		<i>vel-</i>
		<i>op-</i>
		<i>ers</i>
		STEL
		to
		iden-
		tify
		and
		an-
		a-
		lyze
		the
		ex-
		ter-

P	-	Po	litical
E	-	Ec	onomic
S	-	So	cio-
T	-	Te	cul-
E	-	En	tural
L	-	Le	chno-
			log-
			i-
			cal
			vi-
			ron-
			men-
			tal
			gal

```

**      W hen
- - St ra to
- [S CA use:**
    Ar ch te-
        gic
        plan-
        ning
        ex-
        ter-
        nal
        fac-
        tor
        anal-
        y-
        sis
        LE](#scale-
        infrastructure-
        design)
        in-
        fras-
        tructure
        de-
        sign
        val-
        i-
        da-
        tion
        itec-
        ture
        re-
        views
        con-
        sid-
        er-
        ing
        com-
        pli-
        ance/regulations

```

** R eal-
 world
 ex-
 am-
 ple:**
 Cloud
 mi-
 gra-
 tion
 plan-
 ning
 -
 Po-
 lit-
 i-
 cal
 (*ven-*
 dor
 lock-
 in
 con-
 cerns),
 Eco-
 nomi-
 c
 (*cost*
 op-
 ti-
 miza-
 tion),
 Tech-
 no-
 log-
 i-
 cal
 (*API*
 com-
 pat-
 i-
 bil-
 ity),
 Le-
 gal
 (*data*
 sovereignty
 re-
 quire-
 ments)

			SW	OT
##	#	Us	ed	to
				iden-
*				tify
				and
				an-
				a-
				lyze
				the
				in-
				ter-
				nal
				and
				ex-
				ter-
				nal
				fac-
				tors
				that
				may
				im-
				pact
				a
				prob-
				lem
				or
				de-
				ci-
				sion
S	-	St	rengths	
W	-	We	ak-	
O	-	Op	nesses	
T	-	Th	por-	
			tu-	
			ni-	
			ties	
			reats	

```

**      W hen
- -    [P RE to
-      [S CA use:**
      St ra PARE](#prepare)'s
      "Eval-
      u-
      ate
      op-
      tions"
      step
      LE](#scale-
      infrastructure-
      design)
      de-
      sign
      val-
      i-
      da-
      tion
      te-
      gic
      de-
      ci-
      sion
      mak-
      ing
      (1-
      2
      hours)

```

**		R	eal-
##	#	SE	world
*	Al	so	ex-
“	D		am-
1.	P		ple:**
2.	P		<i>Choos-</i>
3.	T		<i>ing</i>
4.	-		<i>de-</i>
	-		<i>ploy-</i>
	-		<i>ment</i>
			<i>strat-</i>
			<i>egy</i>
			-
			<i>Strengths:</i>
			<i>au-</i>
			<i>to-</i>
			<i>mated</i>
			<i>roll-</i>
			<i>back,</i>
			<i>Weak-</i>
			<i>nesses:</i>
			<i>longer</i>
			<i>de-</i>
			<i>ploy-</i>
			<i>ment</i>
			<i>time,</i>
			<i>Op-</i>
			<i>por-</i>
			<i>tu-</i>
			<i>ni-</i>
			<i>ties:</i>
			<i>ca-</i>
			<i>nary</i>
			<i>test-</i>
			<i>ing,</i>
			<i>Threats:</i>
			<i>in-</i>
			<i>creased</i>
			<i>com-</i>
			<i>plex-</i>
			<i>ity</i>
			T
			(Sys-
			tems
			En-
			gi-
			neer-
			ing
			Tri-
			an-
			gle)
			called
			“Project
			Man-
			age-

** W hen
 - - Se tt to
 - En d use:**
 Ar ch ing
 stake-
 holder
 ex-
 pec-
 ta-
 tions
 of
 SCALE
 →
 SWOT
 →
 PES-
 TEL
 chain
 itec-
 ture
 trade-
 off
 dis-
 cus-
 sions

** R eal-
 world
 ex-
 am-
 ple:**
 Ur-
 gent
 se-
 cu-
 rity
 patch
 needed
 -
 Choose:
 Good
 +
 Fast
 =
 Not
 Cheap
 (over-
 time,
 ad-
 di-
 tional
 re-
 sources).
 Man-
 age
 ex-
 pec-
 ta-
 tions
 with
 lead-
 er-
 ship
 ac-
 cord-
 ingly

*From the
SE-
BoK
—
Sys-
tems
En-
gi-
neer-
ing
Body
of
Knowl-
edge*

Problem Resolution Threats

Identify blockers before they derail your solution

DICE

D - Delay
I - Incompetence
C - Conflict
E - External factors

When to use: - Part of IDEA → DICE → FATE rapid triage chain - Identifying blockers before execution - Risk assessment in PREPARE phase

FATE

F - Funding
A - Allocation of resources
T - Time
E - Expertise

When to use: - Resource validation in rapid triage - Feasibility assessment (10-30 min) - After DICE to validate resource availability ### PEST

P - Political
E - Economic
S - Social
T - Technological

When to use: - Identifying external threats to solutions - Consider ways to combat/remove these threats

Communication & Conflict

Stay calm and productive during difficult conversations

##	#	BR	EATHE
B	-		
R	-		
E	-		
A	-		
T	-		
H	-		
E	-		

```

**      W  hen
- -    Fi  rs  to
-      Pa  rt  use:**
      If  b   t
          step
          when
          ten-
          sions
          rise
          (breath-
          ing
          reg-
          u-
          lates
          emo-
          tions)
          of
          WAIT
          →
          BREATHE
          →
          PAUSE
          →
          RACI
          con-
          flict
          res-
          o-
          lu-
          tion
          chain
          reak
          needed,
          es-
          ca-
          late
          to
          PAUSE

```

** Co mmon
 - - Fa pit-
 We falls:
 ke
 com-
 po-
 sure
 -
 Go-
 ing
 through
 mo-
 tions
 with-
 out
 ac-
 tu-
 ally
 reg-
 u-
 lat-
 ing
 emo-
 tions.
 The
 breath-
 ing
 must
 be
 in-
 ten-
 tional
 and
 deep.
 aponiz-
 ing
 calm **
 -
 Us-
 ing
 “Let’s
 BREATHE”
 dis-
 mis-
 sively
 to
 avoid
 ad-
 dress-
 ing
 con-
 cerns.
 This
 dam-
 ages

** C ombines
well
with:**
WAIT
(lis-
ten
first),
PAUSE
(step
away
if
needed),
STOP
(stress
man-
age-
ment)

**		R	eal-
##	#	PA	world
P	-		ex-
A	-		am-
U	-		ple:**
S	-		<i>Stake-</i>
E	-		<i>holder</i>
			<i>dis-</i>
			<i>agrees</i>
			<i>with</i>
			<i>tech-</i>
			<i>ni-</i>
			<i>cal</i>
			<i>ap-</i>
			<i>proach</i>
			<i>in</i>
			<i>meet-</i>
			<i>ing</i>
			-
			<i>Breathe</i>
			<i>deeply</i>
			<i>(reg-</i>
			<i>u-</i>
			<i>late</i>
			<i>emo-</i>
			<i>tions),</i>
			<i>Re-</i>
			<i>main</i>
			<i>ra-</i>
			<i>tio-</i>
			<i>nal,</i>
			<i>Em-</i>
			<i>pathize</i>
			<i>with</i>
			<i>their</i>
			<i>con-</i>
			<i>cerns,</i>
			<i>Ask</i>
			<i>clar-</i>
			<i>i-</i>
			<i>fy-</i>
			<i>ing</i>
			<i>ques-</i>
			<i>tions,</i>
			<i>Take</i>
			<i>5-</i>
			<i>minute</i>
			<i>break</i>
			<i>if</i>
			<i>ten-</i>
			<i>sion</i>
			<i>es-</i>
			<i>ca-</i>
			<i>lates,</i>
			<i>Hold</i>

** W hen
 - - Wh en to
 - "S te use:**
 Co mb BREATHE
 isn't
 enough
 -
 need
 phys-
 i-
 cal
 sep-
 a-
 ra-
 tion
 p
 Away"
 con-
 nects
 to
 WAIT
 phi-
 los-
 o-
 phy
 ine
 with
 STOP
 for
 im-
 me-
 di-
 ate
 stress
 de-
 escalation
 (5-
 20
 min)

** C ombines
 well
 with:**
 BREATHE
 (first
 step),
 WAIT
 (lis-
 ten
 be-
 fore
 speak-
 ing),
 STOP
 (stress
 re-
 sponse)

** R eal-
 world
 ex-
 am-
 ple:**
 Heated
 de-
 bate
 about
 ar-
 chi-
 tec-
 ture
 de-
 ci-
 sion
 -
 Put
 in
 per-
 spec-
 tive
 (not
 life-
 or-
 death),
 Ac-
 knowl-
 edge
 both
 view-
 points
 have
 merit,
 Don't
 de-
 cide
 now,
 Step
 away
 for
 lunch
 break,
 Eval-
 u-
 ate
 pros/cons
 62 of-
 fline,
 Re-
 turn
 with
 struc-
 tured
 com-

##	#	WA	IT
	“W	hy	am
	No	t	I
			trou-
			bled
			/
			talk-
			ing?”
			all
			things
			need
			an
			an-
			swer
			or
			re-
			sponse;
			don’t
			seek
			trou-
			ble
			and
			don’t
			an-
			swer
			neg-
			a-
			tiv-
			ity
			neg-
			a-
			tively

```

**      W  hen
- -    As  k  to
-      Fi  rs use:**
      Us  e  your-
           self
           be-
           fore
           speak-
           ing
           -
           of-
           ten
           lis-
           ten-
           ing
           is
           bet-
           ter
           t
           step
           in
           WAIT
           →
           BREATHE
           →
           PAUSE
           →
           RACI
           chain
           BREATHE
           first
           to
           reg-
           u-
           late,
           then
           WAIT
           to
           choose
           re-
           sponse

```

** Co mmon
 - - Pa pit-
 Es falls:
 ssive-
 aggressive
 si-
 lence
 -
 Us-
 ing
 WAIT
 to
 avoid
 nec-
 es-
 sary
 com-
 mu-
 ni-
 ca-
 tion.
 This
 isn't
 "don't
 re-
 spond"
 -
 it's
 "choose
 the
 right
 re-
 sponse."
 ca-
 la-
 tion
 avoid-
 ance**
 -
 Not
 speak-
 ing
 up
 when
 is-
 sues
 need
 ad-
 dress-
 ing.
 WAIT
 helps
 you
 re-
 spond

** C ombines
well
with:**
BREATHE
(emo-
tional
reg-
u-
la-
tion),
PAUSE
(step
away
tech-
nique)

** R eal-
 world
 ex-
 am-
 ple:**
 Email
 with
 ac-
 cusatory
 tone
 ar-
 rives
 -
 Ask
 “*Why*
 am
 I
 trou-
 bled?”
 (*ego/defensiveness*),
 “*Why*
 am
 I
 talk-
 ing?”
 (*to*
 de-
 fend
 or
 to
 re-
 solve?),
 Choose
 not
 to
 re-
 spond
 im-
 me-
 di-
 ately,
 Use
 BREATHE
 +
 PAUSE,
 Re-
 spond
 later
 with
 facts,
 not
 emo-
 tion

Stress & Resilience

Staying calm and connected during high-pressure work

PACE

- P - Physical activity
- A - Avoiding unhealthy behaviors
- C - Coping skills
- E - Emotional awareness

When to use: - First step in PACE → ARIES → CALM → SHINE burnout recovery chain - Immediate stress management actions

STOP

- S - Step back
- T - Take a deep breath
- O - Observe what is happening
- P - Pull back and put things in perspective

When to use: - First response to ANY crisis - immediate stress management (2-5 min) - Start of STOP → TRACE → DEBUG → 8D crisis response chain - Use with IDEA for quick problem resolution in crisis

Common pitfalls: - **Going through motions** - Rushing through STOP without actually calming. The “Take a deep breath” must be intentional - pause for 3-5 seconds. - **Stopping at STOP** - Using STOP but not proceeding to next step (TRACE/IDEA). STOP is the foundation, not the solution.

Combines well with: BREATHE + PAUSE (breathing techniques), IDEA (quick problem solving)

Real-world example: *Production alert at 2 AM - Step back (don't panic), Take deep breath (reduce adrenaline), Observe (read alert details), Pull back perspective (assess severity before waking team), Then proceed to TRACE for diagnostics*

ARIES

- A - Avoid unnecessary stress
- R - Relax and take breaks
- I - Incorporate physical activity into your routine
- E - Eat a healthy diet
- S - Sleep well

When to use: - Lifestyle changes in PACE → ARIES → CALM chain - Long-term stress reduction (2-4 weeks)

HELP

- This mnemonic can help you remember four ways to manage stress:

H - Handle problems one at a time
E - Exercise regularly
L - Learn to relax
P - Pace yourself and set limits.

HANDLE

- This mnemonic can help you remember six stress-management strategies:

H - Have a positive attitude
A - Avoid unnecessary stress
N - Nurture a strong support system
D - Deal with problems directly
L - Learn to relax
E - Exercise regularly

CALM

C - Confidence: Believe in your abilities and strengths
A - Awareness: Stay conscious of your thoughts and feelings
L - Logic: Use rational thinking to overcome doubts
M - Mindfulness: Practice being present and focused

When to use: - Builds long-term resilience and confidence - Confidence connects to HOPE and SHINE (both build positive self-image) - Use after PACE or ARIES for comprehensive stress management

Combines well with: Positivity (HOPE, SHINE), Stress Management (PACE, ARIES)

PUSH

P - Practice Gratitude
U - Use positive affirmations
S - Spend time with positive people
H - Have a positive outlook

HOPE

H - Harness positive thoughts
O - Open up to others
P - Prioritize self-care
E - Exercise regularly

SHINE

S - Stay present, in the moment
H - Have a healthy positive perspective
I - Identify and do positive activities
N - Nourish positive relationships
E - Express yourself

When to use: - End of PACE → ARIES → CALM → SHINE burnout recovery chain - Ongoing practice for sustainable positivity - Connects to CALM for building positive self-image

Infrastructure & Systems Engineering

Technical mnemonics for infrastructure and DevOps work

TRACE (Network Troubleshooting)

T - Test connectivity (ping, traceroute)
R - Review logs and metrics
A - Analyze packet captures
C - Check configurations
E - Escalate with documented evidence

When to use: - Use with PREPARE and 8D Approach for systematic resolution - Start with T (Test) for quick diagnostics, escalate to A (Analyze) for deep dives - Document findings at each step for 8D Approach's D2 (Describe the problem)

Combines well with: Problem Solving (PREPARE, 8D Approach)

SCALE (Infrastructure Design)

S - Security by design
C - Capacity planning
A - Automation-first
L - Load balancing
E - Error handling/resilience

When to use: - Use SWOT analysis alongside for design validation - Apply PESTEL to evaluate external factors affecting infrastructure - Consider SET Triangle trade-offs (fast/cheap/good) for each component

Combines well with: Problem Analysis (SWOT, PESTEL, SET)

DEBUG (Code & System Analysis)

D - Define the problem (what changed?)
E - Examine error messages/logs
B - Break down into components
U - Understand data flow
G - Generate hypothesis and test

When to use: - Combines 5 Whys questioning with ICEBERG's systematic approach - Start with D (Define) - often the problem is unclear or misstated - Use with TRACE for network/system issues

Combines well with: Problem Solving (5 Whys, ICEBERG), Infrastructure (TRACE)

Proven Mnemonic Pipelines

When certain mnemonics are combined in sequence, they create powerful work-flows that amplify effectiveness. These chains are battle-tested for specific high-pressure scenarios.

1. CRISIS RESPONSE CHAIN

STOP → TRACE → DEBUG → 8D

When to use: Production outages, system failures, critical incidents

The Flow:

S - Step back (STOP)
T - Take a deep breath (STOP)
O - Observe what is happening (STOP)
P - Pull back and put things in perspective (STOP)
↓
T - Test connectivity (TRACE)
R - Review logs and metrics (TRACE)
A - Analyze packet captures (TRACE)
C - Check configurations (TRACE)
E - Escalate with documented evidence (TRACE)
↓
D - Define the problem (DEBUG)
E - Examine error messages/logs (DEBUG)
B - Break down into components (DEBUG)
U - Understand data flow (DEBUG)
G - Generate hypothesis and test (DEBUG)
↓

D1-D8 - Full 8D resolution cycle (8D Approach)

Why it works: STOP stabilizes you emotionally, TRACE gives you diagnostic data, DEBUG structures your analysis, 8D ensures you prevent recurrence.

Time investment: 1-4 hours (depending on complexity)

2. CONFLICT RESOLUTION CHAIN

WAIT → BREATHE → PAUSE → RACI

When to use: Team disagreements, tense meetings, stakeholder conflicts

The Flow:

W - "Why am I talking?" (WAIT - listen first)

↓

B - Breathe deeply and slowly (BREATHE)

R - Remain rational and listen (BREATHE)

E - Empathize with the other person's problem (BREATHE)

A - Ask questions to understand (BREATHE)

↓

P - Put things in perspective (PAUSE)

A - Acknowledge your feelings and theirs (PAUSE)

U - Understand you don't have to react immediately (PAUSE)

S - Step Away from the situation (PAUSE)

E - Evaluate options and plan (PAUSE)

↓

R - Responsible (RACI - clarify roles)

A - Accountable (RACI)

C - Consulted (RACI)

I - Informed (RACI)

Why it works: WAIT prevents escalation, BREATHE regulates emotions, PAUSE creates space for rational thought, RACI resolves role confusion (often the root cause).

Time investment: 5-20 minutes

3. ROOT CAUSE INVESTIGATION CHAIN

ICEBERG → 5 Whys → PADDER → RACI

When to use: Recurring issues, complex system problems, post-incident analysis

The Flow:

I - Identify issue(s) (ICEBERG)
 C - Collect data and analyze situation (ICEBERG)
 E - Examine possible root causes (ICEBERG)
 ↓
 Why #1 → Why #2 → Why #3 → Why #4 → Why #5 (5 Whys)
 ↓
 D - Develop solution (PADDER)
 D - Design action plan (PADDER)
 E - Execute action plan & Monitor (PADDER)
 R - Reevaluate and refine (PADDER)
 ↓
 R/A/C/I - Assign responsibilities (RACI)

Why it works: ICEBERG provides structure, 5 Whys drills to root cause, PADDER creates action plan, RACI ensures accountability.

Time investment: 1-2 hours

4. STRATEGIC DESIGN CHAIN

SCALE → SWOT → PESTEL → SET

When to use: Infrastructure planning, architecture reviews, capacity planning

The Flow:

S - Security by design (SCALE)
 C - Capacity planning (SCALE)
 A - Automation-first (SCALE)
 L - Load balancing (SCALE)
 E - Error handling/resilience (SCALE)
 ↓
 S - Strengths (SWOT - evaluate design)
 W - Weaknesses (SWOT)
 O - Opportunities (SWOT)
 T - Threats (SWOT)
 ↓
 P - Political (PESTEL - external factors)
 E - Economic (PESTEL)
 S - Sociocultural (PESTEL)
 T - Technological (PESTEL)
 E - Environmental (PESTEL)
 L - Legal (PESTEL)
 ↓
 Pick 2: Good / Fast / Cheap (SET Triangle - set expectations)

Why it works: SCALE sets technical requirements, SWOT evaluates ap-

proach, PESTEL identifies external risks, SET manages stakeholder expectations.

Time investment: 2-4 hours (planning phase)

5. STRESS BURNOUT RECOVERY CHAIN

PACE → ARIES → CALM → SHINE

When to use: Long-term stress, approaching burnout, need for lifestyle reset

The Flow:

P - Physical activity (PACE - immediate actions)
A - Avoiding unhealthy behaviors (PACE)
C - Coping skills (PACE)
E - Emotional awareness (PACE)
↓
A - Avoid unnecessary stress (ARIES - lifestyle changes)
R - Relax and take breaks (ARIES)
I - Incorporate physical activity (ARIES)
E - Eat a healthy diet (ARIES)
S - Sleep well (ARIES)
↓
C - Confidence (CALM - mental framework)
A - Awareness (CALM)
L - Logic (CALM)
M - Mindfulness (CALM)
↓
S - Stay present (SHINE - ongoing practice)
H - Have healthy perspective (SHINE)
I - Identify positive activities (SHINE)
N - Nourish relationships (SHINE)
E - Express yourself (SHINE)

Why it works: PACE handles immediate stress, ARIES addresses root lifestyle causes, CALM builds mental resilience, SHINE creates sustainable positivity.

Time investment: Ongoing (2-4 weeks for habit formation)

6. RAPID TRIAGE CHAIN

IDEA → DICE → FATE

When to use: Quick wins needed, time-critical decisions, assessing feasibility

The Flow:

I - Identify problem (IDEA)
D - Develop Solution (IDEA)
E - Execute Solution (IDEA)
A - Assess Solution (IDEA)

↓

D - Delay (DICE - check for blockers)
I - Incompetence (DICE)
C - Conflict (DICE)
E - External factors (DICE)

↓

F - Funding (FATE - resource check)
A - Allocation of resources (FATE)
T - Time (FATE)
E - Expertise (FATE)

Why it works: IDEA provides fast framework, DICE identifies blockers, FATE validates resource availability.

Time investment: 10-30 minutes

Pipeline Selection Matrix

Your Situation	Pipeline	Key Benefit
System down NOW	STOP → TRACE → DEBUG → 8D	Systematic crisis response
Team conflict escalating	WAIT → BREATHE → PAUSE → RACI	De-escalation + role clarity
Same issue keeps happening	ICEBERG → 5 Whys → PADDER → RACI	Deep root cause + prevention
Designing new infrastructure	SCALE → SWOT → PESTEL → SET	Complete planning framework
Feeling burned out	PACE → ARIES → CALM → SHINE	Comprehensive stress recovery
Need quick decision	IDEA → DICE → FATE	Fast feasibility assessment

Pro Tips for Using Pipelines

1. **Don't skip steps** - Each mnemonic builds on the previous one
 2. **Document at each stage** - Your STOP insights inform TRACE, TRACE data feeds DEBUG, etc.
 3. **Know when to branch** - If IDEA reveals complexity, switch to ICEBERG → 5 Whys
 4. **Combine with stress tools** - Always start with STOP if you're emotionally activated
 5. **Teach your team** - Shared vocabulary accelerates collaboration
-

Common Mistakes to Avoid

Jumping to Solutions

Problem: Skipping STOP or WAIT when stressed → poor decisions

Fix: Always use STOP first in crises, WAIT before reacting in conflicts

Example: *Production alert at 2 AM - Jumping straight to SSH without STOP → panic-driven wrong server reboot → extended downtime. Instead: STOP (30 seconds) → assess severity → then TRACE*

Using Wrong Pipeline

Problem: IDEA won't solve systemic issues

Fix: Use ICEBERG → 5 Whys for recurring problems

Example: *Database timeouts happen weekly - Using IDEA to restart service each time → problem returns. Instead: ICEBERG → 5 Whys reveals missing connection pool config → permanent fix*

Incomplete Execution

Problem: Starting 8D Approach but stopping at D3 (band-aid)

Fix: Always reach D7 (Prevent Reoccurrence) or the problem returns

Solo Hero Mode

Problem: Forgetting RACI → no accountability when you're unavailable

Fix: Use RACI in 8D Approach's D1 (Form a team)

Analysis Paralysis

Problem: PREPARE → ICEBERG → 5 Whys → 8D for simple problems

Fix: Start with IDEA, escalate only if complexity emerges

[↑ Back to Quick Reference & On-Call Guide](#) | [↑ Back to Top](#)

Contributing

Got a mnemonic that's saved you countless times? **Share it!**

Submission criteria: - Must be provable/actionable (not just motivational)
- Should cross-reference existing mnemonics where applicable - Include real-world usage context - Keep it memorable (that's the point!)

See CONTRIBUTING.md for details.

Sources & References

Problem-Solving Methodologies

- **8D (Eight Disciplines)** — Ford Motor Company (1987). *Team Oriented Problem Solving Manual*. Evolved from TQM; in wide use in automotive and aerospace. Wikipedia
- **5 Whys** — Toyota Production System root cause technique; widely adapted across industries.
- **Ishikawa (Fishbone) Diagram** — Ishikawa, K. (1960s). University of Tokyo. Cause-effect diagram; central to Japanese quality control and Toyota. Wikipedia
- **A3 Problem Solving** — Toyota Production System. Single A3-page structured problem-solving (plan-do-check-act); one-page report for alignment. Wikipedia
- **PADDER, ICEBERG, IDEA, PREPARE** — Curated/educational problem-solving mnemonics for this collection.

Strategic & Analysis Frameworks

- **PESTEL** — Aguilar, F. (1967). *Scanning the Business Environment*. Harvard; later extended to PESTLE/PESTEL (Legal, Environmental). Background
- **PEST** — Four-factor variant (Political, Economic, Social, Technological); conceptually from the PESTEL lineage.

- **SWOT** — Humphrey, A. (1960s–70s). Stanford Research Institute (SRI International); developed with Fortune 500 planning research. e.g. Ninety
- **RACI** — Responsibility Assignment Matrix; emerged ~1950s–70s, no single inventor. Wikipedia RAM
- **SET (Systems Engineering Triangle)** — SEBoK, *Guide to the Systems Engineering Body of Knowledge*. SEBoK

Problem Resolution Threats & Triage

- **DICE, FATE** — Educational mnemonics for blockers and resource checks in this collection.

Communication, Stress & Resilience, Infrastructure

- **BREATHE, PAUSE, WAIT, PACE, STOP, ARIES, HELP, HANDLE, CALM, PUSH, HOPE, SHINE** — Curated for stress management and conflict de-escalation.
- **TRACE, SCALE, DEBUG** — Curated for infrastructure and troubleshooting.

Note: = documented origin; = widely used, adapted from a known source; = compiled/curated for learning in this guide. Some entries are established frameworks; others are educational compilations.