

Benchmark Pattern Library

Use this file as the only baseline set for /improve-ui-ux-super. Compare interaction patterns, not brand identity.

Onboarding and first value

- **ChatGPT**
 - High-signal patterns: composition primacy, immediate state clarity, predictable affordances.
 - Caution: avoid copying tone/brand; borrow sequence clarity only.
- **Duolingo**
 - High-signal patterns: fast lesson start, short correction loop, progress confidence cues.
 - Caution: avoid gamification density unless it improves emotional safety and retention.
- **Headspace**
 - High-signal patterns: calm first impression, low-friction setup, trust cues.
 - Caution: avoid decorative motion that slows learning tasks.

Social and discovery flow patterning

- **Pinterest**
 - High-signal patterns: fast content scanning, visual hierarchy, easy recovery.
- **Hinge**
 - High-signal patterns: emotionally safe prompts, profile clarity, intentional prompts-to-action chain.
 - Caution: do not import dating-specific assumptions.
- **Airbnb**
 - High-signal patterns: trust cues, account/settings clarity, confidence in next action.

Practice and progress systems

- **Notion**
 - High-signal patterns: progressive complexity reveal, clear section ownership, predictable navigation.
- **Spotify**
 - High-signal patterns: retention loops with short return signals and clear saved progress.

Product direction rule

- Calibrate only on matching interaction pattern.
- If LolaLingo already outperforms a pattern in a dimension, log “keep current”.
- If a pattern is inapplicable, cite why clearly.
- Always cap issue generation at 3 findings per run.