javax.swing.*
Label, Icon, ToolTip

Methods declared in supertypes are hidden in subtypes

MouseMotionListener
- void mouseDragged (MouseEvent e)
- void mouseMoved (MouseEvent e)

ToolTipManager

Static Methods
- ToolTipManager **sharedInstance** ()

Accessors
- int get / setDismissDelay ()
- int get / setInitialDelay ()
- int get / setReshowDelay ()
- boolean is / setEnabled ()
- boolean is / setLightWeightPopupEnabled ()

Event Methods
- void mouseEntered (MouseEvent event)
- void mouseExited (MouseEvent event)
- void mousePressed (MouseEvent event)

Other Public Methods
- void registerComponent (JComponent component)
- void unregisterComponent (JComponent component)

ImageIcon
- **ImageIcon** ()
- **ImageIcon** (String filename)
- **ImageIcon** (URL location)
- **ImageIcon** (Image image)
- **ImageIcon** (byte[] imageData)
- **ImageIcon** (String filename, String description)
- **ImageIcon** (URL location, String description)
- **ImageIcon** (Image image, String description)
- **ImageIcon** (byte[] imageData, String description)

Accessors
- AccessibleContext getAccessibleContext ()
- String get / setDescription ()
- Image get / setImage ()
- int getImageLoadStatus ()
- ImageObserver get / setImageObserver ()

Object
- String toString ()

Other Protected Methods
- # void loadImage (Image image)

MouseListener
- void mouseClicked (MouseEvent e)
- void mouseEntered (MouseEvent e)
- void mouseExited (MouseEvent e)
- void mousePressed (MouseEvent e)
- void mouseReleased (MouseEvent e)

MouseAdapter

Serializable

Icon

Accessors
- int getIconHeight ()
- int getIconWidth ()

Other Public Methods
- void paintIcon (Component c, Graphics g, int x, int y)

JToolTip
- **JToolTip** ()
- JComponent get / setComponent ()
- String get / setTipText ()
- ToolTipUI getUI ()

JLabel
- **JLabel** ()
- **JLabel** (String text)
- **JLabel** (Icon image)
- **JLabel** (String text, int horizontalAlignment)
- **JLabel** (Icon image, int horizontalAlignment)
- **JLabel** (String text, Icon icon, int horizontalAlignment)

Accessors
- Icon get / setDisabledIcon ()
- int get / setDisplayedMnemonic ()
- int getDisplayedMnemonicIndex ()
- int get / setHorizontalAlignment ()
- int get / setHorizontalTextPosition ()
- Icon get / setIcon ()
- int get / setIconTextGap ()
- Component get / setLabelFor ()
- String get / setText ()
- LabelUI get / setUI ()
- int get / setVerticalAlignment ()
- int get / setVerticalTextPosition ()
- void setDisplayedMnemonic (char aChar)
- void setDisplayedMnemonicIndex (int index) ↳

Other Protected Methods
- # int checkHorizontalKey (int key, String message)
- # int checkVerticalKey (int key, String message)

SwingConstants
- int CENTER, TOP, LEFT,
  BOTTOM, RIGHT, NORTH,
  NORTH_EAST, EAST,
  SOUTH_EAST, SOUTH,
  SOUTH_WEST, WEST,
  NORTH_WEST,
  HORIZONTAL, VERTICAL,
  LEADING, TRAILING,
  NEXT, PREVIOUS

JInternalFrame.JDesktopIcon
- **JDesktopIcon** (JInternalFrame f)
- JDesktopPane getDesktopPane ()
- JInternalFrame get / setInternalFrame ()
- DesktopIconUI get / setUI ()

java.awt. **Component**

java.awt. **Container**

JComponent