



javax.rmi.*

PortableRemoteObject

```
# PortableRemoteObject () ↴

void connect (Remote target, Remote source) ↴
void exportObject (Remote obj) ↴
java.lang.Object narrow (java.lang.Object narrowFrom, java.lang.Class narrowTo) ↴
Remote toStub (Remote obj) ↴
void unexportObject (Remote obj) ↴
```

PortableRemoteObjectDelegate

```
javax.rmi.CORBA. PortableRemoteObjectDelegate

void connect (Remote target, Remote source) ↴
void exportObject (Remote obj) ↴
java.lang.Object narrow (java.lang.Object narrowFrom, java.lang.Class narrowTo) ↴
Remote toStub (Remote obj) ↴
void unexportObject (Remote obj) ↴
```

Serializable

ClassDesc

```
javax.rmi.CORBA. Stub

Object
boolean equals (java.lang.Object obj)
int hashCode ()
String toString ()
Other Public Methods
void connect (ORB orb) ↴
```

StubDelegate

```
javax.rmi.CORBA. StubDelegate

void connect (Stub self, ORB orb) ↴
boolean equals (Stub self, java.lang.Object obj)
int hashCode (Stub self)
void readObject (Stub self, ObjectInputStream) ↴
String toString (Stub self)
void writeObject (Stub self, ObjectOutputStream) ↴
```

Util

```
Object copyObject (Object obj, ORB orb) ↴
Object[] copyObjects (Object[] obj, ORB orb) ↴
ValueHandler createValueHandler ()
String getCodebase (java.lang.Class clz)
Tie getTie (Remote target)
boolean isLocal (Stub stub) ↴
Class loadClass (String className, String remoteCodebase, ClassLoader loader) ↴
Object readAny (InputStream in)
void registerTarget (javax.rmi.CORBA.Tie tie, java.rmi.Remote target)
void unexportObject (java.rmi.Remote target) ↴
RemoteException wrapException (Throwable orig)
void writeAny (OutputStream out, Object obj)
void writeRemoteObject (OutputStream out, java.lang.Object obj)
```

UtilDelegate

```
javax.rmi.CORBA. UtilDelegate

Accessors
String getCodebase (Class clz)
Tie getTie (Remote target)
boolean isLocal (Stub stub) ↴

Other Public Methods
Object copyObject (Object obj, ORB orb) ↴
Object[] copyObjects (Object[] obj, ORB orb) ↴
ValueHandler createValueHandler ()
Class loadClass (String className, String remoteCodebase, ClassLoader loader) ↴
RemoteException mapSystemException (SystemException ex)
java.lang.Object readAny (InputStream in)
void registerTarget (Tie tie, Remote target)
void unexportObject (Remote target) ↴
RemoteException wrapException (Throwable obj)
void writeAbstractObject (OutputStream out, Object obj)
void writeAny (OutputStream out, Object obj)
void writeRemoteObject (OutputStream out, Object obj)
```

Tie

```
javax.rmi.CORBA. Tie

Accessors
java.rmi.Remote get / setTarget ()

Other Public Methods
void deactivate () ↴
ORB orb ()
void orb (ORB orb)
org.omg.CORBA.Object thisObject ()
```

ValueHandler

```
javax.rmi.CORBA. ValueHandler

Accessors
java.lang.String getRMIRepositoryID (java.lang.Class clz)
org.omg.SendingContext.RunTime getRunTimeCodeBase ()
boolean isCustomMarshaled (java.lang.Class clz)

Other Public Methods
java.io.Serializable readValue (org.omg.CORBA.portable.InputStream in,
int offset, java.lang.Class clz, String repositoryID,
org.omg.SendingContext.RunTime sender)
java.io.Serializable writeReplace (java.io.Serializable value)
void writeValue (org.omg.CORBA.portable.OutputStream out,
java.io.Serializable value)
```