



# javax.swing.\*

## CellEditor

Methods declared in superTypes are hidden in subTypes



### CellEditor

Accessors  
Object getCellEditorValue ()  
Event Methods  
void add / removeCellEditorListener (CellEditorListener l)  
boolean isCellEditable (EventObject anEvent)  
boolean shouldSelectCell (EventObject anEvent)  
Other Public Methods  
void cancelCellEditing ()  
boolean stopCellEditing ()



### Serializable

### AbstractCellEditor

# void fireEditingCanceled ()  
# void fireEditingStopped ()  
# CellEditorListener[] getCellEditorListeners ()



### TableCellEditor

Component getTableEditorComponent (JTable table, Object value, boolean isSelected, int row, int column)



### TreeCellEditor

Component getTreeEditorComponent (JTree tree, Object value, boolean isSelected, boolean expanded, boolean leaf, int row)



### TreeSelectionListener

void valueChanged (TreeSelectionEvent e)



### ActionListener

void actionPerformed (ActionEvent e)



### ComboBoxEditor

Accessors  
Component getEditorComponent ()  
Object get / setItem ()  
Event Methods  
void add / removeActionListener (ActionListener l)  
Other Public Methods  
void selectAll ()



### DefaultCellEditor

DefaultCellEditor (JTextField textField)  
DefaultCellEditor (JCheckBox checkBox)  
DefaultCellEditor (JComboBox comboBox)  
int get / setClickCountToStart ()  
Component getComponent ()



### DefaultTreeCellEditor

DefaultTreeCellEditor (JTree tree, DefaultTreeCellRenderer renderer)  
DefaultTreeCellEditor (JTree tree, DefaultTreeCellRenderer renderer, TreeCellEditor editor)

Accessors

Color get / setBorderSelectionColor ()

Font get / setFont ()

void setTree (JTree newTree)

Event Methods

# boolean canEditImmediately (EventObject event)

CellEditorListener[] getCellEditorListeners ()

# boolean shouldStartEditingTimer (EventObject event)

Other Protected Methods

# Container createContainer ()

# TreeCellEditor createTreeCellEditor ()

# void determineOffset (JTree tree, Object value, boolean isSelected, boolean expanded, boolean leaf, int row)

# boolean inHitRegion (int x, int y)

# void prepareForEditing ()

# void startEditingTimer ()

class DefaultTextField

class EditorContainer



### DefaultTreeCellEditor.DefaultTextField

DefaultTextField (Border border)

Border get / setBorder ()

Font getFont ()

Dimension getPreferredSize ()



### DefaultTreeCellEditor.EditorContainer

EditorContainer ()

Accessors

Dimension getPreferredSize ()

Other Public Methods

void EditorContainer ()

void doLayout ()

void paint (Graphics g)