

# javax.naming.\* Reference

Methods declared in supertypes are hidden in subtypes

Referenceable

Reference getReference () ↴

Serializable

RefAddr

# RefAddr (String addrType)

Accessors

Object getContent ()

String getType ()

Object

boolean equals (Object obj)

int hashCode ()

String toString ()

BinaryRefAddr

BinaryRefAddr (String addrType, byte[] src)

BinaryRefAddr (String addrType, byte[] src, int offset, int count)

StringRefAddr

StringRefAddr (String addrType, String addr)

Cloneable

Serializable

Reference

Reference (String className)

Reference (String className, RefAddr addr)

Reference (String className, String factory, String factoryLocation)

Reference (String className, RefAddr addr, String factory, String factoryLocation)

Accessors

RefAddr get (String addrType)

RefAddr get (int posn)

Enumeration getAll ()

String getClassName ()

String getFactoryClassName ()

String getFactoryClassName ()

Collectors

void add (RefAddr addr)

void add (int posn, RefAddr addr)

Object remove (int posn)

Object

Object clone ()

boolean equals (Object obj)

int hashCode ()

String toString ()

Other Public Methods

void clear ()

int size ()

LinkRef

LinkRef (Name linkName)

LinkRef (String linkName)

String getLinkName () ↴