

Methods declared in supertypes are hidden in subtypes



## PropertyChangeSupport

PropertyChangeSupport (Object sourceBean)

void add / removePropertyChangeListener (PropertyChangeListener listener) void add / removePropertyChangeListener (String propertyName, PropertyChangeListener listener) void firePropertyChange (PropertyChangeEventevt)

void firePropertyChange (String propertyName, Object oldValue, Object newValue) void firePropertyChange (String propertyName, int oldValue, int newValue)

void fire Property Change (String property Name, boolean old Value, boolean new Value)

boolean hasListeners (String propertyName)

PropertyChangeListener[] getPropertyChangeListeners (String propertyName) PropertyChangeListener[] getPropertyChangeListeners ()



SwingPropertyChangeSupport (Object sourceBean)

## VetoableChangeSupport

## Serializable

VetoableChangeSupport (Object sourceBean)

void add / removeVetoableChangeListener (VetoableChangeListener listener)

void add/removeVetoableChangeListener (String propertyName, VetoableChangeListener listener) void fireVetoableChange (PropertyChangeEventevt)  $\psi$ 

void fireVetoableChange (String propertyName, Object oldValue, Object newValue) **k**, void fireVetoableChange (String propertyName, int oldValue, int newValue) **k** 

void fireVetoableChange (String propertyName, boolean oldValue, boolean newValue) 🕻

VetoableChangeListener[] getVetoableChangeListeners()

VetoableChangeListener[] getVetoableChangeListeners (String propertyName) hasListeners (String propertyName)

java.lang.reflect. *InvocationHandle*r

Object invoke (Object proxy, Method method, Object[] args) 🕴

## **EventHandler**

EventHandler (Object target, String action, String eventPropertyName, String listenerMethodName)

Object create (Class listenerInterface, Object target, String action)
Object create (Class listenerInterface, Object target, String action, String eventPropertyName)
Object create (Class listenerInterface, Object target, String action, String eventPropertyName, String listenerMethodName)

String getAction () Object getTarget ()

String getEventPropertyName ()