




Band key (A1-B v5.1)

- | | |
|----|--|
| 1 | Company header
20 mm tall, full-width top |
| 2 | Discipline band
6 mm tall, full-width |
| 3 | General notes
Col 2, full-height (unchanged) |
| 4 | Symbols
Col 3, full-height |
| 5 | Revisions
Col 4 top-upper |
| 6 | Issues
Col 4 top-lower |
| 7 | Client & team
Col 1, full-height (unchanged) |
| 8 | Drawing title
Col 5 top, compressed |
| 9 | Approvals
Col 5 upper-mid, compressed |
| 10 | Drawing data
Col 5 lower-mid, compressed |
| 11 | Sheet number
COLS 4+5 BOTTOM — BOTTOM RIGHT |
| 12 | Status
Col 5 bottom-of-top |
| 13 | Confidentiality
Footer line |

A1-B v5.1: cols 1+2 unchanged. Cols 3, 4, 5 reorganised to give bottom 49 mm of cols 4+5 to sheet number.

Band 11 (sheet number) bottom-right position: 231 mm wide × 49 mm tall.

Band 1 — Company header

Horizontal brand band with logo, company details, and status chips (top of bottom strip, 20 mm tall)

STING_TB_A1-B | v5.0

[COMPANY LOGO]

PRJ_TB_LOGO_PATH_TXT

[COMPANY NAME LTD]

Architects, Engineers & Project Managers

Plot 00, Street Name Road | P.O. Box 0000, Kampala | T: +256 000 000 000 | E: info@company.com

W: www.company.com | Reg: RC-000000 | TIN: 0000000000

STATUS

[STAT]

SUITABILITY

[SUIT]

REV

[REV]

REV DATE

[REV_DATE]

9 discipline colour variants (horizontal band spans full 811 mm width on sheet, 6 mm tall):

ARCH	Architecture	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	CODE ARCH	STAGE [DESIGN_STAGE]	PROJECT NO. [PRJ_PROJECT_NO]	ARCH
STR	Structural	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	CODE STR	STAGE [DESIGN_STAGE]	PROJECT NO. [PRJ_PROJECT_NO]	STR
MEP	Mechanical / HVAC	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	CODE MEP	STAGE [DESIGN_STAGE]	PROJECT NO. [PRJ_PROJECT_NO]	MEP
ELE	Electrical	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	CODE ELE	STAGE [DESIGN_STAGE]	PROJECT NO. [PRJ_PROJECT_NO]	ELE
PLM	Plumbing	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	CODE PLM	STAGE [DESIGN_STAGE]	PROJECT NO. [PRJ_PROJECT_NO]	PLM
FP	Fire Protection	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	CODE FP	STAGE [DESIGN_STAGE]	PROJECT NO. [PRJ_PROJECT_NO]	FP
LV	Low Voltage / Data	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	CODE LV	STAGE [DESIGN_STAGE]	PROJECT NO. [PRJ_PROJECT_NO]	LV
COORD	Coordination	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	CODE COORD	STAGE [DESIGN_STAGE]	PROJECT NO. [PRJ_PROJECT_NO]	COORD
GEN	General / Cover	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	CODE GEN	STAGE [DESIGN_STAGE]	PROJECT NO. [PRJ_PROJECT_NO]	GEN

GENERAL NOTES

(discipline legend placeholder — COL 2 of A1-B strip)

[LGD - {DISCIPLINE} - NOTES]

Legend view placed by StingTools
via DisciplineLegendBind command

Available discipline legend variants:

- LGD-ARCH-NOTES | LGD-STR-NOTES | LGD-MEP-NOTES
- LGD-ELE-NOTES | LGD-PLM-NOTES | LGD-FP-NOTES
- LGD-LV-NOTES | LGD-COORD-NOTES | LGD-GEN-NOTES

Region size on sheet: ~220 mm x 90 mm (column 2 of A1-B strip)

SYMBOLS & ABBREVIATIONS

(discipline legend — column 3 of A1-B strip)

[LGD - {DISCIPLINE} - SYMBOLS]

Symbol key + abbreviation list

Room tag

Door tag

Level marker

Grid

(example symbols — replaced by legend view)

REVISIONS

(Revit native schedule — column 4 top of A1-B strip)

REV	DATE	DESCRIPTION	BY	CHK	APP	SUIT
P01	2026-01-12	Issued for comment	MD	TR	BD	S2
P02	2026-02-04	Design development update	MD	TR	BD	S2
P03	2026-02-28	Comments incorporated	MD	TR	BD	S3
P04	2026-03-15	Issued for approval	MD	TR	BD	S3
P05	2026-04-02	Approval amendments	MD	TR	BD	S3
C01	2026-04-19	Issued for construction	MD	TR	BD	S4

ISSUES / SUBMISSIONS

(CDE milestone record — StingTools IssueRecord)

DATE	PURPOSE / SUITABILITY	RECIPIENT	TRANS. NO.
2026-01-15	S2 — Issued for comment	Client + Lead team	TR-2026-001
2026-03-02	S3 — Issued for approval	Client + Statutory	TR-2026-002
2026-04-19	S4 — Issued for construction	Main contractor + QS	TR-2026-003

CLIENT & PROJECT TEAM

(column 1 of A1-B strip, ~200 mm wide x 104 mm tall)

CLIENT

[PRJ_TB_CLIENT_NAME_TXT]

[PRJ_TB_CLIENT_ADDRESS_TXT]

PROJECT

[PRJ_NAME]

[PRJ_ADDRESS_TXT] — [PRJ_ADDRESS_2_TXT]

Project no: [PRJ_PROJECT_NO_TXT] | Originator: [PRJ_ORIGINATOR_COD_TXT] | Stage: [PRJ_TB_DESIGN_STAGE_TXT]

PROJECT TEAM

Lead / Architect: [PRJ_TB_CONSULTANT_NAME_TXT]

Structural: [PRJ_TB_STRUCTURAL_CONSULTANTS_NAME_TXT]

MEP: [PRJ_TB_MEP_CONSULTANTS_NAME_TXT]

Contractor: [PRJ_TB_CONTRACTOR_NAME_TXT]

QS: [QS_NAME]

Fire consultant: [FIRE_CONSULTANT]

DRAWING TITLE

[SHEET_NAME]

(Revit built-in sheet name parameter)

ISO 19650 assembled code (SHT_TAG_1_TXT):

PRJ01-STNG-XX-02-DR-A-0001

APPROVALS

DRAWN BY

[PRJ_TB_DRAWN_BY_TXT]

Date

[PRJ_TB_DATE_DRAWN_TXT]

Signature

CHECKED BY

[PRJ_TB_CHECKED_BY_TXT]

Date

[PRJ_TB_DATE_CHECKED_TXT]

Signature

APPROVED BY

[PRJ_TB_APVD_BY_TXT]

Date

[PRJ_TB_DATE_APVD_TXT]

Signature

PROFESSIONAL STAMP / SEAL (spans all 3 columns)

DRAWING DATA

SCALE

[SCALE]

(or [PRJ_TB_SCALE_OVERRIDE_TXT])

PAPER

A1

Landscape / B-strip

NORTH

[N]

[PROJECT / TRUE]

SHEET

[N] / [T]

of [PRJ_TB_TOTAL_NO_SHEETS_TXT]

SHEET IDENTIFIER — BOTTOM RIGHT of A1-B strip (cols 4+5, ~231 x 49 mm)

(sheet number dominates)

ISO 19650 FIELDS (max 37 chars total, 7 fields)

PROJECT (6ch)	ORIGINATOR (6ch)	FN BREAK (4ch)	SPATIAL (5ch)	FORM (2ch)	DISCIPLINE (2ch)	NUMBER (6ch)
PRJ001	STNGTS	A01	B02M	DR	FP	001234

FULL ASSEMBLED CODE (SHT_TAG_1_TXT)

PRJ001-STNGTS-A01-B02M-DR-FP-001234

SHEET NUMBER (largest text on the title block — bottom-right of strip)

[SHEET_NUMBER]

Physical dimensions on sheet: 231 mm wide × 49 mm tall (cols 4+5 bottom of A1-B strip).
At 231 mm × 49 mm, 37-char max ISO code fits at ~10 mm font; typical sheet numbers (6-12 ch) display at ~35 mm.

DRAWING STATUS



SUITABILITY

[PRJ_DWG_SUITABILITY]

STATUS

[PRJ_TB_ISSUE_STATUS]

NEXT TARGET

[PRJ_TB_ISSUE_SUITABILITY]

LOCK STATUS

[PRJ_TB_NEXT_LOCK_BOOL]

VARIANT

A1-B-[DISC]

SCHEMA

v1.0

Status colour codes (octagon auto-coloured by StingTools via PRJ_DWG_SUITABILITY_COD_TXT):

S0

Work in progress

S1

Suitable for coord

S2

Suitable for info

S3

Suitable for review

S4

For construction

A1


Published/Approved

CONFIDENTIALITY & COPYRIGHT

(c) [COMPANY NAME].

This drawing is the intellectual property of [COMPANY NAME] and is issued only for the project named above.

Any reproduction or disclosure without written consent is strictly prohibited.
Do not scale — use figured dimensions only. Verify on site before construction.



Band key

- 1** Company header
38 mm tall
- 2** Discipline band
8 mm tall
- 3** General notes
56 mm tall
- 4** Symbols
56 mm tall
- 5** Revisions
60 mm tall
- 6** Issues
44 mm tall
- 7** Client & team
62 mm tall
- 8** Drawing title
28 mm tall
- 9** Approvals
50 mm tall
- 10** Drawing data
30 mm tall
- 11** Sheet no.
52 mm tall
- 12** Drawing status
40 mm tall

[COMPANY LOGO]

PRJ_TB_LOGO_PATH_TXT

(replaceable per project)

[COMPANY NAME LTD]

Architects, Engineers & Project Managers

Plot 00, Street Name Road

P.O. Box 0000, Kampala, Uganda

T: +256 000 000 000

E: info@company.com

W: www.company.com

Reg: RC-000000 | TIN: 0000000000

9 discipline colour variants (auto-applied by StingTools via SHT_DISC_TXT):

ARCH	Architecture	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	ARCH
STR	Structural	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	STR
MEP	Mechanical / HVAC	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	MEP
ELE	Electrical	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	ELE
PLM	Plumbing	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	PLM
FP	Fire Protection	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	FP
LV	Low Voltage / Data	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	LV
COORD	Coordination	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	COORD
GEN	General / Cover	DISCIPLINE [PRJ_TB_DISCIPLINE_TXT]	GEN

GENERAL NOTES

(discipline legend placeholder)

[LGD - {DISCIPLINE} - NOTES]

Legend view placed by StingTools
via DisciplineLegendBind command

Available discipline legend variants:

- LGD-ARCH-NOTES | LGD-STR-NOTES | LGD-MEP-NOTES
- LGD-ELE-NOTES | LGD-PLM-NOTES | LGD-FP-NOTES
- LGD-LV-NOTES | LGD-COORD-NOTES | LGD-GEN-NOTES

*StingTools reads SHT_DISC_TXT on each sheet and
places the matching legend view into this region.*

SYMBOLS & ABBREVIATIONS

(discipline legend placeholder)

[LGD - {DISCIPLINE} - SYMBOLS]

Symbol key + abbreviation list
Placed by StingTools per SHT_DISC_TXT



Room tag



Door tag



Level marker



Grid line bubble



Section marker



Detail callout

(example symbols — replaced when legend view is placed)

REVISIONS

(Revit Sheet Issues / Revisions — native schedule)

REV	DATE	DESCRIPTION	BY	CHK	APP	SUIT
P01	2026-01-12	Issued for comment	MD	TR	BD	S2
P02	2026-02-04	Design development update	MD	TR	BD	S2
P03	2026-02-28	Comments incorporated	MD	TR	BD	S3
P04	2026-03-15	Issued for approval	MD	TR	BD	S3
P05	2026-04-02	Approval amendments	MD	TR	BD	S3
C01	2026-04-19	Issued for construction	MD	TR	BD	S4

ISSUES / SUBMISSIONS

(CDE milestone record — StingTools IssueRecord command)

DATE	PURPOSE / SUITABILITY	RECIPIENT	TRANS. NO.
2026-01-15	S2 — Issued for comment	Client + Lead team	TR-2026-001
2026-03-02	S3 — Issued for approval	Client + Statutory	TR-2026-002
2026-04-19	S4 — Issued for construction	Main contractor + QS	TR-2026-003

CLIENT & PROJECT TEAM

CLIENT

[PRJ_TB_CLIENT_NAME_TXT]

[PRJ_TB_CLIENT_ADDRESS_TXT]

PROJECT

[PRJ_NAME]

[PRJ_ADDRESS_TXT]

[PRJ_ADDRESS_2_TXT]

Project no: [PRJ_PROJECT_NO_TXT] | Originator: [PRJ_ORIGINATOR_COD_TXT] | Stage: [PRJ_TB_DESIGN_STAGE_TXT]

PROJECT TEAM

Lead designer: [PRJ_TB_CONSULTANT_NAME_TXT]

Structural: [PRJ_TB_STRUCTURAL_CONSULTANTS_NAME_TXT]

MEP: [PRJ_TB_MEP_CONSULTANTS_NAME_TXT]

Contractor: [PRJ_TB_CONTRACTOR_NAME_TXT]

QS: [QS_NAME]

Fire consultant: [FIRE_CONSULTANT]

DRAWING TITLE

[SHEET_NAME]

(Revit built-in sheet name parameter)

ISO 19650 assembled code:

[SHT_TAG_1_TXT]

(format: Pj-Orig-Fn-Sp-Frm-DS-Number, assembled by StingTools)

APPROVALS

DRAWN BY	CHECKED BY	APPROVED BY
[PRJ_TB_DRAWN_BY_TXT] Date [PRJ_TB_DATE_DRAWN_TXT] Signature	[PRJ_TB_CHECKED_BY_TXT] Date [PRJ_TB_DATE_CHECKED_TXT] Signature	[PRJ_TB_APVD_BY_TXT] Date [PRJ_TB_DATE_APVD_TXT] Signature
PROFESSIONAL STAMP / SEAL		

DRAWING DATA

SCALE

[SCALE]

(or [PRJ_TB_SCALE_OVERRIDE_TXT])

PAPER

A1

Landscape / R-strip

NORTH

[N]

[PROJECT / TRUE]

SHEET


[N] / [T]

of [PRJ_TB_TOTAL_NO_SHEETS_TXT]

SHEET IDENTIFIER


(Max 37 characters — ISO 19650-2:2018 UK NA 2021)

ISO 19650 ASSEMBLED CODE (7 fields, max 37 characters)



Typical example (bottom row): most projects use shorter codes. Max example (top) shows worst-case sizing.

FULL ASSEMBLED CODE (stored in SHT_TAG_1_TXT)



SHEET NUMBER — LARGEST TEXT ON THE TITLE BLOCK



DRAWING STATUS



SUITABILITY

[PRJ_DWG_SUITABILITY]

STATUS

[PRJ_DWG_STATUS]

NEXT TARGET

[PRJ_TB_ISSUE_SUITABILITY_NEXT_BLOCK]

LOCK STATUS

[PRJ_TB_ISSUE_SUITABILITY_NEXT_BLOCK]

VARIANT

A1-R-[DISC]

SCHEMA

v1.0

Status colour codes (octagon auto-coloured by StingTools):

- S0

Work in progress
- S1

Suitable for coord
- S2

Suitable for info
- S3

Suitable for review
- S4

For construction
- A1

Published/Approved

Last sync: [PRJ_TB_LAST_SYNC_TXT] by [PRJ_TB_LAST_SYNC_BY_TXT]

(populated by StingTools TitleBlockPopulate command)

CONFIDENTIALITY & COPYRIGHT

(c) [COMPANY NAME].

This drawing is the intellectual property of [COMPANY NAME] and is issued only for the project named above.

Any reproduction or disclosure without written consent is strictly prohibited.
Do not scale — use figured dimensions only. Verify on site before construction.