```
' 0:< Initial VM: Avail 134213261 MB, Used 25 MB, Peak 25; RAM: Avail 17731 MB, Used
62 MB, Peak 25
' 0:< GUI Resource Usage GDI: Avail 9997, Used 3, User: Used 1
'C 07-Mar-2026 18:45:46.752;  started recording journal file
' Build: 20250815_1515(x64)
' Branch: RELEASE_2025.4.3
' Release: 2025.4.3
Dim Jrn
Set Jrn = CrsJournalScript
'C 07-Mar-2026 18:45:46.755;  ->desktop InitApplication
'C 07-Mar-2026 18:45:46.757;  <-desktop InitApplication
'C 07-Mar-2026 18:45:46.757;  ->desktop InitNativeInstance
' 0:< Options::loadOptions: m_strDataLibraryLocations=Imperial
Library=..\..\..\ProgramData\Autodesk\RVT 2025\Libraries\English-Imperial\US, Metric
Library=..\..\..\ProgramData\Autodesk\RVT 2025\Libraries\English\US,
PowerPack=..\..\..\ProgramData\Graitec\Advance Extensions 2025\Advance
PowerPack\Revit\Content\Libraries (defaultLib==\Library)
' 0:< Actual language code=ENU
' 0:< ::0:: Delta VM: Avail -10 -> 134213252 MB, Used +9 -> 34 MB, Peak +9 -> 34 MB;
RAM: Avail -2 -> 17730 MB, Used +10 -> 72 MB, Peak +10 -> 72 MB
' 0:< GUI Resource Usage GDI: Avail 9997, Used 3, User: Used 6
'  3.929854   1:<<<wait for ForgeUnitsAdapter::configureFolders
' 0:< Interoperability engine "RealDWG Shared 2025" installed version is 25.0.171.0.

' 0:< ::0:: Delta VM: Avail -61 -> 134213191 MB, Used +5 -> 40 MB, Peak +7 -> 42 MB;
RAM: Avail -29 -> 17701 MB, Used +12 -> 85 MB, Peak +14 -> 87 MB
' 0:< GUI Resource Usage GDI: Avail 9989, Used 11, User: Used 21
'C 07-Mar-2026 18:46:01.267;   0:< manage involvement - application init
' 0:< IdSDK environment is commercial
' 0:< ::0:: Delta VM: Avail -31 -> 134213161 MB, Used +2 -> 43 MB, Peak +0 -> 43 MB;
RAM: Avail +2 -> 17703 MB, Used +7 -> 93 MB, Peak +7 -> 94 MB
' 0:< GUI Resource Usage GDI: Avail 9989, Used 11, User: Used 25
'C 07-Mar-2026 18:46:02.131;   0:< License initialization complete
' 0:< License version: 8.0.7.53
'C 07-Mar-2026 18:46:02.138;  ->loadAllDB (this=0000019E4B48DEB0)
' 0:< ::0:: Delta VM: Avail -137 -> 134213024 MB, Used +13 -> 56 MB, Peak +13 -> 56
MB; RAM: Avail -35 -> 17668 MB, Used +40 -> 134 MB, Peak +40 -> 134 MB
' 0:< GUI Resource Usage GDI: Avail 9989, Used 11, User: Used 27
'C 07-Mar-2026 18:46:04.814;  <-loadAllDB (this=0000019E4B48DEB0)
' 0:< ::0:: Delta VM: Avail -264631 -> 133948394 MB, Used +9 -> 66 MB, Peak +9 -> 66
MB; RAM: Avail -7 -> 17662 MB, Used +38 -> 173 MB, Peak +40 -> 174 MB
' 0:< GUI Resource Usage GDI: Avail 9989, Used 11, User: Used 52
' 0:< SystemSettings:
' 0:<                   16=multiCoreCharacteristic
' 0:<                 true=isDotNetInstalled
' 0:<                 true=isAspNetInstalled
' 0:<               8.0.23=dotNetInstalledVersionString
' 0:<                false=isProcessUserModeExceptionPolicyDisabledForCallbackFilter

' 0:< ::0:: Delta VM: Avail -65759 -> 133882635 MB, Used +4 -> 71 MB, Peak +4 -> 71
```

```
MB; RAM: Avail -4 -> 17659 MB, Used +8 -> 181 MB, Peak +7 -> 181 MB
' 0:< GUI Resource Usage GDI: Avail 9986, Used 14, User: Used 53
' 0:< CefSharp log severity: 99
' 0:< Cef command line arguments: --allow-universal-access-from-files
--allow-file-access-from-files --disable-component-update --force-light-mode
' 0:< ::0:: Delta VM: Avail -63 -> 133882573 MB, Used +3 -> 74 MB, Peak +3 -> 74 MB;
RAM: Avail -17 -> 17642 MB, Used +15 -> 197 MB, Peak +15 -> 197 MB
' 0:< GUI Resource Usage GDI: Avail 9984, Used 16, User: Used 71
' 0:< CefSharp has been initialized successfully!
' 0:< ::0:: Delta VM: Avail -51 -> 133882522 MB, Used +5 -> 80 MB, Peak +5 -> 80 MB;
RAM: Avail -22 -> 17620 MB, Used +17 -> 214 MB, Peak +17 -> 214 MB
' 0:< GUI Resource Usage GDI: Avail 9982, Used 18, User: Used 82
'C 07-Mar-2026 18:46:07.526;   0:< manage licensing
'C 07-Mar-2026 18:46:08.996;   0:< LicenseUpd(1)
' 0:< ::0:: Delta VM: Avail +12 -> 133882535 MB, Used +1 -> 81 MB, Peak +1 -> 81 MB;
RAM: Avail -52 -> 17569 MB, Used +3 -> 217 MB, Peak +3 -> 217 MB
' 0:< GUI Resource Usage GDI: Avail 9982, Used 18, User: Used 83
'C 07-Mar-2026 18:46:08.997;   0:< Delayed start
' 0:< License mode: User
' 0:< Status: Your license will expire in 1 days.
' 0:< Type: USER
' 0:< Usage: USER
' 0:< Behavior: USER
' 0:< Expiration: Wednesday, April 05, 2028
  'E 07-Mar-2026 18:46:09.004;   0:<
  ' [Jrn.ViewerMode] 0
' 0:< ::1:: Delta VM: Avail -109 -> 133882426 MB, Used +32 -> 113 MB, Peak +66 ->
148 MB; RAM: Avail -40 -> 17529 MB, Used +62 -> 280 MB, Peak +68 -> 286 MB
' 0:< GUI Resource Usage GDI: Avail 9950, Used 50, User: Used 91
' 0:< Setting WPF rendering mode to SoftwareOnly
' 0:< ::1:: Delta VM: Avail -6 -> 133882420 MB, Used +9 -> 122 MB; RAM: Avail -18 ->
17511 MB, Used +15 -> 295 MB, Peak +9 -> 295 MB
' 0:< GUI Resource Usage GDI: Avail 9795, Used 205, User: Used 154
' 0:< MFCMainFrmWPF           110bb2=hWnd           711484=mdi client
' 0:< ::1:: Delta VM: Avail -92 -> 133882328 MB, Used +60 -> 183 MB, Peak +34 -> 183
MB; RAM: Avail -74 -> 17438 MB, Used +77 -> 372 MB, Peak +77 -> 372 MB
' 0:< GUI Resource Usage GDI: Avail 9793, Used 207, User: Used 160
' 0:< Autodesk Revit 2025
' 0:< 64-bit load point = C:\Program Files\Autodesk\Revit 2025
' 0:< this journal = C:\Users\del\AppData\Local\Autodesk\Revit\Autodesk Revit
2025\Journals\journal.0338.txt
'C 07-Mar-2026 18:46:11.586;  Journal Init
'C 07-Mar-2026 18:46:11.586;   0:< Log Summary
' 0:< .Marshalling
' 0:< ...CompactCaching = 1 (Enabled)
' 0:< .ThreadPool
' 0:< ...ActivePoolSize = 51
' 0:< ...ConfiguredPoolSize = automatic
' 0:< ...ParallelCores = 16
' 0:< ...RequestedPoolSize = automatic
```

```
' 0:< .Tuning
' 0:< ...ElemTable = 1 (Serial except when multithreaded)
'C 07-Mar-2026 18:46:11.586;  BC: 0,0,0
'H 07-Mar-2026 18:46:11.587;   0:<
Jrn.Directive  _
        "CategoryDisciplineFilter"  , 31
'H 07-Mar-2026 18:46:11.587;   0:<
Jrn.Directive  _
        "DisciplineOption"  , 32253
'H 07-Mar-2026 18:46:11.587;   0:<
Jrn.Directive  _
        "TabDisplayOptions"  , "StayOnModifyInProject" , 0
'H 07-Mar-2026 18:46:11.587;   0:<
Jrn.Directive  _
        "TabDisplayOptions"  , "StayOnModifyInFamily" , 1
'H 07-Mar-2026 18:46:11.588;   0:<
Jrn.Directive  _
        "TabDisplayOptions"  , "ActiveCtOnSelection" , 1
'H 07-Mar-2026 18:46:11.589;   0:<
Jrn.Data  _
        "JournalDefaultTemplate"  , "Metric
Multi-discipline=$AllUsersAppData\Templates\English\Default-Multi-Discipline_Metric.
rte"
'H 07-Mar-2026 18:46:11.590;   0:<
Jrn.Data  _
        "JournalDefaultViewDiscipline"  , "Coordination"
'H 07-Mar-2026 18:46:11.590;   0:<
Jrn.Directive  _
        "Version"  , "2025.000" , "2.179"
'H 07-Mar-2026 18:46:11.590;   0:<
Jrn.Directive  _
        "Username"  , "stingd85"
'H 07-Mar-2026 18:46:11.591;   0:<
Jrn.Directive  _
        "Scale_Scale"  , 0.16495721976847
'H 07-Mar-2026 18:46:11.591;   0:<
Jrn.Directive  _
        "Array_MoveTo2nd"  , 0
'H 07-Mar-2026 18:46:11.592;   0:<
Jrn.Directive  _
        "Family_PlaceOrRehostMode"  , 3093
'H 07-Mar-2026 18:46:11.592;   0:<
Jrn.Directive  _
        "AllowLinkSelection"  , 1
'H 07-Mar-2026 18:46:11.592;   0:<
Jrn.Directive  _
        "AllowFaceSelection"  , 1
'H 07-Mar-2026 18:46:11.592;   0:<
Jrn.Directive  _
        "AllowUnderlaySelection"  , 1
```

```
'H 07-Mar-2026 18:46:11.592;   0:<
Jrn.Directive  _
        "AllowPinnedSelection"  , 1
'H 07-Mar-2026 18:46:11.593;   0:<
Jrn.Directive  _
        "ActivateControlsEnabled"  , 0
'H 07-Mar-2026 18:46:11.593;   0:<
Jrn.Directive  _
        "ShowMakeElementEditableControls"  , 0
'H 07-Mar-2026 18:46:11.593;   0:<
Jrn.Directive  _
        "ThinLinesEnabled"  , 1
'H 07-Mar-2026 18:46:11.593;   0:<
Jrn.Directive  _
        "JournalDataAlignmentStationLabelSetIntervalMeters"  , 3280.83989501312317
'H 07-Mar-2026 18:46:11.594;   0:<
Jrn.Directive  _
        "JournalDataAlignmentStationLabelSetIntervalFeet"  , 100.00000000000000
'H 07-Mar-2026 18:46:11.594;   0:<
Jrn.Directive  _
        "JournalDataAlignmentStationLabelSetIntervalUsSurvey"  , 100.00020000040000
'H 07-Mar-2026 18:46:11.594;   0:<
Jrn.Directive  _
        "JournalDataAlignmentStationLabelSetOffsetMeters"  , 0.01640419947507
'H 07-Mar-2026 18:46:11.594;   0:<
Jrn.Directive  _
        "JournalDataAlignmentStationLabelSetOffsetFeet"  , 0.01041666666667
'H 07-Mar-2026 18:46:11.595;   0:<
Jrn.Directive  _
        "JournalDataAlignmentStationLabelSetOffsetUsSurvey"  , 0.01041668750004
'C 07-Mar-2026 18:46:11.601;   1:< logging main created main queue
Session10568_P0MainQueue
'C 07-Mar-2026 18:46:11.601;   1:< logging started queue minder
'C 07-Mar-2026 18:46:11.601;   1:< logging started worker services
  ' 0:< ::1:: Delta VM: Avail -208 -> 133882121 MB, Used +27 -> 211 MB, Peak +27 ->
211 MB; RAM: Avail -218 -> 17220 MB, Used +106 -> 478 MB, Peak +106 -> 478 MB
  ' 0:< GUI Resource Usage GDI: Avail 9783, Used 217, User: Used 168
  'E 07-Mar-2026 18:46:14.003;   0:<
  Jrn.RibbonEvent "TabActivated:Architecture"
' 0:< ::2:: Delta VM: Avail -25 -> 133882096 MB, Used +22 -> 233 MB, Peak +22 -> 233
MB; RAM: Avail -33 -> 17188 MB, Used +25 -> 504 MB, Peak +25 -> 504 MB
' 0:< GUI Resource Usage GDI: Avail 9774, Used 226, User: Used 176
'C 07-Mar-2026 18:46:14.761;   0:< Notify Active View.
' 0:< ::2:: Delta VM: Avail -15 -> 133882082 MB, Used +15 -> 249 MB, Peak +17 -> 251
MB; RAM: Avail -33 -> 17156 MB, Used +19 -> 523 MB, Peak +21 -> 525 MB
' 0:< GUI Resource Usage GDI: Avail 9762, Used 238, User: Used 176
' 0:< API_SUCCESS { Registered an external service: Name(DirectContext3D Service);
VendorId(ADSK); ServiceId(e454a471-b9f3-4cb7-96b1-bab4cf7742a6) }
' 0:< API_SUCCESS { Registered an external service: Name(External Data Type
Service); VendorId(ADSK); ServiceId(e05a890c-311f-47e5-9652-ebfb7da7663c) }
```

```
' 0:< API_SUCCESS { Registered an external service: Name(External Resource Service);
VendorId(ADSK); ServiceId(b3892e5f-9161-4bbc-958a-c8ef75e94e96) }
' 0:< API_SUCCESS { Registered an external service: Name(External Data Type
Service); VendorId(ADSK); ServiceId(8b40f7b3-625b-4e63-8f95-0252f3c488ff) }
' 0:< API_SUCCESS { Registered an external service: Name(Generic Repository Helper
Service); VendorId(ADSK); ServiceId(cf24951a-62aa-4c7c-a26a-cdb1379b3649) }
' 0:< API_SUCCESS { Registered an external service:
Name(GeometryAugmentationService); VendorId(ADSK);
ServiceId(d62a169f-132f-4283-bd7f-1b81c13c9cee) }
' 0:< API_SUCCESS { Registered an external service: Name(AXM Importer Service);
VendorId(ADSK); ServiceId(af2183c2-e854-41cf-85bb-fe0675f12181) }
' 0:< API_SUCCESS { Registered an external service: Name(NavisworksExportService);
VendorId(ADSK); ServiceId(a9bdf0fd-2632-429e-bc35-50ebc2b824d2) }
' 0:< API_SUCCESS { Registered an external service: Name(Infrastructure Alignment
Information Service.); VendorId(ADSK);
ServiceId(7ca4bc09-66de-4fed-93db-5c8e02874e9d) }
' 0:< API_SUCCESS { Registered an external service: Name(External Parameter
Service); VendorId(ADSK); ServiceId(0d4ef84e-987b-4106-9a53-2b460ec38abc) }
' 0:< API_SUCCESS { Registered an external service: Name(Forge Schema Service);
VendorId(ADSK); ServiceId(5ec7ab6b-5971-48f2-8f76-d49930e766d7) }
' 0:< API_SUCCESS { Registered an external service:
Name(EntitlementExternalService); VendorId(ADSK);
ServiceId(9111ab07-9bd9-4b68-a01f-c0a0dcae1564) }
' 0:< API_SUCCESS { Registered an external service:
Name(ModelAccessValidationService); VendorId(ADSK);
ServiceId(584ac31c-5e21-4892-95b5-382680d021bf) }
' 0:< API_SUCCESS { Registered an external service: Name(CloudExternalService);
VendorId(ADSK); ServiceId(279080e0-8c45-44eb-9027-d4eb37ece90d) }
' 0:< API_SUCCESS { Registered an external service: Name(CustomFieldService);
VendorId(ADSK); ServiceId(eb3a8cce-ba50-4b3a-ba8f-b28c8b96fd7d) }
' 0:< API_SUCCESS { Registered an external service:
Name(ExternalDataManagerService); VendorId(ADSK);
ServiceId(f036684f-7c8a-4f51-88aa-12dee1414d7b) }
' 0:< API_SUCCESS { Registered an external service:
Name(WallPlacementPostProcessingService); VendorId(ADSK);
ServiceId(b0568f8a-a32c-4fc8-8c6f-1c2b7be7cefd) }
' 0:< API_SUCCESS { Registered an external service: Name(Code Checking Parameter
Service); VendorId(ADSK); ServiceId(de6db8de-dea6-40bd-9503-4ffe62ff6143) }
' 0:< API_SUCCESS { Registered an external service: Name(Hole Definition Service);
VendorId(ADSK); ServiceId(9d39d4fe-6e5f-4088-8655-b349d00e864a) }
' 0:< API_SUCCESS { Registered an external service: Name(Modify Connection Ranges of
applicability Service); VendorId(ADSK);
ServiceId(f04d2d31-5d7d-4ec0-8a2b-c52fbd6d83c5) }
' 0:< API_SUCCESS { Registered an external service: Name(FramingProfileService);
VendorId(ADSK); ServiceId(b2f816c0-6493-4537-8067-78a4e67f559e) }
' 0:< API_SUCCESS { Registered an external service: Name(Modify Connection
Parameters Service); VendorId(ADSK); ServiceId(e9c0f948-320e-4e7f-a573-10755555305d)
}
' 0:< API_SUCCESS { Registered an external service: Name(Connection Type Changed
Service); VendorId(ADSK); ServiceId(e31c3100-9cab-4303-b85b-4171703ce1c4) }
```

```
' 0:< API_SUCCESS { Registered an external service: Name(Section Type Parameter
Service); VendorId(ADSK); ServiceId(c42c9b55-c491-4611-97e9-9e617958e13e) }
' 0:< API_SUCCESS { Registered an external service: Name(Site Insert Service);
VendorId(ADSK); ServiceId(c9979a42-11ab-4c25-93e1-abfb50b7be60) }
' 0:< API_SUCCESS { Registered an external service: Name(RebarSpliceService);
VendorId(ADSK); ServiceId(79db7e62-4fde-4629-a89e-f0417ea50db3) }
' 0:< API_SUCCESS { Registered an external service: Name(RebarUpdateService);
VendorId(ADSK); ServiceId(a2c22b44-c231-4d3f-b653-b81b6f8be150) }
' 0:< API_SUCCESS { Registered an external service: Name(Path of travel calculator);
VendorId(ADSK); ServiceId(ee502325-58ce-4d6e-9a2c-643608b1fbd9) }
' 0:< API_SUCCESS { Registered an external service: Name(Internal Forces Service);
VendorId(ADSK); ServiceId(a97444aa-af8d-4a1e-af1f-fa7b77b368ee) }
' 0:< API_SUCCESS { Registered an external service: Name(ATF Service);
VendorId(ADSK); ServiceId(bb3a96c9-e04a-40e4-8ecf-1464dd6aa7eb) }
' 0:< API_SUCCESS { Registered an external service: Name(IFC Export Service);
VendorId(ADSK); ServiceId(d8b95737-f943-414c-9ad7-86785bf1acbc) }
' 0:< API_SUCCESS { Registered an external server: Name(Revit IFC Exporter);
VendorId(ADSK); ServerId(ef8d0493-7f36-42b5-b9aa-8aaac716482b);
ServiceId(d8b95737-f943-414c-9ad7-86785bf1acbc) }
  'E 07-Mar-2026 18:46:14.855;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
ef8d0493-7f36-42b5-b9aa-8aaac716482b Rvt.Attr.ExternalService:
d8b95737-f943-414c-9ad7-86785bf1acbc
' 0:< API_SUCCESS { Registered an external service: Name(IFC Import Service);
VendorId(ADSK); ServiceId(98d317e2-e943-4cc0-a3da-2edf32a5d942) }
' 0:< API_SUCCESS { Registered an external server: Name(Revit IFC Importer);
VendorId(ADSK); ServerId(660a7370-f6d6-43c8-8456-6b2eea785110);
ServiceId(98d317e2-e943-4cc0-a3da-2edf32a5d942) }
  'E 07-Mar-2026 18:46:14.856;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
660a7370-f6d6-43c8-8456-6b2eea785110 Rvt.Attr.ExternalService:
98d317e2-e943-4cc0-a3da-2edf32a5d942
' 0:< API_SUCCESS { Registered an external service: Name(Duct Fitting/Accessory
Pressure Drop Calculator); VendorId(ADSK);
ServiceId(785d0bd7-3088-489a-af7a-593fc32e2540) }
' 0:< API_SUCCESS { Registered an external service: Name(Pipe Fitting/Accessory
Pressure Drop Calculator); VendorId(ADSK);
ServiceId(b8656566-e4ef-4e6a-bedb-9ecc6b5a2780) }
' 0:< API_SUCCESS { Registered an external service: Name(Duct Pressure Drop
Calculator); VendorId(ADSK); ServiceId(8c707bd6-ecd6-4150-a0df-bd6c85dd9bb0) }
' 0:< API_SUCCESS { Registered an external service: Name(Pipe Pressure Drop
Calculator); VendorId(ADSK); ServiceId(62d13e0c-9fe1-4d8e-a0c7-1f93d24cf3f3) }
' 0:< API_SUCCESS { Registered an external service: Name(Plumbing Flow Calculator);
VendorId(ADSK); ServiceId(bf0da776-5307-4747-8285-f358e92a90d0) }
' 0:< API_SUCCESS { Registered an external service: Name(External Resource UI
Service); VendorId(ADSK); ServiceId(1fe75ba7-79d4-45f6-8e31-c1b83d4476a9) }
' 0:< API_SUCCESS { Registered an external service: Name(IFC EntityTree Service);
VendorId(ADSK); ServiceId(5ec4b93e-de36-4d55-b3b8-fc9b2414e5c4) }
' 0:< API_SUCCESS { Registered an external service: Name(Macro Manager UI Service);
VendorId(ADSK); ServiceId(c6829016-05f4-4be7-bd3c-715018a43e09) }
```

```
' 0:< API_SUCCESS { Registered an external service: Name(Revisions on Sheets UI
Service); VendorId(ADSK); ServiceId(2eb13e27-1900-4418-aaeb-4e0949a3b547) }
' 0:< API_SUCCESS { Registered an external service: Name(Site Linker UI Service);
VendorId(ADSK); ServiceId(a177f6c8-d1f6-49e2-87bc-f70edbeac5a3) }
' 0:< API_SUCCESS { Registered an external service: Name(View Sheet Set UI Service);
VendorId(ADSK); ServiceId(36b89c5b-5f3d-46ab-96c9-b37c8f31687d) }
' 0:< API_SUCCESS { Registered an external service:
Name(CustomFieldEditPropertiesService); VendorId(ADSK);
ServiceId(325659b3-bba5-4495-b05e-3ab2b1244df5) }
' 0:< API_SUCCESS { Registered an external service: Name(Snapping Service);
VendorId(ADSK); ServiceId(aaa05780-790c-43dc-bc41-1c2150227f45) }
' 0:< API_SUCCESS { Registered an external service: Name(Duct fitting and accessory
pressure drop UI service); VendorId(ADSK);
ServiceId(52009bda-c817-4aef-aa31-36dc3742516e) }
' 0:< API_SUCCESS { Registered an external service: Name(Pipe fitting and accessory
pressure drop UI service); VendorId(ADSK);
ServiceId(1931b323-1d29-4083-b1ce-bfdcddd011af) }
' 0:< API_SUCCESS { Registered an external service: Name(Electrical Analytical Load
Set UI Service); VendorId(ADSK); ServiceId(2eb7ec97-9e54-4b9e-b491-a15f8465258d) }
' 0:< API_SUCCESS { Registered an external service: Name(Electrical Analytical Load
Scenarios UI Service); VendorId(ADSK);
ServiceId(df2d8465-0915-45ee-bdd3-b5c0007ed51f) }
' 0:< API_SUCCESS { Registered an external service:
Name(TemporaryGraphicsHandlerService); VendorId(ADSK);
ServiceId(2784f4a1-f33e-4d46-b5b2-82b352b68046) }
' 0:< API_SUCCESS { Registered an external server: Name(RvtLinkServer);
VendorId(ADSK); ServerId(b9ac22ad-3594-4bf8-94a1-d14651d5b4be);
ServiceId(f036684f-7c8a-4f51-88aa-12dee1414d7b) }
  'E 07-Mar-2026 18:46:14.856;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
b9ac22ad-3594-4bf8-94a1-d14651d5b4be Rvt.Attr.ExternalService:
f036684f-7c8a-4f51-88aa-12dee1414d7b
' 0:< API_SUCCESS { Registered an external server: Name(IFCLinkServer);
VendorId(ADSK); ServerId(b9835d8d-706c-4777-a59d-5787656bdf91);
ServiceId(f036684f-7c8a-4f51-88aa-12dee1414d7b) }
  'E 07-Mar-2026 18:46:14.861;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
b9835d8d-706c-4777-a59d-5787656bdf91 Rvt.Attr.ExternalService:
f036684f-7c8a-4f51-88aa-12dee1414d7b
' 0:< API_SUCCESS { Registered an external server: Name(CADLinkServer);
VendorId(ADSK); ServerId(32395821-6ec2-4572-878c-d0cc1fe2d0bf);
ServiceId(f036684f-7c8a-4f51-88aa-12dee1414d7b) }
  'E 07-Mar-2026 18:46:14.861;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
32395821-6ec2-4572-878c-d0cc1fe2d0bf Rvt.Attr.ExternalService:
f036684f-7c8a-4f51-88aa-12dee1414d7b
' 0:< API_SUCCESS { Registered an external server: Name(DWFLinkServer);
VendorId(ADSK); ServerId(904cc78a-8459-460b-9777-68c8d4588e9b);
ServiceId(f036684f-7c8a-4f51-88aa-12dee1414d7b) }
  'E 07-Mar-2026 18:46:14.861;   0:<
```

```
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
904cc78a-8459-460b-9777-68c8d4588e9b Rvt.Attr.ExternalService:
f036684f-7c8a-4f51-88aa-12dee1414d7b
' 0:< API_SUCCESS { Registered an external server: Name(PointCloudLinkServer);
VendorId(ADSK); ServerId(5c3fadaa-4ec4-4066-8552-c0f7a6eea817);
ServiceId(f036684f-7c8a-4f51-88aa-12dee1414d7b) }
  'E 07-Mar-2026 18:46:14.862;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
5c3fadaa-4ec4-4066-8552-c0f7a6eea817 Rvt.Attr.ExternalService:
f036684f-7c8a-4f51-88aa-12dee1414d7b
' 0:< API_SUCCESS { Registered an external server: Name(TopographyLinkServer);
VendorId(ADSK); ServerId(238762ea-f491-4d6d-8f73-c1e08bdea27c);
ServiceId(f036684f-7c8a-4f51-88aa-12dee1414d7b) }
  'E 07-Mar-2026 18:46:14.862;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
238762ea-f491-4d6d-8f73-c1e08bdea27c Rvt.Attr.ExternalService:
f036684f-7c8a-4f51-88aa-12dee1414d7b
' 0:< API_SUCCESS { Registered an external server: Name(PDFLinkServer);
VendorId(ADSK); ServerId(a17c032d-eac9-4baa-843a-f7d88a4d9292);
ServiceId(f036684f-7c8a-4f51-88aa-12dee1414d7b) }
  'E 07-Mar-2026 18:46:14.862;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
a17c032d-eac9-4baa-843a-f7d88a4d9292 Rvt.Attr.ExternalService:
f036684f-7c8a-4f51-88aa-12dee1414d7b
' 0:< API_SUCCESS { Registered an external server: Name(ImageLinkServer);
VendorId(ADSK); ServerId(d8f6dcb2-f031-4531-b9b4-557c7fb8f1a4);
ServiceId(f036684f-7c8a-4f51-88aa-12dee1414d7b) }
  'E 07-Mar-2026 18:46:14.862;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
d8f6dcb2-f031-4531-b9b4-557c7fb8f1a4 Rvt.Attr.ExternalService:
f036684f-7c8a-4f51-88aa-12dee1414d7b
' 0:< ::12:: Delta VM: Avail -5 -> 133882077 MB, Used +4 -> 253 MB, Peak +2 -> 253
MB; RAM: Avail -21 -> 17135 MB, Used +12 -> 536 MB, Peak +18 -> 543 MB
' 0:< GUI Resource Usage GDI: Avail 9762, Used 238, User: Used 178
' 0:< TaskDialog "The publisher of this add-in could not be verified. What do you
want to do?"
'Id : TaskDialog_Security_Unsigned_File_Loading
'Custom Buttons:
'1001 : Always Load
'1002 : Load Once
'1003 : Do Not Load
'DefaultButton : 1003
  'C 07-Mar-2026 18:46:16.256;   0:< Notify Active View.
  ' 0:< ::12:: Delta VM: Avail -55 -> 133882022 MB, Used +0 -> 254 MB, Peak +0 ->
254 MB; RAM: Avail +8 -> 17144 MB, Used +8 -> 545 MB, Peak +1 -> 545 MB
  ' 0:< GUI Resource Usage GDI: Avail 9731, Used 269, User: Used 205
  'C 07-Mar-2026 18:46:32.896;   0:< Notify Active View.
' 0:< ::12:: Delta VM: Avail -4 -> 133882019 MB, Used +1 -> 255 MB, Peak +2 -> 257
MB; RAM: Avail +82 -> 17227 MB, Used +4 -> 549 MB, Peak +4 -> 549 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 180
```

```
' 0:< To make IFC server work.
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application ATF
Translation Server (fa3d130b-2b6b-45be-8734-67536086143f). }
' 0:< API_SUCCESS { Starting External DB Application: ATF Translation Server, Class:
ATFTranslationServer.ATFTranslationServerRegister, Vendor : ADSK(Autodesk,
www.autodesk.com), Assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\ATFTranslationServer\Autodesk.ATFTranslationServer.DBApplication.dll,
Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering DocumentCreated event by application Bending Details
DB (51e28eba-853f-46e6-b233-2fd7547383cb). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application Bending Details
DB (51e28eba-853f-46e6-b233-2fd7547383cb). }
' 0:< ::12:: Delta VM: Avail -9 -> 133882010 MB, Used +0 -> 256 MB; RAM: Avail -11
-> 17216 MB, Used +3 -> 553 MB, Peak +3 -> 553 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 180
' 0:< API_SUCCESS { Registering DocumentClosing event by application Bending Details
DB (51e28eba-853f-46e6-b233-2fd7547383cb). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application Bending Details
DB (51e28eba-853f-46e6-b233-2fd7547383cb). }
' 0:< API_SUCCESS { Registered an external server: Name(Bending Detail Schedule
Field); VendorId(ADSK); ServerId(2e2052d7-fd50-410f-b931-dc249f698bcf);
ServiceId(eb3a8cce-ba50-4b3a-ba8f-b28c8b96fd7d) }
  'E 07-Mar-2026 18:46:37.076;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
2e2052d7-fd50-410f-b931-dc249f698bcf Rvt.Attr.ExternalService:
eb3a8cce-ba50-4b3a-ba8f-b28c8b96fd7d
' 0:< API_SUCCESS { Registered an external server: Name(Bending Detail);
VendorId(ADSK); ServerId(52391e2b-b85f-4d2f-94e0-7caca94cb6ad);
ServiceId(d62a169f-132f-4283-bd7f-1b81c13c9cee) }
  'E 07-Mar-2026 18:46:37.082;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
52391e2b-b85f-4d2f-94e0-7caca94cb6ad Rvt.Attr.ExternalService:
d62a169f-132f-4283-bd7f-1b81c13c9cee
' 0:< Third Party Updater 'Bending Details DB: Bending Details' registered for all
documents.
' 0:< ::14:: Delta VM: Avail 133882010 MB, Used 256 MB; RAM: Avail -12 -> 17205 MB,
Used +3 -> 556 MB, Peak +3 -> 556 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 180
' 0:< Third Party Updater 'Bending Details DB: Bending Detail geometry updater'
registered for all documents.
' 0:< Third Party Updater 'Bending Details DB: Reset Bending Details Geometry
Transformations Updater' registered for all documents.
' 0:< API_SUCCESS { Starting External DB Application: Bending Details DB, Class:
BendingDetails.BendingDetails, Vendor : ADSK(), Assembly: C:\Program
Files\Autodesk\Revit 2025\AddIns\Rebar\Autodesk.BendingDetails.DB.dll, Assembly
Version: 25.4.30.30 }
' 0:< Third Party Updater 'AlignmentsDB: Update or delete alignment station labels.'
registered for all documents.
' 0:< Third Party Updater 'AlignmentsDB: Update alignment depending on units.'
registered for all documents.
```

```
' 0:< API_SUCCESS { Registered an external server: Name(AecAlignment Server);
VendorId(ADSK); ServerId(0558397d-5761-4a0d-8883-42a166446d81);
ServiceId(7ca4bc09-66de-4fed-93db-5c8e02874e9d) }
  'E 07-Mar-2026 18:46:37.151;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
0558397d-5761-4a0d-8883-42a166446d81 Rvt.Attr.ExternalService:
7ca4bc09-66de-4fed-93db-5c8e02874e9d
' 0:< API_SUCCESS { Starting External DB Application: AlignmentsDB, Class:
Autodesk.Revit.DB.Infrastructure.AlignmentsDBApplication, Vendor : ADSK(Autodesk,
www.autodesk.com), Assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\CivilAlignments\Autodesk.CivilAlignments.DBApplication.dll, Assembly
Version: 25.4.30.30 }
' 0:< API_SUCCESS { Starting External DB Application: Collaborate DB, Class:
Autodesk.Revit.UI.Collaborate.CollaborateDBApplication, Vendor :
ADSK(![CDATA[https://www.autodesk.com/support/technical/search?qt=Revit%20Cloud%20Wo
rksharing]]), Assembly: C:\Program Files\Autodesk\Cloud Models for Revit
2025\CollaborateDB.dll, Assembly Version: 25.4.30.30 }
' 0:< ::15:: Delta VM: Avail -12 -> 133881999 MB, Used +1 -> 257 MB; RAM: Avail -4
-> 17202 MB, Used +2 -> 558 MB, Peak +2 -> 558 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 180
' 0:< API_SUCCESS { Registered an external server: Name(Coordination Model);
VendorId(Autodesk); ServerId(4ba88162-e72e-4901-b446-1e25081ad74a);
ServiceId(e05a890c-311f-47e5-9652-ebfb7da7663c) }
  'E 07-Mar-2026 18:46:37.250;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
4ba88162-e72e-4901-b446-1e25081ad74a Rvt.Attr.ExternalService:
e05a890c-311f-47e5-9652-ebfb7da7663c
' 0:< API_SUCCESS { Registering DocumentOpened event by application Coordination
Model (c9463641-1c02-431c-9502-4ad0c91de1ce). }
' 0:< API_SUCCESS { Registering DocumentCreated event by application Coordination
Model (c9463641-1c02-431c-9502-4ad0c91de1ce). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application Coordination
Model (c9463641-1c02-431c-9502-4ad0c91de1ce). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application Coordination
Model (c9463641-1c02-431c-9502-4ad0c91de1ce). }
' 0:< API_SUCCESS { Registering DocumentSynchronizingWithCentral event by
application Coordination Model (c9463641-1c02-431c-9502-4ad0c91de1ce). }
' 0:< API_SUCCESS { Registering DocumentSynchronizedWithCentral event by application
Coordination Model (c9463641-1c02-431c-9502-4ad0c91de1ce). }
' 0:< API_SUCCESS { Registering DocumentSaving event by application Coordination
Model (c9463641-1c02-431c-9502-4ad0c91de1ce). }
' 0:< API_SUCCESS { Registering DocumentSavingAs event by application Coordination
Model (c9463641-1c02-431c-9502-4ad0c91de1ce). }
' 0:< API_SUCCESS { Registering DocumentSaved event by application Coordination
Model (c9463641-1c02-431c-9502-4ad0c91de1ce). }
' 0:< API_SUCCESS { Registering DocumentSavedAs event by application Coordination
Model (c9463641-1c02-431c-9502-4ad0c91de1ce). }
' 0:< API_SUCCESS { Starting External DB Application: Coordination Model, Class:
Autodesk.CoordinationModelDB.CoordinationModelDBApplication, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Coordination%20Mod
```

```
els&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly: C:\Program
Files\Autodesk\Revit 2025\AddIns\CoordinationModel\Autodesk.CoordinationModelDB.dll,
Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application
EntitlementDB (f8ca15a5-70fc-43aa-844e-0ce436ede4a9). }
' 0:< API_SUCCESS { Starting External DB Application: EntitlementDB, Class:
EntitlementDB.EntitlementDBApplication, Vendor : ADSK(Autodesk, www.autodesk.com),
Assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\ModelBrowser\Autodesk.Entitlement.Utilities.dll, Assembly Version:
25.4.30.30 }
' 0:< ::16:: Delta VM: Avail -1 -> 133881998 MB, Used 257 MB; RAM: Avail -11 ->
17191 MB, Used +0 -> 559 MB, Peak +0 -> 559 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 180
' 0:< API_SUCCESS { Registered an external server: Name(Surface Distribution
Server); VendorId(ADSK); ServerId(88e37c6b-3ad6-4de3-a610-fcadcbb3021c);
ServiceId(a2c22b44-c231-4d3f-b653-b81b6f8be150) }
  'E 07-Mar-2026 18:46:37.288;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
88e37c6b-3ad6-4de3-a610-fcadcbb3021c Rvt.Attr.ExternalService:
a2c22b44-c231-4d3f-b653-b81b6f8be150
' 0:< API_SUCCESS { Registered an external server: Name(Transversal Reinforcement
Server ); VendorId(ADSK); ServerId(78ce2a95-71e7-4fe2-96ee-a38554320ea6);
ServiceId(a2c22b44-c231-4d3f-b653-b81b6f8be150) }
  'E 07-Mar-2026 18:46:37.289;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
78ce2a95-71e7-4fe2-96ee-a38554320ea6 Rvt.Attr.ExternalService:
a2c22b44-c231-4d3f-b653-b81b6f8be150
' 0:< API_SUCCESS { Starting External DB Application: Free Form Rebar, Class:
FreeFormRebar.FreeFormRebar, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=Free%20Form%20Rebar&p=REVITPRODUCT
S&sort=score), Assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\Rebar\Autodesk.FreeFormRebar.DB.dll, Assembly Version: 25.4.30.30 }
' 0:< ::18:: Delta VM: Avail -8 -> 133881991 MB, Used +0 -> 258 MB, Peak +0 -> 258
MB; RAM: Avail -26 -> 17165 MB, Used +4 -> 563 MB, Peak +4 -> 563 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 180
' 0:< API_SUCCESS { Registering DocumentOpening event by application Lightbox DB
extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application Lightbox DB
extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application Lightbox DB
extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application Lightbox DB
extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registering ExternalDataInstanceAddedIntoDocument event by
application Lightbox DB extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registering ExternalDataInstanceRemovingFromDocument event by
application Lightbox DB extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registering ExternalDataTypeUpdatedDataSourceIntoDocument event
by application Lightbox DB extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registering ExternalDataTypeServerFailureResolutionExecuting
```

event by application Lightbox DB extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }

' 0:< API_SUCCESS { Registering DocumentReloadingLatest event by application Lightbox DB extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registering DocumentReloadedLatest event by application Lightbox DB extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registering DocumentSynchronizingWithCentral event by application Lightbox DB extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registering DocumentSynchronizedWithCentral event by application Lightbox DB extension (f8ddcb9b-9260-4b21-9f09-ea4622763b83). }
' 0:< API_SUCCESS { Registered an external server: Name(Lightbox Repository Helper Server); VendorId(Autodesk); ServerId(81e674d2-368d-40c6-b90b-485476952eb5); ServiceId(cf24951a-62aa-4c7c-a26a-cdb1379b3649) }
  'E 07-Mar-2026 18:46:37.798;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer: 81e674d2-368d-40c6-b90b-485476952eb5 Rvt.Attr.ExternalService: cf24951a-62aa-4c7c-a26a-cdb1379b3649
' 0:< Third Party Updater 'Lightbox DB extension: Lightbox associations updater' registered for all documents.
' 0:< API_SUCCESS { Starting External DB Application: Lightbox DB extension, Class: Autodesk.LightboxDB.Main, Vendor : ADSK(https://knowledge.autodesk.com/search?search=revit&p=REVITPRODUCTS&sort=score), Assembly: C:\Program Files\Autodesk\Revit 2025\AddIns\Lightbox\Autodesk.LightboxDB.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Link Topography Parser DBApplication (01673995-d4d5-4c62-a184-98e970ef7805). }
' 0:< Third Party Updater 'Link Topography Parser DBApplication: Show Invalid Surfaces' registered for all documents.
' 0:< API_SUCCESS { Starting External DB Application: Link Topography Parser DBApplication, Class: SiteLinker.SiteServerApp, Vendor : ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Link%20Topography&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly: C:\Program Files\Autodesk\Revit 2025\AddIns\SiteLinker\Autodesk.LinkTopography.Parser.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(ForgeSchemaServer); VendorId(ADSK); ServerId(298e3f16-2ca1-42ee-af77-07503e80046f); ServiceId(5ec7ab6b-5971-48f2-8f76-d49930e766d7) }
  'E 07-Mar-2026 18:46:37.846;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer: 298e3f16-2ca1-42ee-af77-07503e80046f Rvt.Attr.ExternalService: 5ec7ab6b-5971-48f2-8f76-d49930e766d7
' 0:< API_SUCCESS { Starting External DB Application: Unified Parameters, Class: ParametersServiceDB.Application, Vendor : ADSK(https://knowledge.autodesk.com/search?search=unified%20parameters&p=REVITPRODUCTS&sort=score), Assembly: C:\Program Files\Autodesk\Revit 2025\AddIns\ParametersServiceDB\Autodesk.ParametersService.DB.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(RebarSplitService); VendorId(ADSK); ServerId(58d030c8-9a9c-4b9c-bf24-bcfc31383ed7); ServiceId(79db7e62-4fde-4629-a89e-f0417ea50db3) }

```
  'E 07-Mar-2026 18:46:37.866;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
58d030c8-9a9c-4b9c-bf24-bcfc31383ed7 Rvt.Attr.ExternalService:
79db7e62-4fde-4629-a89e-f0417ea50db3
' 0:< Third Party Updater 'Rebar Splice: Rebar Layout Updater' registered for all
documents.
' 0:< Third Party Updater 'Rebar Splice: Shift Bars Updater' registered for all
documents.
' 0:< API_SUCCESS { Starting External DB Application: Rebar Splice, Class:
RebarSplice.RebarSplice, Vendor : ADSK(), Assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\Rebar\Autodesk.RebarSplice.DB.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Starting External DB Application: Reinforcement Common
Utilities, Class: ReinforcementUtilities.ReinforcementUtilitiesApp, Vendor : ADSK(),
Assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\Rebar\Autodesk.Reinforcement.Utilities.dll, Assembly Version: 25.4.30.30
}
' 0:< ::21:: Delta VM: Avail -1 -> 133881990 MB, Used 258 MB; RAM: Avail -11 ->
17155 MB, Used +1 -> 564 MB, Peak +1 -> 564 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 180
' 0:< API_SUCCESS { Registered an external service: Name(ResultsBuilderService);
VendorId(ADSK); ServiceId(559a170d-3f6b-40da-a22d-56afd7ab7074) }
' 0:< API_SUCCESS { Registered an external server: Name(ResultsChangedServer);
VendorId(ADSK); ServerId(6661389c-2324-4298-a8e6-f84c57648d1c);
ServiceId(559a170d-3f6b-40da-a22d-56afd7ab7074) }
  'E 07-Mar-2026 18:46:37.876;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
6661389c-2324-4298-a8e6-f84c57648d1c Rvt.Attr.ExternalService:
559a170d-3f6b-40da-a22d-56afd7ab7074
' 0:< API_SUCCESS { Registering DocumentCreated event by application Results Builder
Application (4c61df08-b0c3-4c59-aee1-f67bd03df6f8). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application Results Builder
Application (4c61df08-b0c3-4c59-aee1-f67bd03df6f8). }
' 0:< API_SUCCESS { Registering DocumentClosed event by application Results Builder
Application (4c61df08-b0c3-4c59-aee1-f67bd03df6f8). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application Results Builder
Application (4c61df08-b0c3-4c59-aee1-f67bd03df6f8). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application Results Builder
Application (4c61df08-b0c3-4c59-aee1-f67bd03df6f8). }
' 0:< API_SUCCESS { Starting External DB Application: Results Builder Application,
Class: Autodesk.Revit.DB.ResultsBuilder.ResultsBuilderApplication, Vendor :
ADSK(Autodesk, www.autodesk.com), Assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\ResultsManagerExplorer\Autodesk.ResultsBuilder.DBApplication.dll,
Assembly Version: 2025.0.0.5215 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application
Autodesk.Revit.CloudWorksharing.ModelOperations
(4ea91f3b-cf01-4740-83c2-3c23ded9ad6e). }
' 0:< API_SUCCESS { Starting External DB Application:
Autodesk.Revit.CloudWorksharing.ModelOperations, Class:
Autodesk.Revit.CloudWorksharing.ModelOperations.ModelOperationsApplication, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=
```

score), Assembly: C:\Program Files\Autodesk\Revit 2025\AddIns\CloudWorksharing\Autodesk.Revit.CloudWorksharing.ModelOperations.dll, Assembly Version: 25.4.30.30 }
' 0:< ::22:: Delta VM: Avail -4 -> 133881987 MB, Used 258 MB; RAM: Avail -11 -> 17144 MB, Used +3 -> 568 MB, Peak +3 -> 568 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 180
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Autodesk.Revit.CloudWorksharing.DocumentManagement (19752083-3c5d-45df-ac0d-1e2020f1c336). }
' 0:< API_SUCCESS { Registering ExtendedApiToConfigure event by application Autodesk.Revit.CloudWorksharing.DocumentManagement (19752083-3c5d-45df-ac0d-1e2020f1c336). }
' 0:< API_SUCCESS { Starting External DB Application: Autodesk.Revit.CloudWorksharing.DocumentManagement, Class: Autodesk.Revit.CloudWorksharing.DocumentManagement.DocumentManagementApplication, Vendor : ADSK(https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score), Assembly: C:\Program Files\Autodesk\Revit 2025\AddIns\CloudWorksharing\Autodesk.Revit.CloudWorksharing.DocumentManagement.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ExtendedApiToConfigure event by application Autodesk.Revit.DocumentExtensions (7b519df4-6924-489f-90f9-1c304e94b324). }
' 0:< API_SUCCESS { Starting External DB Application: Autodesk.Revit.DocumentExtensions, Class: Autodesk.Revit.DocumentExtensions.DocumentExtensionsApplication, Vendor : ADSK(https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score), Assembly: C:\Program Files\Autodesk\Revit 2025\AddIns\ExtendedAPIs\Autodesk.Revit.DocumentExtensions.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ExtendedApiToConfigure event by application Autodesk.Revit.CloudConfiguration (029f363e-1eeb-4c28-a8b2-312b857eafb8). }
' 0:< API_SUCCESS { Starting External DB Application: Autodesk.Revit.CloudConfiguration, Class: Autodesk.Revit.CloudConfiguration.CloudConfigurationApplication, Vendor : ADSK(https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score), Assembly: C:\Program Files\Autodesk\Revit 2025\AddIns\ExtendedAPIs\Autodesk.Revit.CloudConfiguration.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ExtendedApiToConfigure event by application Autodesk.Revit.CloudWorksharing.Clients (ad045562-7e0f-4465-b199-be4724dea024). }
' 0:< API_SUCCESS { Starting External DB Application: Autodesk.Revit.CloudWorksharing.Clients, Class: Autodesk.Revit.CloudWorksharing.Clients.CloudWorksharingClientsApplication, Vendor : ADSK(https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score), Assembly: C:\Program Files\Autodesk\Revit 2025\AddIns\ExtendedAPIs\Autodesk.Revit.CloudWorksharing.Clients.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ExtendedApiToConfigure event by application Autodesk.Revit.CloudWorksharing.DocumentExtensions (17240283-ef8e-417e-81a5-d7cf8def170e). }

```
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application
Autodesk.Revit.CloudWorksharing.DocumentExtensions
(17240283-ef8e-417e-81a5-d7cf8def170e). }
' 0:< API_SUCCESS { Starting External DB Application:
Autodesk.Revit.CloudWorksharing.DocumentExtensions, Class:
Autodesk.Revit.CloudWorksharing.DocumentExtensions.CloudWorksharingDocumentExtension
sApplication, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=
score), Assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\ExtendedAPIs\Autodesk.Revit.CloudWorksharing.DocumentExtensions.dll,
Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering DocumentClosing event by application Route Analysis
(40e082fd-2661-4bbb-83f0-e960745a72a2). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application Route Analysis
(40e082fd-2661-4bbb-83f0-e960745a72a2). }
' 0:< API_SUCCESS { Registered an external server: Name(Simulex (tm) Calculation);
VendorId(ADSK); ServerId(3ac50ffe-852f-4a77-941f-851ddfbcbd57);
ServiceId(ee502325-58ce-4d6e-9a2c-643608b1fbd9) }
  'E 07-Mar-2026 18:46:38.136;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
3ac50ffe-852f-4a77-941f-851ddfbcbd57 Rvt.Attr.ExternalService:
ee502325-58ce-4d6e-9a2c-643608b1fbd9
' 0:< API_SUCCESS { Starting External DB Application: Route Analysis, Class:
RouteAnalysisDB.RouteAnalysisDBApplication, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Path%20of%20Travel
&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly: C:\Program
Files\Autodesk\Revit
2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.DBApplication.dll, Assembly
Version: 25.4.30.30 }
' 0:< ::23:: Delta VM: Avail -1 -> 133881986 MB, Used 258 MB; RAM: Avail -11 ->
17134 MB, Used +0 -> 569 MB, Peak +1 -> 569 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 180
' 0:< API_SUCCESS { Registering DocumentCreating event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering DocumentCreated event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering DocumentOpening event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering DocumentSaving event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering DocumentSavingAs event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering DocumentSaved event by application Steel Connections
DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering DocumentSavedAs event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
```

```
' 0:< API_SUCCESS { Registering DocumentChanged event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering DocumentClosed event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering LinkedResourceOpened event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering LinkedResourceOpening event by application Steel
Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< API_SUCCESS { Registering DocumentSynchronizingWithCentral event by
application Steel Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }

' 0:< API_SUCCESS { Registering DocumentSynchronizedWithCentral event by application
Steel Connections DB extension (9f2e732a-289e-4185-b701-15d33c31653f). }
' 0:< Third Party Updater 'Steel Connections DB extension: Steel Fabrication
Updater' registered for all documents.
' 0:< API_SUCCESS { Starting External DB Application: Steel Connections DB
extension, Class: Autodesk.SteelConnectionsDB.Main, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=detailed%20steel%20modeling&p=REVI
TPRODUCTS&sort=score), Assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\SteelConnections\Autodesk.SteelConnectionsDB.dll, Assembly Version:
25.4.30.30 }
' 0:< API_SUCCESS { Starting External DB Application: StructuralRibbon, Class:
Autodesk.Revit.DB.StructuralRibbon.Application, Vendor : ADSK(ADSK,
www.autodesk.com), Assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\ResultsManagerExplorer\Autodesk.StructuralRibbon.Application.dll,
Assembly Version: 2025.0.0.5215 }
' 0:< API_SUCCESS { Registered an external server: Name(Autodesk Drive Internal);
VendorId(ADSK); ServerId(baddc547-d952-4d29-ae01-16e71e75aa63);
ServiceId(b3892e5f-9161-4bbc-958a-c8ef75e94e96) }
  'E 07-Mar-2026 18:46:38.304;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
baddc547-d952-4d29-ae01-16e71e75aa63 Rvt.Attr.ExternalService:
b3892e5f-9161-4bbc-958a-c8ef75e94e96
' 0:< API_SUCCESS { Starting External DB Application: ConnectedDesktopDB, Class:
ConnectedDesktopDB.ServerApp, Vendor : ADSK(Autodesk, www.autodesk.com), Assembly:
C:\Program Files\Autodesk\Revit 2025\AddIns\ConnectedDesktop\ConnectedDesktopDB.dll,
Assembly Version: 25.4.30.30 }
' 0:< ::24:: Delta VM: Avail 133881986 MB, Used +13 -> 271 MB, Peak +13 -> 271 MB;
RAM: Avail -38 -> 17097 MB, Used +20 -> 589 MB, Peak +20 -> 589 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 180
' 0:< API_SUCCESS { Registered an external server: Name(Revit Default DB Server);
VendorId(ADSK); ServerId(bd4f0f53-394a-4468-b37e-1e7949013382);
ServiceId(b3892e5f-9161-4bbc-958a-c8ef75e94e96) }
  'E 07-Mar-2026 18:46:38.436;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
bd4f0f53-394a-4468-b37e-1e7949013382 Rvt.Attr.ExternalService:
b3892e5f-9161-4bbc-958a-c8ef75e94e96
' 0:< API_SUCCESS { Starting External DB Application: KeynoteDBServer, Class:
KeynoteDBServer.ServerApp, Vendor : ADSK(Autodesk, www.autodesk.com), Assembly:
C:\Program Files\Autodesk\Revit 2025\AddIns\Keynote\KeynoteDBServer.dll, Assembly
```

```
Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(Plumbing Fixture Flow);
VendorId(ADSK); ServerId(56121d7d-e1d7-42a3-bed8-f4d1d32058c8);
ServiceId(bf0da776-5307-4747-8285-f358e92a90d0) }
  'E 07-Mar-2026 18:46:38.467;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
56121d7d-e1d7-42a3-bed8-f4d1d32058c8 Rvt.Attr.ExternalService:
bf0da776-5307-4747-8285-f358e92a90d0
' 0:< API_SUCCESS { Registered an external server: Name(Altshul-Tsal Equation);
VendorId(ADSK); ServerId(042a10e0-8d24-46a4-9596-d192b3125d0c);
ServiceId(8c707bd6-ecd6-4150-a0df-bd6c85dd9bb0) }
  'E 07-Mar-2026 18:46:38.470;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
042a10e0-8d24-46a4-9596-d192b3125d0c Rvt.Attr.ExternalService:
8c707bd6-ecd6-4150-a0df-bd6c85dd9bb0
' 0:< API_SUCCESS { Registered an external server: Name(Haaland Equation);
VendorId(USERADDIN); ServerId(2e9a77c0-62a0-4693-9442-33312be60ad7);
ServiceId(8c707bd6-ecd6-4150-a0df-bd6c85dd9bb0) }
  'E 07-Mar-2026 18:46:38.470;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
2e9a77c0-62a0-4693-9442-33312be60ad7 Rvt.Attr.ExternalService:
8c707bd6-ecd6-4150-a0df-bd6c85dd9bb0
' 0:< API_SUCCESS { Registered an external server: Name(Haaland Equation);
VendorId(USERADDIN); ServerId(58ea1b7c-2fca-453f-9ab9-7a3b9927ecc1);
ServiceId(62d13e0c-9fe1-4d8e-a0c7-1f93d24cf3f3) }
  'E 07-Mar-2026 18:46:38.474;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
58ea1b7c-2fca-453f-9ab9-7a3b9927ecc1 Rvt.Attr.ExternalService:
62d13e0c-9fe1-4d8e-a0c7-1f93d24cf3f3
' 0:< API_SUCCESS { Registered an external server: Name(Colebrook Equation);
VendorId(USERADDIN); ServerId(e395a0ec-48a4-4255-b957-afbb3d73cb67);
ServiceId(8c707bd6-ecd6-4150-a0df-bd6c85dd9bb0) }
  'E 07-Mar-2026 18:46:38.475;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
e395a0ec-48a4-4255-b957-afbb3d73cb67 Rvt.Attr.ExternalService:
8c707bd6-ecd6-4150-a0df-bd6c85dd9bb0
' 0:< API_SUCCESS { Registered an external server: Name(Colebrook Equation);
VendorId(USERADDIN); ServerId(0875f550-6141-4e34-a6b7-547cf9cfda01);
ServiceId(62d13e0c-9fe1-4d8e-a0c7-1f93d24cf3f3) }
  'E 07-Mar-2026 18:46:38.475;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
0875f550-6141-4e34-a6b7-547cf9cfda01 Rvt.Attr.ExternalService:
62d13e0c-9fe1-4d8e-a0c7-1f93d24cf3f3
' 0:< API_SUCCESS { Starting External DB Application: Straight Segment Pressure Drop
Servers, Class: StraightSegmentCalculationServers.ServerApp, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Pipe%20Pressure%20
Drop&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:
C:\Program Files\Autodesk\Revit
2025\AddIns\MEPCalculation\Autodesk.MEP.SegmentCalculation.DBApplication.dll,
Assembly Version: 25.4.30.30 }
```

```
' 0:< API_SUCCESS { Registered an external server: Name(Not Defined);
VendorId(ADSK); ServerId(76eff5da-2e71-45f7-b940-cc5716328ba0);
ServiceId(785d0bd7-3088-489a-af7a-593fc32e2540) }
  'E 07-Mar-2026 18:46:38.495;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
76eff5da-2e71-45f7-b940-cc5716328ba0 Rvt.Attr.ExternalService:
785d0bd7-3088-489a-af7a-593fc32e2540
' 0:< API_SUCCESS { Registered an external server: Name(Coefficient from ASHRAE
Table); VendorId(ADSK); ServerId(8baf7d75-8b9b-46d0-b8ce-3ad1c19e6b19);
ServiceId(785d0bd7-3088-489a-af7a-593fc32e2540) }
  'E 07-Mar-2026 18:46:38.495;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
8baf7d75-8b9b-46d0-b8ce-3ad1c19e6b19 Rvt.Attr.ExternalService:
785d0bd7-3088-489a-af7a-593fc32e2540
' 0:< API_SUCCESS { Registered an external server: Name(Specific Coefficient);
VendorId(ADSK); ServerId(5a598293-1504-46cc-a9c0-de55c82848b9);
ServiceId(785d0bd7-3088-489a-af7a-593fc32e2540) }
  'E 07-Mar-2026 18:46:38.496;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
5a598293-1504-46cc-a9c0-de55c82848b9 Rvt.Attr.ExternalService:
785d0bd7-3088-489a-af7a-593fc32e2540
' 0:< API_SUCCESS { Registered an external server: Name(Specific Loss);
VendorId(ADSK); ServerId(46245996-eebb-4536-ac17-9c1cd917d8cf);
ServiceId(785d0bd7-3088-489a-af7a-593fc32e2540) }
  'E 07-Mar-2026 18:46:38.496;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
46245996-eebb-4536-ac17-9c1cd917d8cf Rvt.Attr.ExternalService:
785d0bd7-3088-489a-af7a-593fc32e2540
' 0:< API_SUCCESS { Registered an external server: Name(Not Defined);
VendorId(ADSK); ServerId(61e7b8e1-16d1-4fe4-82f0-327af736323f);
ServiceId(b8656566-e4ef-4e6a-bedb-9ecc6b5a2780) }
  'E 07-Mar-2026 18:46:38.500;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
61e7b8e1-16d1-4fe4-82f0-327af736323f Rvt.Attr.ExternalService:
b8656566-e4ef-4e6a-bedb-9ecc6b5a2780
' 0:< API_SUCCESS { Registered an external server: Name(K Coefficient from Table);
VendorId(ADSK); ServerId(51dd5e98-a9dd-464b-b286-4a37953610bf);
ServiceId(b8656566-e4ef-4e6a-bedb-9ecc6b5a2780) }
  'E 07-Mar-2026 18:46:38.500;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
51dd5e98-a9dd-464b-b286-4a37953610bf Rvt.Attr.ExternalService:
b8656566-e4ef-4e6a-bedb-9ecc6b5a2780
' 0:< API_SUCCESS { Registered an external server: Name(Specific Coefficient);
VendorId(ADSK); ServerId(32d58662-b467-4f7b-b728-f6ad7b7ba5e3);
ServiceId(b8656566-e4ef-4e6a-bedb-9ecc6b5a2780) }
  'E 07-Mar-2026 18:46:38.500;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
32d58662-b467-4f7b-b728-f6ad7b7ba5e3 Rvt.Attr.ExternalService:
b8656566-e4ef-4e6a-bedb-9ecc6b5a2780
' 0:< API_SUCCESS { Registered an external server: Name(Specific Loss);
```

```
VendorId(ADSK); ServerId(16f4f7be-0ac0-461d-a9a4-1d3511cd280e);
ServiceId(b8656566-e4ef-4e6a-bedb-9ecc6b5a2780) }
  'E 07-Mar-2026 18:46:38.500;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
16f4f7be-0ac0-461d-a9a4-1d3511cd280e Rvt.Attr.ExternalService:
b8656566-e4ef-4e6a-bedb-9ecc6b5a2780
' 0:< API_SUCCESS { Starting External DB Application: Fitting And Accessory Pressure
Drop Servers, Class: FittingAndAccessoryCalculationServers.ServerApp, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Fitting%20Pressure
%20Loss&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:
C:\Program Files\Autodesk\Revit
2025\AddIns\MEPCalculation\Autodesk.MEP.FittingCalculation.DBApplication.dll,
Assembly Version: 25.4.30.30 }
' 0:< ::39:: Delta VM: Avail -3 -> 133881983 MB, Used 271 MB; RAM: Avail -38 ->
17059 MB, Used +3 -> 592 MB, Peak +3 -> 592 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 182
' 0:< AddInJournalClient is loading journal controls from path C:\Program
Files\Autodesk\Revit 2025\AddInJrnCtls
' 0:< ::39:: Delta VM: Avail -3 -> 133881981 MB, Used +0 -> 272 MB, Peak +0 -> 272
MB; RAM: Avail -158 -> 16901 MB, Used +2 -> 595 MB, Peak +2 -> 595 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 182
' 0:< AddInJournalClient load journal control: FabricationPartBrowserListBox =
C:\Program Files\Autodesk\Revit
2025\AddInJrnCtls\..\Addins\FabricationPartBrowser\FabricationPartBrowser.dll
' 0:< ::39:: Delta VM: Avail -1 -> 133881980 MB, Used 272 MB; RAM: Avail -93 ->
16809 MB, Used +0 -> 596 MB, Peak +0 -> 596 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 182
' 0:< AddInJournalClient load journal control: ModelBrowserSaveAsCloudModelWindow =
C:\Program Files\Autodesk\Revit
2025\AddInJrnCtls\..\Addins\ModelBrowser\Autodesk.RevitApplicationHome.Application.d
ll
' 0:< AddInJournalClient load journal control: MultiMonthCalendar = C:\Program
Files\Autodesk\Revit
2025\AddInJrnCtls\..\Addins\EnergyAnalysis\Autodesk.EnergyAnalysis.Application.dll
' 0:< ::39:: Delta VM: Avail -14 -> 133881967 MB, Used +0 -> 273 MB, Peak +0 -> 273
MB; RAM: Avail -66 -> 16744 MB, Used +9 -> 605 MB, Peak +9 -> 605 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 184
' 0:< API_SUCCESS { Replacing command id 'ID_ADD_IN_MANAGER' Executed implementation
with implementation from application 'Add-Ins Manager' dll 'C:\Program
Files\Autodesk\Revit 2025\AddIns\AddInsManager\Autodesk.Addin.AddInsManager.dll'. }
' 0:< API_SUCCESS { API registering command Launch Add-Ins Manager
'Add-Ins Manager Executed event by application Add-Ins Manager
(19b8b66a-e435-44da-8b98-4a6ec6e517e1). }
' 0:< API_SUCCESS { Replacing command id 'ID_ADD_IN_MANAGER' CanExecute
implementation with implementation from application 'Add-Ins Manager' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\AddInsManager\Autodesk.Addin.AddInsManager.dll'. }
' 0:< API_SUCCESS { API registering command Launch Add-Ins Manager
'Add-Ins Manager CanExecute event by application Add-Ins Manager
(19b8b66a-e435-44da-8b98-4a6ec6e517e1). }
```

```
' 0:< API_SUCCESS { Starting External Application: Add-Ins Manager, Class:
Autodesk.Revit.Addin.AddInManager.Application, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Systems%20Analysis
&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:
Autodesk.Addin.AddInsManager.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_LEFT_ALIGN' CanExecute
implementation with implementation from application 'Align Multiple Text Elements'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Left align multiple text elements
CanExecute event by application Align Multiple Text Elements
(32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_LEFT_ALIGN' Executed
implementation with implementation from application 'Align Multiple Text Elements'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Left align multiple text elements
Executed event by application Align Multiple Text Elements
(32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_CENTER_HOR_ALIGN' CanExecute
implementation with implementation from application 'Align Multiple Text Elements'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Horizontal center align multiple text
elements CanExecute event by application Align Multiple Text Elements
(32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_CENTER_HOR_ALIGN' Executed
implementation with implementation from application 'Align Multiple Text Elements'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Horizontal center align multiple text
elements Executed event by application Align Multiple Text Elements
(32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_RIGHT_ALIGN' CanExecute
implementation with implementation from application 'Align Multiple Text Elements'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Right align multiple text elements
CanExecute event by application Align Multiple Text Elements
(32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_RIGHT_ALIGN' Executed
implementation with implementation from application 'Align Multiple Text Elements'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Right align multiple text elements
Executed event by application Align Multiple Text Elements
(32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_TOP_ALIGN' CanExecute
implementation with implementation from application 'Align Multiple Text Elements'
dll 'C:\Program Files\Autodesk\Revit
```

2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Top align multiple text elements CanExecute event by application Align Multiple Text Elements (32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_TOP_ALIGN' Executed implementation with implementation from application 'Align Multiple Text Elements' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Top align multiple text elements Executed event by application Align Multiple Text Elements (32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_CENTER_VERT_ALIGN' CanExecute implementation with implementation from application 'Align Multiple Text Elements' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Vertical center align multiple text elements CanExecute event by application Align Multiple Text Elements (32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_CENTER_VERT_ALIGN' Executed implementation with implementation from application 'Align Multiple Text Elements' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Vertical center align multiple text elements Executed event by application Align Multiple Text Elements (32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_BOTTOM_ALIGN' CanExecute implementation with implementation from application 'Align Multiple Text Elements' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Bottom align multiple text elements CanExecute event by application Align Multiple Text Elements (32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_BOTTOM_ALIGN' Executed implementation with implementation from application 'Align Multiple Text Elements' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Bottom align multiple text elements Executed event by application Align Multiple Text Elements (32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_VERT_DISTRIBUTE' CanExecute implementation with implementation from application 'Align Multiple Text Elements' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command CanExecute event by application Align Multiple Text Elements (32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_VERT_DISTRIBUTE' Executed implementation with implementation from application 'Align Multiple Text Elements' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application Align

```
Multiple Text Elements (32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_HOR_DISTRIBUTE' CanExecute
implementation with implementation from application 'Align Multiple Text Elements'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application Align
Multiple Text Elements (32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Replacing command id 'ID_TEXTNOTE_HOR_DISTRIBUTE' Executed
implementation with implementation from application 'Align Multiple Text Elements'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\AlignMultipleAnnotations\Autodesk.AlignMultipleAnnotations.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application Align
Multiple Text Elements (32b5860a-aec9-4df7-96b0-07168b274460). }
' 0:< API_SUCCESS { Starting External Application: Align Multiple Text Elements,
Class: AlignMultipleAnnotations.AlignMultipleText, Vendor :
ADSK(https://www.autodesk.com), Assembly: Autodesk.AlignMultipleAnnotations.dll,
Assembly Version: 25.4.30.30 }
'H 07-Mar-2026 18:46:39.331;   0:<
Jrn.Directive  _
        "IdleTimeTaskSymbol"  , "0.ExternalEvent"
' 0:< API_SUCCESS { Starting External Application: AutoLoad, Class:
AutoLoader.AutoLoader, Vendor : ADSK(), Assembly:
Autodesk.AutoLoader.Application.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(Bending Detail Schedule
Field Edit Properties); VendorId(ADSK);
ServerId(ba82efa8-535b-4e6f-b1c5-f3030ab5a8bf);
ServiceId(325659b3-bba5-4495-b05e-3ab2b1244df5) }
  'E 07-Mar-2026 18:46:39.405;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
ba82efa8-535b-4e6f-b1c5-f3030ab5a8bf Rvt.Attr.ExternalService:
325659b3-bba5-4495-b05e-3ab2b1244df5
' 0:< API_SUCCESS { Replacing command id 'ID_DEBUG_DRAW_LINES' Executed
implementation with implementation from application 'Bending Details UI' dll
'C:\Program Files\Autodesk\Revit 2025\AddIns\Rebar\Autodesk.BendingDetails.UI.dll'.
}
' 0:< API_SUCCESS { API registering command Draw Lines Executed event by application
Bending Details UI (26ee038f-98e4-4c81-9b43-231f5b76e463). }
' 0:< API_SUCCESS { Starting External Application: Bending Details UI, Class:
BendingDetailsUI.BendingDetailsUIApp, Vendor : ADSK(), Assembly:
Autodesk.BendingDetails.UI.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_INFRASTRUCTURE_CREATE_ALIGNMENT'
CanExecute implementation with implementation from application 'AlignmentsUI' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\CivilAlignments\Autodesk.CivilAlignments.Application.dll'. }
' 0:< API_SUCCESS { API registering command Create Alignment CanExecute event by
application AlignmentsUI (6d0d9e68-7ef2-40cf-9504-eb5a445ae3c2). }
' 0:< API_SUCCESS { Replacing command id 'ID_INFRASTRUCTURE_CREATE_ALIGNMENT'
Executed implementation with implementation from application 'AlignmentsUI' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\CivilAlignments\Autodesk.CivilAlignments.Application.dll'. }
```

```
' 0:< API_SUCCESS { API registering command Create Alignment Executed event by
application AlignmentsUI (6d0d9e68-7ef2-40cf-9504-eb5a445ae3c2). }
' 0:< API_SUCCESS { Replacing command id 'ID_INFRASTRUCTURE_UPDATE_ALIGNMENT'
CanExecute implementation with implementation from application 'AlignmentsUI' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\CivilAlignments\Autodesk.CivilAlignments.Application.dll'. }
' 0:< API_SUCCESS { API registering command Update Alignment CanExecute event by
application AlignmentsUI (6d0d9e68-7ef2-40cf-9504-eb5a445ae3c2). }
' 0:< API_SUCCESS { Replacing command id 'ID_INFRASTRUCTURE_UPDATE_ALIGNMENT'
Executed implementation with implementation from application 'AlignmentsUI' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\CivilAlignments\Autodesk.CivilAlignments.Application.dll'. }
' 0:< API_SUCCESS { API registering command Update Alignment Executed event by
application AlignmentsUI (6d0d9e68-7ef2-40cf-9504-eb5a445ae3c2). }
' 0:< ::40:: Delta VM: Avail -1 -> 133881966 MB, Used -12 -> 261 MB; RAM: Avail -8
-> 16736 MB, Used -12 -> 594 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 184
' 0:< API_SUCCESS { Starting External Application: AlignmentsUI, Class:
Revit.Infrastructure.AlignmentsUI.AlignmentsUIApplication, Vendor : ADSK(Autodesk,
www.autodesk.com), Assembly: Autodesk.CivilAlignments.Application.dll,  Assembly
Version: 25.4.30.30 }
' 0:< API_SUCCESS { Starting External Application: Collaborate Application, Class:
Autodesk.Revit.UI.Collaborate.CollaborateApplication, Vendor :
ADSK(![CDATA[https://www.autodesk.com/support/technical/search?qt=Revit%20Cloud%20Wo
rksharing]]), Assembly: C:\Program Files\Autodesk\Cloud Models for Revit
2025\Collaborate.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application
Skyscraper Client Host Application (22f74ace-e812-4ced-bef0-7052c755aa2d). }
' 0:< API_SUCCESS { Starting External Application: Skyscraper Client Host
Application, Class: SkyscraperClientHost.SkyscraperClientHostApplication, Vendor :
ADSK(![CDATA[https://www.autodesk.com/support/technical/search?qt=Revit%20Cloud%20Wo
rksharing]]), Assembly: C:\Program Files\Autodesk\Cloud Models for Revit
2025\SkyscraperClientHost.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application
Coordination Model Interface (9817e4a5-0333-4323-b69e-781db5f70005). }
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATIONMODEL_ADD_LOCAL' Executed
implementation with implementation from application 'Coordination Model Interface'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\CoordinationModel\Autodesk.CoordinationModelUI.dll'. }
' 0:< API_SUCCESS { API registering command Coordination Model Local Executed event
by application Coordination Model Interface (9817e4a5-0333-4323-b69e-781db5f70005).
}
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATIONMODEL_ADD_LOCAL' CanExecute
implementation with implementation from application 'Coordination Model Interface'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\CoordinationModel\Autodesk.CoordinationModelUI.dll'. }
' 0:< API_SUCCESS { API registering command Coordination Model Local CanExecute
event by application Coordination Model Interface
(9817e4a5-0333-4323-b69e-781db5f70005). }
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATIONMODEL_ADD_AUTODESKDOCS'
```

```
Executed implementation with implementation from application 'Coordination Model
Interface' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\CoordinationModel\Autodesk.CoordinationModelUI.dll'. }
' 0:< API_SUCCESS { API registering command Coordination Model Autodesk Docs
Executed event by application Coordination Model Interface
(9817e4a5-0333-4323-b69e-781db5f70005). }
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATIONMODEL_ADD_AUTODESKDOCS'
CanExecute implementation with implementation from application 'Coordination Model
Interface' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\CoordinationModel\Autodesk.CoordinationModelUI.dll'. }
' 0:< API_SUCCESS { API registering command Coordination Model Autodesk Docs
CanExecute event by application Coordination Model Interface
(9817e4a5-0333-4323-b69e-781db5f70005). }
'H 07-Mar-2026 18:46:39.575;   0:<
Jrn.Directive  _
        "IdleTimeTaskSymbol"  , "1.OnIdleTask"
' 0:< API_SUCCESS { Registering Idling event by application Coordination Model
Interface (9817e4a5-0333-4323-b69e-781db5f70005). }
' 0:< API_SUCCESS { Starting External Application: Coordination Model Interface,
Class: Autodesk.CoordinationModelUI.CoordinationModelUIApplication, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Coordination%20Mod
els&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:
Autodesk.CoordinationModelUI.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application
Electrical Analytical Power Distributable Node UI
(e967ae6d-43b6-49e2-9a3f-065ae64d39fc). }
' 0:< API_SUCCESS { Replacing command id 'ID_RBS_SHOW_DOWNSTREAM_CONNECTED_PHASES'
CanExecute implementation with implementation from application 'Electrical
Analytical Power Distributable Node UI' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\ElectricalAnalysis\Autodesk.ElectricalAnalyticalPowerDistributableNodeUI
.Application.dll'. }
' 0:< API_SUCCESS { API registering command Downstream Connected Phases CanExecute
event by application Electrical Analytical Power Distributable Node UI
(e967ae6d-43b6-49e2-9a3f-065ae64d39fc). }
' 0:< API_SUCCESS { Replacing command id 'ID_RBS_SHOW_DOWNSTREAM_CONNECTED_PHASES'
Executed implementation with implementation from application 'Electrical Analytical
Power Distributable Node UI' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\ElectricalAnalysis\Autodesk.ElectricalAnalyticalPowerDistributableNodeUI
.Application.dll'. }
' 0:< API_SUCCESS { API registering command Downstream Connected Phases Executed
event by application Electrical Analytical Power Distributable Node UI
(e967ae6d-43b6-49e2-9a3f-065ae64d39fc). }
' 0:< API_SUCCESS { Starting External Application: Electrical Analytical Power
Distributable Node UI, Class:
Autodesk.Revit.Addin.ElectricalAnalyticalPowerDistributableNodeUI.ServerApp, Vendor
: ADSK(https://www.autodesk.com), Assembly:
Autodesk.ElectricalAnalyticalPowerDistributableNodeUI.Application.dll,  Assembly
Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_LINKED_DWG' Executed implementation
with implementation from application 'External Data Manager UI extension' dll
```

'C:\Program Files\Autodesk\Revit
2025\AddIns\ExternalDataMgr\Autodesk.ExternalDataMgrUI.Application.dll'. }
' 0:< API_SUCCESS { API registering command Manage Links Executed event by
application External Data Manager UI extension
(4eed105b-50a3-4bab-9bd4-767c172115b6). }
' 0:< API_SUCCESS { Replacing command id 'ID_LINKED_DWG' CanExecute implementation
with implementation from application 'External Data Manager UI extension' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\ExternalDataMgr\Autodesk.ExternalDataMgrUI.Application.dll'. }
' 0:< API_SUCCESS { API registering command Manage Links CanExecute event by
application External Data Manager UI extension
(4eed105b-50a3-4bab-9bd4-767c172115b6). }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application External
Data Manager UI extension (4eed105b-50a3-4bab-9bd4-767c172115b6). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application External Data
Manager UI extension (4eed105b-50a3-4bab-9bd4-767c172115b6). }
' 0:< API_SUCCESS { Registering ThemeChanged event by application External Data
Manager UI extension (4eed105b-50a3-4bab-9bd4-767c172115b6). }
' 0:< ::40:: Delta VM: Avail -1 -> 133881965 MB, Used +2 -> 264 MB; RAM: Avail -20
-> 16717 MB, Used +2 -> 596 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 184
' 0:< API_SUCCESS { Starting External Application: External Data Manager UI
extension, Class: ExternalDataMgrUI.App, Vendor : ADSK(Autodesk, www.autodesk.com),
Assembly: Autodesk.ExternalDataMgrUI.Application.dll, Assembly Version: 25.4.30.30
}
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Route
Analysis (b460f223-85e1-47a5-abbd-04215daa73c9). }
' 0:< API_SUCCESS { Starting External Application: Route Analysis, Class:
HostFinishAutomation.Application, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Path%20of%20Travel
&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:
Autodesk.HostFinishAutomation.Application.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_EXPORT_IFC' Executed implementation
with implementation from application 'IFC override' dll 'C:\Program
Files\Autodesk\Revit 2025\AddIns\IFCExporterUI\Autodesk.IFC.Export.UI.dll'. }
' 0:< API_SUCCESS { API registering command Export to IFC (Industry Foundation
Classes) file format Executed event by application IFC override
(e78da2e3-7e89-464c-97cd-2212c8be3fa8). }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application IFC
override (e78da2e3-7e89-464c-97cd-2212c8be3fa8). }
' 0:< API_SUCCESS { Starting External Application: IFC override, Class:
BIM.IFC.Export.UI.IFCCommandOverrideApplication, Vendor : ADSK(Autodesk,
www.autodesk.com), Assembly: Autodesk.IFC.Export.UI.dll, Assembly Version:
25.4.30.30 }
' 0:< API_SUCCESS { Registering DocumentOpened event by application LCAS UI Client
extension (3c8c1873-d04b-4290-9fd6-4c2aa379c785). }
' 0:< API_SUCCESS { Replacing command id 'ID_STRUCTURAL_SETTINGS_LOAD_COMB'
CanExecute implementation with implementation from application 'LCAS UI Client
extension' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\LCASUIClient\Autodesk.LCASUIClient.dll'. }

```
' 0:< API_SUCCESS { API registering command Load Combinations Settings
'Load Combinations Settings CanExecute event by application LCAS UI Client extension
(3c8c1873-d04b-4290-9fd6-4c2aa379c785). }
' 0:< API_SUCCESS { Replacing command id 'ID_STRUCTURAL_SETTINGS_LOAD_COMB' Executed
implementation with implementation from application 'LCAS UI Client extension' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\LCASUIClient\Autodesk.LCASUIClient.dll'. }
' 0:< API_SUCCESS { API registering command Load Combinations Settings
'Load Combinations Settings Executed event by application LCAS UI Client extension
(3c8c1873-d04b-4290-9fd6-4c2aa379c785). }
' 0:< API_SUCCESS { Starting External Application: LCAS UI Client extension, Class:
Autodesk.LCASUIClient.Main, Vendor : ADSK(Autodesk, www.autodesk.com), Assembly:
Autodesk.LCASUIClient.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering SelectionChanged event by application Lightbox UI
extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATION_ADD_LOCAL_ASSOCIATION'
CanExecute implementation with implementation from application 'Lightbox UI
extension' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\Lightbox\Autodesk.LightboxUI.dll'. }
' 0:< API_SUCCESS { API registering command Add association CanExecute event by
application Lightbox UI extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATION_ADD_LOCAL_ASSOCIATION'
Executed implementation with implementation from application 'Lightbox UI extension'
dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\Lightbox\Autodesk.LightboxUI.dll'.
}
' 0:< API_SUCCESS { API registering command Add association Executed event by
application Lightbox UI extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATION_REMOVE_ASSOCIATION'
CanExecute implementation with implementation from application 'Lightbox UI
extension' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\Lightbox\Autodesk.LightboxUI.dll'. }
' 0:< API_SUCCESS { API registering command Remove association CanExecute event by
application Lightbox UI extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATION_REMOVE_ASSOCIATION'
Executed implementation with implementation from application 'Lightbox UI extension'
dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\Lightbox\Autodesk.LightboxUI.dll'.
}
' 0:< API_SUCCESS { API registering command Remove association Executed event by
application Lightbox UI extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATION_HIGHLIGHT_ASSOCIATIONS'
CanExecute implementation with implementation from application 'Lightbox UI
extension' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\Lightbox\Autodesk.LightboxUI.dll'. }
' 0:< API_SUCCESS { API registering command Highlight association of the element
CanExecute event by application Lightbox UI extension
(71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATION_HIGHLIGHT_ASSOCIATIONS'
Executed implementation with implementation from application 'Lightbox UI extension'
dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\Lightbox\Autodesk.LightboxUI.dll'.
}
```

```
' 0:< API_SUCCESS { API registering command Highlight association of the element
Executed event by application Lightbox UI extension
(71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Registering Idling event by application Lightbox UI extension
(71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Registering ViewActivated event by application Lightbox UI
extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Registering DockableFrameVisibilityChanged event by application
Lightbox UI extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Registering DocumentCreated event by application Lightbox UI
extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application Lightbox UI
extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application Lightbox UI
extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application Lightbox UI
extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Registering DocumentSaving event by application Lightbox UI
extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATIONMODEL_CHANGESREVIEW'
CanExecute implementation with implementation from application 'Lightbox UI
extension' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\Lightbox\Autodesk.LightboxUI.dll'. }
' 0:< API_SUCCESS { API registering command Coordination Model Changes CanExecute
event by application Lightbox UI extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }

' 0:< API_SUCCESS { Replacing command id 'ID_COORDINATIONMODEL_CHANGESREVIEW'
Executed implementation with implementation from application 'Lightbox UI extension'
dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\Lightbox\Autodesk.LightboxUI.dll'.
}
' 0:< API_SUCCESS { API registering command Coordination Model Changes Executed
event by application Lightbox UI extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }

' 0:< ::40:: Delta VM: Avail -2 -> 133881963 MB, Used +4 -> 268 MB; RAM: Avail -13
-> 16704 MB, Used +5 -> 602 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 184
' 0:< API_SUCCESS { Registering ThemeChanged event by application Lightbox UI
extension (71d1b3af-7fef-4f64-ae06-30b42cb0b307). }
' 0:< Third Party Updater 'Lightbox UI extension: Assisted Association Updater'
registered for all documents.
' 0:< API_SUCCESS { Starting External Application: Lightbox UI extension, Class:
Autodesk.LightboxUI.Main, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=revit&p=REVITPRODUCTS&sort=score),
Assembly: Autodesk.LightboxUI.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Link
Topograhy Commands (d02ca96c-dd06-4192-9871-49f0fe3cb1b4). }
' 0:< API_SUCCESS { Starting External Application: Link Topograhy Commands, Class:
SiteLinkerUI.SiteLinkerUIApp, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Link%20Topography&
sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:
```

Autodesk.LinkTopography.Commands.Application.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_FILE_TOPOSURFACE_CONVERT_TO_LINK' Executed implementation with implementation from application 'Link Topography Parser Application' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\SiteLinker\Autodesk.LinkTopography.Parser.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application Link Topography Parser Application (26af0fb8-0ceb-46dc-a0b1-79e0208edcdc). }
' 0:< API_SUCCESS { Replacing command id 'ID_FILE_TOPOSURFACE_CONVERT_TO_LINK' CanExecute implementation with implementation from application 'Link Topography Parser Application' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\SiteLinker\Autodesk.LinkTopography.Parser.dll'. }
' 0:< API_SUCCESS { API registering command CanExecute event by application Link Topography Parser Application (26af0fb8-0ceb-46dc-a0b1-79e0208edcdc). }
' 0:< API_SUCCESS { Starting External Application: Link Topography Parser Application, Class: SiteLinker.SiteExportApp, Vendor : ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Link%20Topography&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly: Autodesk.LinkTopography.Parser.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { API registering command Load a family from cloud into the project BeforeExecuted event by application Application LoadAutodeskFamily (87a72273-3ab1-404e-b6fd-ee0f60ba0e1b). }
' 0:< API_SUCCESS { Replacing command id 'ID_FAMILY_LOAD_CLOUD' CanExecute implementation with implementation from application 'Application LoadAutodeskFamily' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\LoadAutodeskFamily\Autodesk.LoadAutodeskFamily.Application.dll'. }
' 0:< API_SUCCESS { API registering command Load a family from cloud into the project CanExecute event by application Application LoadAutodeskFamily (87a72273-3ab1-404e-b6fd-ee0f60ba0e1b). }
' 0:< API_SUCCESS { Replacing command id 'ID_FAMILY_LOAD_CLOUD' Executed implementation with implementation from application 'Application LoadAutodeskFamily' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\LoadAutodeskFamily\Autodesk.LoadAutodeskFamily.Application.dll'. }
' 0:< API_SUCCESS { API registering command Load a family from cloud into the project Executed event by application Application LoadAutodeskFamily (87a72273-3ab1-404e-b6fd-ee0f60ba0e1b). }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Application LoadAutodeskFamily (87a72273-3ab1-404e-b6fd-ee0f60ba0e1b). }
' 0:< API_SUCCESS { Starting External Application: Application LoadAutodeskFamily, Class: ContentDelivery.ContentDeliveryApplication, Vendor : ADSK(Autodesk, www.autodesk.com), Assembly: Autodesk.LoadAutodeskFamily.Application.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Macro Manager UI (53963e9c-99b4-418e-a664-3b886c93b554). }
' 0:< API_SUCCESS { Starting External Application: Macro Manager UI, Class: Autodesk.Revit.Addin.MacroManagerUI.MacroManagerUIApp, Vendor : ADSK(https://www.autodesk.com), Assembly: Autodesk.MacroManagerUI.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(Internal Forces Server); VendorId(ADSK); ServerId(a97444aa-af8d-4a1e-af1f-fa7b77b368ee); ServiceId(a97444aa-af8d-4a1e-af1f-fa7b77b368ee) }

```
  'E 07-Mar-2026 18:46:40.147;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
a97444aa-af8d-4a1e-af1f-fa7b77b368ee Rvt.Attr.ExternalService:
a97444aa-af8d-4a1e-af1f-fa7b77b368ee
' 0:< API_SUCCESS { Starting External Application: Member Forces, Class:
MemberForcesUI.ServerApp, Vendor : ADSK(Autodesk, www.autodesk.com), Assembly:
Autodesk.MemberForces.Application.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application P&ID
Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< ::41:: Delta VM: Avail -7 -> 133881957 MB, Used +4 -> 272 MB; RAM: Avail -16
-> 16688 MB, Used +5 -> 607 MB, Peak +2 -> 607 MB
' 0:< GUI Resource Usage GDI: Avail 9754, Used 246, User: Used 184
' 0:< API_SUCCESS { Registering ViewActivated event by application P&ID Modeler
(502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering DockableFrameVisibilityChanged event by application
P&ID Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application P&ID Modeler
(502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application P&ID Modeler
(502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application P&ID Modeler
(502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering DocumentClosed event by application P&ID Modeler
(502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering DocumentCreated event by application P&ID Modeler
(502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering FamilyLoadingIntoDocument event by application P&ID
Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering FamilyLoadedIntoDocument event by application P&ID
Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering ApplicationClosing event by application P&ID Modeler
(502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering TransferringProjectStandards event by application
P&ID Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering TransferredProjectStandards event by application
P&ID Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering Idling event by application P&ID Modeler
(502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering DocumentSynchronizingWithCentral event by
application P&ID Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Registering DocumentSynchronizedWithCentral event by application
P&ID Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< Third Party Updater 'P&ID Modeler: RevitModelingHost.PipePropertyUpdater'
registered for all documents.
' 0:< Third Party Updater 'P&ID Modeler:
RevitModelingHost.AccessoryAndEquipmentPropertyUpdater' registered for all
documents.
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_PNID_MODELER' CanExecute
implementation with implementation from application 'P&ID Modeler' dll 'C:\Program
Files\Autodesk\Revit 2025\AddIns\PnIDModeler\Autodesk.PnIDModeler.Application.dll'.
```

```
}
' 0:< API_SUCCESS { API registering command P&ID Modeler CanExecute event by
application P&ID Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_PNID_MODELER' Executed
implementation with implementation from application 'P&ID Modeler' dll 'C:\Program
Files\Autodesk\Revit 2025\AddIns\PnIDModeler\Autodesk.PnIDModeler.Application.dll'.
}
' 0:< API_SUCCESS { API registering command P&ID Modeler Executed event by
application P&ID Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_PNID_SETTINGS' CanExecute
implementation with implementation from application 'P&ID Modeler' dll 'C:\Program
Files\Autodesk\Revit 2025\AddIns\PnIDModeler\Autodesk.PnIDModeler.Application.dll'.
}
' 0:< API_SUCCESS { API registering command P&ID Settings CanExecute event by
application P&ID Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_PNID_SETTINGS' Executed
implementation with implementation from application 'P&ID Modeler' dll 'C:\Program
Files\Autodesk\Revit 2025\AddIns\PnIDModeler\Autodesk.PnIDModeler.Application.dll'.
}
' 0:< API_SUCCESS { API registering command P&ID Settings Executed event by
application P&ID Modeler (502fe383-2648-4e98-adf8-5e604719dc34). }
' 0:< API_SUCCESS { Starting External Application: P&ID Modeler, Class:
RevitModelingHost.RevitPnIDIteropRibbonPanel, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=P%26ID%20Modeler&s
ort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:
Autodesk.PnIDModeler.Application.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_ERROR { : Assembly version conflict in some references in
Autodesk.PointCloudSnappingServer.Application.dll assembly
'Addin's module WindowsBase of version 4.0.0.0 conflicts with same preloaded module
of version 8.0.0.0 }
' 0:< API_SUCCESS { Registered an external server: Name(PointCloudSnappingServer);
VendorId(ADSK); ServerId(85f4b666-8811-4e3d-9ed4-3d2ae4cd2e4c);
ServiceId(aaa05780-790c-43dc-bc41-1c2150227f45) }
  'E 07-Mar-2026 18:46:40.452;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
85f4b666-8811-4e3d-9ed4-3d2ae4cd2e4c Rvt.Attr.ExternalService:
aaa05780-790c-43dc-bc41-1c2150227f45
' 0:< Third Party Updater 'PointCloudSnappingServer: Snapping Pipe Updater'
registered for all documents.
' 0:< API_SUCCESS { Starting External Application: PointCloudSnappingServer, Class:
PointCloudSnappingServer.Application, Vendor : ADSK(Autodesk, www.autodesk.com),
Assembly: Autodesk.PointCloudSnappingServer.Application.dll,  Assembly Version:
25.4.30.30 }
' 0:< API_ERROR { : Assembly version conflict in some references in
Autodesk.Precast.Application.dll assembly
'Addin's module RevitAPI of version 25.0.0.0 conflicts with same preloaded module of
version 25.4.30.0
'Addin's module RevitAPIUI of version 25.0.0.0 conflicts with same preloaded module
of version 25.4.30.0 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Precast
```

```
for Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
' 0:< ::42:: Delta VM: Avail -21 -> 133881937 MB, Used +2 -> 275 MB, Peak +1 -> 275
MB; RAM: Avail -7 -> 16682 MB, Used +5 -> 613 MB, Peak +5 -> 613 MB
' 0:< GUI Resource Usage GDI: Avail 9751, Used 249, User: Used 184
' 0:< API_SUCCESS { Added pushbutton Id: 6400, name: Split, text: Split, class:
Adsk.RPCA.Commands.CmdSplit, assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\Precast\Autodesk.Precast.Commands.dll, parentId: PanelParts }
' 0:< API_SUCCESS { Added pushbutton Id: 6401, name: PRECAST_INTERNAL_UPDATE, text:
PRECAST_INTERNAL_UPDATE, class: Adsk.RPCA.Commands.CmdPrecastUpdate, assembly:
C:\Program Files\Autodesk\Revit 2025\AddIns\Precast\Autodesk.Precast.Commands.dll,
parentId: PanelParts }
' 0:< API_SUCCESS { Added pushbutton Id: 6402, name: MountingParts, text: Mounting
'Parts, class: Adsk.RPCA.Commands.CmdAddMountingPartsToAssembly, assembly:
C:\Program Files\Autodesk\Revit 2025\AddIns\Precast\Autodesk.Precast.Commands.dll,
parentId: PanelConnections }
' 0:< API_SUCCESS { Added pushbutton Id: 6403, name: Reinforcement, text:
Reinforcement, class: Adsk.RPCA.Commands.CmdCreateRebar, assembly: C:\Program
Files\Autodesk\Revit 2025\AddIns\Precast\Autodesk.Precast.Commands.dll, parentId:
panelReinforcement }
' 0:< API_SUCCESS { Added pushbutton Id: 6404, name: CustomFabricSheet, text: Custom
'Fabric Sheet, class: Adsk.RPCA.Commands.CmdConvertRebar, assembly: C:\Program
Files\Autodesk\Revit 2025\AddIns\Precast\Autodesk.Precast.Commands.dll, parentId:
panelReinforcement }
' 0:< API_SUCCESS { Added pushbutton Id: 6405, name: CFSConfig, text: CFS Config,
class: Adsk.RPCA.Commands.CmdCFSConfig, assembly: C:\Program Files\Autodesk\Revit
2025\AddIns\Precast\Autodesk.Precast.Commands.dll, parentId: panelReinforcement }
' 0:< API_SUCCESS { Added pushbutton Id: 6406, name: ShopDrawings, text: Shop
'Drawings, class: Adsk.RPCA.Commands.CmdShopDrawing, assembly: C:\Program
Files\Autodesk\Revit 2025\AddIns\Precast\Autodesk.Precast.Commands.dll, parentId:
panelConstruction }
' 0:< API_SUCCESS { Added pushbutton Id: 6407, name: CAMExport, text: CAM
'Export, class: Adsk.RPCA.Commands.CmdCreateMachineData, assembly: C:\Program
Files\Autodesk\Revit 2025\AddIns\Precast\Autodesk.Precast.Commands.dll, parentId:
panelConstruction }
' 0:< API_SUCCESS { Added pushbutton Id: 6408, name: Configuration, text:
Configuration, class: Adsk.RPCA.Commands.CmdConfig, assembly: C:\Program
Files\Autodesk\Revit 2025\AddIns\Precast\Autodesk.Precast.Commands.dll, parentId:
PanelConfiguration }
' 0:< API_SUCCESS { Added pushbutton Id: 6409, name: DisablePrecastUpdates, text:
Disable, class: Adsk.RPCA.Commands.DisableUpdater, assembly: C:\Program
Files\Autodesk\Revit 2025\AddIns\Precast\Autodesk.Precast.Commands.dll, parentId:
CustomCtrl_%panelTurnOff%Precast Updates }
' 0:< API_SUCCESS { Added pushbutton Id: 6410, name: EnablePrecastUpdates, text:
Enable, class: Adsk.RPCA.Commands.EnableUpdater, assembly: C:\Program
Files\Autodesk\Revit 2025\AddIns\Precast\Autodesk.Precast.Commands.dll, parentId:
CustomCtrl_%panelTurnOff%Precast Updates }
' 0:< API_SUCCESS { Registering DocumentOpened event by application Precast for
Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
' 0:< API_SUCCESS { Registering DocumentCreated event by application Precast for
Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
```

```
' 0:< API_SUCCESS { Registering DocumentClosing event by application Precast for
Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application Precast for
Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
' 0:< API_SUCCESS { Registering DocumentSynchronizingWithCentral event by
application Precast for Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
' 0:< API_SUCCESS { Registering DocumentSynchronizedWithCentral event by application
Precast for Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
' 0:< API_SUCCESS { Registering DocumentReloadingLatest event by application Precast
for Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
' 0:< API_SUCCESS { Registering DocumentReloadedLatest event by application Precast
for Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
' 0:< API_SUCCESS { Registering DocumentSaving event by application Precast for
Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
' 0:< API_SUCCESS { Registering DocumentSavingAs event by application Precast for
Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
' 0:< API_SUCCESS { Starting External Application: Precast for Revit, Class:
Adsk.RPCA.Core.PrecastStartup, Vendor : RPCA(Autodesk, www.autodesk.com), Assembly:
Autodesk.Precast.Application.dll,  Assembly Version: 25.0.24108.6 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Revit
ProjectBrowser (a27e018a-670c-4b00-9347-5f72cee54e21). }
' 0:< API_SUCCESS { Registering ThemeChanged event by application Revit
ProjectBrowser (a27e018a-670c-4b00-9347-5f72cee54e21). }
' 0:< API_SUCCESS { Registering DockableFrameVisibilityChanged event by application
Revit ProjectBrowser (a27e018a-670c-4b00-9347-5f72cee54e21). }
' 0:< API_SUCCESS { Registering ViewActivated event by application Revit
ProjectBrowser (a27e018a-670c-4b00-9347-5f72cee54e21). }
' 0:< API_SUCCESS { Registering DockableFrameFocusChanged event by application Revit
ProjectBrowser (a27e018a-670c-4b00-9347-5f72cee54e21). }
' 0:< API_SUCCESS { Registering DocumentSavedAs event by application Revit
ProjectBrowser (a27e018a-670c-4b00-9347-5f72cee54e21). }
' 0:< API_SUCCESS { Registering ProjectBrowserDataChanged event by application Revit
ProjectBrowser (a27e018a-670c-4b00-9347-5f72cee54e21). }
' 0:< API_SUCCESS { Starting External Application: Revit ProjectBrowser, Class:
ProjectBrowser.Application, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=shared%20views&p=REVITPRODUCTS&sor
t=score), Assembly: Autodesk.Revit.ProjectBrowser.Application.dll,  Assembly
Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_REBAR_EDIT_SPLICE_LENGTHS' Executed
implementation with implementation from application 'Rebar Splice UI' dll
'C:\Program Files\Autodesk\Revit 2025\AddIns\Rebar\Autodesk.RebarSplice.UI.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application Rebar
Splice UI (d5088632-adca-4c23-8ce7-c0ea6f2e1ed4). }
' 0:< API_SUCCESS { Replacing command id 'ID_SPLICE_REBAR_DRAW_LINES' Executed
implementation with implementation from application 'Rebar Splice UI' dll
'C:\Program Files\Autodesk\Revit 2025\AddIns\Rebar\Autodesk.RebarSplice.UI.dll'. }
' 0:< API_SUCCESS { API registering command Draw Splice lines Executed event by
application Rebar Splice UI (d5088632-adca-4c23-8ce7-c0ea6f2e1ed4). }
' 0:< API_SUCCESS { Starting External Application: Rebar Splice UI, Class:
RebarSpliceUI.RebarSpliceUIApp, Vendor : ADSK(), Assembly:
```

Autodesk.RebarSplice.UI.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_NUMBERING_REINF_PARTITIONS' Executed implementation with implementation from application 'Reinforcement Numbering' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\Rebar\Autodesk.ReinforcementNumbering.Application.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application Reinforcement Numbering (32b5860a-aec9-4df7-96b0-07168b27446e). }
' 0:< API_SUCCESS { Replacing command id 'ID_NUMBERING_REINF_PARTITIONS' CanExecute implementation with implementation from application 'Reinforcement Numbering' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\Rebar\Autodesk.ReinforcementNumbering.Application.dll'. }
' 0:< API_SUCCESS { API registering command CanExecute event by application Reinforcement Numbering (32b5860a-aec9-4df7-96b0-07168b27446e). }
' 0:< API_SUCCESS { Starting External Application: Reinforcement Numbering, Class: BIM.Numbering.UI.ReinforcementNumberingApplication, Vendor : ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Reinforcement%20Numbering&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly: Autodesk.ReinforcementNumbering.Application.dll, Assembly Version: 25.4.30.30 }
' 0:< API_ERROR { : Assembly version conflict in some references in Autodesk.ResultsBuilder.DBApplication.dll assembly
'Addin's module RevitAPI of version 25.0.0.0 conflicts with same preloaded module of version 25.4.30.0
'Addin's module RevitAPIUI of version 25.0.0.0 conflicts with same preloaded module of version 25.4.30.0 }
' 0:< API_SUCCESS { Starting External Application: Results Builder UI Application, Class: Autodesk.Revit.UI.ResultsBuilder.Provider.Application, Vendor : ADSK(ADSK, www.autodesk.com), Assembly: Autodesk.ResultsBuilder.DBApplication.dll, Assembly Version: 2025.0.0.5215 }
' 0:< API_ERROR { : Assembly version conflict in some references in Autodesk.ResultsExplorer.Application.dll assembly
'Addin's module RevitAPI of version 25.0.0.0 conflicts with same preloaded module of version 25.4.30.0
'Addin's module Autodesk.ResultsBuilder.DBApplication of version 0.0.0.0 conflicts with same preloaded module of version 2025.0.0.0
'Addin's module RevitAPIUI of version 25.0.0.0 conflicts with same preloaded module of version 25.4.30.0
'Addin's module Autodesk.StructuralRibbon.Application of version 0.0.0.0 conflicts with same preloaded module of version 2025.0.0.0 }
' 0:< API_SUCCESS { Registering DocumentCreated event by application Results Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application Results Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application Results Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
' 0:< API_SUCCESS { Registering DocumentClosed event by application Results Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
' 0:< API_SUCCESS { Registering DocumentSavedAs event by application Results Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
' 0:< API_SUCCESS { Registering ViewActivated event by application Results Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }

```
' 0:< API_SUCCESS { Registering DocumentChanged event by application Results
Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
' 0:< Third Party Updater 'Results Explorer: Results Explorer loads updater'
registered for all documents.
' 0:< ::42:: Delta VM: Avail -10 -> 133881928 MB, Used +3 -> 278 MB, Peak +5 -> 281
MB; RAM: Avail +11 -> 16693 MB, Used +6 -> 619 MB, Peak +8 -> 621 MB
' 0:< GUI Resource Usage GDI: Avail 9733, Used 267, User: Used 185
' 0:< API_SUCCESS { Starting External Application: Results Explorer, Class:
ResultsExplorer.Addin.StartUpApp, Vendor : adsk(), Assembly:
Autodesk.ResultsExplorer.Application.dll,  Assembly Version: 2025.0.0.5215 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application
Revisions on Sheet (3ea6fd0a-2ac2-40ab-9250-481384c15e86). }
' 0:< API_SUCCESS { Starting External Application: Revisions on Sheet, Class:
RevisionsOnSheetUI.RevisionsOnSheetUIApplication, Vendor : ADSK(Autodesk,
www.autodesk.com), Assembly: Autodesk.RevisionsOnSheetUI.dll,  Assembly Version:
25.4.30.30 }
' 0:< API_SUCCESS { Registering ApplicationClosing event by application Cloud
Rendering (d4f6554b-5d68-4a13-beec-4a0647c34408). }
' 0:< API_SUCCESS { Replacing command id 'ID_PHOTO_RENDER_IN_CLOUD' Executed
implementation with implementation from application 'Cloud Rendering' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\RaaSForRevit\Autodesk.Revit.CloudRendering.Application.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application Cloud
Rendering (d4f6554b-5d68-4a13-beec-4a0647c34408). }
' 0:< API_SUCCESS { Replacing command id 'ID_PHOTO_RENDER_IN_CLOUD' CanExecute
implementation with implementation from application 'Cloud Rendering' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\RaaSForRevit\Autodesk.Revit.CloudRendering.Application.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application Cloud
Rendering (d4f6554b-5d68-4a13-beec-4a0647c34408). }
' 0:< API_SUCCESS { Replacing command id 'ID_PHOTO_RENDER_GALLERY' Executed
implementation with implementation from application 'Cloud Rendering' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\RaaSForRevit\Autodesk.Revit.CloudRendering.Application.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application Cloud
Rendering (d4f6554b-5d68-4a13-beec-4a0647c34408). }
' 0:< API_SUCCESS { Replacing command id 'ID_PHOTO_RENDER_GALLERY' CanExecute
implementation with implementation from application 'Cloud Rendering' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\RaaSForRevit\Autodesk.Revit.CloudRendering.Application.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application Cloud
Rendering (d4f6554b-5d68-4a13-beec-4a0647c34408). }
' 0:< API_SUCCESS { Starting External Application: Cloud Rendering, Class:
Autodesk.RaaS.RevitAddin.EApplication, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Cloud%20rendering&
sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:
Autodesk.Revit.CloudRendering.Application.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering DocumentOpening event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application
```

```
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering LinkedResourceOpening event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering LinkedResourceOpened event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering WorksharedOperationProgressChanged event by
application Autodesk.Revit.CloudWorksharing.UI
(cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering ViewActivated event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering Idling event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering DocumentSynchronizingWithCentral event by
application Autodesk.Revit.CloudWorksharing.UI
(cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering WorksharedOperationProgressChanged event by
application Autodesk.Revit.CloudWorksharing.UI
(cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering DocumentSynchronizedWithCentral event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering DocumentSynchronizingWithCentral event by
application Autodesk.Revit.CloudWorksharing.UI
(cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering DocumentSynchronizedWithCentral event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering ExtendedApiToConfigure event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 0:< API_SUCCESS { Starting External Application:
Autodesk.Revit.CloudWorksharing.UI, Class:
Autodesk.Revit.CloudWorksharing.UI.CloudWorksharingUiApplication, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=
score), Assembly: Autodesk.Revit.CloudWorksharing.UI.dll,  Assembly Version:
25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(CloudModelUIServer);
VendorId(ADSK); ServerId(db8bdb78-46d9-412e-a3d5-ee74c2c419f9);
ServiceId(9111ab07-9bd9-4b68-a01f-c0a0dcae1564) }
  'E 07-Mar-2026 18:46:40.995;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
db8bdb78-46d9-412e-a3d5-ee74c2c419f9 Rvt.Attr.ExternalService:
9111ab07-9bd9-4b68-a01f-c0a0dcae1564
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Replacing command id 'ID_REVIT_FILE_SAVE_AS_CLOUD_MODEL'
Executed implementation with implementation from application 'Revit Application
Home' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\ModelBrowser\Autodesk.RevitApplicationHome.Application.dll'. }
```

```
' 0:< API_SUCCESS { API registering command  Executed event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Replacing command id 'ID_REVIT_FILE_SAVE_AS_CLOUD_MODEL'
CanExecute implementation with implementation from application 'Revit Application
Home' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\ModelBrowser\Autodesk.RevitApplicationHome.Application.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Replacing command id 'ID_COLLABORATE' Executed implementation
with implementation from application 'Revit Application Home' dll 'C:\Program
Files\Autodesk\Revit
2025\AddIns\ModelBrowser\Autodesk.RevitApplicationHome.Application.dll'. }
' 0:< API_SUCCESS { API registering command Collaborate Executed event by
application Revit Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Replacing command id 'ID_COLLABORATE' CanExecute implementation
with implementation from application 'Revit Application Home' dll 'C:\Program
Files\Autodesk\Revit
2025\AddIns\ModelBrowser\Autodesk.RevitApplicationHome.Application.dll'. }
' 0:< API_SUCCESS { API registering command Collaborate CanExecute event by
application Revit Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Replacing command id 'ID_COLLABORATE_360' Executed
implementation with implementation from application 'Revit Application Home' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\ModelBrowser\Autodesk.RevitApplicationHome.Application.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Replacing command id 'ID_COLLABORATE_360' CanExecute
implementation with implementation from application 'Revit Application Home' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\ModelBrowser\Autodesk.RevitApplicationHome.Application.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Replacing command id 'ID_FILE_OPEN_CLOUD_MODEL' Executed
implementation with implementation from application 'Revit Application Home' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\ModelBrowser\Autodesk.RevitApplicationHome.Application.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Replacing command id 'ID_FILE_OPEN_CLOUD_MODEL' CanExecute
implementation with implementation from application 'Revit Application Home' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\ModelBrowser\Autodesk.RevitApplicationHome.Application.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Registering ThemeChanged event by application Revit Application
Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Registering UserInterfaceOptionsChanged event by application
Revit Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Registering RecentPinStatusChanged event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
```

```
' 0:< API_SUCCESS { Registering ProjectVisibilityOptionsChanged event by application
Revit Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Registering DocumentSaved event by application Revit Application
Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Registering DocumentSavedAs event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Registering DocumentSynchronizedWithCentral event by application
Revit Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Revit
Application Home (2b185467-5243-4cea-9148-aab8e5523c2a). }
' 0:< ::43:: Delta VM: Avail -2 -> 133881927 MB, Used -10 -> 269 MB; RAM: Avail +10
-> 16704 MB, Used -8 -> 611 MB
' 0:< GUI Resource Usage GDI: Avail 9732, Used 268, User: Used 185
' 0:< API_SUCCESS { Starting External Application: Revit Application Home, Class:
ModelBrowser.ModelBrowserApplication, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=
score), Assembly: Autodesk.RevitApplicationHome.Application.dll,  Assembly Version:
25.4.30.30 }
' 0:< Shared views dockable pane is registered successfully!
' 0:< API_SUCCESS { Replacing command id 'ID_SHARED_VIEWS' Executed implementation
with implementation from application 'Revit Shared Views' dll 'C:\Program
Files\Autodesk\Revit
2025\AddIns\SharedViews\Autodesk.Revit.SharedViews.Application.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application Revit
Shared Views (99a96123-184e-48a7-89bf-0ef1418cc63c). }
' 0:< API_SUCCESS { Replacing command id 'ID_SHARED_VIEWS' CanExecute implementation
with implementation from application 'Revit Shared Views' dll 'C:\Program
Files\Autodesk\Revit
2025\AddIns\SharedViews\Autodesk.Revit.SharedViews.Application.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application Revit
Shared Views (99a96123-184e-48a7-89bf-0ef1418cc63c). }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Revit
Shared Views (99a96123-184e-48a7-89bf-0ef1418cc63c). }
' 0:< API_SUCCESS { Registering ViewActivated event by application Revit Shared
Views (99a96123-184e-48a7-89bf-0ef1418cc63c). }
' 0:< API_SUCCESS { Registering ThemeChanged event by application Revit Shared Views
(99a96123-184e-48a7-89bf-0ef1418cc63c). }
' 0:< API_SUCCESS { Starting External Application: Revit Shared Views, Class:
SharedViews.Application, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=shared%20views&p=REVITPRODUCTS&sor
t=score), Assembly: Autodesk.Revit.SharedViews.Application.dll,  Assembly Version:
25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_MULTIPLE_PATHS' CanExecute
implementation with implementation from application 'Route Analysis' dll 'C:\Program
Files\Autodesk\Revit
2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application Route
Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
```

' 0:< API_SUCCESS { Replacing command id 'ID_MULTIPLE_PATHS' Executed implementation with implementation from application 'Route Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Replacing command id 'ID_ONE_WAY_INDICATOR' CanExecute implementation with implementation from application 'Route Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command CanExecute event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Replacing command id 'ID_ONE_WAY_INDICATOR' Executed implementation with implementation from application 'Route Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Replacing command id 'ID_PEOPLE_CONTENT' CanExecute implementation with implementation from application 'Route Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command CanExecute event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Replacing command id 'ID_PEOPLE_CONTENT' Executed implementation with implementation from application 'Route Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Replacing command id 'ID_SPATIAL_GRID' CanExecute implementation with implementation from application 'Route Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command CanExecute event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Replacing command id 'ID_SPATIAL_GRID' Executed implementation with implementation from application 'Route Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Replacing command id 'ID_ROUTE_ANALYSIS_SETTINGS' CanExecute implementation with implementation from application 'Route Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command Route Analysis Settings CanExecute event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Replacing command id 'ID_ROUTE_ANALYSIS_SETTINGS' Executed implementation with implementation from application 'Route Analysis' dll 'C:\Program

Files\Autodesk\Revit
2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command Route Analysis Settings Executed event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Replacing command id 'ID_DEBUG_PATH_OF_TRAVEL_DISTANCE_MAP_MODE' CanExecute implementation with implementation from application 'Route Analysis' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command CanExecute event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Replacing command id 'ID_DEBUG_PATH_OF_TRAVEL_DISTANCE_MAP_MODE' Executed implementation with implementation from application 'Route Analysis' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\RouteAnalysis\Autodesk.RouteAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application Route Analysis (13641868-6e6e-4610-9258-061b3b6f0421). }
' 0:< API_SUCCESS { Starting External Application: Route Analysis, Class: RouteAnalysisUI.RouteAnalysisUIApplication, Vendor : ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Path%20of%20Travel&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly: Autodesk.RouteAnalysis.Application.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(SectionTypeParameterServer); VendorId(ADSK); ServerId(1b91ce46-ddb4-44ec-a942-d45efadde353); ServiceId(c42c9b55-c491-4611-97e9-9e617958e13e) }
  'E 07-Mar-2026 18:46:41.145;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer: 1b91ce46-ddb4-44ec-a942-d45efadde353 Rvt.Attr.ExternalService: c42c9b55-c491-4611-97e9-9e617958e13e
' 0:< API_SUCCESS { Starting External Application: Structural Section Properties, Class: SectionProperties.ServerApp, Vendor : ADSK(Autodesk, www.autodesk.com), Assembly: Autodesk.SectionProperties.Application.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_SPACE_NAMING_UTILITY' CanExecute implementation with implementation from application 'Space Naming Utility Application' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\SpaceNaming\Autodesk.SpaceNaming.Application.dll'. }
' 0:< API_SUCCESS { API registering command Space Naming Utility CanExecute event by application Space Naming Utility Application (02663093-563b-4e2f-b5be-5b75beb2e313). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_SPACE_NAMING_UTILITY' Executed implementation with implementation from application 'Space Naming Utility Application' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\SpaceNaming\Autodesk.SpaceNaming.Application.dll'. }
' 0:< API_SUCCESS { API registering command Space Naming Utility Executed event by application Space Naming Utility Application (02663093-563b-4e2f-b5be-5b75beb2e313). }
' 0:< API_SUCCESS { Starting External Application: Space Naming Utility Application, Class: SpaceNaming.Command, Vendor : ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Space%20Naming&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:

```
Autodesk.SpaceNaming.Application.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_EXT_ENTITY_RB_SAVE_AS' Executed
implementation with implementation from application 'Steel Connections UI extension'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\SteelConnections\Autodesk.SteelConnectionsUI.dll'. }
' 0:< API_SUCCESS { API registering command Save
'Advance Steel Executed event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { Replacing command id 'ID_EXT_ENTITY_RB_SAVE_AS' CanExecute
implementation with implementation from application 'Steel Connections UI extension'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\SteelConnections\Autodesk.SteelConnectionsUI.dll'. }
' 0:< API_SUCCESS { API registering command Save
'Advance Steel CanExecute event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Copy the selection and put it on the
Clipboard
'Copy to Clipboard (Ctrl+C) BeforeExecuted event by application Steel Connections UI
extension (16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Cut the selection and put it on the
Clipboard
'Cut (Ctrl+X) BeforeExecuted event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Save selection to a new file.
'Save Selection to File BeforeExecuted event by application Steel Connections UI
extension (16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Move copies of selected objects
'Copy BeforeExecuted event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Rotate selected object(s)
'Rotate BeforeExecuted event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Define a new center of rotation.
BeforeExecuted event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Mirror selected object(s)
'Mirror BeforeExecuted event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Offset walls and lines.
'Offset BeforeExecuted event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Create a line
'Mirror BeforeExecuted event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Insert Clipboard contents
'Paste from Clipboard (Ctrl+V) BeforeExecuted event by application Steel Connections
UI extension (16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command  BeforeExecuted event by application
Steel Connections UI extension (16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Insert Clipboard contents in the active
```

```
view in the same position as the original objects
'Paste Aligned BeforeExecuted event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Click on level you want to paste to
'Pick Level BeforeExecuted event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Select levels you want to paste to by
name
'Select Levels by Name BeforeExecuted event by application Steel Connections UI
extension (16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { API registering command Insert Clipboard contents in the same
place as the original objects
'Same Place BeforeExecuted event by application Steel Connections UI extension
(16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { Registering ViewActivated event by application Steel Connections
UI extension (16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { Registering Idling event by application Steel Connections UI
extension (16cd5a3b-d481-4fb3-8355-848d4933e850). }
' 0:< API_SUCCESS { Registered an external server:
Name(ModifyConnectionParametersServer); VendorId(ADSK);
ServerId(d81402f0-e558-4434-89a8-30ec1f52a4d0);
ServiceId(e9c0f948-320e-4e7f-a573-10755555305d) }
  'E 07-Mar-2026 18:46:41.244;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
d81402f0-e558-4434-89a8-30ec1f52a4d0 Rvt.Attr.ExternalService:
e9c0f948-320e-4e7f-a573-10755555305d
' 0:< API_SUCCESS { Registered an external server: Name(HoleDefinitionServer);
VendorId(ADSK); ServerId(9d39d4fe-6e5f-4088-8655-b349d00e864a);
ServiceId(9d39d4fe-6e5f-4088-8655-b349d00e864a) }
  'E 07-Mar-2026 18:46:41.247;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
9d39d4fe-6e5f-4088-8655-b349d00e864a Rvt.Attr.ExternalService:
9d39d4fe-6e5f-4088-8655-b349d00e864a
' 0:< API_SUCCESS { Registered an external server:
Name(ModifyConnectionRangesServer); VendorId(ADSK);
ServerId(f04d2d31-5d7d-4ec0-8a2b-c52fbd6d83c5);
ServiceId(f04d2d31-5d7d-4ec0-8a2b-c52fbd6d83c5) }
  'E 07-Mar-2026 18:46:41.249;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
f04d2d31-5d7d-4ec0-8a2b-c52fbd6d83c5 Rvt.Attr.ExternalService:
f04d2d31-5d7d-4ec0-8a2b-c52fbd6d83c5
' 0:< ::47:: Delta VM: Avail -5 -> 133881922 MB, Used -1 -> 268 MB; RAM: Avail -16
-> 16689 MB, Used +0 -> 612 MB
' 0:< GUI Resource Usage GDI: Avail 9732, Used 268, User: Used 185
' 0:< API_SUCCESS { Starting External Application: Steel Connections UI extension,
Class: Autodesk.SteelConnectionsUI.SteelConnection, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=detailed%20steel%20modeling&p=REVI
TPRODUCTS&sort=score), Assembly: Autodesk.SteelConnectionsUI.dll,  Assembly Version:
25.4.30.30 }
' 0:< API_ERROR { : Assembly version conflict in some references in
```

Autodesk.StructuralRibbon.Application.dll assembly
'Addin's module RevitAPI of version 25.0.0.0 conflicts with same preloaded module of version 25.4.30.0
'Addin's module RevitAPIUI of version 25.0.0.0 conflicts with same preloaded module of version 25.4.30.0 }
' 0:< API_SUCCESS { Registering Idling event by application StructuralRibbon (844fae81-bbed-4b1e-aa6f-06ef261f6096). }
' 0:< API_SUCCESS { Starting External Application: StructuralRibbon, Class: Autodesk.Revit.UI.StructuralRibbon.Application, Vendor : ADSK(ADSK, www.autodesk.com), Assembly: Autodesk.StructuralRibbon.Application.dll, Assembly Version: 2025.0.0.5215 }
' 0:< API_ERROR { : Assembly version conflict in some references in Autodesk.TotalCarbonAnalysis.Application.dll assembly
'Addin's module Microsoft.Extensions.DependencyInjection.Abstractions of version 7.0.0.0 conflicts with same preloaded module of version 8.0.0.0 }
' 0:< ::47:: Delta VM: Avail -3 -> 133881920 MB, Used +2 -> 271 MB; RAM: Avail -38 -> 16651 MB, Used +11 -> 623 MB, Peak +1 -> 623 MB
' 0:< GUI Resource Usage GDI: Avail 9732, Used 268, User: Used 185
' 0:< API_SUCCESS { Added pushbutton Id: 6411, name: idRunCarbonAnalysis, text: Analyze, class: Autodesk.TotalCarbonAnalysis.Commands.RunCarbonAnalysisCmd, assembly: C:\Program Files\Autodesk\Carbon Insights for Revit 2025\Autodesk.TotalCarbonAnalysis.Application.dll, parentId: idCarbonAnalysis }
' 0:< API_SUCCESS { Added pushbutton Id: 6412, name: idShowCarbonAnalysis, text: View, class: Autodesk.TotalCarbonAnalysis.Commands.ShowCarbonAnalysisCmd, assembly: C:\Program Files\Autodesk\Carbon Insights for Revit 2025\Autodesk.TotalCarbonAnalysis.Application.dll, parentId: idCarbonAnalysis }
' 0:< API_SUCCESS { Registering ThemeChanged event by application Insights (6addacbc-45f6-47c0-bd95-43881c2d0d6e). }
' 0:< API_SUCCESS { Starting External Application: Insights, Class: Autodesk.TotalCarbonAnalysis.Application, Vendor : ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Systems%20Analysis&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly: C:\Program Files\Autodesk\Carbon Insights for Revit 2025\Autodesk.TotalCarbonAnalysis.Application.dll, Assembly Version: 25.4.30.30 }
' 0:< API_ERROR { : Assembly version conflict in some references in Autodesk.TwinmotionForRevit.dll assembly
'Addin's module Autodesk.UI.Windows of version 4.0.0.0 conflicts with same preloaded module of version 3.2.0.0 }
' 0:< API_SUCCESS { Replacing command id 'ID_OPEN_IN_TWINMOTION' CanExecute implementation with implementation from application 'TwinmotionForRevit' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command CanExecute event by application TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_OPEN_IN_TWINMOTION' Executed implementation with implementation from application 'TwinmotionForRevit' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }

```
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_DIRECT_LINK_AUTOSYNC_ENABLE'
CanExecute implementation with implementation from application 'TwinmotionForRevit'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_DIRECT_LINK_AUTOSYNC_ENABLE'
Executed implementation with implementation from application 'TwinmotionForRevit'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id
'ID_TWINMOTION_DIRECT_LINK_AUTOSYNC_DISABLE' CanExecute implementation with
implementation from application 'TwinmotionForRevit' dll 'C:\Program
Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id
'ID_TWINMOTION_DIRECT_LINK_AUTOSYNC_DISABLE' Executed implementation with
implementation from application 'TwinmotionForRevit' dll 'C:\Program
Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_DIRECT_LINK_SYNCHRONIZE'
CanExecute implementation with implementation from application 'TwinmotionForRevit'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_DIRECT_LINK_SYNCHRONIZE'
Executed implementation with implementation from application 'TwinmotionForRevit'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_DIRECT_LINK_CONNECTIONS'
CanExecute implementation with implementation from application 'TwinmotionForRevit'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_DIRECT_LINK_CONNECTIONS'
Executed implementation with implementation from application 'TwinmotionForRevit'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
```

```
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_EXPORT_TO_DATASMITH_FILE'
CanExecute implementation with implementation from application 'TwinmotionForRevit'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_EXPORT_TO_DATASMITH_FILE'
Executed implementation with implementation from application 'TwinmotionForRevit'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_MESSAGES' CanExecute
implementation with implementation from application 'TwinmotionForRevit' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_MESSAGES' Executed
implementation with implementation from application 'TwinmotionForRevit' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_SETTINGS' CanExecute
implementation with implementation from application 'TwinmotionForRevit' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_SETTINGS' Executed
implementation with implementation from application 'TwinmotionForRevit' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_SUB_SETTINGS' CanExecute
implementation with implementation from application 'TwinmotionForRevit' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Replacing command id 'ID_TWINMOTION_SUB_SETTINGS' Executed
implementation with implementation from application 'TwinmotionForRevit' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\TwinmotionForRevit\Autodesk.TwinmotionForRevit.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application
TwinmotionForRevit (e90df5ab-5793-4af0-94eb-62b29afd09c3). }
' 0:< API_SUCCESS { Starting External Application: TwinmotionForRevit, Class:
TwinmotionForRevit.TwinmotionApplication, Vendor : ADSK(Autodesk, www.autodesk.com),
```

```
Assembly: Autodesk.TwinmotionForRevit.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(ExternalParameterServer);
VendorId(ADSK); ServerId(5e2522de-e9f0-44dd-8ea3-c9b80609adce);
ServiceId(0d4ef84e-987b-4106-9a53-2b460ec38abc) }
  'E 07-Mar-2026 18:46:43.034;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
5e2522de-e9f0-44dd-8ea3-c9b80609adce Rvt.Attr.ExternalService:
0d4ef84e-987b-4106-9a53-2b460ec38abc
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application Unified
Parameters (da99759f-83c7-4706-95b0-39f564b21044). }
' 0:< API_SUCCESS { Starting External Application: Unified Parameters, Class:
UnifiedParameters.EApplication, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=unified%20parameters&p=REVITPRODUC
TS&sort=score), Assembly: Autodesk.UnifiedParameters.Application.dll,  Assembly
Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering ApplicationInitialized event by application
ViewSheetSet UI (e75db57c-4434-4015-8dcf-9ec315b472a7). }
' 0:< API_SUCCESS { Starting External Application: ViewSheetSet UI, Class:
Autodesk.Revit.Addin.ViewSheetSetUI.ViewSheetSetUIApp, Vendor :
ADSK(https://www.autodesk.com), Assembly: Autodesk.ViewSheetSetUI.dll,  Assembly
Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(AutodeskDriveUI);
VendorId(ADSK); ServerId(314de911-0991-4787-a0fd-914be9138034);
ServiceId(1fe75ba7-79d4-45f6-8e31-c1b83d4476a9) }
  'E 07-Mar-2026 18:46:43.117;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
314de911-0991-4787-a0fd-914be9138034 Rvt.Attr.ExternalService:
1fe75ba7-79d4-45f6-8e31-c1b83d4476a9
' 0:< API_SUCCESS { Starting External Application: ConnectedDesktopUI, Class:
ConnectedDesktopUI.ServerApp, Vendor : ADSK(Autodesk, www.autodesk.com), Assembly:
ConnectedDesktopUI.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registering Idling event by application Dynamo For Revit
(8d83c886-b739-4acd-a9db-1bc78f315b2b). }
' 0:< API_SUCCESS { Registering ViewActivated event by application Dynamo For Revit
(8d83c886-b739-4acd-a9db-1bc78f315b2b). }
' 0:< API_SUCCESS { Registering ViewActivating event by application Dynamo For Revit
(8d83c886-b739-4acd-a9db-1bc78f315b2b). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application Dynamo For
Revit (8d83c886-b739-4acd-a9db-1bc78f315b2b). }
' 0:< API_SUCCESS { Registering DocumentClosed event by application Dynamo For Revit
(8d83c886-b739-4acd-a9db-1bc78f315b2b). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application Dynamo For Revit
(8d83c886-b739-4acd-a9db-1bc78f315b2b). }
' 0:< API_SUCCESS { Replacing command id 'ID_VISUAL_PROGRAMMING_DYNAMO' CanExecute
implementation with implementation from application 'Dynamo For Revit' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\DynamoForRevit\Revit/DynamoRevitVersionSelector.dll'. }
' 0:< API_SUCCESS { API registering command Launch Dynamo
'Dynamo CanExecute event by application Dynamo For Revit
(8d83c886-b739-4acd-a9db-1bc78f315b2b). }
```

```
' 0:< API_SUCCESS { API registering command Launch Dynamo
'Dynamo BeforeExecuted event by application Dynamo For Revit
(8d83c886-b739-4acd-a9db-1bc78f315b2b). }
' 0:< API_SUCCESS { Replacing command id 'ID_VISUAL_PROGRAMMING_DYNAMO' Executed
implementation with implementation from application 'Dynamo For Revit' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\DynamoForRevit\Revit/DynamoRevitVersionSelector.dll'. }
' 0:< API_SUCCESS { API registering command Launch Dynamo
'Dynamo Executed event by application Dynamo For Revit
(8d83c886-b739-4acd-a9db-1bc78f315b2b). }
' 0:< Third Party Updater 'Dynamo For Revit: Sun and Shadow Settings Updater'
registered for all documents.
' 0:< API_SUCCESS { Registering DocumentChanged event by application Dynamo For
Revit (8d83c886-b739-4acd-a9db-1bc78f315b2b). }
' 0:< API_SUCCESS { Starting External Application: Dynamo For Revit, Class:
Dynamo.Applications.VersionLoader, Vendor : ADSK(Dynamo), Assembly:
Revit/DynamoRevitVersionSelector.dll,  Assembly Version: 3.3.0.6523 }
' 0:< API_SUCCESS { Replacing command id 'ID_PLAYLIST_DYNAMO' CanExecute
implementation with implementation from application 'Application Dynamo Player For
Revit' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\DynamoPlayerForRevit\Autodesk.DynamoPlayerForRevit.Application.dll'. }
' 0:< API_SUCCESS { API registering command Launch Dynamo Playlist CanExecute event
by application Application Dynamo Player For Revit
(ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Replacing command id 'ID_PLAYLIST_DYNAMO' Executed
implementation with implementation from application 'Application Dynamo Player For
Revit' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\DynamoPlayerForRevit\Autodesk.DynamoPlayerForRevit.Application.dll'. }
' 0:< API_SUCCESS { API registering command Launch Dynamo Playlist Executed event by
application Application Dynamo Player For Revit
(ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Replacing command id 'ID_STEEL_PLAYLIST_DYNAMO' CanExecute
implementation with implementation from application 'Application Dynamo Player For
Revit' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\DynamoPlayerForRevit\Autodesk.DynamoPlayerForRevit.Application.dll'. }
' 0:< API_SUCCESS { API registering command Launch Dynamo Playlist CanExecute event
by application Application Dynamo Player For Revit
(ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Replacing command id 'ID_STEEL_PLAYLIST_DYNAMO' Executed
implementation with implementation from application 'Application Dynamo Player For
Revit' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\DynamoPlayerForRevit\Autodesk.DynamoPlayerForRevit.Application.dll'. }
' 0:< API_SUCCESS { API registering command Launch Dynamo Playlist Executed event by
application Application Dynamo Player For Revit
(ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Replacing command id 'ID_ANALYTICAL_AUTOMATION_PLAYLIST_DYNAMO'
CanExecute implementation with implementation from application 'Application Dynamo
Player For Revit' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\DynamoPlayerForRevit\Autodesk.DynamoPlayerForRevit.Application.dll'. }
' 0:< API_SUCCESS { API registering command Launch Dynamo Playlist CanExecute event
```

by application Application Dynamo Player For Revit
(ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Replacing command id 'ID_ANALYTICAL_AUTOMATION_PLAYLIST_DYNAMO' Executed implementation with implementation from application 'Application Dynamo Player For Revit' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\DynamoPlayerForRevit\Autodesk.DynamoPlayerForRevit.Application.dll'. }
' 0:< API_SUCCESS { API registering command Launch Dynamo Playlist Executed event by application Application Dynamo Player For Revit
(ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Registering ApplicationClosing event by application Application Dynamo Player For Revit (ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Registering Idling event by application Application Dynamo Player For Revit (ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< ::49:: Delta VM: Avail -4 -> 133881917 MB, Used +4 -> 275 MB; RAM: Avail -11 -> 16641 MB, Used +6 -> 630 MB, Peak +6 -> 630 MB
' 0:< GUI Resource Usage GDI: Avail 9732, Used 268, User: Used 185
' 0:< API_SUCCESS { Registering Idling event by application Application Dynamo Player For Revit (ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Registering ViewActivated event by application Application Dynamo Player For Revit (ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application Application Dynamo Player For Revit (ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Registering DocumentSavedAs event by application Application Dynamo Player For Revit (ce565619-a9c6-472d-8c66-34f71b8999cb). }
' 0:< API_SUCCESS { Starting External Application: Application Dynamo Player For Revit, Class: DynamoPlayerForRevit.DynamoPlayerApplication, Vendor : ADSK(Autodesk, www.autodesk.com), Assembly: Autodesk.DynamoPlayerForRevit.Application.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_RUN_SYSTEMS_ANALYSIS' Executed implementation with implementation from application 'Energy Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\EnergyAnalysis\Autodesk.EnergyAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command Run systems analysis. Executed event by application Energy Analysis (f50a2212-f174-4890-84a9-064c3c835c4d). }
' 0:< API_SUCCESS { Replacing command id 'ID_RUN_SYSTEMS_ANALYSIS' CanExecute implementation with implementation from application 'Energy Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\EnergyAnalysis\Autodesk.EnergyAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command Run systems analysis. CanExecute event by application Energy Analysis (f50a2212-f174-4890-84a9-064c3c835c4d). }
' 0:< API_SUCCESS { Replacing command id 'ID_OPERATING_SCHEDULES' Executed implementation with implementation from application 'Energy Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\EnergyAnalysis\Autodesk.EnergyAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command Operating Schedules Executed event by application Energy Analysis (f50a2212-f174-4890-84a9-064c3c835c4d). }
' 0:< API_SUCCESS { Replacing command id 'ID_OPERATING_SCHEDULES' CanExecute implementation with implementation from application 'Energy Analysis' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\EnergyAnalysis\Autodesk.EnergyAnalysis.Application.dll'. }

```
' 0:< API_SUCCESS { API registering command Operating Schedules CanExecute event by
application Energy Analysis (f50a2212-f174-4890-84a9-064c3c835c4d). }
' 0:< API_SUCCESS { Replacing command id 'ID_OPERATING_SCHEDULES_JOURNAL_IGNORED'
Executed implementation with implementation from application 'Energy Analysis' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\EnergyAnalysis\Autodesk.EnergyAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command  Executed event by application Energy
Analysis (f50a2212-f174-4890-84a9-064c3c835c4d). }
' 0:< API_SUCCESS { Replacing command id 'ID_OPERATING_SCHEDULES_JOURNAL_IGNORED'
CanExecute implementation with implementation from application 'Energy Analysis' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\EnergyAnalysis\Autodesk.EnergyAnalysis.Application.dll'. }
' 0:< API_SUCCESS { API registering command  CanExecute event by application Energy
Analysis (f50a2212-f174-4890-84a9-064c3c835c4d). }
' 0:< API_SUCCESS { Starting External Application: Energy Analysis, Class:
EnergyAnalysis.Application, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Systems%20Analysis
&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:
Autodesk.EnergyAnalysis.Application.dll,  Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_VIEWS_FOR_A360' Executed implementation
with implementation from application 'Views For A360' dll
'C:\ProgramData\Autodesk\Revit\Addins\2025\.\ExportViewSelectorAddin\ExportViewSelec
torAddin.dll'. }
' 0:< API_SUCCESS { API registering command Publish Settings Executed event by
application Views For A360 (78bd1446-1817-4842-8075-591b0424acaa). }
' 0:< API_SUCCESS { Replacing command id 'ID_VIEWS_FOR_A360' CanExecute
implementation with implementation from application 'Views For A360' dll
'C:\ProgramData\Autodesk\Revit\Addins\2025\.\ExportViewSelectorAddin\ExportViewSelec
torAddin.dll'. }
' 0:< API_SUCCESS { API registering command Publish Settings CanExecute event by
application Views For A360 (78bd1446-1817-4842-8075-591b0424acaa). }
' 0:< API_SUCCESS { Starting External Application: Views For A360, Class:
Autodesk.Revit.Addin.ExportViewSelector.ExportViewSelectorApp, Vendor :
ADSK(Autodesk, www.autodesk.com), Assembly:
.\ExportViewSelectorAddin\ExportViewSelectorAddin.dll,  Assembly Version: 25.4.30.30
}
' 0:< API_SUCCESS { Registering ViewActivated event by application
FabPartBrowserApplication (ee72acb7-2d70-484e-9cdf-0f7006b1183e). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application
FabPartBrowserApplication (ee72acb7-2d70-484e-9cdf-0f7006b1183e). }
' 0:< API_SUCCESS { Registering DocumentClosed event by application
FabPartBrowserApplication (ee72acb7-2d70-484e-9cdf-0f7006b1183e). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application
FabPartBrowserApplication (ee72acb7-2d70-484e-9cdf-0f7006b1183e). }
' 0:< API_SUCCESS { Registering DockableFrameVisibilityChanged event by application
FabPartBrowserApplication (ee72acb7-2d70-484e-9cdf-0f7006b1183e). }
' 0:< API_SUCCESS { Registering Idling event by application
FabPartBrowserApplication (ee72acb7-2d70-484e-9cdf-0f7006b1183e). }
' 0:< API_SUCCESS { Registering FabricationPartBrowserChanged event by application
FabPartBrowserApplication (ee72acb7-2d70-484e-9cdf-0f7006b1183e). }
```

```
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_FABRICATION_SETTINGS' CanExecute
implementation with implementation from application 'FabPartBrowserApplication' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\FabricationPartBrowser\FabricationPartBrowser.dll'. }
' 0:< API_SUCCESS { API registering command Fabrication Settings CanExecute event by
application FabPartBrowserApplication (ee72acb7-2d70-484e-9cdf-0f7006b1183e). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_FABRICATION_SETTINGS' Executed
implementation with implementation from application 'FabPartBrowserApplication' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\FabricationPartBrowser\FabricationPartBrowser.dll'. }
' 0:< API_SUCCESS { API registering command Fabrication Settings Executed event by
application FabPartBrowserApplication (ee72acb7-2d70-484e-9cdf-0f7006b1183e). }
' 0:< API_SUCCESS { Replacing command id
'ID_FABRICATION_PART_SHOW_SERVICE_IN_PART_BROWSER' CanExecute implementation with
implementation from application 'FabPartBrowserApplication' dll 'C:\Program
Files\Autodesk\Revit 2025\AddIns\FabricationPartBrowser\FabricationPartBrowser.dll'.
}
' 0:< API_SUCCESS { API registering command Show Service in Part Browser
'Show Service in Part Browser
'Show Service in Part Browser CanExecute event by application
FabPartBrowserApplication (ee72acb7-2d70-484e-9cdf-0f7006b1183e). }
' 0:< API_SUCCESS { Starting External Application: FabPartBrowserApplication, Class:
FabricationPartBrowser.FabPartBrowserApplication, Vendor : ADSK(Autodesk,
www.autodesk.com), Assembly: FabricationPartBrowser.dll,  Assembly Version:
25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(Duct not defined pressure
drop UI server); VendorId(ADSK); ServerId(607992d7-359d-4593-b497-8aa238e2c564);
ServiceId(52009bda-c817-4aef-aa31-36dc3742516e) }
  'E 07-Mar-2026 18:46:43.560;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
607992d7-359d-4593-b497-8aa238e2c564 Rvt.Attr.ExternalService:
52009bda-c817-4aef-aa31-36dc3742516e
' 0:< API_SUCCESS { Registered an external server: Name(Duct specific coefficient
pressure drop UI server); VendorId(ADSK);
ServerId(9641a039-441e-42e2-93a6-c0e2177cc23c);
ServiceId(52009bda-c817-4aef-aa31-36dc3742516e) }
  'E 07-Mar-2026 18:46:43.560;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
9641a039-441e-42e2-93a6-c0e2177cc23c Rvt.Attr.ExternalService:
52009bda-c817-4aef-aa31-36dc3742516e
' 0:< API_SUCCESS { Registered an external server: Name(Duct specific loss pressure
drop UI server); VendorId(ADSK); ServerId(d3b5e81d-9b8c-40da-8efb-99dd37fda611);
ServiceId(52009bda-c817-4aef-aa31-36dc3742516e) }
  'E 07-Mar-2026 18:46:43.560;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
d3b5e81d-9b8c-40da-8efb-99dd37fda611 Rvt.Attr.ExternalService:
52009bda-c817-4aef-aa31-36dc3742516e
' 0:< API_SUCCESS { Registered an external server: Name(Duct coefficient from table
pressure drop UI server); VendorId(ADSK);
ServerId(25fa8de2-67c4-47d1-91f6-bd6f0803a5ed);
```

ServiceId(52009bda-c817-4aef-aa31-36dc3742516e) }
  'E 07-Mar-2026 18:46:43.560;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
25fa8de2-67c4-47d1-91f6-bd6f0803a5ed Rvt.Attr.ExternalService:
52009bda-c817-4aef-aa31-36dc3742516e
' 0:< API_SUCCESS { Registered an external server: Name(Pipe not defined pressure
drop UI server); VendorId(ADSK); ServerId(62917391-e14d-4897-ad0c-05342d71e4f9);
ServiceId(1931b323-1d29-4083-b1ce-bfdcddd011af) }
  'E 07-Mar-2026 18:46:43.565;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
62917391-e14d-4897-ad0c-05342d71e4f9 Rvt.Attr.ExternalService:
1931b323-1d29-4083-b1ce-bfdcddd011af
' 0:< API_SUCCESS { Registered an external server: Name(Pipe specific coefficient
pressure drop UI server); VendorId(ADSK);
ServerId(247265b6-7b71-4147-97c6-cc52b39c12aa);
ServiceId(1931b323-1d29-4083-b1ce-bfdcddd011af) }
  'E 07-Mar-2026 18:46:43.565;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
247265b6-7b71-4147-97c6-cc52b39c12aa Rvt.Attr.ExternalService:
1931b323-1d29-4083-b1ce-bfdcddd011af
' 0:< API_SUCCESS { Registered an external server: Name(Pipe specific loss pressure
drop UI server); VendorId(ADSK); ServerId(5978b92a-3f0b-4691-bbc8-caf2fae20a71);
ServiceId(1931b323-1d29-4083-b1ce-bfdcddd011af) }
  'E 07-Mar-2026 18:46:43.566;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
5978b92a-3f0b-4691-bbc8-caf2fae20a71 Rvt.Attr.ExternalService:
1931b323-1d29-4083-b1ce-bfdcddd011af
' 0:< API_SUCCESS { Registered an external server: Name(Pipe K coefficient from
table pressure drop UI server); VendorId(ADSK);
ServerId(cda19b6f-fbd5-4725-a0ce-f159bf5d02fe);
ServiceId(1931b323-1d29-4083-b1ce-bfdcddd011af) }
  'E 07-Mar-2026 18:46:43.566;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
cda19b6f-fbd5-4725-a0ce-f159bf5d02fe Rvt.Attr.ExternalService:
1931b323-1d29-4083-b1ce-bfdcddd011af
' 0:< API_SUCCESS { Starting External Application: Fitting And Accessory
Calculation, Class: FittingAndAccessoryCalculationUIServers.ServerApp, Vendor :
ADSK(https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Specify%20Fitting%
20Pressure%20Loss&sort=score&page=1&knowledgeSource=Product%20Documentation),
Assembly: Autodesk.MEP.FittingCalculationUI.Application.dll, Assembly Version:
25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_GENERATIVE_DESIGN_EXPLORE_OUTCOMES'
CanExecute implementation with implementation from application 'Application
Generative Design For Revit' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\GenerativeDesignForRevit\Autodesk.GenerativeDesignForRevit.Application.d
ll'. }
' 0:< API_SUCCESS { API registering command CanExecute event by application
Application Generative Design For Revit (665a8aff-69bc-44b9-831f-3fb829e9e2d1). }
' 0:< API_SUCCESS { Replacing command id 'ID_GENERATIVE_DESIGN_EXPLORE_OUTCOMES'
Executed implementation with implementation from application 'Application Generative

Design For Revit' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\GenerativeDesignForRevit\Autodesk.GenerativeDesignForRevit.Application.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application Application Generative Design For Revit (665a8aff-69bc-44b9-831f-3fb829e9e2d1). }
' 0:< API_SUCCESS { Replacing command id 'ID_GENERATIVE_DESIGN_CREATE_STUDY' CanExecute implementation with implementation from application 'Application Generative Design For Revit' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\GenerativeDesignForRevit\Autodesk.GenerativeDesignForRevit.Application.dll'. }
' 0:< API_SUCCESS { API registering command CanExecute event by application Application Generative Design For Revit (665a8aff-69bc-44b9-831f-3fb829e9e2d1). }
' 0:< API_SUCCESS { Replacing command id 'ID_GENERATIVE_DESIGN_CREATE_STUDY' Executed implementation with implementation from application 'Application Generative Design For Revit' dll 'C:\Program Files\Autodesk\Revit 2025\AddIns\GenerativeDesignForRevit\Autodesk.GenerativeDesignForRevit.Application.dll'. }
' 0:< API_SUCCESS { API registering command Executed event by application Application Generative Design For Revit (665a8aff-69bc-44b9-831f-3fb829e9e2d1). }
' 0:< API_SUCCESS { Registering ApplicationClosing event by application Application Generative Design For Revit (665a8aff-69bc-44b9-831f-3fb829e9e2d1). }
' 0:< API_SUCCESS { Registering Idling event by application Application Generative Design For Revit (665a8aff-69bc-44b9-831f-3fb829e9e2d1). }
' 0:< API_SUCCESS { Registering Idling event by application Application Generative Design For Revit (665a8aff-69bc-44b9-831f-3fb829e9e2d1). }
' 0:< API_SUCCESS { Registering ViewActivated event by application Application Generative Design For Revit (665a8aff-69bc-44b9-831f-3fb829e9e2d1). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application Application Generative Design For Revit (665a8aff-69bc-44b9-831f-3fb829e9e2d1). }
' 0:< API_SUCCESS { Registering DocumentSavedAs event by application Application Generative Design For Revit (665a8aff-69bc-44b9-831f-3fb829e9e2d1). }
' 0:< API_SUCCESS { Starting External Application: Application Generative Design For Revit, Class: GenerativeDesignForRevit.GenerativeDesignForRevitApplication, Vendor : ADSK(Autodesk, www.autodesk.com), Assembly: Autodesk.GenerativeDesignForRevit.Application.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Registered an external server: Name(Revit Default UI Server.); VendorId(ADSK); ServerId(3ffc688a-bb2e-4145-90ab-9443da02aef6); ServiceId(1fe75ba7-79d4-45f6-8e31-c1b83d4476a9) }
  'E 07-Mar-2026 18:46:43.652;   0:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer: 3ffc688a-bb2e-4145-90ab-9443da02aef6 Rvt.Attr.ExternalService: 1fe75ba7-79d4-45f6-8e31-c1b83d4476a9
' 0:< ::58:: Delta VM: Avail -2 -> 133881915 MB, Used +8 -> 284 MB, Peak +3 -> 284 MB; RAM: Avail -5 -> 16636 MB, Used +10 -> 640 MB, Peak +10 -> 640 MB
' 0:< GUI Resource Usage GDI: Avail 9732, Used 268, User: Used 185
' 0:< API_SUCCESS { Starting External Application: KeynoteUIServer, Class: KeynoteUIServer.ServerApp, Vendor : ADSK(Autodesk, www.autodesk.com), Assembly: KeynoteUIServer.dll, Assembly Version: 25.4.30.30 }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_DUCT_PRESSURE_LOSS_REPORT' CanExecute implementation with implementation from application 'Pressure Loss

```
Report' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\MEPCalculation\Autodesk.MEP.PressureLossReport.Application.dll'. }
' 0:< API_SUCCESS { API registering command Duct Pressure Loss Report CanExecute
event by application Pressure Loss Report (b00d3753-d3bc-4255-9c97-e389de87a5d6). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_DUCT_PRESSURE_LOSS_REPORT' Executed
implementation with implementation from application 'Pressure Loss Report' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\MEPCalculation\Autodesk.MEP.PressureLossReport.Application.dll'. }
' 0:< API_SUCCESS { API registering command Duct Pressure Loss Report Executed event
by application Pressure Loss Report (b00d3753-d3bc-4255-9c97-e389de87a5d6). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_PIPE_PRESSURE_LOSS_REPORT'
CanExecute implementation with implementation from application 'Pressure Loss
Report' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\MEPCalculation\Autodesk.MEP.PressureLossReport.Application.dll'. }
' 0:< API_SUCCESS { API registering command Pipe Pressure Loss Report CanExecute
event by application Pressure Loss Report (b00d3753-d3bc-4255-9c97-e389de87a5d6). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_PIPE_PRESSURE_LOSS_REPORT' Executed
implementation with implementation from application 'Pressure Loss Report' dll
'C:\Program Files\Autodesk\Revit
2025\AddIns\MEPCalculation\Autodesk.MEP.PressureLossReport.Application.dll'. }
' 0:< API_SUCCESS { API registering command Pipe Pressure Loss Report Executed event
by application Pressure Loss Report (b00d3753-d3bc-4255-9c97-e389de87a5d6). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_SELECT_DUCT_PRESSURE_LOSS_REPORT'
CanExecute implementation with implementation from application 'Pressure Loss
Report' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\MEPCalculation\Autodesk.MEP.PressureLossReport.Application.dll'. }
' 0:< API_SUCCESS { API registering command Duct Pressure Loss Report CanExecute
event by application Pressure Loss Report (b00d3753-d3bc-4255-9c97-e389de87a5d6). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_SELECT_DUCT_PRESSURE_LOSS_REPORT'
Executed implementation with implementation from application 'Pressure Loss Report'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\MEPCalculation\Autodesk.MEP.PressureLossReport.Application.dll'. }
' 0:< API_SUCCESS { API registering command Duct Pressure Loss Report Executed event
by application Pressure Loss Report (b00d3753-d3bc-4255-9c97-e389de87a5d6). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_SELECT_PIPE_PRESSURE_LOSS_REPORT'
CanExecute implementation with implementation from application 'Pressure Loss
Report' dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\MEPCalculation\Autodesk.MEP.PressureLossReport.Application.dll'. }
' 0:< API_SUCCESS { API registering command Pipe Pressure Loss Report CanExecute
event by application Pressure Loss Report (b00d3753-d3bc-4255-9c97-e389de87a5d6). }
' 0:< API_SUCCESS { Replacing command id 'ID_MEP_SELECT_PIPE_PRESSURE_LOSS_REPORT'
Executed implementation with implementation from application 'Pressure Loss Report'
dll 'C:\Program Files\Autodesk\Revit
2025\AddIns\MEPCalculation\Autodesk.MEP.PressureLossReport.Application.dll'. }
' 0:< API_SUCCESS { API registering command Pipe Pressure Loss Report Executed event
by application Pressure Loss Report (b00d3753-d3bc-4255-9c97-e389de87a5d6). }
' 0:< API_SUCCESS { Starting External Application: Pressure Loss Report, Class:
PressureLossReport.PressureLossReportApplication, Vendor :
ADSK(https://knowledge.autodesk.com/search?search=Pressure%20Loss%20Report&p=REVITPR
ODUCTS&sort=score&page=1&knowledgeSource=Product%20Documentation), Assembly:
```

```
Autodesk.MEP.PressureLossReport.Application.dll,  Assembly Version: 25.4.30.30 }
' 0:< ::58:: Delta VM: Avail -14 -> 133881902 MB, Used -5 -> 280 MB; RAM: Avail +2
-> 16639 MB, Used -1 -> 639 MB
' 0:< GUI Resource Usage GDI: Avail 9732, Used 268, User: Used 185
' 0:< API_ERROR { : Assembly version conflict in some references in DiRoots.One.dll
assembly
'Addin's module RevitAPI of version 25.4.20.0 conflicts with same preloaded module
of version 25.4.30.0
'Addin's module RevitAPIUI of version 25.4.20.0 conflicts with same preloaded module
of version 25.4.30.0 }
' 0:< ::58:: Delta VM: Avail -4 -> 133881899 MB, Used 280 MB; RAM: Avail -21 ->
16619 MB, Used +4 -> 643 MB, Peak +3 -> 643 MB
' 0:< GUI Resource Usage GDI: Avail 9732, Used 268, User: Used 185
' 0:< API_SUCCESS { Registering DocumentClosed event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Registering ViewActivated event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< ::58:: Delta VM: Avail -4 -> 133881895 MB, Used +5 -> 285 MB, Peak +1 -> 285
MB; RAM: Avail -58 -> 16561 MB, Used +9 -> 652 MB, Peak +9 -> 652 MB
' 0:< GUI Resource Usage GDI: Avail 9732, Used 268, User: Used 185
' 0:< API_SUCCESS { Added pushbutton Id: 6413, name: SheetLink, text: SheetLink,
class: DiRoots.One.SheetLink.CommandSheetLink, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Data IO }
' 0:< ::58:: Delta VM: Avail -15 -> 133881881 MB, Used 285 MB; RAM: Avail -39 ->
16523 MB, Used +0 -> 653 MB, Peak +0 -> 653 MB
' 0:< GUI Resource Usage GDI: Avail 9730, Used 270, User: Used 185
' 0:< API_SUCCESS { Added pushbutton Id: 6414, name: PanelLink, text: PanelLink,
class: DiRoots.One.PanelLink.Panelschedules, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Data IO }
' 0:< API_SUCCESS { Registering DocumentOpened event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Added pushbutton Id: 6415, name: TableGen, text: TableGen,
class: DiRoots.One.TableGen.Core.CommandTableGen, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Data IO }
' 0:< API_SUCCESS { Added pushbutton Id: 6416, name: btnSheetGen, text: SheetGen,
class: DiRoots.One.SheetGen.MainCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Views and Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6417, name: btnViewManager, text: View
'Manager, class: DiRoots.One.SheetGen.ViewManagerCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Views and Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6418, name: FamilyReviser, text:
FamilyReviser, class:
DiRoots.One.FamilyReviser.Core.ExternalCommands.CommandFamilyReviser, assembly:
```

```
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Manage }
' 0:< API_SUCCESS { Added pushbutton Id: 6419, name: ParaManager, text: ParaManager,
class: DiRoots.One.ParaManager.Core.ExternalCommands.CommandParaManager, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Manage }
' 0:< API_SUCCESS { Registering DocumentOpened event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Registering DocumentOpened event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Registering ViewActivated event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Added pushbutton Id: 6420, name: OneFilter, text: OneFilter,
class: DiRoots.One.OneFilter.Command, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Find }
' 0:< API_SUCCESS { Added pushbutton Id: 6421, name: Selections Manager, text:
Selections
'Manager, class: DiRoots.One.OneFilter.ToggleSelectionManagerPaneCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Find }
' 0:< API_SUCCESS { Added pushbutton Id: 6422, name: btnReOrdering, text:
ReOrdering, class: DiRoots.One.ReOrdering.Command, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Utility }
' 0:< API_SUCCESS { Registering DocumentOpened event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Registering DocumentClosing event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Registering DocumentChanged event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Registering ViewActivated event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< ::58:: Delta VM: Avail -2 -> 133881879 MB, Used +0 -> 286 MB, Peak +0 -> 286
MB; RAM: Avail -11 -> 16512 MB, Used +2 -> 655 MB, Peak +2 -> 655 MB
' 0:< GUI Resource Usage GDI: Avail 9710, Used 290, User: Used 185
' 0:< API_SUCCESS { Added pushbutton Id: 6423, name: Export, text: Export, class:
DiRoots.One.PointKit.Core.ExternalCommands.ExportCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne% Point Cloud }
' 0:< API_SUCCESS { Added pushbutton Id: 6424, name: Select Points, text: Select
Points, class: DiRoots.One.PointKit.PreciseSelect, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%CustomCtrl_%DiRootsOne% Point Cloud%Select Points }
' 0:< API_SUCCESS { Added pushbutton Id: 6425, name: Select Between Levels, text:
Select Between Levels, class:
DiRoots.One.PointKit.Core.ExternalCommands.SelectBetweenLevels, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
```

```
parentId: CustomCtrl_%CustomCtrl_%DiRootsOne% Point Cloud%Select Points }
' 0:< API_SUCCESS { Added pushbutton Id: 6426, name: Import DXF File, text: Import
DXF File, class: DiRoots.One.PointKit.Core.ExternalCommands.ImportCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%CustomCtrl_%DiRootsOne% Point Cloud%Import
'DXF File }
' 0:< API_SUCCESS { Added pushbutton Id: 6427, name: Import ASCII point cloud file,
text: Import ASCII point cloud file, class:
DiRoots.One.PointKit.Core.ExternalCommands.ImportPointCloudCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%CustomCtrl_%DiRootsOne% Point Cloud%Import
'DXF File }
' 0:< API_SUCCESS { Added pushbutton Id: 6428, name: Undo, text: Undo, class:
DiRoots.One.PointKit.UndoCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne% Point Cloud }
' 0:< API_SUCCESS { Added pushbutton Id: 6429, name: Reset, text: Reset, class:
DiRoots.One.PointKit.Core.ExternalCommands.ResetCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne% Point Cloud }
' 0:< API_SUCCESS { Added pushbutton Id: 6430, name: Redo, text: Redo, class:
DiRoots.One.PointKit.RedoCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne% Point Cloud }
' 0:< API_SUCCESS { Added pushbutton Id: 6431, name: Show/Hide, text: Show/Hide,
class: DiRoots.One.PointKit.Core.ExternalCommands.HideCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne% Point Cloud }
' 0:< API_SUCCESS { Added pushbutton Id: 6432, name: OneParameter, text:
OneParameter, class: DiRoots.One.OneParameter.Core.Base.ExternalCommand, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Data IO }
' 0:< API_SUCCESS { Added pushbutton Id: 6433, name: QuickViews, text: QuickViews,
class: DiRoots.RoomPro.Core.ExternalCommands.QuickViewsCmd, assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Views and Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6434, name: btnSectionBox, text: Section
'Boxer, class: DiRoots.One.SectionBox.ExternalCommands.SectionBoxExternalCommand,
assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%DiRootsOne%Utility }
' 0:< API_SUCCESS { Added pushbutton Id: 6435, name: btnSectionBox, text: Section
'Boxer, class: DiRoots.One.SectionBox.ExternalCommands.SectionBoxExternalCommand,
assembly:
C:\ProgramData\Autodesk\Revit\Addins\2025\DiRoots.One2.3.0.0\DiRoots.One.dll,
parentId: CustomCtrl_%Modify%Utility }
' 0:< API_SUCCESS { Registering ThemeChanged event by application DiRoots.One
(b4ad7489-2899-46b3-aca6-c0def7135528). }
' 0:< API_SUCCESS { Starting External Application: DiRoots.One, Class:
DiRoots.One.Main, Vendor : www.diroots.com(DiRoots, http://www.diroots.com),
```

```
Assembly: DiRoots.One2.3.0.0\DiRoots.One.dll,  Assembly Version: 2.3.0.0 }
' 0:< API_ERROR { : Assembly version conflict in some references in
pyRevitLoader.dll assembly
'Addin's module RevitAPI of version 25.4.20.0 conflicts with same preloaded module
of version 25.4.30.0
'Addin's module RevitAPIUI of version 25.4.20.0 conflicts with same preloaded module
of version 25.4.30.0 }
' 0:< ::58:: Delta VM: Avail -144 -> 133881736 MB, Used +74 -> 360 MB, Peak +74 ->
360 MB; RAM: Avail -138 -> 16375 MB, Used +124 -> 780 MB, Peak +124 -> 780 MB
' 0:< GUI Resource Usage GDI: Avail 9682, Used 318, User: Used 187
'C 07-Mar-2026 18:46:50.570;   0:< Notify Active View.
' 0:< ::58:: Delta VM: Avail -32902 -> 133848834 MB, Used +80 -> 441 MB, Peak +114
-> 475 MB; RAM: Avail -102 -> 16273 MB, Used +105 -> 885 MB, Peak +139 -> 919 MB
' 0:< GUI Resource Usage GDI: Avail 9679, Used 321, User: Used 206
' 0:< API_SUCCESS { Added pushbutton Id: 6436, name: Search, text: Search, class:
pyrevitcore_pyrevit_pyrevit_tools_search, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6437, name: Reload, text: Reload, class:
pyrevitcore_pyrevit_pyrevit_tools_reload, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6438, name: Find All Loaded Assemblies,
text: Find All Loaded Assemblies, class:
pyrevitcore_pyrevit_pyrevit_tools_spy_findallloadedassemblies, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%pyRevit%Spy }
' 0:< API_SUCCESS { Added pushbutton Id: 6439, name: List Elements, text: List
Elements, class: pyrevitcore_pyrevit_pyrevit_tools_spy_listelements, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%pyRevit%Spy }
' 0:< API_SUCCESS { Added pushbutton Id: 6440, name: Open Current Project Central
Log, text: Open Current Project Central Log, class:
pyrevitcore_pyrevit_pyrevit_tools_spy_opencurrentprojectcentrallog, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%pyRevit%Spy }
' 0:< API_SUCCESS { Added pushbutton Id: 6441, name: Open Current Session Journal,
text: Open Current Session Journal, class:
pyrevitcore_pyrevit_pyrevit_tools_spy_opencurrentsessionjournal, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%pyRevit%Spy }
' 0:< API_SUCCESS { Added pushbutton Id: 6442, name: Open Journals Folder, text:
Open Journals Folder, class:
pyrevitcore_pyrevit_pyrevit_tools_spy_openjournalsfolder, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%pyRevit%Spy }
' 0:< API_SUCCESS { Added pushbutton Id: 6443, name: About, text: About, class:
pyrevitcore_pyrevit_pyrevit_about, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
```

```
' 0:< API_SUCCESS { Added pushbutton Id: 6444, name: Update, text: Update, class:
pyrevitcore_pyrevit_pyrevit_update, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< ::58:: Delta VM: Avail -1 -> 133848833 MB, Used +39 -> 481 MB, Peak +5 -> 481
MB; RAM: Avail -38 -> 16236 MB, Used +38 -> 923 MB, Peak +4 -> 923 MB
' 0:< GUI Resource Usage GDI: Avail 9661, Used 339, User: Used 206
' 0:< API_SUCCESS { Added pushbutton Id: 6445, name: Extensions, text: Extensions,
class: pyrevitcore_pyrevit_pyrevit_extensions, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< ::58:: Delta VM: Avail 133848833 MB, Used +6 -> 487 MB, Peak +6 -> 487 MB;
RAM: Avail -17 -> 16220 MB, Used +6 -> 930 MB, Peak +6 -> 930 MB
' 0:< GUI Resource Usage GDI: Avail 9657, Used 343, User: Used 206
' 0:< API_SUCCESS { Added pushbutton Id: 6446, name: Wiki, text: Wiki, class:
pyrevitcore_pyrevit_pyrevit_prlinks_wiki, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6447, name: Blog, text: Blog, class:
pyrevitcore_pyrevit_pyrevit_prlinks_blog, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6448, name: Repo, text: Repo, class:
pyrevitcore_pyrevit_pyrevit_prlinks_repo, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6449, name: apidocs, text: apidocs.co,
class: pyrevitcore_pyrevit_pyrevit_rpwlinks_apidocs, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6450, name: emojis, text: emojis, class:
pyrevitcore_pyrevit_pyrevit_rpwlinks_emojis, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6451, name: rpw Docs, text: rpw, class:
pyrevitcore_pyrevit_pyrevit_rpwlinks_rpwdocs, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6452, name: Icons8, text: Icons8, class:
pyrevitcore_pyrevit_pyrevit_links_icons8, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6453, name: RegEx Tool, text: RegEx Tool,
class: pyrevitcore_pyrevit_pyrevit_links_regextool, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6454, name: Report Bugs, text: Report Bugs,
class: pyrevitcore_pyrevit_pyrevit_links_reportbugs, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
```

```
' 0:< API_SUCCESS { Added pushbutton Id: 6455, name: Settings, text: Settings,
class: pyrevitcore_pyrevit_pyrevit_settings, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_f46713d2b03788e2_pyRevitCore.
dll, parentId: CustomCtrl_%pyRevit%pyRevit }
' 0:< API_SUCCESS { Added pushbutton Id: 6456, name: Tab Coloring, text: Tab
Coloring, class: pyrevittools_pyrevit_toggles_toggles1_tabcoloring, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Toggles }
' 0:< API_SUCCESS { Added pushbutton Id: 6457, name: Override 2D, text: Highlight
2D, class: pyrevittools_pyrevit_toggles_toggles1_override2d, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Toggles }
' 0:< API_SUCCESS { Added pushbutton Id: 6458, name: MinifyUI, text: Minify Revit UI
?, class: pyrevittools_pyrevit_toggles_toggles1_minifyui, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Toggles }
' 0:< ::58:: Delta VM: Avail -8 -> 133848825 MB, Used +43 -> 530 MB, Peak +43 -> 530
MB; RAM: Avail -35 -> 16185 MB, Used +48 -> 978 MB, Peak +48 -> 978 MB
' 0:< GUI Resource Usage GDI: Avail 9617, Used 383, User: Used 206
' 0:< API_SUCCESS { Added pushbutton Id: 6459, name: Imported, text: Imported,
class: pyrevittools_pyrevit_toggles_toggles2_imported, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Toggles }
' 0:< API_SUCCESS { Added pushbutton Id: 6460, name: SectionBox, text: Section Box
?, class: pyrevittools_pyrevit_toggles_toggles2_sectionbox, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Toggles }
' 0:< API_SUCCESS { Added pushbutton Id: 6461, name: Sync Views, text: Sync Views,
class: pyrevittools_pyrevit_toggles_toggles2_syncviews, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Toggles }
' 0:< API_SUCCESS { Registering ViewActivating event by application PyRevitLoader
(b39107c3-a1d7-47f4-a5a1-532ddf6edb5d). }
' 0:< API_SUCCESS { Registering ViewActivated event by application PyRevitLoader
(b39107c3-a1d7-47f4-a5a1-532ddf6edb5d). }
' 0:< API_SUCCESS { Added pushbutton Id: 6462, name: sync, text: Synchronize ?,
class: pyrevittools_pyrevit_toggles_toggles3_sync, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Toggles }
' 0:< API_SUCCESS { Added pushbutton Id: 6463, name: ViewRange, text: Show View
Range, class: pyrevittools_pyrevit_toggles_toggles3_viewrange, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Toggles }
' 0:< API_SUCCESS { Added pushbutton Id: 6464, name: Pick, text: Pick ?, class:
pyrevittools_pyrevit_selection_pick_pick, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Pick }
' 0:< API_SUCCESS { Added pushbutton Id: 6465, name: Pick Detail Elements, text:
Pick Detail Elements, class: pyrevittools_pyrevit_selection_pick_pickdetailelements,
assembly:
```

C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Pick }
' 0:< API_SUCCESS { Added pushbutton Id: 6466, name: Pick Model Elements, text: Pick
Model Elements, class: pyrevittools_pyrevit_selection_pick_pickmodelelements,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Pick }
' 0:< API_SUCCESS { Added pushbutton Id: 6467, name: Set Workset, text: Set
'Workset ?, class: pyrevittools_pyrevit_selection_setworkset, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Selection }
' 0:< API_SUCCESS { Added pushbutton Id: 6468, name: Isolate, text: Isolate ?,
class: pyrevittools_pyrevit_selection_select_isolate, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Selection }
' 0:< API_SUCCESS { Added pushbutton Id: 6469, name: Discard Grouped Elements, text:
Discard Grouped Elements, class:
pyrevittools_pyrevit_selection_select_filter_discardgroupedelements, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Filter }
' 0:< API_SUCCESS { Added pushbutton Id: 6470, name: Discard Pinned Elements, text:
Discard Pinned Elements, class:
pyrevittools_pyrevit_selection_select_filter_discardpinnedelements, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Filter }
' 0:< API_SUCCESS { Added pushbutton Id: 6471, name: Keep Elements Hosted On Linked
Model, text: Elements Hosted On Linked Model, class:
pyrevittools_pyrevit_selection_select_filter_keepelementshostedonlinkedmodel,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Filter }
' 0:< API_SUCCESS { Added pushbutton Id: 6472, name: Keep Mirrored, text: Keep
Mirrored, class: pyrevittools_pyrevit_selection_select_filter_keepmirrored,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Filter }
' 0:< API_SUCCESS { Added pushbutton Id: 6473, name: Keep Painted Elements, text:
Keep Painted Elements, class:
pyrevittools_pyrevit_selection_select_filter_keeppaintedelements, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Filter }
' 0:< API_SUCCESS { Added pushbutton Id: 6474, name: Add Tagged Elements, text: Add
Tagged Elements, class:
pyrevittools_pyrevit_selection_select_select_addtaggedelements, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6475, name: Find And Select Entities
Without Dimensions, text: Find And Select Entities Without Dimensions, class:
pyrevittools_pyrevit_selection_select_select_findandselectentitieswithoutdimensions,
assembly:

C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6476, name: Find And Select Entities
Without Tags, text: Find And Select Entities Without Tags, class:
pyrevittools_pyrevit_selection_select_select_findandselectentitieswithouttags,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6477, name: Invert Selection, text: Invert
Selection, class: pyrevittools_pyrevit_selection_select_select_invertselection,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6478, name: List Selection as Clickable
Links, text: List Selection as Clickable Links, class:
pyrevittools_pyrevit_selection_select_select_listselectionasclickablelinks,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6479, name: Select All Clouds Of Specific
Revision, text: Select All Clouds Of Specific Revision, class:
pyrevittools_pyrevit_selection_select_select_selectallcloudsofspecificrevision,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6480, name: Select All Clouds with Same
Comment, text: Select All Clouds with Same Comment, class:
pyrevittools_pyrevit_selection_select_select_selectallcloudswithsamecomment,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6481, name: Select All Elements Of Same
Family, text: Select All Elements Of Same Family, class:
pyrevittools_pyrevit_selection_select_select_selectallelementsofsamefamily,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6482, name: Select All Objects Of Selected
Type, text: Select All Objects Of Selected Type, class:
pyrevittools_pyrevit_selection_select_select_selectallobjectsofselectedtype,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6483, name: Select All Objects Passing
Filter, text: Select All Objects Passing Filter ?, class:
pyrevittools_pyrevit_selection_select_select_selectallobjectspassingfilter,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6484, name: Select All Text Notes, text:

Select All Text Notes, class:
pyrevittools_pyrevit_selection_select_select_selectalltextnotes, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6485, name: Select All Vertical Reveals,
text: Select Vertical/Horizontal Reveals, class:
pyrevittools_pyrevit_selection_select_select_selectallverticalreveals, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6486, name: Select Element Types, text:
Select Element Types, class:
pyrevittools_pyrevit_selection_select_select_selectelementtypes, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6487, name: Select Group and Subgroup
Elements, text: Select Group and Subgroup Elements, class:
pyrevittools_pyrevit_selection_select_select_selectgroupandsubgroupelements,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6488, name: Select Group Elements, text:
Select Group Elements, class:
pyrevittools_pyrevit_selection_select_select_selectgroupelements, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6489, name: Select Similar Elements In
Active View, text: Select Similar Elements In Active View, class:
pyrevittools_pyrevit_selection_select_select_selectsimilarelementsinactiveview,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6490, name: Select SubWalls, text: Select
SubWalls of Stacked Walls, class:
pyrevittools_pyrevit_selection_select_select_selectsubwalls, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Select }
' 0:< API_SUCCESS { Added pushbutton Id: 6491, name: MAppend, text: MAppend, class:
pyrevittools_pyrevit_selection_mema_mappend, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Selection }
' 0:< API_SUCCESS { Added pushbutton Id: 6492, name: MWrite, text: MWrite, class:
pyrevittools_pyrevit_selection_mema_mwrite, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Selection }
' 0:< API_SUCCESS { Added pushbutton Id: 6493, name: MRead, text: MRead, class:
pyrevittools_pyrevit_selection_mema_mread, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Selection }
' 0:< API_SUCCESS { Added pushbutton Id: 6494, name: Copy State, text: Copy State,
class: pyrevittools_pyrevit_selection_memo_copystate, assembly:

C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Selection }
' 0:< API_SUCCESS { Added pushbutton Id: 6495, name: Paste State, text: Paste State,
class: pyrevittools_pyrevit_selection_memo_pastestate, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Selection }
' 0:< API_SUCCESS { Added pushbutton Id: 6496, name: Next, text: Next, class:
pyrevittools_pyrevit_selection_memo_memory_next, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Memory }
' 0:< API_SUCCESS { Added pushbutton Id: 6497, name: Prev, text: Prev, class:
pyrevittools_pyrevit_selection_memo_memory_prev, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Memory }
' 0:< API_SUCCESS { Added pushbutton Id: 6498, name: MDeduct, text: MDeduct, class:
pyrevittools_pyrevit_selection_memo_memory_mdeduct, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Memory }
' 0:< API_SUCCESS { Added pushbutton Id: 6499, name: MClear, text: MClear, class:
pyrevittools_pyrevit_selection_memo_memory_mclear, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Memory }
' 0:< API_SUCCESS { Added pushbutton Id: 6500, name: Save Memory as Selection, text:
Save Memory as Selection, class:
pyrevittools_pyrevit_selection_memo_memory_savememoryasselection, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Memory }
' 0:< API_SUCCESS { Added pushbutton Id: 6501, name: Purge Memory Files, text: Purge
Memory Files, class: pyrevittools_pyrevit_selection_memo_memory_purgememoryfiles,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Selection%Memory }
' 0:< API_SUCCESS { Added pushbutton Id: 6502, name: ColorSplasher, text: Color
'Splasher, class: pyrevittools_pyrevit_analysis_colorsplasher, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Analysis }
' 0:< API_SUCCESS { Added pushbutton Id: 6503, name: Sum, text: Sum Total, class:
pyrevittools_pyrevit_analysis_tools_sum, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Analysis }
' 0:< API_SUCCESS { Added pushbutton Id: 6504, name: Calculate Average Area, text:
Calculate Average Area, class:
pyrevittools_pyrevit_analysis_tools_analyse_calculateaveragearea, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Analyse }
' 0:< API_SUCCESS { Added pushbutton Id: 6505, name: Find Range Of Roof Slopes,
text: Find Range of Roof Slopes, class:
pyrevittools_pyrevit_analysis_tools_analyse_findrangeofroofslopes, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Analyse }

' 0:< API_SUCCESS { Added pushbutton Id: 6506, name: Get Centroid, text: Get Centroid, class: pyrevittools_pyrevit_analysis_tools_analyse_getcentroid, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Analyse }
' 0:< API_SUCCESS { Added pushbutton Id: 6507, name: Get In Place Family, text: Get in place families, class: pyrevittools_pyrevit_analysis_tools_analyse_getinplacefamily, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Analyse }
' 0:< API_SUCCESS { Added pushbutton Id: 6508, name: Get Openings, text: Get Openings, class: pyrevittools_pyrevit_analysis_tools_analyse_getopenings, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Analyse }
' 0:< API_SUCCESS { Added pushbutton Id: 6509, name: Get Parking Count In Current View, text: Get Parking Count In Current View, class: pyrevittools_pyrevit_analysis_tools_analyse_getparkingcountincurrentview, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Analyse }
' 0:< API_SUCCESS { Added pushbutton Id: 6510, name: Count Faces, text: Triangles count per family type, class: pyrevittools_pyrevit_analysis_tools_inspect_countfaces, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6511, name: Count Lines Of Selected Style, text: Count lines of selected style, class: pyrevittools_pyrevit_analysis_tools_inspect_countlinesofselectedstyle, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6512, name: Find All Attached Constraints, text: Find all attached constraints, class: pyrevittools_pyrevit_analysis_tools_inspect_findallattachedconstraints, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6513, name: Find Identical Room Numbers, text: Find identical room numbers, class: pyrevittools_pyrevit_analysis_tools_inspect_findidenticalroomnumbers, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6514, name: Find Monitored Revit Link, text: Find monitored Revit links, class: pyrevittools_pyrevit_analysis_tools_inspect_findmonitoredrevitlink, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6515, name: Find Referenced Elements, text: Find referenced elements, class: pyrevittools_pyrevit_analysis_tools_inspect_findreferencedelements, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6516, name: Find Referenced Views By Selected Elevation Tag, text: Find referenced views by selected elevation tag,

```
class:
pyrevittools_pyrevit_analysis_tools_inspect_findreferencedviewsbyselectedelevationta
g, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6517, name: Find Referencing Sheets, text:
Find Referencing Sheets, class:
pyrevittools_pyrevit_analysis_tools_inspect_findreferencingsheets, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6518, name: Find Sheets Showing Selected
Element, text: Find sheets showing selected element, class:
pyrevittools_pyrevit_analysis_tools_inspect_findsheetsshowingselectedelement,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6519, name: Find Views Showing Selected
Element, text: Find views showing selected element, class:
pyrevittools_pyrevit_analysis_tools_inspect_findviewsshowingselectedelement,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6520, name: LinesPerViewCounter, text:
Lines Per View Counter, class:
pyrevittools_pyrevit_analysis_tools_inspect_linesperviewcounter, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6521, name: ListElementsOfSelectedLevel,
text: List Elements of Selected Level(s), class:
pyrevittools_pyrevit_analysis_tools_inspect_listelementsofselectedlevel, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6522, name: ListFamilySizeCreator, text:
Lists Family Sizes, class:
pyrevittools_pyrevit_analysis_tools_inspect_listfamilysizecreator, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Analysis%Inspect }
' 0:< API_SUCCESS { Added pushbutton Id: 6523, name: Overkill, text: Overkill,
class: pyrevittools_pyrevit_modify_edit1_overkill, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Modify }
' 0:< API_SUCCESS { Added pushbutton Id: 6524, name: Match, text: Match ?, class:
pyrevittools_pyrevit_modify_edit1_match_match, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Match }
' 0:< API_SUCCESS { Added pushbutton Id: 6525, name: Match Paint, text: Match paint,
class: pyrevittools_pyrevit_modify_edit1_match_matchpaint, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Match }
' 0:< ::58:: Delta VM: Avail -14 -> 133848811 MB, Used +0 -> 531 MB, Peak +0 -> 531
```

MB; RAM: Avail 16185 MB, Used +0 -> 979 MB, Peak +0 -> 979 MB
' 0:< GUI Resource Usage GDI: Avail 9471, Used 529, User: Used 208
' 0:< API_SUCCESS { Added pushbutton Id: 6526, name: Match Properties, text: Match properties, class: pyrevittools_pyrevit_modify_edit1_match_matchproperties, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Match }
' 0:< API_SUCCESS { Added pushbutton Id: 6527, name: Compare Properties, text: Compare properties, class: pyrevittools_pyrevit_modify_edit1_match_compareproperties, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Match }
'C 07-Mar-2026 18:46:58.780; DBG_WARN: Invalid item in tooltip.: line 338 of F:\Ship25.4.3\2025_px64\Source\API\RevitAPIUI\Objects\APIRibbonItem.cpp.
' 0:< API_SUCCESS { Added pushbutton Id: 6528, name: Make Pattern, text: Make 'Pattern, class: pyrevittools_pyrevit_modify_edit1_patterns_makepattern, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Patterns }
' 0:< API_SUCCESS { Added pushbutton Id: 6529, name: Batch Import PAT Files, text: Batch import PAT files, class: pyrevittools_pyrevit_modify_edit1_patterns_batchimportpatfiles, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Patterns }
' 0:< API_SUCCESS { Added pushbutton Id: 6530, name: Flip, text: Flip, class: pyrevittools_pyrevit_modify_edit2_flip, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%pyRevit%Modify }
' 0:< API_SUCCESS { Added pushbutton Id: 6531, name: ReNumber, text: Renumber, class: pyrevittools_pyrevit_modify_edit2_renumber, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%pyRevit%Modify }
' 0:< API_SUCCESS { Added pushbutton Id: 6532, name: ReValue, text: ReValue, class: pyrevittools_pyrevit_modify_edit2_revalue, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%pyRevit%Modify }
' 0:< API_SUCCESS { Added pushbutton Id: 6533, name: Change Element Type Safely, text: Change element type safely, class: pyrevittools_pyrevit_modify_edit3_edit_changeelementtypesafely, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6534, name: Convert Line Styles, text: Convert line styles, class: pyrevittools_pyrevit_modify_edit3_edit_convertlinestyles, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6535, name: Export View As Image, text: Export view as image, class: pyrevittools_pyrevit_modify_edit3_edit_exportviewasimage, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }

```
' 0:< API_SUCCESS { Added pushbutton Id: 6536, name: Mass Pin References, text: Mass
Pin/Unpin References, class:
pyrevittools_pyrevit_modify_edit3_edit_masspinreferences, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6537, name: Merge Parts, text: Merge parts,
class: pyrevittools_pyrevit_modify_edit3_edit_mergeparts, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6538, name: ParametersValuesToParameter,
text: Copy the values of several parameters to a chosen parameter, class:
pyrevittools_pyrevit_modify_edit3_edit_parametersvaluestoparameter, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6539, name: Place Origin Marker, text:
Place origin marker, class:
pyrevittools_pyrevit_modify_edit3_edit_placeoriginmarker, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6540, name: Relink Textures, text: Relink
Textures, class: pyrevittools_pyrevit_modify_edit3_edit_relinktextures, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6541, name: Replace_Fonts, text: Font
Replacement, class: pyrevittools_pyrevit_modify_edit3_edit_replace_fonts, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6542, name: Shake Filled Regions, text:
Shake filled regions, class:
pyrevittools_pyrevit_modify_edit3_edit_shakefilledregions, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6543, name: Tag All in All Views, text: Tag
in all views, class: pyrevittools_pyrevit_modify_edit3_edit_tagallinallviews,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6544, name: XLS Export, text: Export
Parameters to Excel ?, class: pyrevittools_pyrevit_modify_edit3_edit_xlsexport,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6545, name: XLS Import, text: Import
Parameters from Excel, class: pyrevittools_pyrevit_modify_edit3_edit_xlsimport,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Edit }
' 0:< API_SUCCESS { Added pushbutton Id: 6546, name: Override Dims, text: Override
dimensions, class: pyrevittools_pyrevit_modify_edit3_override_overridedims,
assembly:
```

C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Override }
' 0:< API_SUCCESS { Added pushbutton Id: 6547, name: Override Text, text: Merge /
Adjust text elements, class:
pyrevittools_pyrevit_modify_edit3_override_overridetext, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Override }
' 0:< API_SUCCESS { Added pushbutton Id: 6548, name: Override VG, text: Override
V/G, class: pyrevittools_pyrevit_modify_edit3_override_overridevg, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Override }
' 0:< API_SUCCESS { Added pushbutton Id: 6549, name: ColorizeGroupTypes, text:
Colorize Group Types, class:
pyrevittools_pyrevit_modify_edit3_groups_colorizegrouptypes, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Groups }
' 0:< API_SUCCESS { Added pushbutton Id: 6550, name: Explode And Remove Selected
Groups, text: Explode and remove selected groups, class:
pyrevittools_pyrevit_modify_edit3_groups_explodeandremoveselectedgroups, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Groups }
' 0:< API_SUCCESS { Added pushbutton Id: 6551, name: Find All Groups Containing
Selected Group, text: Find all groups containing selected group, class:
pyrevittools_pyrevit_modify_edit3_groups_findallgroupscontainingselectedgroup,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Groups }
' 0:< API_SUCCESS { Added pushbutton Id: 6552, name: Find All Groups With Text
Notes, text: Find all groups with text notes, class:
pyrevittools_pyrevit_modify_edit3_groups_findallgroupswithtextnotes, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Groups }
' 0:< API_SUCCESS { Added pushbutton Id: 6553, name: Select Topmost Groups, text:
Select topmost groups, class:
pyrevittools_pyrevit_modify_edit3_groups_selecttopmostgroups, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Groups }
' 0:< API_SUCCESS { Added pushbutton Id: 6554, name: Show Nested Group Structure,
text: Show nested group structure, class:
pyrevittools_pyrevit_modify_edit3_groups_shownestedgroupstructure, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%Groups }
' 0:< API_SUCCESS { Added pushbutton Id: 6555, name: Measure, text: 3D Measure,
class: pyrevittools_pyrevit_modify_3d_measure, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%3D }
' 0:< API_SUCCESS { Added pushbutton Id: 6556, name: Orient Section Box To Face,
text: Orient section box to face, class:
pyrevittools_pyrevit_modify_3d_orientsectionboxtoface, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools

.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%3D }
' 0:< API_SUCCESS { Added pushbutton Id: 6557, name: Orient View To Face, text: Orient view to face, class: pyrevittools_pyrevit_modify_3d_orientviewtoface, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools .dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%3D }
' 0:< API_SUCCESS { Added pushbutton Id: 6558, name: Section Box Navigator, text: SectionBox Navigator, class: pyrevittools_pyrevit_modify_3d_sectionboxnavigator, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools .dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Modify%3D }
' 0:< API_SUCCESS { Added pushbutton Id: 6559, name: Copy Views, text: Copy Viewports (Legends) To Other Sheets, class: pyrevittools_pyrevit_drawingset_sheets_copyviews, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools .dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6560, name: Move Views, text: Move Viewports (Model, Detail) To Other Sheets, class: pyrevittools_pyrevit_drawingset_sheets_moveviews, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools .dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6561, name: Pin All Viewports, text: Pin All Viewports, class: pyrevittools_pyrevit_drawingset_sheets_pinallviewports, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools .dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6562, name: Reorder Selected Viewport, text: Reorder Selected Viewport, class: pyrevittools_pyrevit_drawingset_sheets_reorderselectedviewport, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools .dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6563, name: Copy Sheets to Open Documents, text: Copy Sheets To Open Documents, class: pyrevittools_pyrevit_drawingset_sheets_copysheetstoopendocuments, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools .dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6564, name: Batch Sheet Maker, text: Batch Sheet Maker, class: pyrevittools_pyrevit_drawingset_sheets_batchsheetmaker, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools .dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6565, name: Select Sheets, text: Select Sheets, class: pyrevittools_pyrevit_drawingset_sheets_selectsheets, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools .dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6566, name: Rename Selected Sheets, text: Rename Selected Sheets, class: pyrevittools_pyrevit_drawingset_sheets_renameselectedsheets, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools .dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }

' 0:< API_SUCCESS { Added pushbutton Id: 6567, name: List TitleBlocks on Sheets, text: List/Select TitleBlocks on Sheets, class: pyrevittools_pyrevit_drawingset_sheets_listtitleblocksonsheets, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6568, name: Set Crop Region To Selected Shape, text: Set Crop Region To Selected Shape, class: pyrevittools_pyrevit_drawingset_sheets_setcropregiontoselectedshape, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6569, name: Set Views Crop Box Line Weight, text: Set Crop Box Line Weight, class: pyrevittools_pyrevit_drawingset_sheets_setviewscropboxlineweight, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6570, name: Open Selected Viewport, text: Open Selected Viewports, class: pyrevittools_pyrevit_drawingset_sheets_openselectedviewport, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6571, name: ReOrder Sheets, text: ReOrder Sheets, class: pyrevittools_pyrevit_drawingset_sheets_reordersheets, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6572, name: Rename PDF Sheets, text: Rename PDF Sheets, class: pyrevittools_pyrevit_drawingset_sheets_renamepdfsheets, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6573, name: Decrement Selected Sheet Numbers, text: Decrement Selected Sheet Numbers, class: pyrevittools_pyrevit_drawingset_sheets_decrementselectedsheetnumbers, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6574, name: Increment Selected Sheet Numbers, text: Increment Selected Sheet Numbers, class: pyrevittools_pyrevit_drawingset_sheets_incrementselectedsheetnumbers, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Sheets }
' 0:< API_SUCCESS { Added pushbutton Id: 6575, name: Create Revised Sheet Set, text: Create Revised Sheet Set, class: pyrevittools_pyrevit_drawingset_revision_createrevisedsheetset, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6576, name: Copy Revisions to Open Documents, text: Copy Revisions to Open Documents, class: pyrevittools_pyrevit_drawingset_revision_copyrevisionstoopendocuments, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6577, name: Generate Revision Report, text: Generate Revision Report, class:

pyrevittools_pyrevit_drawingset_revision_generaterevisionreport, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6578, name: Find All Revised Sheets, text:
Find All Revised Sheets, class:
pyrevittools_pyrevit_drawingset_revision_findallrevisedsheets, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6579, name: Find All Revision Clouds On
Views, text: Find All Revision Clouds On Views, class:
pyrevittools_pyrevit_drawingset_revision_findallrevisioncloudsonviews, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6580, name: Find All Sheets Missing
Revision Number, text: Find All Sheets Missing Revision Number, class:
pyrevittools_pyrevit_drawingset_revision_findallsheetsmissingrevisionnumber,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6581, name: Find All Sheets With Selected
Revision, text: Find All Sheets With Selected Revision, class:
pyrevittools_pyrevit_drawingset_revision_findallsheetswithselectedrevision,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6582, name: Find Rev Clouded Legends, text:
Find Legends with Revision Clouds, class:
pyrevittools_pyrevit_drawingset_revision_findrevcloudedlegends, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6583, name: Set Revision On Sheets, text:
Set Revision On Sheets, class:
pyrevittools_pyrevit_drawingset_revision_setrevisiononsheets, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6584, name: Remove Revision From Sheets,
text: Remove Revision From Sheets, class:
pyrevittools_pyrevit_drawingset_revision_removerevisionfromsheets, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6585, name: Turn Off All Revisions, text:
Turn Off all revisions, class:
pyrevittools_pyrevit_drawingset_revision_turnoffallrevisions, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Revision }
' 0:< API_SUCCESS { Added pushbutton Id: 6586, name: Keynotes, text: Manage
'Keynotes, class: pyrevittools_pyrevit_drawingset_keynotes, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Drawing set }
' 0:< API_SUCCESS { Added pushbutton Id: 6587, name: Copy Legends to Other

Documents, text: Copy legends to others documents, class:
pyrevittools_pyrevit_drawingset_views_legends_copylegendstootherdocuments, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6588, name: Copy Legends as Drafting to
Other Documents, text: Copy Legends as Drafting to Other Documents, class:
pyrevittools_pyrevit_drawingset_views_legends_copylegendsasdraftingtootherdocuments,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6589, name: Convert Drafting to Legend,
text: Convert drafting to legend, class:
pyrevittools_pyrevit_drawingset_views_legends_convertdraftingtolegend, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6590, name: Convert Legend to Drafting,
text: Convert legend to drafting, class:
pyrevittools_pyrevit_drawingset_views_legends_convertlegendtodrafting, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6591, name: List Legends on Sheets, text:
List Legends on Sheets, class:
pyrevittools_pyrevit_drawingset_views_legends_listlegendsonsheets, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6592, name: Find Unused Keynotes, text:
Find Unused Keynotes, class:
pyrevittools_pyrevit_drawingset_views_legends_findunusedkeynotes, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6593, name: Open Keynotes File, text: Open
keynotes file, class:
pyrevittools_pyrevit_drawingset_views_legends_openkeynotesfile, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6594, name: 3D, text: Set Legend Component
to 3D orientation, class: pyrevittools_pyrevit_drawingset_views_legends_3d,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6595, name: Section, text: Set Legend
Component to Section orientation, class:
pyrevittools_pyrevit_drawingset_views_legends_section, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6596, name: Top, text: Set Legend Component
to Top orientation, class: pyrevittools_pyrevit_drawingset_views_legends_top,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }

```
' 0:< API_SUCCESS { Added pushbutton Id: 6597, name: Bottom, text: Set Legend
Component to Down orientation, class:
pyrevittools_pyrevit_drawingset_views_legends_bottom, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6598, name: Left, text: Set Legend
Component to Left orientation, class:
pyrevittools_pyrevit_drawingset_views_legends_left, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6599, name: Right, text: Set Legend
Component to Right orientation, class:
pyrevittools_pyrevit_drawingset_views_legends_right, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6600, name: Front, text: Set Legend
Component to Front orientation, class:
pyrevittools_pyrevit_drawingset_views_legends_front, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6601, name: Back, text: Set Legend
Component to Back orientation, class:
pyrevittools_pyrevit_drawingset_views_legends_back, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Legends }
' 0:< API_SUCCESS { Added pushbutton Id: 6602, name: Create Schedule from CSV, text:
Create schedule from CSV, class:
pyrevittools_pyrevit_drawingset_views_schedules_createschedulefromcsv, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Schedules }
' 0:< API_SUCCESS { Added pushbutton Id: 6603, name: Export Schedules To CSV, text:
Export Schedules To CSV, class:
pyrevittools_pyrevit_drawingset_views_schedules_exportschedulestocsv, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Schedules }
' 0:< API_SUCCESS { Added pushbutton Id: 6604, name: List Schedules on Sheets, text:
List Schedules on Sheets, class:
pyrevittools_pyrevit_drawingset_views_schedules_listschedulesonsheets, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Schedules }
' 0:< API_SUCCESS { Added pushbutton Id: 6605, name: Open Referencing Sheet, text:
Open Referencing Sheet, class:
pyrevittools_pyrevit_drawingset_views_views_openreferencingsheet, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6606, name: Find Referring Views, text:
Open Refererring Views, class:
pyrevittools_pyrevit_drawingset_views_views_findreferringviews, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
```

' 0:< API_SUCCESS { Added pushbutton Id: 6607, name: Find Views By Filter, text: Search Views By Filter, class: pyrevittools_pyrevit_drawingset_views_views_findviewsbyfilter, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6608, name: Query View Sheet Placement, text: Query View Sheet Placement, class: pyrevittools_pyrevit_drawingset_views_views_queryviewsheetplacement, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6609, name: Query View Referencing, text: Query View Referencing, class: pyrevittools_pyrevit_drawingset_views_views_queryviewreferencing, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6610, name: Close Views, text: Close Tabs, class: pyrevittools_pyrevit_drawingset_views_views_closeviews, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6611, name: Rename Selected Views, text: Rename Selected Views, class: pyrevittools_pyrevit_drawingset_views_views_renameselectedviews, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6612, name: Duplicate Selected Views, text: Duplicate Selected Views, class: pyrevittools_pyrevit_drawingset_views_views_duplicateselectedviews, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6613, name: Create Print Set From Selected Views, text: Creates print set from selected views, class: pyrevittools_pyrevit_drawingset_views_views_createprintsetfromselectedviews, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6614, name: Find Used View Templates Filters, text: Find Used View Templates Filters, class: pyrevittools_pyrevit_drawingset_views_views_findusedviewtemplatesfilters, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6615, name: Copy View Templates to Open Documents, text: Copy selected view templates to other open models, class: pyrevittools_pyrevit_drawingset_views_views_copyviewtemplatestoopendocuments, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6616, name: Toggle Grid Bubbles by Direction, text: Toggle Grid Bubbles by Direction, class: pyrevittools_pyrevit_drawingset_views_views_togglegridbubblesbydirection, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools

.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6617, name: Match Title on Sheet in Open
Docs, text: Match Title On Sheet in Open Docs, class:
pyrevittools_pyrevit_drawingset_views_views_matchtitleonsheetinopendocs, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6618, name: Create Parallel Section, text:
Create Parallel Section, class:
pyrevittools_pyrevit_drawingset_views_views_createparallelsection, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6619, name: Add Views to Sheets, text: Add
Views to Sheets, class:
pyrevittools_pyrevit_drawingset_views_views_addviewstosheets, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6620, name: Move Viewport Label, text: Move
Viewport Label, class:
pyrevittools_pyrevit_drawingset_views_views_moveviewportlabel, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6621, name: Remove Underlay From Selected
Views, text: Remove Underlay From Selected Views, class:
pyrevittools_pyrevit_drawingset_views_views_removeunderlayfromselectedviews,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6622, name: Set View Template Controlled
Parameters, text: Include or exclude template parameters, class:
pyrevittools_pyrevit_drawingset_views_views_setviewtemplatecontrolledparameters,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Drawing set%Views }
' 0:< API_SUCCESS { Added pushbutton Id: 6623, name: Print Sheets, text: Print
'Sheets, class: pyrevittools_pyrevit_drawingset_printsheets, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Drawing set }
' 0:< API_SUCCESS { Added pushbutton Id: 6624, name: Preflight Checks, text:
Preflight
'Checks ?, class: pyrevittools_pyrevit_project_preflightchecks, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Project }
' 0:< API_SUCCESS { Added pushbutton Id: 6625, name: Get Central Path, text: Get
Central Path, class: pyrevittools_pyrevit_project_ptools2_getcentralpath, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Project }
' 0:< API_SUCCESS { Added pushbutton Id: 6626, name: Get RVT Info, text: Get RVT
Info, class: pyrevittools_pyrevit_project_ptools2_getrvtinfo, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%pyRevit%Project }

' 0:< API_SUCCESS { Added pushbutton Id: 6627, name: Find Sheets With Elements Owned By Me, text: Find Sheets With Elements Owned By Me, class: pyrevittools_pyrevit_project_ptools2_team_findsheetswithelementsownedbyme, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Team }
' 0:< API_SUCCESS { Added pushbutton Id: 6628, name: Select Last Edited By Me In Current View, text: Select Last Edited By Me In Current View, class: pyrevittools_pyrevit_project_ptools2_team_selectlasteditedbymeincurrentview, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Team }
' 0:< API_SUCCESS { Added pushbutton Id: 6629, name: Select Owned By Me In Current View, text: Select Owned By Me In Current View, class: pyrevittools_pyrevit_project_ptools2_team_selectownedbymeincurrentview, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Team }
' 0:< API_SUCCESS { Added pushbutton Id: 6630, name: Who Did That, text: Who did that??, class: pyrevittools_pyrevit_project_ptools2_team_whodidthat, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Team }
' 0:< API_SUCCESS { Added pushbutton Id: 6631, name: Cycle Family Types, text: Cycle Types, class: pyrevittools_pyrevit_project_ptools_cyclefamilytypes, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%pyRevit%Project }
' 0:< API_SUCCESS { Added pushbutton Id: 6632, name: Family QuickCheck, text: Family QuickCheck, class: pyrevittools_pyrevit_project_ptools_family_familyquickcheck, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Family }
' 0:< API_SUCCESS { Added pushbutton Id: 6633, name: Convert ACIS Solid to FreeForm, text: Convert ACIS Solid to FreeForm, class: pyrevittools_pyrevit_project_ptools_family_convertacissolidtofreeform, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Family }
' 0:< API_SUCCESS { Added pushbutton Id: 6634, name: Convert Family To Face Host Based, text: Convert Family To Face Host Based, class: pyrevittools_pyrevit_project_ptools_family_convertfamilytofacehostbased, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Family }
' 0:< ::58:: Delta VM: Avail -8 -> 133848804 MB, Used +1 -> 532 MB, Peak +1 -> 532 MB; RAM: Avail -11 -> 16175 MB, Used +4 -> 983 MB, Peak +4 -> 983 MB
' 0:< GUI Resource Usage GDI: Avail 9228, Used 772, User: Used 217
' 0:< API_SUCCESS { Added pushbutton Id: 6635, name: Convert Imported 3D CAD, text: Convert Imported 3D CAD, class: pyrevittools_pyrevit_project_ptools_family_convertimported3dcad, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Family }
' 0:< API_SUCCESS { Added pushbutton Id: 6636, name: Export Family Config, text: Export Family Config, class: pyrevittools_pyrevit_project_ptools_family_exportfamilyconfig, assembly:

C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Family }
' 0:< API_SUCCESS { Added pushbutton Id: 6637, name: Import Family Config, text:
Import Family Config, class:
pyrevittools_pyrevit_project_ptools_family_importfamilyconfig, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Family }
' 0:< API_SUCCESS { Added pushbutton Id: 6638, name: Wipe Family Parameters, text:
Wipe Family Parameters, class:
pyrevittools_pyrevit_project_ptools_family_wipefamilyparameters, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Family }
' 0:< API_SUCCESS { Added pushbutton Id: 6639, name: Load Families, text: Load
Families, class: pyrevittools_pyrevit_project_ptools_family_loadfamilies, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Family }
' 0:< API_SUCCESS { Added pushbutton Id: 6640, name: Save Families, text: Save
Families, class: pyrevittools_pyrevit_project_ptools_family_savefamilies, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Family }
' 0:< API_SUCCESS { Added pushbutton Id: 6641, name: Load More Types, text: Load
More Types, class: pyrevittools_pyrevit_project_ptools_family_loadmoretypes,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Family }
' 0:< API_SUCCESS { Added pushbutton Id: 6642, name: Create Workset For Linked
Element, text: Create Workset For Linked Element ?, class:
pyrevittools_pyrevit_project_ptools_links_createworksetforlinkedelement, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Links }
' 0:< API_SUCCESS { Added pushbutton Id: 6643, name: Export All Raster Images To
Desktop, text: Export All Raster Images, class:
pyrevittools_pyrevit_project_ptools_links_exportallrasterimagestodesktop, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Links }
' 0:< API_SUCCESS { Added pushbutton Id: 6644, name: ListDWGs, text: List DWGs,
class: pyrevittools_pyrevit_project_ptools_links_listdwgs, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Links }
' 0:< API_SUCCESS { Added pushbutton Id: 6645, name: Reload Links, text: Reload
Links, class: pyrevittools_pyrevit_project_ptools_links_reloadlinks, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Links }
' 0:< API_SUCCESS { Added pushbutton Id: 6646, name: Wipe Model Components, text:
Wipe Model Components, class: pyrevittools_pyrevit_project_wipe_wipemodelcomponents,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6647, name: Wipe Attached Constraints,
text: Wipe Attached Constraints, class:

pyrevittools_pyrevit_project_wipe_wipeattachedconstraints, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6648, name: Wipe Selected Families, text: Wipe Selected Families, class: pyrevittools_pyrevit_project_wipe_wipeselectedfamilies, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6649, name: Wipe Site Designer Line Styles, text: Wipe Site Designer Line Styles, class: pyrevittools_pyrevit_project_wipe_wipesitedesignerlinestyles, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6650, name: Wipe Unpurgable Viewport Types, text: Wipe Unpurgeable Viewport Types, class: pyrevittools_pyrevit_project_wipe_wipeunpurgableviewporttypes, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6651, name: Wipe Data Schema, text: Wipe Data Schema, class: pyrevittools_pyrevit_project_wipe_wipedataschema, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6652, name: Wipe Collab Cache, text: Wipe BIM360 Collab Cache, class: pyrevittools_pyrevit_project_wipe_wipecollabcache, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6653, name: Wipe SubCategories, text: Wipe SubCategories, class: pyrevittools_pyrevit_project_wipe_wipesubcategories, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6654, name: Wipe Unused Filters, text: Wipe Unused Filters, class: pyrevittools_pyrevit_project_wipe_wipeunusedfilters, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6655, name: Wipe Unused View Templates, text: Wipe Unused View Templates, class: pyrevittools_pyrevit_project_wipe_wipeunusedviewtemplates, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6656, name: Wipe Empty Elevation Tags, text: Wipe Empty Elevation Tags, class: pyrevittools_pyrevit_project_wipe_wipeemptyelevationtags, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6657, name: Wipe Empty Tags, text: Remove Empty Tags, class: pyrevittools_pyrevit_project_wipe_wipeemptytags, assembly: C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }

```
' 0:< API_SUCCESS { Added pushbutton Id: 6658, name: Wipe Arrowheads Types, text:
Wipe ArrowHeads type, class: pyrevittools_pyrevit_project_wipe_wipearrowheadstypes,
assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Added pushbutton Id: 6659, name: Wipe All Project Parameters,
text: Wipe All Project Parameters, class:
pyrevittools_pyrevit_project_wipe_wipeallprojectparameters, assembly:
C:\Users\del\AppData\Roaming\pyRevit\2025\pyRevit_2025_3e079920e70f869b_pyRevitTools
.dll, parentId: CustomCtrl_%CustomCtrl_%pyRevit%Project%Wipe }
' 0:< API_SUCCESS { Starting External Application: PyRevitLoader, Class:
PyRevitLoader.PyRevitLoaderApplication, Vendor : eirannejad(), Assembly: C:\Program
Files\pyRevit-Master\bin\netcore\engines\IPY2712PR\pyRevitLoader.dll,  Assembly
Version: 2.7.12.0 }
' 0:< API_SUCCESS { Added pushbutton Id: 6660, name: StingBIM_AIChat, text: AI Chat,
class: StingBIM.AI.Revit.Commands.ShowChatCommand, assembly:
C:\Users\del\AppData\Roaming\Autodesk\Revit\Addins\2025\StingBIM\StingBIM.AI.Revit.d
ll, parentId: CustomCtrl_%StingBIM%AI Assistant }
' 0:< API_SUCCESS { Added pushbutton Id: 6661, name: StingBIM_Parameters, text: Load
'Parameters, class: StingBIM.AI.Revit.Commands.LoadParametersCommand, assembly:
C:\Users\del\AppData\Roaming\Autodesk\Revit\Addins\2025\StingBIM\StingBIM.AI.Revit.d
ll, parentId: CustomCtrl_%StingBIM%Data }
' 0:< API_SUCCESS { Added pushbutton Id: 6662, name: StingBIM_Compliance, text:
Compliance
'Check, class: StingBIM.AI.Revit.Commands.ComplianceCheckCommand, assembly:
C:\Users\del\AppData\Roaming\Autodesk\Revit\Addins\2025\StingBIM\StingBIM.AI.Revit.d
ll, parentId: CustomCtrl_%StingBIM%Standards }
' 0:< API_SUCCESS { Added pushbutton Id: 6663, name: StingBIM_Settings, text:
Settings, class: StingBIM.AI.Revit.Commands.ShowSettingsCommand, assembly:
C:\Users\del\AppData\Roaming\Autodesk\Revit\Addins\2025\StingBIM\StingBIM.AI.Revit.d
ll, parentId: CustomCtrl_%StingBIM%Settings }
' 0:< API_SUCCESS { Starting External Application: StingBIM AI, Class:
StingBIM.AI.Revit.RevitApplication, Vendor : StingBIM(StingBIM - AI-Powered BIM
Automation), Assembly: StingBIM\StingBIM.AI.Revit.dll,  Assembly Version: 0.0.0.0 }
' 0:< ::58:: Delta VM: Avail -3 -> 133848801 MB, Used +12 -> 544 MB, Peak +12 -> 544
MB; RAM: Avail -16 -> 16159 MB, Used +14 -> 998 MB, Peak +14 -> 998 MB
' 0:< GUI Resource Usage GDI: Avail 9196, Used 804, User: Used 215
' 0:< API_SUCCESS { Added pushbutton Id: 6664, name: btnTogglePanel, text: STING
'Panel, class: StingTools.Core.ToggleDockPanelCommand, assembly:
C:\Dev\STINGTOOLS\CompiledPlugin\StingTools.dll, parentId: CustomCtrl_%STING
Tools%Panel }
' 0:< Third Party Updater 'STING Tools: STING Auto-Tagger' registered for all
documents.
' 0:< API_SUCCESS { Starting External Application: STING Tools, Class:
StingTools.Core.StingToolsApp, Vendor : StingBIM(StingBIM - ISO 19650 BIM
Automation), Assembly: C:\Dev\STINGTOOLS\CompiledPlugin\StingTools.dll,  Assembly
Version: 1.0.0.0 }
' 0:< ::58:: Delta VM: Avail 133848801 MB, Used +10 -> 555 MB, Peak +10 -> 555 MB;
RAM: Avail -9 -> 16150 MB, Used +11 -> 1009 MB, Peak +11 -> 1009 MB
' 0:< GUI Resource Usage GDI: Avail 9196, Used 804, User: Used 215
```

```
'C 07-Mar-2026 18:46:59.593;  ->DesktopMFCApp::doStartupWarnings
'C 07-Mar-2026 18:46:59.595;   0:< manage involvement - application open
' 0:< ::58:: Delta VM: Avail -11 -> 133848790 MB, Used +0 -> 556 MB, Peak +0 -> 556
MB; RAM: Avail -10 -> 16140 MB, Used +2 -> 1012 MB, Peak +3 -> 1013 MB
' 0:< GUI Resource Usage GDI: Avail 9182, Used 818, User: Used 215
'C 07-Mar-2026 18:46:59.750;   0:< manage debug modes
'C 07-Mar-2026 18:46:59.750;   0:< MFCApp::testGraphicsHardware
' 0:< Revit Graphics Information
' 0:<   Current Mode : DirectX Hardware
' 0:<   Use Hardware: ON
' 0:<   Use Overlays : ON
' 0:< ::58:: Delta VM: Avail -3 -> 133848788 MB, Used +0 -> 557 MB, Peak +49 -> 606
MB; RAM: Avail -3 -> 16138 MB, Used +2 -> 1014 MB, Peak +26 -> 1039 MB
' 0:< GUI Resource Usage GDI: Avail 9182, Used 818, User: Used 215
' 0:<
'OGS Device Memory Size: 20164 MB
' 0:< ::58:: Delta VM: Avail -362 -> 133848427 MB, Used +189 -> 746 MB, Peak +141 ->
748 MB; RAM: Avail +10 -> 16149 MB, Used +38 -> 1052 MB, Peak +14 -> 1053 MB
' 0:< GUI Resource Usage GDI: Avail 9182, Used 818, User: Used 216
' 0:< DX Device: DirectX 11, Hardware
' 0:< ::58:: Delta VM: Avail -14 -> 133848413 MB, Used +0 -> 747 MB; RAM: Avail +1
-> 16150 MB, Used +3 -> 1055 MB, Peak +3 -> 1057 MB
' 0:< GUI Resource Usage GDI: Avail 9182, Used 818, User: Used 216
' 0:< DX Device: DirectX 11, WARP
' 0:< VIDEO CARD ENVIRONMENT: CARD="NVIDIA T600 Laptop GPU" ManufacturerID="10DE"
DeviceID="8118" DRIVER="32.0.15.7344" DEVICE="DX11" FL_Caps="50" (Shader Model)
'C 07-Mar-2026 18:47:11.709;   0:< MFCApp::testMSAA
' 0:< Revit Graphics Information
' 0:<   Current Mode : DirectX Hardware
' 0:<   Use Hardware: ON
' 0:<   Use Overlays : ON
'C 07-Mar-2026 18:47:11.709;   0:< postConditionalWarnings
'C 07-Mar-2026 18:47:11.709;   0:< giveAtomRegistrationWarnings
'C 07-Mar-2026 18:47:11.709;   0:< warnings->consumeAll
'C 07-Mar-2026 18:47:11.709;   0:< Process result of DebugModes-Changed Task Dialog
'C 07-Mar-2026 18:47:11.709;   0:< isMaterialLibraryAvailable
'C 07-Mar-2026 18:47:11.709;   0:< start up warnings for AddIns
' 0:< ::58:: Delta VM: Avail -17 -> 133848396 MB, Used 747 MB; RAM: Avail -1 ->
16149 MB, Used +0 -> 1056 MB
' 0:< GUI Resource Usage GDI: Avail 9182, Used 818, User: Used 216
'C 07-Mar-2026 18:47:11.710;  <-DesktopMFCApp::doStartupWarnings
' [Jrn.AddInManagerSettings] 0
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: GRAITEC Advance PowerPack for Autodesk
 Revit  Rvt.Attr.AddInId: 84eec8c8-8fba-4a35-a661-0a1e74f152b1
Rvt.Attr.CommandVendorId: GRTC 1
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: GRAITEC Advance PowerPack Extensions
Rvt.Attr.AddInId: 446db006-9a57-478e-bdae-94ad378d4290 Rvt.Attr.CommandVendorId:
GRTC 1
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: BIMprove Rvt.Attr.AddInId:
685e1173-e85c-4fbe-804c-11d14f6485b0 Rvt.Attr.CommandVendorId: BIMprove LLC 1
```

' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: Ideate Automation Rvt.Attr.AddInId: 00c33cf1-05e3-4d0d-bb2b-9495f9fb55c9 Rvt.Attr.CommandVendorId: IDSW 1
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: Ideate Software Rvt.Attr.AddInId: 00108c0e-e5f3-4e25-bcdd-4d7e558295b4 Rvt.Attr.CommandVendorId: IDSW 1
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: Sheets to DWG 25 Rvt.Attr.AddInId: d299f946-7b2f-4b73-bfce-a9351ff0447b Rvt.Attr.CommandVendorId: MLabs 1
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: W7k Drafter Rvt.Attr.AddInId: 6b25e280-e65e-4341-acaf-27495837c68e Rvt.Attr.CommandVendorId: pl.w7k 1
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: NaviateAC Rvt.Attr.AddInId: 55c2effb-c5fa-4a61-b874-1538b43c6d34 Rvt.Attr.CommandVendorId: CQTP 1
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: RapidRebar Rvt.Attr.AddInId: 502fe383-2648-4e98-adf8-5e6047f9dc34 Rvt.Attr.CommandVendorId: ED 1
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: NaviateA Rvt.Attr.AddInId: 15d682a6-1f5b-453c-a671-4a30d6a4e204 Rvt.Attr.CommandVendorId: CQTP 1
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: NaviateMP Rvt.Attr.AddInId: c6743809-da8f-4f7c-bb87-c8a5b5bd864d Rvt.Attr.CommandVendorId: CQTP 1
' [Jrn.DisabledUserAddIn] Rvt.Attr.AddInName: AutoMEP 900-Layer System Rvt.Attr.AddInId: a1b2c3d4-e5f6-4a5b-8c9d-0e1f2a3b4c5d Rvt.Attr.CommandVendorId: AMEP 1
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.AddInsManager.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Add-Ins Manager Rvt.Attr.AddInId: 19b8b66a-e435-44da-8b98-4a6ec6e517e1 Rvt.Attr.CommandClassName: Autodesk.Revit.Addin.AddInManager.Application Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Systems%20Analysis&sort=score&page=1&knowledgeSource=Product%20Documentation Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.127000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.AlignMultipleAnnotations.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Align Multiple Text Elements Rvt.Attr.AddInId: 32b5860a-aec9-4df7-96b0-07168b274460 Rvt.Attr.CommandClassName: AlignMultipleAnnotations.AlignMultipleText Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: https://www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.044000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.ATFTranslationServer.DBApplication.addin Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: ATF Translation Server Rvt.Attr.AddInId: fa3d130b-2b6b-45be-8734-67536086143f Rvt.Attr.CommandClassName: ATFTranslationServer.ATFTranslationServerRegister Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.007000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.AutoLoader.Application.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: AutoLoad Rvt.Attr.AddInId: 896a245b-94a3-45cf-9ead-64e0e2c6451d Rvt.Attr.CommandClassName: AutoLoader.AutoLoader Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.049000 , 0 , 0

' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.BendingDetails.DB.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Bending Details DB
Rvt.Attr.AddInId: 51e28eba-853f-46e6-b233-2fd7547383cb Rvt.Attr.CommandClassName:
BendingDetails.BendingDetails Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
 , 0.087000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.BendingDetails.UI.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Bending Details UI
Rvt.Attr.AddInId: 26ee038f-98e4-4c81-9b43-231f5b76e463 Rvt.Attr.CommandClassName:
BendingDetailsUI.BendingDetailsUIApp Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
 , 0.067000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.CivilAlignments.Application.addin Rvt.Attr.AddInType: ExternalApplication
Rvt.Attr.AddInName: AlignmentsUI Rvt.Attr.AddInId:
6d0d9e68-7ef2-40cf-9504-eb5a445ae3c2 Rvt.Attr.CommandClassName:
Revit.Infrastructure.AlignmentsUI.AlignmentsUIApplication Rvt.Attr.AddInVersion:
25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
Autodesk, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.042000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.CivilAlignments.DBApplication.addin Rvt.Attr.AddInType:
ExternalDBApplication Rvt.Attr.AddInName: AlignmentsDB Rvt.Attr.AddInId:
f7690f16-148e-43de-84a6-34fc273df7ae Rvt.Attr.CommandClassName:
Autodesk.Revit.DB.Infrastructure.AlignmentsDBApplication Rvt.Attr.AddInVersion:
25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
Autodesk, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.024000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.Collaborate.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Collaborate Application
Rvt.Attr.AddInId: 14f73f04-900e-4e24-8d85-44c71092b6e9 Rvt.Attr.CommandClassName:
Autodesk.Revit.UI.Collaborate.CollaborateApplication Rvt.Attr.AddInVersion:
25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
![CDATA[https://www.autodesk.com/support/technical/search?qt=Revit%20Cloud%20Worksha
ring]] Rvt.Attr.AddInCodeSigningStatus: Signed 1Rvt.Attr.AddInLoadFailureMessage:
NoError , 0.040000 , 0 , 1
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.Collaborate.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Skyscraper Client Host
Application Rvt.Attr.AddInId: 22f74ace-e812-4ced-bef0-7052c755aa2d
Rvt.Attr.CommandClassName: SkyscraperClientHost.SkyscraperClientHostApplication
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
![CDATA[https://www.autodesk.com/support/technical/search?qt=Revit%20Cloud%20Worksha
ring]] Rvt.Attr.AddInCodeSigningStatus: Signed 1Rvt.Attr.AddInLoadFailureMessage:
NoError , 0.039000 , 0 , 1
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.Collaborate.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Collaborate DB
Rvt.Attr.AddInId: bb3086be-63bb-44bd-99eb-d584c013cf2f Rvt.Attr.CommandClassName:

Autodesk.Revit.UI.Collaborate.CollaborateDBApplication Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: ![CDATA[https://www.autodesk.com/support/technical/search?qt=Revit%20Cloud%20Worksharing]] Rvt.Attr.AddInCodeSigningStatus: Signed 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.000000 , 0 , 1
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.CoordinationModelDB.addin Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Coordination Model Rvt.Attr.AddInId: c9463641-1c02-431c-9502-4ad0c91de1ce Rvt.Attr.CommandClassName: Autodesk.CoordinationModelDB.CoordinationModelDBApplication Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Coordination%20Models&sort=score&page=1&knowledgeSource=Product%20Documentation Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.113000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.CoordinationModelUI.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Coordination Model Interface Rvt.Attr.AddInId: 9817e4a5-0333-4323-b69e-781db5f70005 Rvt.Attr.CommandClassName: Autodesk.CoordinationModelUI.CoordinationModelUIApplication Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Coordination%20Models&sort=score&page=1&knowledgeSource=Product%20Documentation Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.048000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.ElectricalAnalyticalPowerDistributableNodeUI.Application.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Electrical Analytical Power Distributable Node UI Rvt.Attr.AddInId: e967ae6d-43b6-49e2-9a3f-065ae64d39fc Rvt.Attr.CommandClassName: Autodesk.Revit.Addin.ElectricalAnalyticalPowerDistributableNodeUI.ServerApp Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: https://www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.040000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.Entitlement.Utilities.addin Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: EntitlementDB Rvt.Attr.AddInId: f8ca15a5-70fc-43aa-844e-0ce436ede4a9 Rvt.Attr.CommandClassName: EntitlementDB.EntitlementDBApplication Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.000000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.ExternalDataMgrUI.Application.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: External Data Manager UI extension Rvt.Attr.AddInId: 4eed105b-50a3-4bab-9bd4-767c172115b6 Rvt.Attr.CommandClassName: ExternalDataMgrUI.App Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.045000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.FreeFormRebar.DB.addin

Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Free Form Rebar
Rvt.Attr.AddInId: 0dadb23e-883a-4149-9926-aeaac2966e1c Rvt.Attr.CommandClassName:
FreeFormRebar.FreeFormRebar Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=Free%20Form%20Rebar&p=REVITPRODUCTS&sort=score Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage:
NoError , 0.022000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.HostFinishAutomation.Application.addin Rvt.Attr.AddInType:
ExternalApplication Rvt.Attr.AddInName: Route Analysis Rvt.Attr.AddInId:
b460f223-85e1-47a5-abbd-04215daa73c9 Rvt.Attr.CommandClassName:
HostFinishAutomation.Application Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Path%20of%20Travel&sort=score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.041000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.IFC.Export.UI.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: IFC override
Rvt.Attr.AddInId: e78da2e3-7e89-464c-97cd-2212c8be3fa8 Rvt.Attr.CommandClassName:
BIM.IFC.Export.UI.IFCCommandOverrideApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.041000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.LCASUIClient.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: LCAS UI Client extension
Rvt.Attr.AddInId: 3c8c1873-d04b-4290-9fd6-4c2aa379c785 Rvt.Attr.CommandClassName:
Autodesk.LCASUIClient.Main Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.044000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.LightboxDB.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Lightbox DB extension
Rvt.Attr.AddInId: f8ddcb9b-9260-4b21-9f09-ea4622763b83 Rvt.Attr.CommandClassName:
Autodesk.LightboxDB.Main Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId:
ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=revit&p=REVITPRODUCTS&sort=score
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.534000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.LightboxUI.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Lightbox UI extension
Rvt.Attr.AddInId: 71d1b3af-7fef-4f64-ae06-30b42cb0b307 Rvt.Attr.CommandClassName:
Autodesk.LightboxUI.Main Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId:
ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=revit&p=REVITPRODUCTS&sort=score
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.139000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.LinkTopography.Commands.Application.addin Rvt.Attr.AddInType:
ExternalApplication Rvt.Attr.AddInName: Link Topograhy Commands Rvt.Attr.AddInId:

d02ca96c-dd06-4192-9871-49f0fe3cb1b4 Rvt.Attr.CommandClassName:
SiteLinkerUI.SiteLinkerUIApp Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Link%20Topography&sort=
score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.041000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.LinkTopography.Parser.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Link Topography Parser
Application Rvt.Attr.AddInId: 26af0fb8-0ceb-46dc-a0b1-79e0208edcdc
Rvt.Attr.CommandClassName: SiteLinker.SiteExportApp Rvt.Attr.AddInVersion:
25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Link%20Topography&sort=
score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.058000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.LinkTopography.Parser.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Link Topography Parser
DBApplication Rvt.Attr.AddInId: 01673995-d4d5-4c62-a184-98e970ef7805
Rvt.Attr.CommandClassName: SiteLinker.SiteServerApp Rvt.Attr.AddInVersion:
25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Link%20Topography&sort=
score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.058000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.LoadAutodeskFamily.Application.addin Rvt.Attr.AddInType:
ExternalApplication Rvt.Attr.AddInName: Application LoadAutodeskFamily
Rvt.Attr.AddInId: 87a72273-3ab1-404e-b6fd-ee0f60ba0e1b Rvt.Attr.CommandClassName:
ContentDelivery.ContentDeliveryApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.046000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.MacroManagerUI.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Macro Manager UI
Rvt.Attr.AddInId: 53963e9c-99b4-418e-a664-3b886c93b554 Rvt.Attr.CommandClassName:
Autodesk.Revit.Addin.MacroManagerUI.MacroManagerUIApp Rvt.Attr.AddInVersion:
25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.040000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.MemberForces.Application.addin Rvt.Attr.AddInType: ExternalApplication
Rvt.Attr.AddInName: Member Forces Rvt.Attr.AddInId:
0d85c3e5-121e-4c9d-8b77-a798f3e2fa83 Rvt.Attr.CommandClassName:
MemberForcesUI.ServerApp Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId:
ADSK Rvt.Attr.CommandVendorDescription: Autodesk, www.autodesk.com
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.045000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.ParametersService.DB.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Unified Parameters

Rvt.Attr.AddInId: aa79ba0c-16bc-40bf-98ad-51a953ddc6f9 Rvt.Attr.CommandClassName: ParametersServiceDB.Application Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: https://knowledge.autodesk.com/search?search=unified%20parameters&p=REVITPRODUCTS&sort=score Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.005000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.PnIDModeler.Application.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: P&ID Modeler Rvt.Attr.AddInId: 502fe383-2648-4e98-adf8-5e604719dc34 Rvt.Attr.CommandClassName: RevitModelingHost.RevitPnIDIteropRibbonPanel Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=P%26ID%20Modeler&sort=score&page=1&knowledgeSource=Product%20Documentation Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.167000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.PointCloudSnappingServer.Application.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: PointCloudSnappingServer Rvt.Attr.AddInId: 1869a8a1-a239-4111-9a79-96234d92d111 Rvt.Attr.CommandClassName: PointCloudSnappingServer.Application Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.137000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.Precast.Application.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Precast for Revit Rvt.Attr.AddInId: 3c028904-e50f-4a8c-b059-098de92d92fc Rvt.Attr.CommandClassName: Adsk.RPCA.Core.PrecastStartup Rvt.Attr.AddInVersion: 25.0.24108.6 Rvt.Attr.CommandVendorId: RPCA Rvt.Attr.CommandVendorDescription: Autodesk, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.096000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.ProjectBrowser.Application.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Revit ProjectBrowser Rvt.Attr.AddInId: a27e018a-670c-4b00-9347-5f72cee54e21 Rvt.Attr.CommandClassName: ProjectBrowser.Application Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: https://knowledge.autodesk.com/search?search=shared%20views&p=REVITPRODUCTS&sort=score Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.048000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.RebarSplice.DB.addin Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Rebar Splice Rvt.Attr.AddInId: 67259052-ee8c-42a6-a5b3-8775d9487949 Rvt.Attr.CommandClassName: RebarSplice.RebarSplice Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.019000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.RebarSplice.UI.addin Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Rebar Splice UI Rvt.Attr.AddInId: d5088632-adca-4c23-8ce7-c0ea6f2e1ed4 Rvt.Attr.CommandClassName: RebarSpliceUI.RebarSpliceUIApp Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError

, 0.040000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.Reinforcement.Utilities.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Reinforcement Common
Utilities Rvt.Attr.AddInId: b5f85eaa-277c-4b69-9fb8-3815c00e618b
Rvt.Attr.CommandClassName: ReinforcementUtilities.ReinforcementUtilitiesApp
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription: Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.000000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.ReinforcementNumbering.Application.addin Rvt.Attr.AddInType:
ExternalApplication Rvt.Attr.AddInName: Reinforcement Numbering Rvt.Attr.AddInId:
32b5860a-aec9-4df7-96b0-07168b27446e Rvt.Attr.CommandClassName:
BIM.Numbering.UI.ReinforcementNumberingApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Reinforcement%20Numberi
ng&sort=score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.039000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.ResultsBuilder.DBApplication.addin Rvt.Attr.AddInType: ExternalApplication
Rvt.Attr.AddInName: Results Builder UI Application Rvt.Attr.AddInId:
4ccb6d3b-d871-4002-902a-041c6c380881 Rvt.Attr.CommandClassName:
Autodesk.Revit.UI.ResultsBuilder.Provider.Application Rvt.Attr.AddInVersion:
2025.0.0.5215 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
ADSK, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.050000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.ResultsBuilder.DBApplication.addin Rvt.Attr.AddInType:
ExternalDBApplication Rvt.Attr.AddInName: Results Builder Application
Rvt.Attr.AddInId: 4c61df08-b0c3-4c59-aee1-f67bd03df6f8 Rvt.Attr.CommandClassName:
Autodesk.Revit.DB.ResultsBuilder.ResultsBuilderApplication Rvt.Attr.AddInVersion:
2025.0.0.5215 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
Autodesk, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.050000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.ResultsExplorer.Application.addin Rvt.Attr.AddInType: ExternalApplication
Rvt.Attr.AddInName: Results Explorer Rvt.Attr.AddInId:
47598b3b-b687-41fb-bfd3-d94ba5aec068 Rvt.Attr.CommandClassName:
ResultsExplorer.Addin.StartUpApp Rvt.Attr.AddInVersion: 2025.0.0.5215
Rvt.Attr.CommandVendorId: adsk Rvt.Attr.CommandVendorDescription:
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.095000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.RevisionsOnSheetUI.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Revisions on Sheet
Rvt.Attr.AddInId: 3ea6fd0a-2ac2-40ab-9250-481384c15e86 Rvt.Attr.CommandClassName:
RevisionsOnSheetUI.RevisionsOnSheetUIApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.037000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.Revit.CloudRendering.addin

Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Cloud Rendering
Rvt.Attr.AddInId: d4f6554b-5d68-4a13-beec-4a0647c34408 Rvt.Attr.CommandClassName:
Autodesk.RaaS.RevitAddin.EApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Cloud%20rendering&sort=
score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.058000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.Revit.CloudWorksharing.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName:
Autodesk.Revit.CloudWorksharing.ModelOperations Rvt.Attr.AddInId:
4ea91f3b-cf01-4740-83c2-3c23ded9ad6e Rvt.Attr.CommandClassName:
Autodesk.Revit.CloudWorksharing.ModelOperations.ModelOperationsApplication
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.000000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.Revit.CloudWorksharing.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName:
Autodesk.Revit.CloudWorksharing.DocumentManagement Rvt.Attr.AddInId:
19752083-3c5d-45df-ac0d-1e2020f1c336 Rvt.Attr.CommandClassName:
Autodesk.Revit.CloudWorksharing.DocumentManagement.DocumentManagementApplication
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.210000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.Revit.CloudWorksharing.UI.addin Rvt.Attr.AddInType: ExternalApplication
Rvt.Attr.AddInName: Autodesk.Revit.CloudWorksharing.UI Rvt.Attr.AddInId:
cd9dc99f-2fee-47d7-bfd1-ec4c776b9325 Rvt.Attr.CommandClassName:
Autodesk.Revit.CloudWorksharing.UI.CloudWorksharingUiApplication
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.042000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.Revit.ExtendedAPIs.Internal.addin Rvt.Attr.AddInType: ExternalDBApplication
Rvt.Attr.AddInName: Autodesk.Revit.DocumentExtensions Rvt.Attr.AddInId:
7b519df4-6924-489f-90f9-1c304e94b324 Rvt.Attr.CommandClassName:
Autodesk.Revit.DocumentExtensions.DocumentExtensionsApplication
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.000000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.Revit.ExtendedAPIs.Internal.addin Rvt.Attr.AddInType: ExternalDBApplication

Rvt.Attr.AddInName: Autodesk.Revit.CloudConfiguration Rvt.Attr.AddInId:
029f363e-1eeb-4c28-a8b2-312b857eafb8 Rvt.Attr.CommandClassName:
Autodesk.Revit.CloudConfiguration.CloudConfigurationApplication
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.000000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.Revit.ExtendedAPIs.Internal.addin Rvt.Attr.AddInType: ExternalDBApplication
Rvt.Attr.AddInName: Autodesk.Revit.CloudWorksharing.Clients Rvt.Attr.AddInId:
ad045562-7e0f-4465-b199-be4724dea024 Rvt.Attr.CommandClassName:
Autodesk.Revit.CloudWorksharing.Clients.CloudWorksharingClientsApplication
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.000000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.Revit.ExtendedAPIs.Internal.addin Rvt.Attr.AddInType: ExternalDBApplication
Rvt.Attr.AddInName: Autodesk.Revit.CloudWorksharing.DocumentExtensions
Rvt.Attr.AddInId: 17240283-ef8e-417e-81a5-d7cf8def170e Rvt.Attr.CommandClassName:
Autodesk.Revit.CloudWorksharing.DocumentExtensions.CloudWorksharingDocumentExtension
sApplication Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.000000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.RevitApplicationHome.Application.addin Rvt.Attr.AddInType:
ExternalApplication Rvt.Attr.AddInName: Revit Application Home Rvt.Attr.AddInId:
2b185467-5243-4cea-9148-aab8e5523c2a Rvt.Attr.CommandClassName:
ModelBrowser.ModelBrowserApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=revit%20home&p=REVITPRODUCTS&sort=score
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.050000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.RevitSharedViews.Application.addin Rvt.Attr.AddInType: ExternalApplication
Rvt.Attr.AddInName: Revit Shared Views Rvt.Attr.AddInId:
99a96123-184e-48a7-89bf-0ef1418cc63c Rvt.Attr.CommandClassName:
SharedViews.Application Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId:
ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=shared%20views&p=REVITPRODUCTS&sort=sco
re Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage:
NoError , 0.059000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.RouteAnalysis.Application.addin Rvt.Attr.AddInType: ExternalApplication
Rvt.Attr.AddInName: Route Analysis Rvt.Attr.AddInId:
13641868-6e6e-4610-9258-061b3b6f0421 Rvt.Attr.CommandClassName:

RouteAnalysisUI.RouteAnalysisUIApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Path%20of%20Travel&sort
=score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.038000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.RouteAnalysis.DBApplication.addin Rvt.Attr.AddInType: ExternalDBApplication
Rvt.Attr.AddInName: Route Analysis Rvt.Attr.AddInId:
40e082fd-2661-4bbb-83f0-e960745a72a2 Rvt.Attr.CommandClassName:
RouteAnalysisDB.RouteAnalysisDBApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Path%20of%20Travel&sort
=score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.046000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.SectionProperties.Application.addin Rvt.Attr.AddInType: ExternalApplication
Rvt.Attr.AddInName: Structural Section Properties Rvt.Attr.AddInId:
87e56e6d-ff91-4d1f-a003-b50ae0903c01 Rvt.Attr.CommandClassName:
SectionProperties.ServerApp Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.042000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.SpaceNaming.Application.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Space Naming Utility
Application Rvt.Attr.AddInId: 02663093-563b-4e2f-b5be-5b75beb2e313
Rvt.Attr.CommandClassName: SpaceNaming.Command Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Space%20Naming&sort=sco
re&page=1&knowledgeSource=Product%20Documentation Rvt.Attr.AddInCodeSigningStatus:
Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.037000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.SteelConnectionsDB.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Steel Connections DB
extension Rvt.Attr.AddInId: 9f2e732a-289e-4185-b701-15d33c31653f
Rvt.Attr.CommandClassName: Autodesk.SteelConnectionsDB.Main Rvt.Attr.AddInVersion:
25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=detailed%20steel%20modeling&p=REVITPROD
UCTS&sort=score Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.143000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.SteelConnectionsUI.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Steel Connections UI
extension Rvt.Attr.AddInId: 16cd5a3b-d481-4fb3-8355-848d4933e850
Rvt.Attr.CommandClassName: Autodesk.SteelConnectionsUI.SteelConnection
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=detailed%20steel%20modeling&p=REVITPROD
UCTS&sort=score Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.067000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:

Autodesk.StructuralRibbon.Application.addin Rvt.Attr.AddInType: ExternalApplication
Rvt.Attr.AddInName: StructuralRibbon Rvt.Attr.AddInId:
844fae81-bbed-4b1e-aa6f-06ef261f6096 Rvt.Attr.CommandClassName:
Autodesk.Revit.UI.StructuralRibbon.Application Rvt.Attr.AddInVersion: 2025.0.0.5215
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: ADSK,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.040000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.StructuralRibbon.Application.addin Rvt.Attr.AddInType:
ExternalDBApplication Rvt.Attr.AddInName: StructuralRibbon Rvt.Attr.AddInId:
e1c7f1e9-3b37-48fe-9f14-75450998ca30 Rvt.Attr.CommandClassName:
Autodesk.Revit.DB.StructuralRibbon.Application Rvt.Attr.AddInVersion: 2025.0.0.5215
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: ADSK,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.040000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.TotalCarbonAnalysis.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Insights
Rvt.Attr.AddInId: 6addacbc-45f6-47c0-bd95-43881c2d0d6e Rvt.Attr.CommandClassName:
Autodesk.TotalCarbonAnalysis.Application Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Systems%20Analysis&sort
=score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Signed 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 1.540000 , 0 , 1
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.TwinmotionForRevit.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: TwinmotionForRevit
Rvt.Attr.AddInId: e90df5ab-5793-4af0-94eb-62b29afd09c3 Rvt.Attr.CommandClassName:
TwinmotionForRevit.TwinmotionApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.161000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
Autodesk.UnifiedParameters.Application.addin Rvt.Attr.AddInType: ExternalApplication
Rvt.Attr.AddInName: Unified Parameters Rvt.Attr.AddInId:
da99759f-83c7-4706-95b0-39f564b21044 Rvt.Attr.CommandClassName:
UnifiedParameters.EApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=unified%20parameters&p=REVITPRODUCTS&so
rt=score Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.043000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Autodesk.ViewSheetSetUI.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: ViewSheetSet UI
Rvt.Attr.AddInId: e75db57c-4434-4015-8dcf-9ec315b472a7 Rvt.Attr.CommandClassName:
Autodesk.Revit.Addin.ViewSheetSetUI.ViewSheetSetUIApp Rvt.Attr.AddInVersion:
25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.038000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: ConnectedDesktopDB.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: ConnectedDesktopDB
Rvt.Attr.AddInId: eb90cd67-330f-48c2-84f7-c26c5b8f4d9c Rvt.Attr.CommandClassName:

ConnectedDesktopDB.ServerApp Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.024000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: ConnectedDesktopUI.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: ConnectedDesktopUI
Rvt.Attr.AddInId: f77b92f9-ae19-4b43-9722-07b8595df6e6 Rvt.Attr.CommandClassName:
ConnectedDesktopUI.ServerApp Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.044000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: Dynamo.addin Rvt.Attr.AddInType:
ExternalApplication Rvt.Attr.AddInName: Dynamo For Revit Rvt.Attr.AddInId:
8d83c886-b739-4acd-a9db-1bc78f315b2b Rvt.Attr.CommandClassName:
Dynamo.Applications.VersionLoader Rvt.Attr.AddInVersion: 3.3.0.6523
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Dynamo
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
 , 0.154000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: DynamoPlayerForRevit.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Application Dynamo
Player For Revit Rvt.Attr.AddInId: ce565619-a9c6-472d-8c66-34f71b8999cb
Rvt.Attr.CommandClassName: DynamoPlayerForRevit.DynamoPlayerApplication
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription: Autodesk, www.autodesk.com
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
 , 0.071000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: EnergyAnalysis.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Energy Analysis
Rvt.Attr.AddInId: f50a2212-f174-4890-84a9-064c3c835c4d Rvt.Attr.CommandClassName:
EnergyAnalysis.Application Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Systems%20Analysis&sort
=score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
 , 0.040000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: ExportViewSelectorApp.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Views For A360
Rvt.Attr.AddInId: 78bd1446-1817-4842-8075-591b0424acaa Rvt.Attr.CommandClassName:
Autodesk.Revit.Addin.ExportViewSelector.ExportViewSelectorApp Rvt.Attr.AddInVersion:
25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
Autodesk, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Signed
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.040000 , 0 , 1
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: FabricationPartBrowser.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName:
FabPartBrowserApplication Rvt.Attr.AddInId: ee72acb7-2d70-484e-9cdf-0f7006b1183e
Rvt.Attr.CommandClassName: FabricationPartBrowser.FabPartBrowserApplication
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription: Autodesk, www.autodesk.com
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
 , 0.074000 , 0 , 0

' [Jrn.AddInManifest] Rvt.Attr.AddInManifest:
FittingAndAccessoryCalculationUIServers.addin Rvt.Attr.AddInType:
ExternalApplication Rvt.Attr.AddInName: Fitting And Accessory Calculation
Rvt.Attr.AddInId: f7d80aa6-657b-4b94-91e4-44d785281965 Rvt.Attr.CommandClassName:
FittingAndAccessoryCalculationUIServers.ServerApp Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Specify%20Fitting%20Pressure%20Loss&sort=score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.068000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: GenerativeDesignForRevit.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Application Generative
Design For Revit Rvt.Attr.AddInId: 665a8aff-69bc-44b9-831f-3fb829e9e2d1
Rvt.Attr.CommandClassName:
GenerativeDesignForRevit.GenerativeDesignForRevitApplication Rvt.Attr.AddInVersion:
25.4.30.30 Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
Autodesk, www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.045000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: KeynoteDBServer.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: KeynoteDBServer
Rvt.Attr.AddInId: 17eb6cc6-eba2-4826-b166-482d921cd3c9 Rvt.Attr.CommandClassName:
KeynoteDBServer.ServerApp Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.132000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: KeynoteUIServer.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: KeynoteUIServer
Rvt.Attr.AddInId: 4a6d899f-6b4f-40fb-a59e-39c8f2792acb Rvt.Attr.CommandClassName:
KeynoteUIServer.ServerApp Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription: Autodesk,
www.autodesk.com Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.060000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: MEPCalculation.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Straight Segment
Pressure Drop Servers Rvt.Attr.AddInId: ce6aea7a-9520-44f9-9ad9-16db32a7d230
Rvt.Attr.CommandClassName: StraightSegmentCalculationServers.ServerApp
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Pipe%20Pressure%20Drop&sort=score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 0.038000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: MEPCalculation.addin
Rvt.Attr.AddInType: ExternalDBApplication Rvt.Attr.AddInName: Fitting And Accessory
Pressure Drop Servers Rvt.Attr.AddInId: 6b8df67a-8b6f-43a1-8393-445b8bf3cb1c
Rvt.Attr.CommandClassName: FittingAndAccessoryCalculationServers.ServerApp
Rvt.Attr.AddInVersion: 25.4.30.30 Rvt.Attr.CommandVendorId: ADSK
Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?p=REVITPRODUCTS&search=Fitting%20Pressure%20Loss&sort=score&page=1&knowledgeSource=Product%20Documentation

Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
 , 0.025000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: PressureLossReport.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: Pressure Loss Report
Rvt.Attr.AddInId: b00d3753-d3bc-4255-9c97-e389de87a5d6 Rvt.Attr.CommandClassName:
PressureLossReport.PressureLossReportApplication Rvt.Attr.AddInVersion: 25.4.30.30
Rvt.Attr.CommandVendorId: ADSK Rvt.Attr.CommandVendorDescription:
https://knowledge.autodesk.com/search?search=Pressure%20Loss%20Report&p=REVITPRODUCT
S&sort=score&page=1&knowledgeSource=Product%20Documentation
Rvt.Attr.AddInCodeSigningStatus: Unsigned 1Rvt.Attr.AddInLoadFailureMessage: NoError
 , 0.038000 , 0 , 0
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: DiRoots.One.addin Rvt.Attr.AddInType:
ExternalApplication Rvt.Attr.AddInName: DiRoots.One Rvt.Attr.AddInId:
b4ad7489-2899-46b3-aca6-c0def7135528 Rvt.Attr.CommandClassName: DiRoots.One.Main
Rvt.Attr.AddInVersion: 2.3.0.0 Rvt.Attr.CommandVendorId: www.diroots.com
Rvt.Attr.CommandVendorDescription: DiRoots, http://www.diroots.com
Rvt.Attr.AddInCodeSigningStatus: Signed 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 1.310000 , 0 , 1
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: pyRevit.addin Rvt.Attr.AddInType:
ExternalApplication Rvt.Attr.AddInName: PyRevitLoader Rvt.Attr.AddInId:
b39107c3-a1d7-47f4-a5a1-532ddf6edb5d Rvt.Attr.CommandClassName:
PyRevitLoader.PyRevitLoaderApplication Rvt.Attr.AddInVersion: 2.7.12.0
Rvt.Attr.CommandVendorId: eirannejad Rvt.Attr.CommandVendorDescription:
Rvt.Attr.AddInCodeSigningStatus: Signed 1Rvt.Attr.AddInLoadFailureMessage: NoError
, 14.091000 , 0 , 1
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: StingBIM.Revit.addin
Rvt.Attr.AddInType: ExternalApplication Rvt.Attr.AddInName: StingBIM AI
Rvt.Attr.AddInId: b5e3f8a1-7c42-4d6e-9a1b-3f8c2d7e5a90 Rvt.Attr.CommandClassName:
StingBIM.AI.Revit.RevitApplication Rvt.Attr.AddInVersion: 0.0.0.0
Rvt.Attr.CommandVendorId: StingBIM Rvt.Attr.CommandVendorDescription: StingBIM -
AI-Powered BIM Automation Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.161000 , 0 , 1
' [Jrn.AddInManifest] Rvt.Attr.AddInManifest: StingTools.addin Rvt.Attr.AddInType:
ExternalApplication Rvt.Attr.AddInName: STING Tools Rvt.Attr.AddInId:
a1b2c3d4-5678-9abc-def0-123456789abc Rvt.Attr.CommandClassName:
StingTools.Core.StingToolsApp Rvt.Attr.AddInVersion: 1.0.0.0
Rvt.Attr.CommandVendorId: StingBIM Rvt.Attr.CommandVendorDescription: StingBIM - ISO
19650 BIM Automation Rvt.Attr.AddInCodeSigningStatus: Unsigned
1Rvt.Attr.AddInLoadFailureMessage: NoError , 0.209000 , 1 , 1
  'E 07-Mar-2026 18:47:11.730;   0:<
  ' [Jrn.CloudModelCache] Rvt.Attr.CacheFolderSize: 0
Rvt.Attr.SizeOfCacheModelsIn30Days: 0 Rvt.Attr.UseDefaultCacheLocation: 1
  'E 07-Mar-2026 18:47:11.731;   0:<
  Jrn.Command "Internal" , "Display Profile Dialog , ID_DISPLAY_PROFILE_DIALOG"
  'E 07-Mar-2026 18:47:11.743;   0:<
  Jrn.Command "Internal" , " , ID_REVIT_MODEL_BROWSER_OPEN"
    ' 0:< ::61:: Delta VM: Avail 133848396 MB, Used -15 -> 732 MB; RAM: Avail +13 ->
16163 MB, Used -13 -> 1043 MB, Peak +2 -> 1059 MB
    ' 0:< GUI Resource Usage GDI: Avail 9181, Used 819, User: Used 216
    'E 07-Mar-2026 18:47:11.747;   0:<

```
    Jrn.RibbonEvent "ModelBrowserIsOpenChangedEvent:Open"
  ' 0:< ::62:: Delta VM: Avail -14 -> 133848383 MB, Used +11 -> 744 MB; RAM: Avail
-17 -> 16147 MB, Used +7 -> 1051 MB
  ' 0:< GUI Resource Usage GDI: Avail 9182, Used 818, User: Used 216
  'E 07-Mar-2026 18:47:12.480;   0:<
  ' [Jrn.RevitStartupComplete] 86.0
'C 07-Mar-2026 18:47:12.481;  <-desktop InitNativeInstance
'C 07-Mar-2026 18:47:12.481;  ->desktop InitManagedInstance
' 1:< API_SUCCESS { Registered an external server: Name(ATFTranslationServer);
VendorId(ADSK); ServerId(252f643e-9927-4c06-a704-4a8b3587b979);
ServiceId(bb3a96c9-e04a-40e4-8ecf-1464dd6aa7eb) }
  'E 07-Mar-2026 18:47:12.579;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
252f643e-9927-4c06-a704-4a8b3587b979 Rvt.Attr.ExternalService:
bb3a96c9-e04a-40e4-8ecf-1464dd6aa7eb
' 1:< API_SUCCESS { Registered an external server: Name(EntitlementExternalServer);
VendorId(ADSK); ServerId(c7cdeb6d-93b8-42b0-9fbd-b5f2baf15bb1);
ServiceId(9111ab07-9bd9-4b68-a01f-c0a0dcae1564) }
  'E 07-Mar-2026 18:47:12.583;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
c7cdeb6d-93b8-42b0-9fbd-b5f2baf15bb1 Rvt.Attr.ExternalService:
9111ab07-9bd9-4b68-a01f-c0a0dcae1564
' 1:< API_SUCCESS { Registered an external server: Name(Site Linker);
VendorId(ADSK); ServerId(c6c190c2-458e-48ea-ba79-722f26a87b45);
ServiceId(c9979a42-11ab-4c25-93e1-abfb50b7be60) }
  'E 07-Mar-2026 18:47:12.588;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
c6c190c2-458e-48ea-ba79-722f26a87b45 Rvt.Attr.ExternalService:
c9979a42-11ab-4c25-93e1-abfb50b7be60
' 1:< ::66:: Delta VM: Avail -2 -> 133848381 MB, Used 744 MB; RAM: Avail +111 ->
16258 MB, Used +1 -> 1052 MB
' 1:< GUI Resource Usage GDI: Avail 9182, Used 818, User: Used 216
' 1:< AECDMTransmitter is not loaded or not installed at all.
'C 07-Mar-2026 18:47:12.810;   1:< Collaborate: GetUPIConfig: UpiConfig: C:\Program
Files\Autodesk\Revit 2025\UPI\upiconfig.xml
' 1:< API_SUCCESS { Registered an external server: Name(CloudExternalServer);
VendorId(ADSK); ServerId(31ebe9da-aa3f-430d-a83f-fed6f1089070);
ServiceId(279080e0-8c45-44eb-9027-d4eb37ece90d) }
  'E 07-Mar-2026 18:47:12.815;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
31ebe9da-aa3f-430d-a83f-fed6f1089070 Rvt.Attr.ExternalService:
279080e0-8c45-44eb-9027-d4eb37ece90d
' 1:< API_SUCCESS { Registering GetHubsRequested event by application
Autodesk.Revit.CloudWorksharing.DocumentManagement
(19752083-3c5d-45df-ac0d-1e2020f1c336). }
' 1:< API_SUCCESS { Registering GetProjectsRequested event by application
Autodesk.Revit.CloudWorksharing.DocumentManagement
(19752083-3c5d-45df-ac0d-1e2020f1c336). }
' 1:< API_SUCCESS { Registering GetFolderContentsRequested event by application
Autodesk.Revit.CloudWorksharing.DocumentManagement
```

```
(19752083-3c5d-45df-ac0d-1e2020f1c336). }
' 1:< API_SUCCESS { Registering DocumentOpening event by application
Autodesk.Revit.CloudWorksharing.DocumentManagement
(19752083-3c5d-45df-ac0d-1e2020f1c336). }
' 1:< API_SUCCESS { Registering DocumentSavedAs event by application
Autodesk.Revit.CloudWorksharing.DocumentManagement
(19752083-3c5d-45df-ac0d-1e2020f1c336). }
' 1:< API_SUCCESS { Registering DocumentOpened event by application
Autodesk.Revit.CloudWorksharing.DocumentManagement
(19752083-3c5d-45df-ac0d-1e2020f1c336). }
' 1:< API_SUCCESS { Registering DocumentClosing event by application
Autodesk.Revit.CloudWorksharing.DocumentManagement
(19752083-3c5d-45df-ac0d-1e2020f1c336). }
' 1:< API_SUCCESS { Registered an external server: Name(External UI Provider);
VendorId(Autodesk); ServerId(0d9db45a-8683-4ebc-93b3-7556f29b8bf3);
ServiceId(8b40f7b3-625b-4e63-8f95-0252f3c488ff) }
  'E 07-Mar-2026 18:47:12.849;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
0d9db45a-8683-4ebc-93b3-7556f29b8bf3 Rvt.Attr.ExternalService:
8b40f7b3-625b-4e63-8f95-0252f3c488ff
' 1:< API_SUCCESS { Registered an external server: Name(Snap implementation for
entities from BIM360 models); VendorId(Autodesk);
ServerId(d5a6f62a-8bb4-4d2d-bf0f-60d1fba7b2b2);
ServiceId(aaa05780-790c-43dc-bc41-1c2150227f45) }
  'E 07-Mar-2026 18:47:12.849;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
d5a6f62a-8bb4-4d2d-bf0f-60d1fba7b2b2 Rvt.Attr.ExternalService:
aaa05780-790c-43dc-bc41-1c2150227f45
' 1:< API_SUCCESS { Registered an external server: Name(Coordination Model
Provider); VendorId(ADSK); ServerId(aa717425-bb1f-429a-b5d4-9414da81cb8c);
ServiceId(f036684f-7c8a-4f51-88aa-12dee1414d7b) }
  'E 07-Mar-2026 18:47:12.853;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
aa717425-bb1f-429a-b5d4-9414da81cb8c Rvt.Attr.ExternalService:
f036684f-7c8a-4f51-88aa-12dee1414d7b
' 1:< API_SUCCESS { Registered an external server: Name(PlaceWallAsFinishServer);
VendorId(ADSK); ServerId(6fb8b947-afd6-4a25-aae9-d235c5cd8641);
ServiceId(b0568f8a-a32c-4fc8-8c6f-1c2b7be7cefd) }
  'E 07-Mar-2026 18:47:12.880;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
6fb8b947-afd6-4a25-aae9-d235c5cd8641 Rvt.Attr.ExternalService:
b0568f8a-a32c-4fc8-8c6f-1c2b7be7cefd
' 1:< API_SUCCESS { Registered an external server: Name(Browse IFCEntity UI);
VendorId(ADSK); ServerId(db5c5b21-bb95-4520-972d-ed6889a7a543);
ServiceId(5ec4b93e-de36-4d55-b3b8-fc9b2414e5c4) }
  'E 07-Mar-2026 18:47:12.901;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
db5c5b21-bb95-4520-972d-ed6889a7a543 Rvt.Attr.ExternalService:
5ec4b93e-de36-4d55-b3b8-fc9b2414e5c4
' 1:< API_SUCCESS { Registered an external server: Name(SiteLinkerUI);
```

```
VendorId(ADSK); ServerId(3cda4d0d-f24f-45a1-965d-a4a26a9801a6);
ServiceId(a177f6c8-d1f6-49e2-87bc-f70edbeac5a3) }
  'E 07-Mar-2026 18:47:12.905;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
3cda4d0d-f24f-45a1-965d-a4a26a9801a6 Rvt.Attr.ExternalService:
a177f6c8-d1f6-49e2-87bc-f70edbeac5a3
' 0:< Start downloading Revit config from service
https://rvtcfg.autodesk.com/155b01e6d2/config.json.
' 1:< API_SUCCESS { Registered an external server: Name(MacroManager UI);
VendorId(ADSK); ServerId(345da4ce-8265-4175-9436-6715e63eb1df);
ServiceId(c6829016-05f4-4be7-bd3c-715018a43e09) }
  'E 07-Mar-2026 18:47:12.908;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
345da4ce-8265-4175-9436-6715e63eb1df Rvt.Attr.ExternalService:
c6829016-05f4-4be7-bd3c-715018a43e09
' 1:< API_SUCCESS { Registered an external server: Name(Revisions on Sheet);
VendorId(ADSK); ServerId(f5fd8735-d448-4351-b178-1436a26ef06f);
ServiceId(2eb13e27-1900-4418-aaeb-4e0949a3b547) }
  'E 07-Mar-2026 18:47:12.939;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
f5fd8735-d448-4351-b178-1436a26ef06f Rvt.Attr.ExternalService:
2eb13e27-1900-4418-aaeb-4e0949a3b547
' 0:< Finish downloading Revit config from service.
'Add-in component: Rvt.ModelBrowser
'Rvt.Attr.AddInName: Revit Application Home
'Rvt.Attr.CommandVendorId: ADSK
'Rvt.Attr.ModelBrowserEnabled: True
'Rvt.Attr.RecentFileEnabled: True
' 1:< API_SUCCESS { Registered an external server: Name(ViewSheetSet UI);
VendorId(ADSK); ServerId(6f63a027-2ea5-4527-9e07-85bcf1119575);
ServiceId(36b89c5b-5f3d-46ab-96c9-b37c8f31687d) }
  'E 07-Mar-2026 18:47:13.118;   1:<
  ' [Jrn.RegisterExternalServer] Rvt.Attr.ExternalServer:
6f63a027-2ea5-4527-9e07-85bcf1119575 Rvt.Attr.ExternalService:
36b89c5b-5f3d-46ab-96c9-b37c8f31687d
'C 07-Mar-2026 18:47:13.119;  <-desktop InitManagedInstance
'C 07-Mar-2026 18:47:13.119;   0:< ->processShellCommand
'C 07-Mar-2026 18:47:13.119;   0:< <-processShellCommand
' 0:< ::76:: Delta VM: Avail -14 -> 133848367 MB, Used +5 -> 749 MB, Peak +2 -> 750
MB; RAM: Avail -23 -> 16236 MB, Used +14 -> 1067 MB, Peak +7 -> 1067 MB
' 0:< GUI Resource Usage GDI: Avail 9174, Used 826, User: Used 213
'C 07-Mar-2026 18:47:13.197;   0:< appPriv idle
' 1:< ::76:: Delta VM: Avail +12 -> 133848380 MB, Used +3 -> 753 MB, Peak +3 -> 754
MB; RAM: Avail -128 -> 16108 MB, Used +10 -> 1077 MB, Peak +10 -> 1077 MB
' 1:< GUI Resource Usage GDI: Avail 9176, Used 824, User: Used 203
' 1:< Find gateway endpoint of region GLOBAL : https://skyscraper.autodesk.com/
  'E 07-Mar-2026 18:47:13.461;   1:<
  ' [Jrn.RevitCloudConfigDownloadStatus]
Rvt.Attr.RevitCloudConfigDownloadStatusDetails: Download cloud configuration
settings successfully. Rvt.Attr.RevitCloudConfigUri:
```

https://rvtcfg.autodesk.com/155b01e6d2/config.json
' 1:< ::77:: Delta VM: Avail -7 -> 133848373 MB, Used 753 MB; RAM: Avail -58 -> 16051 MB, Used +2 -> 1080 MB, Peak +3 -> 1081 MB
' 1:< GUI Resource Usage GDI: Avail 9176, Used 824, User: Used 205
' 1:< API_SUCCESS { Unregistering Idling event by application StructuralRibbon (844fae81-bbed-4b1e-aa6f-06ef261f6096). }
' 1:< API_SUCCESS { Unregistering Idling event by application StructuralRibbon (844fae81-bbed-4b1e-aa6f-06ef261f6096). }
' 1:< API_SUCCESS { Added pushbutton Id: 6665, name: ResultsManager, text: Results 'Manager, class: ResultsExplorer.Addin.ResultsManagerCommand, assembly: C:\Program Files\Autodesk\Revit 2025\AddIns\ResultsManagerExplorer\Autodesk.ResultsExplorer.Application.dll, parentId: CustomCtrl_%Analyze%Structural Analysis }
' 1:< API_SUCCESS { Added pushbutton Id: 6666, name: ResultsExplorer, text: Results 'Explorer, class: ResultsExplorer.Addin.ResultsCmd, assembly: C:\Program Files\Autodesk\Revit 2025\AddIns\ResultsManagerExplorer\Autodesk.ResultsExplorer.Application.dll, parentId: CustomCtrl_%Analyze%Structural Analysis }
' 1:< API_SUCCESS { Registering DisplayingOptionsDialog event by application StructuralRibbon (844fae81-bbed-4b1e-aa6f-06ef261f6096). }
' 0:< ::77:: Delta VM: Avail -23 -> 133848350 MB, Used +1 -> 754 MB, Peak +0 -> 755 MB; RAM: Avail -23 -> 16029 MB, Used +11 -> 1091 MB, Peak +10 -> 1091 MB
' 0:< GUI Resource Usage GDI: Avail 9176, Used 824, User: Used 205
' 0:< OPERATING SYSTEM INFORMATION:
' 0:<   BuildNumber : 22631
' 0:<   BuildType : Multiprocessor Free
' 0:<   Caption : Microsoft Windows 11 Pro
' 0:<   CodeSet : 1252
' 0:<   CountryCode : 1
' 0:<   FreePhysicalMemory : 16455476
' 0:<   FreeSpaceInPagingFiles : 4936048
' 0:<   FreeVirtualMemory : 17002816
' 0:<   MaxProcessMemorySize : 137438953344
' 0:<   OSLanguage : 1033
' 0:<   OSType : 18
' 0:<   ServicePackMajorVersion : 0
' 0:<   ServicePackMinorVersion : 0
' 0:<   TotalVirtualMemorySize : 38212304
' 0:<   TotalVisibleMemorySize : 33231568
' 0:<   Version : 10.0.22631
' 0:<   Process affinity mask : FFFFF
' 0:<   System affinity mask : FFFFF
'C 07-Mar-2026 18:47:14.921;   0:<
{"start_time":"2026-03-07T15:47:14.9190325Z","http_method":"GET","http_url":"https://skyscraper.autodesk.com/channel/v1/config","http_request_headers":"{x-ads-ctx-tenant=C4R-2025-MUI64-25.4.30.30,x-ads-consumer-src=REVIT, INotificationClient,x-ads-ctx-session=3989dbca-77e1-45e3-8a4d-3abe3243aa42,x-ads-correlation-id=527a5abf-1f45-433d-a345-bd57d06332ea,x-ads-request-id=81daeaf9-4573-4a56-860c-dc350e00890e,x-ads-ctx-user=2JU2FTAAN6GEW768}","duration":1165,"http_response_code":200,"http_response_headers":"{x-ads-correlation-id=527a5abf-1f45-433d-a345-bd5

```
7d06332ea}"}
' 0:< ::77:: Delta VM: Avail -34 -> 133848317 MB, Used +19 -> 773 MB, Peak +43 ->
798 MB; RAM: Avail -46 -> 15983 MB, Used +10 -> 1102 MB, Peak +21 -> 1113 MB
' 0:< GUI Resource Usage GDI: Avail 9176, Used 824, User: Used 206
' 0:< PROCESSOR INFORMATION:
' 0:<    AddressWidth : 64
' 0:<    Architecture : 9
' 0:<    Availability : 3
' 0:<    Caption : Intel64 Family 6 Model 154 Stepping 3
' 0:<    CurrentClockSpeed : 2400
' 0:<    DataWidth : 64
' 0:<    Description : Intel64 Family 6 Model 154 Stepping 3
' 0:<    Family : 198
' 0:<    L2CacheSize : 11776
' 0:<    Level : 6
' 0:<    Manufacturer : GenuineIntel
' 0:<    MaxClockSpeed : 2400
' 0:<    Name : 12th Gen Intel(R) Core(TM) i7-12800H
' 0:<    ProcessorType : 3
' 0:<    Role : CPU
' 0:<    SocketDesignation : U3E1
' 0:<    StatusInfo : 3
' 0:<    Version :
' 1:< API_SUCCESS { Unregistering Idling event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 1:< API_SUCCESS { Registering DocumentOpening event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
' 1:< API_SUCCESS { Registering DocumentCreating event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 0:< ::77:: Delta VM: Avail 133848317 MB, Used 773 MB; RAM: Avail -27 -> 15957
MB, Used 1102 MB
  ' 0:< GUI Resource Usage GDI: Avail 9176, Used 824, User: Used 212
  'E 07-Mar-2026 18:47:16.669;   0:<
  Jrn.Command "Ribbon"  , "Create a new project , ID_FILE_NEW_CHOOSE_TEMPLATE"
  'C 07-Mar-2026 18:47:16.670;   0:< ADialog::doModal start
    ' 0:< ::78:: Delta VM: Avail +2 -> 133848320 MB, Used 773 MB; RAM: Avail -11 ->
15946 MB, Used 1102 MB
    ' 0:< GUI Resource Usage GDI: Avail 9166, Used 834, User: Used 223
    'E 07-Mar-2026 18:47:18.037;   0:<
    Jrn.PushButton "Modal , New Project , Dialog_Revit_NewProject"  _
              , "OK, IDOK"
    'C 07-Mar-2026 18:47:18.050;   0:< Notify Active View.
  'C 07-Mar-2026 18:47:18.054;   0:< ADialog::doModal stop
  ' 0:< Create project with template C:\ProgramData\Autodesk\RVT
2025\Templates\English\Default-Multi-Discipline_Metric.rte
  ' 1:< API_SUCCESS { Unregistering DocumentOpening event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 1:< API_SUCCESS { Unregistering DocumentCreating event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 1:< API_SUCCESS { Registering DocumentOpened event by application
```

```
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 1:< API_SUCCESS { Registering DocumentSavedAs event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 1:< API_SUCCESS { Registering DocumentSavingAs event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 1:< API_SUCCESS { Registering DocumentClosing event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 1:< API_SUCCESS { Registering ViewActivated event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 1:< API_SUCCESS { Registering Idling event by application
Autodesk.Revit.CloudWorksharing.UI (cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 1:< API_SUCCESS { Registering DocumentSynchronizingWithCentral event by
application Autodesk.Revit.CloudWorksharing.UI
(cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 1:< API_SUCCESS { Registering DocumentSynchronizedWithCentral event by
application Autodesk.Revit.CloudWorksharing.UI
(cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  ' 1:< API_SUCCESS { Registering WorksharedOperationProgressChanged event by
application Autodesk.Revit.CloudWorksharing.UI
(cd9dc99f-2fee-47d7-bfd1-ec4c776b9325). }
  'H 07-Mar-2026 18:47:18.355;   0:<
  Jrn.Directive  _
          "DocSymbol"  , "[Project1]"
  'C 07-Mar-2026 18:47:18.356;  File: Open
  ' 2:< Connecting session [$1471c6f7] to Worksharing Log
[C:\Users\del\AppData\Local\Autodesk\Revit\Autodesk Revit
2025\Journals\journal.0338.txt]
  ' 2:< Additional IP address/name found for host DESKTOP-5JKLHI0: 10.50.26.179
    ' 5:< ::79:: Delta VM: Avail -39 -> 133848282 MB, Used +12 -> 785 MB; RAM: Avail
-15 -> 15931 MB, Used +11 -> 1114 MB, Peak +5 -> 1119 MB
    ' 5:< GUI Resource Usage GDI: Avail 9169, Used 831, User: Used 213
    'E 07-Mar-2026 18:47:18.447;   5:<
    ' [Jrn.BasicFileInfo] Rvt.Attr.Worksharing: Not enabled Rvt.Attr.Username:
Rvt.Attr.CentralModelPath:  Rvt.Attr.RevitBuildVersion: Autodesk Revit 2025 (Build:
20250815_1515(x64)) Rvt.Attr.LastSavePath:
C:\Users\Public\2025_Ship_0_0_x64_Inst_20240119_1515\Data\Templates\English\Default-
Multi-Discipline_Metric.rte Rvt.Attr.LTProject: notLTProject
Rvt.Attr.LocaleWhenSaved: ENU Rvt.Attr.FileExt: rte
    'C 07-Mar-2026 18:47:18.462;  [ISL] On open, Adler Checksum: 0x683b4e3c
[C:\ProgramData\Autodesk\RVT
2025\Templates\English\Default-Multi-Discipline_Metric.rte]
    ' 5:< [ISL] Read last modification time: 25-Nov-2025 22:34:46 (UTC: 25-Nov-2025
19:34:46)
    'E 07-Mar-2026 18:47:18.482;   6:<
    ' [Jrn.ESSchemaOpenRoster] 1Rvt.Attr.StoredSchemas:
57c66e83-4651-496b-aebb-69d085752c1b ExportViewSheetSetListSchema ADSK
00000000-0000-0000-0000-000000000000 1 2 15477310913241574417
    'E 07-Mar-2026 18:47:18.482;   6:<
    ' [Jrn.ForgeSchemaOpenRoster] 1176
  ' 5:< File was saved in Autodesk Revit 2025 (Build: 20250815_1515(x64))
```

```
  ' 7:< ::82:: Delta VM: Avail -164 -> 133848118 MB, Used +116 -> 902 MB, Peak +104
-> 902 MB; RAM: Avail -292 -> 15640 MB, Used +145 -> 1259 MB, Peak +141 -> 1260 MB
  ' 7:< GUI Resource Usage GDI: Avail 9168, Used 832, User: Used 233
  'C 07-Mar-2026 18:47:19.415;  Loaded elemStream#251: uncompSize=182478415,
compSize=28869049, count=224072
  'C 07-Mar-2026 18:47:19.415;  LoadLatestEpoch::loadLatestEpoch
0x00000000000=thelper.currentPos() 0x00001b881b9=thelper.targetPos()
  ' 7:< ::82:: Delta VM: Avail -17 -> 133848102 MB, Used +16 -> 919 MB, Peak +16 ->
919 MB; RAM: Avail -32 -> 15608 MB, Used +25 -> 1285 MB, Peak +24 -> 1285 MB
  ' 7:< GUI Resource Usage GDI: Avail 9168, Used 832, User: Used 233
  'C 07-Mar-2026 18:47:19.454;  Loaded elemStream#250: uncompSize=16280274,
compSize=5761492, count=15378
  'C 07-Mar-2026 18:47:19.454;  LoadLatestEpoch::loadLatestEpoch
0x00001b881b9=thelper.currentPos() 0x00002106b8d=thelper.targetPos()
  '  0.914547         7:<<<loadLatestVersion
  ' 6:< ::82:: Delta VM: Avail -76 -> 133848026 MB, Used +76 -> 995 MB, Peak +80 ->
999 MB; RAM: Avail +86 -> 15694 MB, Used +71 -> 1356 MB, Peak +75 -> 1360 MB
  ' 6:< GUI Resource Usage GDI: Avail 9168, Used 832, User: Used 233
  '  0.467623         7:<<<commitSwapouts
  '  1.382370        6:<<loadSelectedEpochs
  '  1.476298       5:<<TrustedUtility::readStreams/ALL_GAPS
0.093928/Threshold_GAPs 98%
  ' 5:< class RevisionSettingsPropagationFilter adding (AtomElementParam, -1011950)
to allow propagation to DBViewDrafting
  ' 5:< class RevisionSettingsPropagationFilter adding (AtomElementParam, -1011905)
to allow propagation to DBViewDrafting
  ' 5:< class RevisionSettingsPropagationFilter adding (AtomElementParam, -1011905)
to allow propagation to DBViewSchedule
  ' 5:< class RevisionSettingsPropagationFilter adding
(AtomRenumberProjectRevisions, -1) to allow propagation to DBViewDrafting
  '  0.122956       5:<<ADocumentUpgrade::docUpgrade [C:\ProgramData\Autodesk\RVT
2025\Templates\English\Default-Multi-Discipline_Metric.rte]
  '  1.727716      4:<<loadSerializeImpl/ALL_GAPS   0.128462/Threshold_GAPs 54%
  '  1.727766     3:<<loadSerialize
  '  1.727853    2:<<LoadFromStorage
  ' 2:< ::82:: Delta VM: Avail +37 -> 133848063 MB, Used +5 -> 1001 MB, Peak +1 ->
1001 MB; RAM: Avail +30 -> 15725 MB, Used -31 -> 1326 MB, Peak +5 -> 1366 MB
  ' 2:< GUI Resource Usage GDI: Avail 9168, Used 832, User: Used 241
  ' 2:< DummyStorage destroying DataStorageInterface 0x0000019E08FE9520
    'E 07-Mar-2026 18:47:20.103;   1:<
    ' [Jrn.ExternalResourceLoad] Rvt.Attr.ExternalResourceType:
b6305212-4915-4526-b659-be2d6f97174f 0
    'E 07-Mar-2026 18:47:20.104;   1:<
    ' [Jrn.ExternalResourceLoad] Rvt.Attr.ExternalResourceType:
cf823dbb-21d2-42e0-a39c-1cb523a8cec2 0
  ' 3:< Unnecessary
nesting;F:\Ship25.4.3\2025_px64\Source\Revit\PersistenceDB\Document\PostLoadDocument
.cpp;220;String_Revit_DelayedPropagatoinRegen ;N++E(N);
  ' 4:<   System (MB) [Available /  Total ]  [Revit Memory Usage (MB)   ]
  ' 4:< RAM Statistics:    15723 /    32452      1328=InUse     1366=Peak
```

```
  ' 4:< VM  Statistics: 133848063 / 134217727      1001=InUse     1001=Peak
  ' 4:< Element Expansion Statistics:
  ' 4:<  0% Opening Plans                    (0)
  ' 4:<  0% Opening RC Plans                 (0)
  ' 4:<  0% Opening 3d Views                 (0)
  ' 4:<  0% Opening Elevations and Sections  (0)
  ' 4:<  0% In Regnerate                     (0)
  ' 4:<  0% In Autojoin                      (0)
  ' 4:<  0% In Overlap Checking              (0)
  ' 4:<  0% Reviewing PostedWarnings         (0)
  ' 4:<  100% Other                            (9564347)
  ' 4:< total bytes expanded: 9564347
  ' 4:< ;EES;0;0;0;0;0;0;0;0;100;
  ' 5:< Connecting session [$86fd8d17] to Worksharing Log
[C:\Users\del\AppData\Local\Autodesk\Revit\Autodesk Revit
2025\Journals\journal.0338.txt]
  ' 5:< Additional IP address/name found for host DESKTOP-5JKLHI0: 10.50.26.179
  ' 2:< Unnecessary
nesting;F:\Ship25.4.3\2025_px64\Source\Revit\PersistenceDB\Document\PostLoadDocument
.cpp;569;ID_SETTINGS_SNAPPING ;N++E(N);
    'E 07-Mar-2026 18:47:20.146;   3:<
    ' [Jrn.ExternalResourceLoad] Rvt.Attr.ExternalResourceType:
b6305212-4915-4526-b659-be2d6f97174f Rvt.Attr.ExternalResourceServer:
bd4f0f53-394a-4468-b37e-1e7949013382      0
  'C 07-Mar-2026 18:47:20.148;   3:< The current load request is an automated one.
    ' 3:< ::85:: Delta VM: Avail 133848063 MB, Used +1 -> 1002 MB, Peak +1 -> 1002
MB; RAM: Avail -13 -> 15712 MB, Used +0 -> 1327 MB
    ' 3:< GUI Resource Usage GDI: Avail 9168, Used 832, User: Used 241
    'E 07-Mar-2026 18:47:20.228;   3:<
    ' [Jrn.ExternalResourceLoad] Rvt.Attr.ExternalResourceType:
cf823dbb-21d2-42e0-a39c-1cb523a8cec2 Rvt.Attr.ExternalResourceServer:
bd4f0f53-394a-4468-b37e-1e7949013382      0
  'C 07-Mar-2026 18:47:20.229;   3:< The current load request is an automated one.
  ' 2:< ::86:: Delta VM: Avail -5 -> 133848059 MB, Used +5 -> 1007 MB, Peak +5 ->
1007 MB; RAM: Avail -8 -> 15704 MB, Used +11 -> 1338 MB
  ' 2:< GUI Resource Usage GDI: Avail 9168, Used 832, User: Used 241
  ' 2:< Document save history --> :
  ' 2:<   Revit 2025 - Preview Pre-Release 2025 (2025.000) : 20240119_1515(x64)
  ' 2:< Document save history <--
  '  0.149136    2:<<[Cloud]postLoadDocument
  '  1.911317   1:<<FormOrAbandon::openFromModelPath [C:\ProgramData\Autodesk\RVT
2025\Templates\English\Default-Multi-Discipline_Metric.rte]
      'E 07-Mar-2026 18:47:20.282;   1:<
      ' [Jrn.StartingViewAnalytics] Rvt.Attr.StartingView: <Last Viewed> 0
      'E 07-Mar-2026 18:47:20.332;   1:<
      ' [Jrn.TabbedViewAnalytics] ProjectCount: 1
      'E 07-Mar-2026 18:47:20.332;   1:<
      ' [Jrn.TabbedViewAnalytics] ViewCount: 1
    'H 07-Mar-2026 18:47:20.334;   1:<
    Jrn.Directive  _
```

```
            "GlobalToProj"  , "[Project1]" , "Floor Plan: L1 - Architectural"  _
            , 0.01000000000000 _
            , 1.00000000000000, 0.00000000000000, 0.00000000000000 _
            , 0.00000000000000, 1.00000000000000, 0.00000000000000 _
            , 0.00000000000000, 0.00000000000000, 1.00000000000000 _
            , 0.00000000000000, 0.00000000000000, 0.00000000000000
    'H 07-Mar-2026 18:47:20.334;   1:<
    Jrn.Directive  _
            "ProjToPage"  , "[Project1]" , "Floor Plan: L1 - Architectural"  _
            , 1.00000000000000 _
            , 1.00000000000000, 0.00000000000000, 0.00000000000000 _
            , 0.00000000000000, 1.00000000000000, 0.00000000000000 _
            , 0.00000000000000, 0.00000000000000, 1.00000000000000 _
            , 0.00000000000000, 0.00000000000000, 0.00000000000000
    'H 07-Mar-2026 18:47:20.334;   1:<
    Jrn.Directive  _
            "WindowSize"  , "[Project1]" , "Floor Plan: L1 - Architectural"  _
            , 0, 0
    ' 1:< Before : Create Display Manager
    ' 1:<   System (MB) [Available /  Total ]  [Revit Memory Usage (MB)   ]
    ' 1:< RAM Statistics:    15712 /    32452      1339=InUse     1366=Peak
    ' 1:< VM  Statistics: 133848059 / 134217727      1007=InUse     1008=Peak
    ' 1:< Revit Graphics Information
    ' 1:<       Current Mode : DirectX Hardware
    ' 1:<       Use Hardware: ON
    ' 1:<       Use Overlays : ON
    ' 1:< After : Create Display Manager
    ' 1:<   System (MB) [Available /  Total ]  [Revit Memory Usage (MB)   ]
    ' 1:< RAM Statistics:    15709 /    32452      1339=InUse     1366=Peak
    ' 1:< VM  Statistics: 133848059 / 134217727      1007=InUse     1008=Peak
    ' 1:< ::89:: Delta VM: Avail -13 -> 133848046 MB, Used +2 -> 1010 MB, Peak +2 ->
1010 MB; RAM: Avail +14 -> 15719 MB, Used +5 -> 1343 MB
    ' 1:< GUI Resource Usage GDI: Avail 8574, Used 1426, User: Used 401
    'C 07-Mar-2026 18:47:20.502;   1:< Protein : Open Protein content Libraries
    ' 1:< ::89:: Delta VM: Avail -23 -> 133848023 MB, Used +13 -> 1024 MB, Peak +15
-> 1025 MB; RAM: Avail -17 -> 15703 MB, Used +12 -> 1356 MB
    ' 1:< GUI Resource Usage GDI: Avail 8574, Used 1426, User: Used 401
    ' 1:< Protein : Loaded Library: C:\Program Files\Common Files\Autodesk
Shared\Materials\4\assetlibrary_base.adsklib - version=1
    ' 1:< Protein : Texture Path: C:/Program Files/Common Files/Autodesk
Shared/Materials/Textures/
    ' 1:< ::89:: Delta VM: Avail -5 -> 133848019 MB, Used +10 -> 1034 MB, Peak +10
-> 1036 MB; RAM: Avail -9 -> 15694 MB, Used +9 -> 1365 MB
    ' 1:< GUI Resource Usage GDI: Avail 8574, Used 1426, User: Used 401
    ' 1:< Protein : Reopen RPC library -
C:\Users\del\AppData\Local\Temp\492398f6-b8ab-4687-bbba-07d946aa6b0b\Rev4888.tmp.ads
klib
    'C 07-Mar-2026 18:47:20.598;   1:< Protein : Populating RPC Library.
    ' 1:< Protein : Updating RPC Settings: acmType=2, acmExe=, acmDns=127.0.0.1,
acmPort=14931
```

```
    ' 1:< Protein : Adding RPC folder: C:\Program Files\Common Files\Autodesk
Shared\Materials\4\assetlibrary_base.fbm\RPCs\
    'C 07-Mar-2026 18:47:20.612;   1:< Protein : Reopen RPC asset library.
    ' 1:< ::89:: Delta VM: Avail +1 -> 133848020 MB, Used 1034 MB; RAM: Avail -28 ->
15666 MB, Used +1 -> 1366 MB
    ' 1:< GUI Resource Usage GDI: Avail 8574, Used 1426, User: Used 402
    ' 1:< Protein : Adding 141 RPCs into Revit !
    'C 07-Mar-2026 18:47:23.514;   1:< Protein : Register the Protein RenderingAsset
Manager
      ' [Jrn.Activate] Rvt.Attr.DocumentExpression: "[Project1]"
Rvt.Attr.ViewTitleExpression: Floor Plan: L1 - Architectural
      ' 1:< ::89:: Delta VM: Avail +12 -> 133848032 MB, Used +0 -> 1035 MB; RAM:
Avail -5 -> 15662 MB, Used +1 -> 1368 MB, Peak +1 -> 1368 MB
      ' 1:< GUI Resource Usage GDI: Avail 8574, Used 1426, User: Used 395
      'C 07-Mar-2026 18:47:23.592;   1:< Notify Active View.
      ' 1:< ::89:: Delta VM: Avail -13 -> 133848020 MB, Used +0 -> 1036 MB; RAM:
Avail +1 -> 15663 MB, Used +1 -> 1369 MB, Peak +2 -> 1370 MB
      ' 1:< GUI Resource Usage GDI: Avail 8568, Used 1432, User: Used 400
      ' 1:< View Open: Element expansion used 0.000000 seconds averaging 0.000000
seconds/hit for 0 hits.
      ' 1:< View Open: Element expansion used 0.000000 seconds averaging 0.000000
seconds/hit for 0 hits.
      ' 1:< Registering journalClient for CEF browser:
      ' 4:< ::89:: Delta VM: Avail +16 -> 133848036 MB, Used +3 -> 1039 MB, Peak +2
-> 1039 MB; RAM: Avail -17 -> 15647 MB, Used +1 -> 1371 MB, Peak +3 -> 1373 MB
      ' 4:< GUI Resource Usage GDI: Avail 8557, Used 1443, User: Used 412
      '  3.495625!!! 2:!!!BIG_GAP [Cloud]openOntoDesktop
      ' 1:< View Open: Element expansion used 0.021414 seconds averaging 0.000019
seconds/hit for 1157 hits.
      ' 0:< CEF FrameLoadEnd: URL =
file:///C:/Program%20Files/Autodesk/Revit%202025/AddIns/ProjectBrowser/resource/inde
x.html; numCalls = 1
      ' 1:< Registering journalClient for CEF browser:
https://d1bpqo04tqfhut.cloudfront.net/cmchanges/v1/cmchanges.html
      ' 1:< ::89:: Delta VM: Avail -1 -> 133848035 MB, Used 1039 MB, Peak +1 -> 1040
MB; RAM: Avail -21 -> 15626 MB, Used +1 -> 1373 MB, Peak +1 -> 1374 MB
      ' 1:< GUI Resource Usage GDI: Avail 8555, Used 1445, User: Used 418
      ' 1:< View Open: Element expansion used 0.000000 seconds averaging 0.000000
seconds/hit for 0 hits.
      ' 0:< CEF FrameLoadEnd: URL =
file:///C:/Program%20Files/Autodesk/Revit%202025/AddIns/ProjectBrowser/resource/inde
x.html; numCalls = 2
      ' 1:< ::89:: Delta VM: Avail -6 -> 133848030 MB, Used +0 -> 1040 MB, Peak +0
-> 1041 MB; RAM: Avail -15 -> 15611 MB, Used +2 -> 1375 MB, Peak +2 -> 1376 MB
      ' 1:< GUI Resource Usage GDI: Avail 8550, Used 1450, User: Used 424
      ' 1:< View Open: Element expansion used 0.000000 seconds averaging 0.000000
seconds/hit for 0 hits.
      ' 1:< View Open: Element expansion used 0.000000 seconds averaging 0.000000
seconds/hit for 0 hits.
      ' 1:< Registering journalClient for CEF browser:
```

```
      ' 1:< View Open: Element expansion used 0.000000 seconds averaging 0.000000
seconds/hit for 0 hits.
      ' 1:< ::89:: Delta VM: Avail -1 -> 133848029 MB, Used 1040 MB; RAM: Avail -12
-> 15600 MB, Used +0 -> 1376 MB
      ' 1:< GUI Resource Usage GDI: Avail 8494, Used 1506, User: Used 457
      ' 1:< ANTECEDENT:
      'onCommand Create a new project
      'C 07-Mar-2026 18:47:24.079;  DBG_INFO: AOwnerDrawButton was attached to a
control without the BS_OWNERDRAW style.  Please add this style to the dialog
resource, and remove other BS_ styles.: line 59 of
F:\Ship25.4.3\2025_px64\Source\Revit\DesktopMFC\MFC\AOwnerDrawButton.cpp.
      ' 1:< <<Begin build CT>>
      '
      'Edit mode: IDR_COMMON
      'Command:
      'Category: 0
      'Bar list:
      '
      'Provider list:
      '
      'Product: Unknown
      '
      '
      'Edit mode context, but no edit mode set.
      '<<End build CT>>
      ' 5:< ANTECEDENT:
      'onCommand Create a new project
      'cleaning DBView of type DBViewPlan
      'generateViewSpecificGRep for Viewer
      'C 07-Mar-2026 18:47:24.186;  DBG_INFO: ExclusionMgr::getGStyleIds(): category
-2001035 has no gstyles: line 798 of
F:\Ship25.4.3\2025_px64\Source\Revit\RevitDB\View\ExclusionMgrRevit.cpp.
      ' 2:< ::89:: Delta VM: Avail -7 -> 133848023 MB, Used 1040 MB; RAM: Avail -16
-> 15584 MB, Used +5 -> 1381 MB, Peak +4 -> 1381 MB
      ' 2:< GUI Resource Usage GDI: Avail 8469, Used 1531, User: Used 476
      ' 2:< FileCheckTrigger dependencies update
      ' 2:< Third Party Updater 'Results Builder Application: Results Builder
Dynamic Updater' registered for all documents.
      ' 2:< API_SUCCESS { Unregistering DocumentClosing event by application Results
Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
      ' 2:< API_SUCCESS { Unregistering DocumentSaving event by application Results
Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
      ' 2:< API_SUCCESS { Unregistering DocumentSavingAs event by application
Results Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
      ' 2:< API_SUCCESS { Registering DocumentClosing event by application Results
Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
      ' 2:< API_SUCCESS { Registering DocumentSaving event by application Results
Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
      ' 2:< API_SUCCESS { Registering DocumentSavingAs event by application Results
Explorer (47598b3b-b687-41fb-bfd3-d94ba5aec068). }
```

```
    ' 1:< ::89:: Delta VM: Avail 133848023 MB, Used +0 -> 1041 MB; RAM: Avail -12 ->
15573 MB, Used +1 -> 1382 MB, Peak +1 -> 1383 MB
    ' 1:< GUI Resource Usage GDI: Avail 8469, Used 1531, User: Used 476
    ' 1:< View Open: Element expansion used 0.000000 seconds averaging 0.000000
seconds/hit for 0 hits.
      'E 07-Mar-2026 18:47:24.368;   1:<
      ' [Jrn.ViewOpen] Rvt.Attr.ActiveViewType: VT_Plan Rvt.Attr.Discipline:
Architectural Rvt.Attr.DetailLevel: Coarse Rvt.Attr.HiddenLines: 1 ,
Rvt.Attr.TimeSpent_visitAllViews: 0.000000 , Rvt.Attr.TimeSpent_createNewCView:
4.094000 , Rvt.Attr.NumCalled_updateAllGReps: 2 , Rvt.Attr.TimeSpent_updateAllGReps:
0.055982
    '  4.086853   1:<<[Cloud]openOntoDesktop
  ' 0:< Third Party Updater 'Revit: LevelElevationChangesBasedGridUpdater'
registered for document 'Project1'.
  ' 0:< Third Party Updater 'Revit: ObjectNumberingUpdater' registered for document
'Project1'.
  ' 0:< Third Party Updater 'Revit: ObjectNumberingUpdater' registered for document
'Project1'.
  ' 0:< Third Party Updater 'Revit: ObjectNumberingUpdater' registered for document
'Project1'.
  ' 0:< Third Party Updater 'Revit: RebarSpliceTypeUpdater' registered for document
'Project1'.
    'E 07-Mar-2026 18:47:24.369;   0:<
    ' [Jrn.Content.Created]
  ' 1:< ::91:: Delta VM: Avail -1 -> 133848022 MB, Used 1041 MB; RAM: Avail +20 ->
15593 MB, Used +0 -> 1383 MB
  ' 1:< GUI Resource Usage GDI: Avail 8469, Used 1531, User: Used 476
  ' 1:< Third Party Updater 'Precast for Revit: Precast Updater' registered for
document 'Project1'.
  ' 1:< API_SUCCESS { Registering ViewActivated event by application Precast for
Revit (3c028904-e50f-4a8c-b059-098de92d92fc). }
  'E 07-Mar-2026 18:47:24.464;   0:<
  Jrn.Size        0 ,   1608 ,    794
  'H 07-Mar-2026 18:47:24.464;   0:<
  Jrn.Directive  _
          "WindowSize"  , "[Project1]" , "Floor Plan: L1 - Architectural"  _
          , 1608, 794
'H 07-Mar-2026 18:47:24.512;   0:<
Jrn.Directive  _
        "ScreenResolution"  , 267, 1080
'H 07-Mar-2026 18:47:24.513;   0:<
Jrn.Directive  _
        "ProjToPage"  , "[Project1]" , "Floor Plan: L1 - Architectural"  _
        , 343.71287723176573 _
        , 343.71287723176573, 0.00000000000000, 0.00000000000000 _
        , 0.00000000000000, 343.71287723176573, 0.00000000000000 _
        , 0.00000000000000, 0.00000000000000, 343.71287723176573 _
        , 0.00000000000000, 0.00000000000000, 0.00000000000000
'H 07-Mar-2026 18:47:24.514;   0:<
Jrn.Directive  _
```

```
        "ProjToPage"  , "[Project1]" , "Floor Plan: L1 - Architectural"  _
        , 343.71287723176573 _
        , 343.71287723176573, 0.00000000000000, 0.00000000000000 _
        , 0.00000000000000, 343.71287723176573, 0.00000000000000 _
        , 0.00000000000000, 0.00000000000000, 343.71287723176573 _
        , 803.99829505609455, -397.00851640830109, 0.00000000000000
'H 07-Mar-2026 18:47:24.542;   0:<
Jrn.Directive  _
        "ProjToPage"  , "[Project1]" , "Floor Plan: L1 - Architectural"  _
        , 343.71287723176596 _
        , 343.71287723176596, 0.00000000000000, 0.00000000000000 _
        , 0.00000000000000, 343.71287723176596, 0.00000000000000 _
        , 0.00000000000000, 0.00000000000000, 343.71287723176596 _
        , 803.99829505609455, -397.00851640830109, 0.00000000000000
'H 07-Mar-2026 18:47:24.542;   0:<
Jrn.Directive  _
        "ProjToPage"  , "[Project1]" , "Floor Plan: L1 - Architectural"  _
        , 343.71287723176596 _
        , 343.71287723176596, 0.00000000000000, 0.00000000000000 _
        , 0.00000000000000, 343.71287723176596, 0.00000000000000 _
        , 0.00000000000000, 0.00000000000000, 343.71287723176596 _
        , 803.99829505609421, -397.00851640830075, 0.00000000000000
' 0:< Draw Thread Id ==     1316
' 0:< GContext::getDefaultDpi(): s_defaultDpi = 96
' 0:< ::92:: Delta VM: Avail -184 -> 133847839 MB, Used +75 -> 1116 MB, Peak +74 ->
1116 MB; RAM: Avail -30 -> 15564 MB, Used +44 -> 1427 MB, Peak +44 -> 1427 MB
' 0:< GUI Resource Usage GDI: Avail 8305, Used 1695, User: Used 492
'  0.244304   1:<<<;PERF;MISC;drawing
'C 07-Mar-2026 18:47:24.807;   0:< idle0_doc
  'H 07-Mar-2026 18:47:24.808;   0:<
  Jrn.Directive  _
          "AllowPressAndDrag"  , 1
  ' 0:< <<Begin build CT>>
  '
  'Edit mode: IDR_COMMON
  'Command: ID_BUTTON_SELECT
  'Category: 0
  'Bar list:
  '     Dialog_Revit_DynamicLabelDBar
  '     Dialog_Essentials_FilterSelectionNew
  'Provider list:
  '
  'Product: Revit
  '
  '
  '************************************************************
  '************************************************************
  '<<End build CT>>
' 0:< CEF FrameLoadEnd: URL =
https://d1bpqo04tqfhut.cloudfront.net/cmchanges/v1/cmchanges.html; numCalls = 1
```

```
  ' 0:< ::92:: Delta VM: Avail -8 -> 133847832 MB, Used +0 -> 1117 MB, Peak +2 ->
1119 MB; RAM: Avail -36 -> 15528 MB, Used +3 -> 1430 MB, Peak +6 -> 1433 MB
  ' 0:< GUI Resource Usage GDI: Avail 8277, Used 1723, User: Used 504
  'E 07-Mar-2026 18:47:25.228;   0:<
  Jrn.MouseMove    0 ,    333 ,    280
  'E 07-Mar-2026 18:47:25.228;   0:<
  Jrn.AsyncEvent "Changes Review: Changes review page loading completed.;  task = 0"
 , -1
' 0:< ::94:: Delta VM: Avail -1 -> 133847831 MB, Used 1117 MB; RAM: Avail +13 ->
15541 MB, Used +0 -> 1431 MB
' 0:< GUI Resource Usage GDI: Avail 8277, Used 1723, User: Used 504
' 0:< VIDEO CONTROLLER INFORMATION:
' 0:<    AdapterCompatibility : Intel Corporation
' 0:<    AdapterDACType : Internal
' 0:<    AdapterRAM : 2147479552
' 0:<    Caption : Intel(R) Iris(R) Xe Graphics
' 0:<    CurrentBitsPerPixel : 32
' 0:<    CurrentHorizontalResolution : 1366
' 0:<    CurrentNumberOfColors : 4294967296
' 0:<    CurrentRefreshRate : 59
' 0:<    CurrentVerticalResolution : 768
' 0:<    Description : Intel(R) Iris(R) Xe Graphics
' 0:<    DriverDate : 20250916000000.000000-000
' 0:<    DriverVersion : 32.0.101.7077
' 0:<    MaxRefreshRate : 59
' 0:<    MinRefreshRate : 47
' 0:<    Monochrome : 0
' 0:<    Name : Intel(R) Iris(R) Xe Graphics
' 0:<    VideoArchitecture : 5
' 0:<    VideoMemoryType : 2
' 0:<    VideoModeDescription : 1366 x 768 x 4294967296 colors
' 0:<    VideoProcessor : Intel(R) Iris(R) Xe Graphics Family
' 0:< VIDEO CONTROLLER INFORMATION:
' 0:<    AdapterCompatibility : NVIDIA
' 0:<    AdapterDACType : Integrated RAMDAC
' 0:<    AdapterRAM : -1048576
' 0:<    Caption : NVIDIA T600 Laptop GPU
' 0:<    Description : NVIDIA T600 Laptop GPU
' 0:<    DriverDate : 20250617000000.000000-000
' 0:<    DriverVersion : 32.0.15.7344
' 0:<    Monochrome : 0
' 0:<    Name : NVIDIA T600 Laptop GPU
' 0:<    VideoArchitecture : 5
' 0:<    VideoMemoryType : 2
' 0:<    VideoProcessor : NVIDIA T600 Laptop GPU
' 0:< PRINTER INFORMATION:
' 0:<    Caption : PDF24
' 0:<    Default : 0
' 0:<    DeviceID : PDF24
' 0:<    Direct : 0
```

```
' 0:<    DriverName : PDF24
' 0:<    EnableBIDI : 0
' 0:<    EnableDevQueryPrint : 0
' 0:<    HorizontalResolution : 600
' 0:<    Local : -1
' 0:<    Name : PDF24
' 0:<    Network : 0
' 0:<    PortName : \\.\pipe\PDFPrint
' 0:<    PrintJobDataType : RAW
' 0:<    PrintProcessor : winprint
' 0:<    RawOnly : 0
' 0:<    Shared : 0
' 0:<    SpoolEnabled : -1
' 0:<    VerticalResolution : 600
' 0:< PRINTER INFORMATION:
' 0:<    Caption : Microsoft Print to PDF
' 0:<    Default : 0
' 0:<    DeviceID : Microsoft Print to PDF
' 0:<    Direct : 0
' 0:<    DriverName : Microsoft Print To PDF
' 0:<    EnableBIDI : 0
' 0:<    EnableDevQueryPrint : 0
' 0:<    HorizontalResolution : 600
' 0:<    Local : -1
' 0:<    Name : Microsoft Print to PDF
' 0:<    Network : 0
' 0:<    PortName : PORTPROMPT:
' 0:<    PrintJobDataType : RAW
' 0:<    PrintProcessor : winprint
' 0:<    RawOnly : 0
' 0:<    Shared : 0
' 0:<    SpoolEnabled : -1
' 0:<    VerticalResolution : 600
' 0:<    Caption : diroots.prosheets
' 0:<    Default : 0
' 0:<    DeviceID : diroots.prosheets
' 0:<    Direct : 0
' 0:<    DriverName : PDF24
' 0:<    EnableBIDI : 0
' 0:<    EnableDevQueryPrint : 0
' 0:<    HorizontalResolution : 600
' 0:<    Local : -1
' 0:<    Name : diroots.prosheets
' 0:<    Network : 0
' 0:<    PortName : \\.\pipe\PDFPrint - diroots.prosheets
' 0:<    PrintJobDataType : RAW
' 0:<    PrintProcessor : winprint
' 0:<    RawOnly : 0
' 0:<    Shared : 0
' 0:<    SpoolEnabled : -1
```

```
' 0:<    VerticalResolution : 600
' 0:<    Caption : Bluebeam PDF
' 0:<    Default : -1
' 0:<    DeviceID : Bluebeam PDF
' 0:<    Direct : 0
' 0:<    DriverName : BluebeamPSDriver
' 0:<    EnableBIDI : 0
' 0:<    EnableDevQueryPrint : 0
' 0:<    HorizontalResolution : 600
' 0:<    Local : -1
' 0:<    Name : Bluebeam PDF
' 0:<    Network : 0
' 0:<    PortName : BLUEBEAMPDFPORT
' 0:<    PrintJobDataType : RAW
' 0:<    PrintProcessor : winprint
' 0:<    RawOnly : 0
' 0:<    Shared : 0
' 0:<    SpoolEnabled : -1
' 0:<    VerticalResolution : 600
' 0:< PRINTER CONFIGURATION INFORMATION:
' 0:<    Color : 2
' 0:<    Copies : 1
' 0:<    Description : PDF24
' 0:<    DriverVersion : 1539
' 0:<    Orientation : 1
' 0:<    PaperLength : 2794
' 0:<    PaperSize : Letter 8 1/2 x 11 in
' 0:<    PaperWidth : 2159
' 0:<    PrintQuality : 600
' 0:<    SpecificationVersion : 1025
' 0:<    XResolution : 600
' 0:<    YResolution : 600
' 0:< PRINTER CONFIGURATION INFORMATION:
' 0:<    Color : 2
' 0:<    Copies : 1
' 0:<    Description : Microsoft Print to PDF
' 0:<    DriverVersion : 1539
' 0:<    Orientation : 1
' 0:<    PaperLength : 2794
' 0:<    PaperSize : Letter 8 1/2 x 11 in
' 0:<    PaperWidth : 2159
' 0:<    PrintQuality : 600
' 0:<    SpecificationVersion : 1025
' 0:<    XResolution : 600
' 0:<    YResolution : 600
' 0:<    Color : 2
' 0:<    Copies : 1
' 0:<    Description : diroots.prosheets
' 0:<    DriverVersion : 1539
' 0:<    Orientation : 1
```

```
' 0:<    PaperLength : 2794
' 0:<    PaperSize : Letter 8 1/2 x 11 in
' 0:<    PaperWidth : 2159
' 0:<    PrintQuality : 600
' 0:<    SpecificationVersion : 1025
' 0:<    XResolution : 600
' 0:<    YResolution : 600
' 0:<    Color : 2
' 0:<    Copies : 1
' 0:<    Description : Bluebeam PDF
' 0:<    DriverVersion : 1539
' 0:<    Orientation : 1
' 0:<    PaperLength : 2794
' 0:<    PaperSize : Letter 8 1/2 x 11 in
' 0:<    PaperWidth : 2159
' 0:<    PrintQuality : 600
' 0:<    SpecificationVersion : 1025
' 0:<    XResolution : 600
' 0:<    YResolution : 600
  ' 0:< ::94:: Delta VM: Avail -2 -> 133847830 MB, Used 1117 MB; RAM: Avail +13 ->
15555 MB, Used 1431 MB
  ' 0:< GUI Resource Usage GDI: Avail 8283, Used 1717, User: Used 503
  'E 07-Mar-2026 18:47:33.397;   0:<
  Jrn.MouseMove    0 ,      2 ,    190
  'E 07-Mar-2026 18:47:33.397;   0:<
  Jrn.AddInEvent "AddInJournaling"  , "ApiDockablePane(STING
Tools,StingTools\.UI\.StingDockPanel).WpfTabControl(0,tabMain).Select(3,System\.Wind
ows\.Controls\.TabItem Header:TEMP Content:)"
' 0:< ANTECEDENT:
'editor ArrowEditor
'C 07-Mar-2026 18:47:35.680;  DBG_INFO: readParamDatabase could not find a value for
'HIDEWHENNOVALUE', defaulting to 'false': line 861 of
F:\Ship25.4.3\2025_px64\Source\Revit\RevitDB\Parameters\ExternalParamDatabase.cpp.
```