Using loops in R

Brad Duthie

23 January 2019

A loop repeats the same set of instructions (i.e., 'code') across a particular set of conditions

A loop repeats the same set of instructions (i.e., 'code') across a particular set of conditions

Suppose you want to print the following sequence:

1,
$$\frac{1}{2}$$
, 3, $\frac{1}{4}$, ..., 999, $\frac{1}{1000}$

A loop repeats the same set of instructions (i.e., 'code') across a particular set of conditions

Suppose you want to print the following sequence:

1,
$$\frac{1}{2}$$
, 3, $\frac{1}{4}$, ..., 999, $\frac{1}{1000}$

How would you do it in R (without a loop)?

A loop repeats the same set of instructions (i.e., 'code') across a particular set of conditions

Suppose you want to print the following sequence:

$$1, \frac{1}{2}, 3, \frac{1}{4}, \ldots, 999, \frac{1}{1000}$$

How would you do it in R (without a loop)?

How would you explain what you want to do (verbally)?

A loop repeats the same set of instructions (i.e., 'code') across a particular set of conditions

Suppose you want to print the following sequence:

1,
$$\frac{1}{2}$$
, 3, $\frac{1}{4}$, ..., 999, $\frac{1}{1000}$

How would you do it in R (without a loop)?

How would you explain what you want to do (verbally)?

- 1. For each integer from 1 to 1000
- 2. If the number is odd, print it
- 3. If the number is even, divide by the number then print it
- 4. Stop when when finished printing