



Control mice: normalized count profile: pre-stress




Control mice - Pre-stress day behavioral profile: event counts




Stressed mice: normalized count profile: pre-stress

- Body configuration
- Position/context
- Social configuration
- Social escape
- Contact sequence
- Isolated behavior
- Contact type
- Social approach


Stressed mice - Pre-stress day behavioral profile: event counts



Control mice: normalized count profile: post-stress




Control mice - Post-stress day behavioral profile: event counts



Stressed mice: normalized count profile: post-stress

- Body configuration
- Position/context
- Social configuration
- Social escape
- Contact sequence
- Isolated behavior
- Contact type
- Social approach


Stressed mice - Post-stress day behavioral profile: event counts



Control mice: normalized mean duration: pre-stress

- Body configuration
- Position/context
- Social configuration
- Social escape
- Contact sequence
- Isolated behavior
- Contact type
- Social approach


Control mice - Pre-stress day behavioral profile: mean duration



Stressed mice: normalized mean duration: pre-stress

- Body configuration
- Position/context
- Social configuration
- Social escape
- Contact sequence
- Isolated behavior
- Contact type
- Social approach


Stressed mice - Pre-stress day behavioral profile: mean duration



Control mice: normalized mean duration: post-stress

- Body configuration
- Isolated behavior
- Position/context
- Contact type
- Social configuration
- Social approach
- Social escape
- Contact sequence


Control mice - Post-stress day behavioral profile: mean duration



Stressed mice: normalized mean duration: post-stress

- Body configuration
- Position/context
- Social configuration
- Social escape
- Contact sequence
- Isolated behavior
- Contact type
- Social approach


Stressed mice - Post-stress day behavioral profile: mean duration




Control mice: normalized duration variability: pre-stress

- Body configuration
- Position/context
- Social configuration
- Social escape
- Contact sequence
- Isolated behavior
- Contact type
- Social approach


Control mice - Pre-stress day behavioral profile: duration variability



Stressed mice: normalized duration variability: pre-stress



Stressed mice - Pre-stress day behavioral profile: duration variability




Control mice: normalized duration variability: post-stress

- Body configuration
- Isolated behavior
- Position/context
- Contact type
- Social configuration
- Social approach
- Social escape
- Contact sequence


Std. duration / pre-stress mean

Control mice - Post-stress day behavioral profile: duration variability




Stressed mice: normalized duration variability: post-stress

- Body configuration
- Isolated behavior
- Position/context
- Contact type
- Social configuration
- Social approach
- Social escape
- Contact sequence



Control mice: raw event counts $\log_{10}(1+x)$: pre-stress

■ Body configuration ■ Position/context ■ Social configuration ■ Social escape ■ Contact sequence
■ Isolated behavior ■ Contact type ■ Social approach


 $\log_{10}(1 + \text{Events per mouse per 12 h})$ Control mice - Pre-stress day behavioral profile: raw event counts ($\log_{10}[1+x]$)

Stressed mice: raw event counts log₁₀(1+x): pre-stress

■ Body configuration ■ Position/context ■ Social configuration ■ Social escape ■ Contact sequence
■ Isolated behavior ■ Contact type ■ Social approach

log₁₀(1 + Events per mouse per 12 h)

Stressed mice - Pre-stress day behavioral profile: raw event counts (log₁₀[1+x])




Control mice: raw event counts log₁₀(1+x): post-stress

- Body configuration
- Position/context
- Social configuration
- Social escape
- Contact sequence
- Isolated behavior
- Contact type
- Social approach

log₁₀(1 + Events per mouse per 12 h)

Control mice - Post-stress day behavioral profile: raw event counts (log₁₀[1+x])




Stressed mice: raw event counts log10(1+x): post-stress

- Body configuration
- Isolated behavior
- Position/context
- Contact type
- Social configuration
- Social approach
- Social escape
- Contact sequence


log10(1 + Events per mouse per 12 h)

Stressed mice - Post-stress day behavioral profile: raw event counts (log10[1+x])



Control mice: raw mean duration log10(1+x): pre-stress


■ Body configuration ■ Position/context ■ Social configuration ■ Social escape ■ Contact sequence
■ Isolated behavior ■ Contact type ■ Social approach



Stressed mice: raw mean duration log₁₀(1+x): pre-stress

■ Body configuration
 ■ Position/context
 ■ Social configuration
 ■ Social escape
 ■ Contact sequence
■ Isolated behavior
 ■ Contact type
 ■ Social approach


Stressed mice - Pre-stress day behavioral profile: raw mean duration (log₁₀[1+x])



Control mice: raw mean duration log10(1+x): post-stress

■ Body configuration ■ Position/context ■ Social configuration ■ Social escape ■ Contact sequence
■ Isolated behavior ■ Contact type ■ Social approach

Control mice - Post-stress day behavioral profile: raw mean duration (log10[1+x])



Stressed mice: raw mean duration log10(1+x): post-stress

■ Body configuration ■ Position/context ■ Social configuration ■ Social escape ■ Contact sequence
■ Isolated behavior ■ Contact type ■ Social approach

Stressed mice - Post-stress day behavioral profile: raw mean duration (log10[1+x])

